



LEVEL 8


SCALE: 1/16" = 1'-0"

TAC RE-SUBMITTAL 08/22/2025

DRAWN	CONTRACT DATE	11/06/23
SCALE	AS SHOWN	
JOB NO.	2242.PRJ	
SHEET TITLE:		
LEVEL 8		
SHEET NUMBER:		
A-2.8		


MSA ARCHITECTS, INC.
AAC000895

8950 SW 74th COURT
MIAMI, FLORIDA 33156
(305) 273-9911




PRELIM TAC SUBMITTAL 07.01.2024	BY
TAC SUBMITTAL 12.12.2024	
TAC RE-SUBMITTAL 05.23.2025	
1 TAC RE-SUBMITTAL 07.30.2025	
2 TAC RE-SUBMITTAL 08.22.2025	

OAKWOOD PLAZA
LOCATED AT:
HOLLYWOOD
FOR:
KIMCO REALTY



ARCHITECT'S BUILDING CODE STATEMENT: TO THE BEST OF THE ARCHITECT'S KNOWLEDGE THE PLANS AND SPECIFICATIONS COMPLY WITH THE FLORIDA BUILDING CODE EIGHTH EDITION (2023) AND THE APPLICABLE FIRE SAFETY STANDARDS AS DETERMINED BY THE LOCAL AUTHORITY AND CHAPTER 633, FLORIDA STATUTES.
COPYRIGHT © 2023 MSA ARCHITECTS, INC. THE ARCHITECTURAL DESIGN AND DETAIL DRAWINGS FOR THIS BUILDING AND/OR OVERALL PROJECT ARE THE LEGAL PROPERTY OF AND ALL RIGHTS ARE RESERVED BY THE ARCHITECT.
THEIR USE FOR REPRODUCTION, CONSTRUCTION, OR DISTRIBUTION IS PROHIBITED UNLESS AUTHORIZED IN WRITING BY THE ARCHITECT.



LEVEL ROOF

SCALE: 1/16" = 1'-0"

TAC RE-SUBMITTAL 08/22/2025

DRAWN
CONTRACT DATE 11/06/23
SCALE AS SHOWN
JOB NO. 2242.PRJ
SHEET TITLE:


LEVEL ROOF

SHEET NUMBER:

A-2.9

MSA ARCHITECTS, INC.
AAC000895
8950 SW 74th COURT
MIAMI, FLORIDA 33156
(305) 273-9911


MSA ARCHITECTS
ARCHITECTURE & PLANNING
COPYRIGHT © 2023 MSA ARCHITECTS, INC. THE ARCHITECTURAL DESIGN AND DETAIL DRAWINGS FOR THIS BUILDING AND/OR OVERALL PROJECT ARE THE LEGAL PROPERTY OF AND ALL RIGHTS ARE RESERVED BY THE ARCHITECT. THEIR USE FOR REPRODUCTION, CONSTRUCTION, OR DISTRIBUTION IS PROHIBITED UNLESS AUTHORIZED IN WRITING BY THE ARCHITECT.




OAKWOOD PLAZA
LOCATED AT:
HOLLYWOOD
FOR:
KIMCO REALTY

PRELIM TAC SUBMITTAL 07.01.2024	BY
TAC SUBMITTAL 12.12.2024	
TAC RE-SUBMITTAL 05.23.2025	
1 TAC RE-SUBMITTAL 07.30.2025	
2 TAC RE-SUBMITTAL 08.22.2025	


ARCHITECT'S BUILDING CODE STATEMENT: TO THE BEST OF THE ARCHITECT'S KNOWLEDGE THE PLANS AND SPECIFICATIONS COMPLY WITH THE FLORIDA BUILDING CODE EIGHTH EDITION (2023) AND THE APPLICABLE FIRE SAFETY STANDARDS AS DETERMINED BY THE LOCAL AUTHORITY AND CHAPTER 633, FLORIDA STATUTES.



1 FRONT ELEVATION (WEST)
SCALE: 1/16" = 1'-0"





2 RIGHT ELEVATION (SOUTH)
SCALE: 1/16" = 1'-0"



A MESH AND EGG CRATE SCREEN LAYERS
SCALE: 1/8" = 1'-0"


COLOR SCHEME



ELEVATIONS

SCALE: 1/16"=1'-0"
TAC RE-SUBMITTAL 08/22/2025

OAKWOOD PLAZA
LOCATED AT:
HOLLYWOOD
FOR:
KIMCO REALTY



MSA ARCHITECTS, INC.
AAC0000895
8850 SW 74th COURT
MIAMI, FLORIDA 33156
(305) 273-9911

MSA ARCHITECTS
ARCHITECTURE & PLANNING

DRAWN
CONTRACT DATE 11/06/23
SCALE AS SHOWN
JOB NO. 2242.PRJ
SHEET TITLE:

ELEVATIONS

SHEET NUMBER:
A-3.1






1 FRONT ELEVATION (WEST)
SCALE: 1/16" = 1'-0"



2 RIGHT ELEVATION (SOUTH)
SCALE: 1/16" = 1'-0"

COLOR SCHEME




ELEVATIONS

SCALE: 1/16"=1'-0"

TAC RE-SUBMITTAL 08/22/2025

PRELIM TAC SUBMITTAL 07.01.2024	BY
TAC SUBMITTAL 12.12.2024	
TAC RE-SUBMITTAL 05.23.2025	
TAC RE-SUBMITTAL 07.30.2025	
TAC RE-SUBMITTAL 08.22.2025	

OAKWOOD PLAZA
LOCATED AT:
HOLLYWOOD
FOR:
KIMCO REALTY



MSA ARCHITECTS, INC.
AAC0000895


8950 SW 74th COURT
SUITE 150
MIAMI, FLORIDA 33156
(305) 273-9911

MSA ARCHITECTS
ARCHITECTURE & PLANNING


DRAWN	CONTRACT DATE	11/06/23
SCALE	AS SHOWN	
JOB NO.	2242.PRJ	
SHEET TITLE:	ELEVATIONS	
SHEET NUMBER:	A-3.1	



3 REAR ELEVATION (EAST)
SCALE: 1/16" = 1'-0"





4 LEFT ELEVATION (NORTH)
SCALE: 1/16" = 1'-0"



5 PEDESTRIAN SIGHT LINE
SCALE: 1/32" = 1'-0"

COLOR SCHEME



ELEVATIONS

SCALE: 1/16"=1'-0"
TAC RE-SUBMITTAL 08/22/2025

PRELIM. TAC SUBMITTAL
07.01.2024

TAC SUBMITTAL 12.12.2024

TAC RE-SUBMITTAL 05.23.2025

1 TAC RE-SUBMITTAL
07.30.2025

2 TAC RE-SUBMITTAL
08.22.2025

OAKWOOD PLAZA

LOCATED AT:
HOLLYWOOD

FOR:
KIMCO REALTY

STATE OF FLORIDA
GEORGE L. MOURIZ
ARCHITECT
AR0007806

MSA ARCHITECTS, INC.
AAC000895
8850 SW 74th COURT
MIAMI, FLORIDA 33156
(305) 273-9911


MSA
ARCHITECTS
ARCHITECTURE & PLANNING

ARCHITECT'S BUILDING CODE STATEMENT/ TO THE BEST OF THE ARCHITECT'S KNOWLEDGE THE PLANS AND SPECIFICATIONS COMPLY WITH THE FLORIDA BUILDING CODE EIGHTH EDITION (2023) AND THE APPLICABLE FIRE SAFETY STANDARDS AS DETERMINED BY THE LOCAL AUTHORITY AND CHAPTER 633 FLORIDA STATUTES.
COPYRIGHT © 2023 MSA ARCHITECTS, INC. THE ARCHITECTURAL DESIGN AND DETAIL DRAWINGS FOR THIS BUILDING AND/OR OVERALL PROJECT ARE THE LEGAL PROPERTY OF AND ALL RIGHTS ARE RESERVED BY THE ARCHITECT.
OR DISTRIBUTION IS PROHIBITED UNLESS AUTHORIZED IN WRITING BY THE ARCHITECT.


DRAWN
CONTRACT DATE 11/06/23
SCALE AS SHOWN
JOB NO. 2242.PRJ
SHEET TITLE:
ELEVATIONS
SHEET NUMBER:
A-3.2




3 REAR ELEVATION (EAST)
SCALE: 1/16" = 1'-0"



4 LEFT ELEVATION (NORTH)
SCALE: 1/16" = 1'-0"



5 PEDESTRIAN SIGHT LINE
SCALE: 1/32" = 1'-0"



ELEVATIONS

SCALE: 1/16"=1'-0"
TAC RE-SUBMITTAL 08/22/2025

PRELIM. TAC SUBMITTAL
07.01.2024

TAC SUBMITTAL 12.12.2024

TAC RE-SUBMITTAL 07.30.2025

TAC RE-SUBMITTAL 08.22.2025

OAKWOOD PLAZA

LOCATED AT:
HOLLYWOOD

FOR:
KIMCO REALTY

STATE OF FLORIDA
GEORGE L. MOURIZ
ARCHITECT
REGISTERED ARCHITECT

MSA ARCHITECTS, INC.
AAC0000895
8850 SW 74th COURT
MIAMI, FLORIDA 33156
(305) 273-9911

ARCHITECT'S BUILDING CODE STATEMENT/ TO THE BEST OF THE ARCHITECT'S KNOWLEDGE THE PLANS AND SPECIFICATIONS COMPLY WITH THE FLORIDA BUILDING CODE EIGHTH EDITION (2023) AND THE APPLICABLE FIRE SAFETY STANDARDS AS DETERMINED BY THE LOCAL AUTHORITY AND CHAPTER 633 FLORIDA STATUTES.

ARCHITECTS
ARCHITECTURE & PLANNING

MSA

Copyright © 2023 MSA ARCHITECTS, INC. THE ARCHITECTURAL DESIGN AND DETAIL DRAWINGS FOR THIS BUILDING AND/OR OVERALL PROJECT ARE THE LEGAL PROPERTY OF AND ALL RIGHTS ARE RESERVED BY THE ARCHITECT. THEIR USE FOR REPRODUCTION, CONSTRUCTION, OR DISTRIBUTION IS PROHIBITED UNLESS AUTHORIZED IN WRITING BY THE ARCHITECT.

DRAWN

CONTRACT DATE 11/06/23

SCALE AS SHOWN


JOB NO. 2242.PRJ

SHEET TITLE:

ELEVATIONS

SHEET NUMBER:

A-3.2



TAC RE-SUBMITTAL 08/22/2025

	BY
PRELIM. TAC SUBMITTAL 07.01.2024	
TAC SUBMITTAL 12.12.2024	
TAC RE-SUBMITTAL 05.23.2025	
⚠	TAC RE-SUBMITTAL 07.30.2025
⚠	TAC RE-SUBMITTAL 08.22.2025

OAKWOOD PLAZA
LOCATED AT:
HOLLYWOOD
FOR:
KIMCO REALTY


MSA ARCHITECTS, INC.
AAC000895
8850 SW 74th COURT
MIAMI, FLORIDA 33156
(305) 273-9911

MSA ARCHITECTS
ARCHITECTURE & PLANNING

ARCHITECT'S BUILDING CODE STATEMENT: TO THE BEST OF THE ARCHITECT'S KNOWLEDGE, THE PLANS AND SPECIFICATIONS COMPLY WITH THE FLORIDA BUILDING CODE EIGHTH EDITION (2023) AND THE APPLICABLE FIRE SAFETY STANDARDS AS DETERMINED BY THE LOCAL AUTHORITY AND CHAPTER 633, FLORIDA STATUTES.

COPYRIGHT © 2023, MSA ARCHITECTS, INC. THE ARCHITECTURAL DESIGN AND DETAIL DRAWINGS FOR THIS BUILDING AND/OR OVERALL PROJECT ARE THE LEGAL PROPERTY OF AND ALL RIGHTS ARE RESERVED BY THE ARCHITECT. THEIR USE FOR REPRODUCTION, CONSTRUCTION, OR DISTRIBUTION IS PROHIBITED UNLESS AUTHORIZED IN WRITING BY THE ARCHITECT.


DRAWN	CONTRACT DATE	11/06/23
SCALE	AS SHOWN	
JOB NO.	2242.PRJ	
SHEET TITLE:		
RENDER		
SHEET NUMBER:		
A-3.3		



TAC RE-SUBMITTAL 08/22/2025

		BY
	PRELIM. TAC SUBMITTAL 07.01.2024	
	TAC SUBMITTAL 12.12.2024	
	TAC RE-SUBMITTAL 05.23.2025	
⚠	TAC RE-SUBMITTAL 07.30.2025	
⚠	TAC RE-SUBMITTAL 08.22.2025	


OAKWOOD PLAZA
LOCATED AT:
HOLLYWOOD
FOR:
KIMCO REALTY



GEORGE L. MOURIZ
ARD007806

MSA ARCHITECTS, INC.
AAC000895

8850 SW 74th COURT
MIAMI, FLORIDA 33156
(305) 273-9911




ARCHITECT'S BUILDING CODE STATEMENT: TO THE BEST OF THE ARCHITECT'S KNOWLEDGE THE PLANS AND SPECIFICATIONS COMPLY WITH THE FLORIDA BUILDING CODE EIGHTH EDITION (2023) AND THE APPLICABLE FIRE SAFETY STANDARDS AS DETERMINED BY THE LOCAL AUTHORITY AND CHAPTER 633, FLORIDA STATUTES. COPYRIGHT © 2023, MSA ARCHITECTS, INC. THE ARCHITECTURAL DESIGN AND DETAIL DRAWINGS FOR THIS BUILDING AND/OR OVERALL PROJECT ARE THE LEGAL PROPERTY OF AND ALL RIGHTS ARE RESERVED BY THE ARCHITECT. THEIR USE FOR REPRODUCTION, CONSTRUCTION, OR DISTRIBUTION IS PROHIBITED UNLESS AUTHORIZED IN WRITING BY THE ARCHITECT.


DRAWN	
CONTRACT DATE	11/06/23
SCALE	AS SHOWN
JOB NO.	2242.PRJ

SHEET TITLE:	RENDER
--------------	--------


SHEET NUMBER:	A-3.4
---------------	-------




UNIT ST (BD/BTH)
GROSS A/C AREA = 480 SQ. FT. (23 DU'S)
BALCONY = 40 SQ. FT.




UNIT STM (BD/BTH)
GROSS A/C AREA = 448 SQ. FT. (7 DU'S)
BALCONY = 40 SQ. FT.




UNIT A1 (1 BD/BTH)
GROSS A/C AREA = 720 SQ. FT. (69 DU'S)
BALCONY = 40 SQ. FT.




UNIT A1M (1 BD/BTH)
GROSS A/C AREA = 672 SQ. FT. (13 DU'S)
BALCONY = 40 SQ. FT.



UNIT A2 (1 BD/BTH)
GROSS A/C AREA = 814 SQ. FT. (45 DU'S)
BALCONY = 51 SQ. FT.



UNIT A2H (1 BD/BTH)
GROSS A/C AREA = 733 SQ. FT. (16 DU'S)
BALCONY = 39 SQ. FT.



UNIT A3 (1 BD/BTH)
GROSS A/C AREA = 836 SQ. FT. (7 DU'S)
BALCONY = 55 SQ. FT.


UNIT PLANS

SCALE: 1/4" = 1'-0"
TAC RE-SUBMITTAL 08/22/2025

PRELIM. TAC SUBMITTAL 07.01.2024	BY
TAC SUBMITTAL 12.12.2024	
TAC RE-SUBMITTAL 05.23.2025	
TAC RE-SUBMITTAL 07.30.2025	
TAC RE-SUBMITTAL 08.22.2025	

OAKWOOD PLAZA

LOCATED AT:
HOLLYWOOD
FOR:
KIMCO REALTY



GEORGE L. MOURIZ
AR0007806

MSA ARCHITECTS, INC.
AACO00895
8950 SW 74th COURT
SUITE 1513
MIAMI, FLORIDA 33156
(305) 273-9911




DRAWN
CONTRACT DATE 11/06/23
SCALE AS SHOWN
JOB NO. 2242.PRJ
SHEET TITLE:

UNIT PLANS

SHEET NUMBER:

A-4.1




UNIT B1 (2 BD/BTH)

GROSS A/C AREA = 901 SQ. FT. (22 DU'S)
BALCONY = 40 SQ. FT.




UNIT C1 (2 BD/BTH)

GROSS A/C AREA = 1080 SQ. FT. (63 DU'S)
BALCONY = 40 SQ. FT.




UNIT D1M (2 BD/ 2 BTH)

GROSS A/C AREA = 1003 SQ. FT. (1 DU'S)
BALCONY = 137 SQ. FT.



UNIT C2 (2 BD/BTH)

GROSS A/C AREA = 1012 SQ. FT. (7 DU'S)
BALCONY = 40 SQ. FT.



UNIT D1 (3 BD/ 2 BTH)

GROSS A/C AREA = 1351 SQ. FT. (7 U'S)
BALCONY = 137 SQ. FT.

UNIT PLANS

SCALE: 1/4" = 1'-0"

TAC RE-SUBMITTAL 08/22/2025

PRELIM. TAC SUBMITTAL 07.01.2024		BY
TAC SUBMITTAL 12.12.2024		
TAC RE-SUBMITTAL 05.23.2025		
TAC RE-SUBMITTAL 07.30.2025		
TAC RE-SUBMITTAL 08.22.2025		

OAKWOOD PLAZA
LOCATED AT:
HOLLYWOOD
FOR:
KIMCO REALTY

STATE OF FLORIDA
GEORGE L. MOURIZ
ARCHITECT
REGISTERED ARCHITECT
AR0007806

MSA ARCHITECTS, INC.
AAC000895
9850 SW 74th COURT
SUITE 303
MIAMI, FLORIDA 33156
(305) 273-9911

MSA ARCHITECTS
ARCHITECTURE & PLANNING

COPYRIGHT © 2023 MSA ARCHITECTS, INC. THE ARCHITECTURAL DESIGN AND DETAIL DRAWINGS FOR THIS BUILDING AND/OR OVERALL PROJECT ARE THE LEGAL PROPERTY OF AND ALL RIGHTS ARE RESERVED BY THE ARCHITECT.
THEIR USE FOR REPRODUCTION, CONSTRUCTION, OR DISTRIBUTION IS PROHIBITED UNLESS AUTHORIZED IN WRITING BY THE ARCHITECT.

DRAWN	CONTRACT DATE	11/06/23
SCALE	AS SHOWN	
JOB NO.	2242.PRJ	
SHEET TITLE:		
UNIT PLANS		
SHEET NUMBER:		
A-4.2		

TABLE 601 FIRE-RESISTANCE RATING REQUIREMENTS FOR BUILDING ELEMENTS (HOURS)										
BUILDING ELEMENT	TYPE I		TYPE II		TYPE III		TYPE IV		TYPE V	
	A	B	A	B	A	B	HT	A	B	
Primary structural frame ^a (see Section 202)	3 ^a	2 ^a	1 ^a	0 ^a	1 ^a	0 ^a	HT	1	0	
Bearing walls	3	2	1	0	2	2	2	1	0	
Exterior ^d	3	2	1	0	2	2	2	1	0	
Interior	3	2	1	0	1	0	1HT	1	0	
Nonbearing walls and partitions	See Table 705.5									
Exterior										
Nonbearing walls and partitions	0	0	0	0	0	0	See 2304.11.2	0	0	
Interior ^d	0	0	0	0	0	0	HT	1	0	
Floor construction and associated secondary members (see Section 202)	2	2	1	0	1	0	HT	1	0	
Roof construction and associated secondary members (see Section 202)	1 ^{1/2}	1 ^{1/2}	1 ^{1/2}	0 ^a	1 ^{1/2}	0 ^a	HT	1 ^{1/2}	0	

For SI: 1 foot = 304.8 mm.
a. Roof supports: Fire-resistance ratings of primary structural frame and bearing walls are permitted to be reduced by 1 hour where supporting a roof only.
b. Where every part of the roof construction is 20 feet or more above the floor, fire-resistance ratings of primary structural frame members, roof framing and decking, except where any of the following conditions apply:
1. In Group F-1, H, M and S-1 occupancies.
2. Where the roof is an occupiable space.
Fire-resistance-rated wood members shall be allowed to be used for such unprotected members.
c. In all occupancies, heavy timber complying with Section 2304.11 shall be allowed for roof construction, including primary structural frame members, where:
a. 1-hour or less fire-resistance rating is required.
d. Not less than the fire-resistance rating required by other sections of this code.
e. Not less than the fire-resistance rating based on fire separation distance (see Table 705.5).
f. Not less than the fire-resistance rating as referenced in Section 704.10.

TABLE 705.5 FIRE-RESISTANCE RATING REQUIREMENTS FOR EXTERIOR WALLS BASED ON FIRE SEPARATION DISTANCE ^{a, b, c}					
FIRE SEPARATION DISTANCE - X (mm)	TYPE OF CONSTRUCTION	OCCUPANCY GROUP ^{d, e}	OCCUPANCY GROUP ^{d, e} F-1, M, S-1	OCCUPANCY GROUP ^{d, e} A, B, E, F-2, F-3, H, R-2, U	
X < 5 ^f	All	3	2		
5 ≤ X < 10	IA Others	3 2	2 1		
10 ≤ X < 30	IA, IB IB, VB Others	2 1 1	1 0 0		
X ≥ 30	All	0	0		

For SI: 1 foot = 304.8 mm.
a. Load-bearing exterior walls shall also comply with the fire-resistance rating requirements of Table 601.
b. See Section 706.1.1 for party walls.
c. Open parking garages complying with Section 406 shall not be required to have a fire-resistance rating.
d. The fire-resistance rating of an exterior wall is determined based upon the fire separation distance of the exterior wall and the story in which the wall is located.
e. For special requirements for Group H occupancies, see Section 415.6.
f. For special requirements for Group S aircraft hangars, see Section 412.4.1.
g. Where Table 705.5 permits nonbearing exterior walls with unlimited area of unprotected openings, the required fire-resistance rating for the exterior walls is 1 hour.
h. For a building containing only a Group U occupancy private garage or carport, the exterior wall shall not be required to have a fire-resistance rating when the fire separation distance is 5 feet (1523 mm) or greater.

TABLE 705.6 MAXIMUM AREA OF EXTERIOR WALL OPENINGS BASED ON FIRE SEPARATION DISTANCE AND DEGREE OF OPENING PROTECTION			
FIRE SEPARATION DISTANCE (mm)	DEGREE OF OPENING PROTECTION	ALLOWABLE AREA ^a	
0 to less than 3 ^{b, c, d}	Unprotected, Non sprinklered (UP, NS)	Not Permitted ^d	
	Unprotected, Sprinklered (UP, S)	Not Permitted ^d	
	Protected (P)	Not Permitted	
3 to less than 5 ^{d, e}	Unprotected, Non sprinklered (UP, NS)	Not Permitted	
	Unprotected, Sprinklered (UP, S)	15%	
	Protected (P)	10% ^f	
5 to less than 10 ^{d, e}	Unprotected, Non sprinklered (UP, NS)	25%	
	Unprotected, Sprinklered (UP, S)	25%	
	Protected (P)	15% ^g	
10 to less than 15 ^{d, e}	Unprotected, Non sprinklered (UP, NS)	45%	
	Unprotected, Sprinklered (UP, S)	45%	
	Protected (P)	25%	
15 to less than 20 ^{d, e}	Unprotected, Non sprinklered (UP, NS)	75%	
	Unprotected, Sprinklered (UP, S)	75%	
	Protected (P)	45%	
20 to less than 25 ^{d, e}	Unprotected, Non sprinklered (UP, NS)	No Limit	
	Unprotected, Sprinklered (UP, S)	No Limit	
	Protected (P)	70%	
25 to less than 30 ^{d, e}	Unprotected, Non sprinklered (UP, NS)	No Limit	
	Unprotected, Sprinklered (UP, S)	No Limit	
	Protected (P)	No Limit	
30 or greater	Unprotected, Non sprinklered (UP, NS)	No Limit	
	Unprotected, Sprinklered (UP, S)	No Limit	
	Protected (P)	No Limit	

For SI: 1 foot = 304.8 mm.
UP, NS = Unprotected openings in buildings not equipped throughout with an automatic sprinkler system in accordance with Section 903.3.1.1.
UP, S = Unprotected openings in buildings equipped throughout with an automatic sprinkler system in accordance with Section 903.3.1.2.
P = Openings protected with an opening protective assembly in accordance with Section 705.8.2.
a. Values indicated are the percentage of the area of the exterior wall, per story.
b. For the requirements for fire walls of buildings with differing heights, see Section 706.6.1.
c. For openings in a fire wall for buildings on the same lot, see Section 706.4.
d. The maximum percentage of unprotected and protected openings shall be 25 percent for Group R-1 occupancies.
e. Unprotected openings shall not be permitted for openings with a fire separation distance of less than 15 feet for Group H-2 and H-3 occupancies.
f. The area of unprotected and protected openings shall not be limited for Group R-2 occupancies with a fire separation distance of 5 feet or greater.
g. The area of openings in an open parking structure with a fire separation distance of 10 feet or greater shall not be limited.
h. Includes buildings accessory to Group R-3.
i. Not applicable to Group H-1, H-2 and H-3 occupancies.
j. The area of openings in a building containing only a Group U occupancy private garage or carport with a fire separation distance of 5 feet (1523 mm) or greater shall not be limited.
k. For openings between S-2 parking garage and Group R-2 building, see Section 705.3, Exception 2.

TABLE 604.3 ^a ALLOWABLE BUILDING HEIGHT IN FEET ABOVE GRADE PLANE										
OCCUPANCY CLASSIFICATION	SEE FOOTNOTES	TYPE OF CONSTRUCTION								
		TYPE I		TYPE II		TYPE III		TYPE IV		TYPE V
		A	B	A	B	A	B	HT	A	
A, R, F-1, M, S, U	NS ^b	UL 160	65	55	55	65	55	65	55	40
	S	UL 160	85	75	85	75	85	75	85	60
H-1, H-2, H-3, H-5	NS ^{c, d}	UL 160	65	55	55	65	55	65	55	40
	S	UL 160	85	75	85	75	85	75	85	60
H-4	NS ^{e, f}	UL 160	65	55	55	65	55	65	55	40
	S	UL 180	85	75	85	75	85	75	85	70
I-1 Condition 1, I-3	NS ^{g, h}	UL 160	65	55	55	65	55	65	55	40
	S	UL 180	85	75	85	75	85	75	85	70
I-1 Condition 2, I-2	NS ^{i, j, k}	UL 160	65	55	55	65	55	65	55	40
	S	UL 180	85	75	85	75	85	75	85	70
I-4	NS ^{l, m}	UL 160	65	55	55	65	55	65	55	40
	S	UL 180	85	75	85	75	85	75	85	70
R	NS ^{n, o}	UL 160	65	55	55	65	55	65	55	40
	S13R	60	60	60	60	60	60	60	60	60
	S	UL 160	85	75	85	75	85	75	85	70

For SI: 1 foot = 304.8 mm.
Notes: UL = Unlimited; NS = Buildings not equipped throughout with an automatic sprinkler system; S = Buildings equipped throughout with an automatic sprinkler system installed in accordance with Section 903.3.1.1; S13R = Buildings equipped throughout with an automatic sprinkler system installed in accordance with Section 903.3.1.2.
a. See Chapters 4 and 5 for specific exceptions to the allowable height in this chapter.
b. See Section 903.2 for the minimum thresholds for protection by an automatic sprinkler system for specific occupancies.
c. New Group H1 occupancies are required to be protected by an automatic sprinkler system in accordance with Section 903.2.5.
d. The NS value is only for use in evaluation of existing building height in accordance with the *Florida Building Code, Existing Building*.
e. New Group I-1 and I-3 occupancies are required to be protected by an automatic sprinkler system in accordance with Section 903.2.6. For new Group I-1 occupancies Condition 1, see Exception 1 of Section 903.2.6.
f. New and existing Group I-2 occupancies are required to be protected by an automatic sprinkler system in accordance with Section 903.2.6 and the *Florida Fire Prevention Code*.
g. For new Group I-4 occupancies, see Exception 2 and 3 of Section 903.2.6.
h. New Group R occupancies are required to be protected by an automatic sprinkler system in accordance with Section 903.2.8.

TABLE 604.4 ^{a, b} ALLOWABLE NUMBER OF STORIES ABOVE GRADE PLANE												
OCCUPANCY CLASSIFICATION	SEE FOOTNOTES	TYPE OF CONSTRUCTION										
		TYPE I		TYPE II		TYPE III		TYPE IV		TYPE V		TYPE V
		A	B	A	B	A	B	A	B	HT	A	
A-1	NS	UL 5	3	2	3	2	3	2	3	2	1	
	S	UL 11	3	2	3	2	3	2	3	2	1	
A-2	NS	UL 11	3	2	3	2	3	2	3	2	1	
	S	UL 12	4	3	4	3	4	3	4	3	2	
A-3	NS	UL 11	3	2	3	2	3	2	3	2	1	
	S	UL 12	4	3	4	3	4	3	4	3	2	
A-4	NS	UL 11	3	2	3	2	3	2	3	2	1	
	S	UL 12	4	3	4	3	4	3	4	3	2	
A-5	NS	UL 11	3	2	3	2	3	2	3	2	1	
	S	UL 12	4	3	4	3	4	3	4	3	2	
B	NS	UL 11	5	3	5	3	5	3	5	3	2	
	S	UL 12	6	4	6	4	6	4	6	4	3	
E	NS	UL 5	3	2	3	2	3	2	3	1	1	
	S	UL 6	4	3	4	3	4	3	4	2	2	
F-1	NS	UL 11	4	2	3	2	3	2	4	2	1	
	S	UL 12	5	3	4	3	5	3	5	3	2	
F-2	NS	UL 11	5	3	4	3	5	3	5	3	2	
	S	UL 12	6	4	5	4	6	4	6	4	3	
H-1	NS ^{c, d}	1	1	1	1	1	1	1	1	1	1	NP
	S	UL 3	2	1	2	1	2	1	2	1	1	
H-2	NS ^{e, f}	UL 3	2	1	2	1	2	1	2	1	1	
	S	UL 4	2	1	2	1	2	1	2	1	1	
H-3	NS ^{g, h}	UL 6	4	2	4	2	4	2	4	2	1	
	S	UL 7	5	3	5	3	5	3	5	3	2	
H-4	NS ^{i, j}	UL 8	6	4	6	4	6	4	6	4	3	
	S	UL 4	3	3	3	3	3	3	3	3	2	
H-5	NS ^{k, l}	UL 9	4	3	4	3	4	3	4	3	2	
	S	UL 10	5	4	5	4	5	4	5	4	3	
I-1 Condition 1	NS ^{m, n}	UL 9	4	3	4	3	4	3	4	3	2	
	S	UL 10	5	4	5	4	5	4	5	4	3	
I-1 Condition 2	NS ^{o, p}	UL 9	4	3	4	3	4	3	4	3	2	
	S	UL 10	5	4	5	4	5	4	5	4	3	
I-2	NS ^{q, r}	UL 4	2	1	1	NP	1	1	NP	1	1	NP
	S	UL 5	3	1	1	NP	1	1	NP	1	1	NP
I-3	NS ^{s, t}	UL 4	2	1	2	1	2	1	2	2	1	
	S	UL 5	3	2	3	2	3	2	3	3	2	
I-4	NS ^{u, v}	UL 5	3	2	3	2	3	2	3	1	1	
	S	UL 6	4	3	4	3	4	3	4	2	2	
M	NS	UL 11	4	2	4	2	4	2	4	3	1	
	S	UL 12	5	3	5	3	5	3	5	3	2	
R-1	NS ^{w, x}	UL 11	5	3	5	3	5	3	5	3	2	
	S13R	4	4	4	4	4	4	4	4	4	3	
R-2	NS ^{y, z}	UL 12	5	3	5	3	5	3	5	3	2	
	S13R	4	4	4	4	4	4	4	4	4	3	
R-3	NS ^{aa}	UL 11	4	4	4	4	4	4	4	4	3	
	S	UL 12	5	3	5	3	5	3	5	3	2	
R-4	NS ^{ab}	UL 11	4	4	4	4	4	4	4	3	2	
	S	UL 12	5	3	5	3	5	3	5	3	2	
S-1	NS	UL 11	4	2	3	2	3	2	3	3	1	
	S	UL 12	5	3	4	3	6	4	4	2		
S-2	NS	UL 11	5	3	4	3	5	4	3	5	4	3
	S	UL 12	6	4	5	4	6	5	5	3		
U	NS	UL 5	4	2	3	2	4	2	3	2	1	
	S	UL 6	5	3	4	3	5	3	4	3	2	

Notes: UL = Unlimited; NP = Not Permitted; NS = Buildings not equipped throughout

Plotted By: Tyas, Denny - Sheet Set: OAKWOOD EAST MULTI FAMILY PROJECT - Layout: C-452 UTILITY PLAN DETAILS - August 25, 2025 - 12:40:26pm - K:\VRB-LDE\VL47507129 - Oakwood East Towers CAD\PlanSheets\C-450 UTILITY DETAILS.dwg
This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kimley-Horn and Associates, Inc. shall be without liability to Kimley-Horn and Associates, Inc.

