

SECTION 00300

PROPOSAL

TO THE MAYOR AND COMMISSIONERS  
CITY OF HOLLYWOOD, FLORIDA

SUBMITTED 05/06/2024

Dear Mayor and Commissioners:

The undersigned, as BIDDER, hereby declares that the only person or persons interested in the Proposal as principal or principals is or are named herein and that no other person than herein mentioned has any interest in this Proposal or in the Contract to be entered into; that this Proposal is made without connection with any other person, company or parties making a Bid or Proposal; and that it is in all respects fair and in good faith without collusion or fraud.

The BIDDER further declares that he has examined the site of the Work and informed himself fully in regard to all conditions pertaining to the place where the Work is to be done; that he has examined the Drawings and Specifications for the Work and contractual documents relative thereto, including the Notice to Bidders, Instructions to Bidders, Proposal Bid Form, Form of Bid Bond, Form of Contract and Form of Performance Bond, General, Supplementary and Technical Specifications, Addenda, Drawings, Exhibit A, and has read all of the Provisions furnished prior to the opening of bids; and that he has satisfied himself relative to the work to be performed.

The undersigned BIDDER has not divulged to, discussed or compared his bid with other bidders and has not colluded with any other BIDDER of parties to this bid whatever.

If this Proposal is accepted, the undersigned BIDDER proposes and agrees to enter into and execute the Contract with the City of Hollywood, Florida, in the form of Contract specified; of which this Proposal, Instructions to Bidders, General Specifications, Supplementary Conditions and Drawings shall be made a part for the performance of Work described therein; to furnish the necessary bond equal to one hundred (100) percent of the total Contract base bid, the said bond being in the form of a Cash Bond or Surety Bond prepared on the applicable approved bond form furnished by the CITY; to furnish all necessary materials, equipment, machinery, tools, apparatus, transportation, supervision, labor and all means necessary to construct and complete the work specified in the Proposal and Contract and called for in the Drawings and in the manner specified; to commence Work on the effective date established in the "Notice to Proceed" from the ENGINEER; and to substantially complete all Contract Work for within 365 days with final completion within 395 days, and stated in the "Notice to Proceed" or pay liquidated damages for each calendar day in excess thereof, or such actual and consequential damages as may result therefrom, and to abide by the City of Hollywood Ordinance.

The BIDDER acknowledges receipt of the following addenda:

|           |             |
|-----------|-------------|
| No. _____ | Dated _____ |
| No. _____ | Dated _____ |
| No. _____ | Dated _____ |

And the undersigned agrees that in case of failure on his part to execute the said Contract and the Bond within ten (10) days after being presented with the prescribed Contract forms, the check or Bid Bond accompanying his bid, and the money payable thereon, shall be paid into the funds of the City of Hollywood, Florida, otherwise, the check or Bid Bond accompanying this Proposal shall be returned to the undersigned.

Attached hereto is a certified check on the

N/A Bank of \_\_\_\_\_

or approved Bid Bond for the sum of

10% Dollars (\$) according to the conditions under the Instructions to Bidders and provisions therein.

NOTE: If a Bidder is a corporation, the legal name of the corporation shall be set forth below, together with signature(s) of the officer or officers authorized to sign Contracts on behalf of the corporation and corporate seal; if Bidder is a partnership, the true name of the firm shall be set forth below with the signature(s) of the partner or partners authorized to sign Contracts in behalf of the partnership; and if the Bidder is an individual, his signature shall be placed below; if a partnership, the names of the general partners.

WHEN THE BIDDER IS AN INDIVIDUAL:

N/A  
(Signature of Individual)

\_\_\_\_\_  
(Printed Name of Individual)

\_\_\_\_\_  
(Address)

\*\*\*\*\*

WHEN THE BIDDER IS A SOLE PROPRIETORSHIP OR OPERATES UNDER A TRADE NAME:

N/A  
(Name of Firm)

\_\_\_\_\_  
(Address)

\_\_\_\_\_  
(Signature of Individual) (SEAL)

\*\*\*\*\*

WHEN THE BIDDER IS A PARTNERSHIP:

\_\_\_\_\_  
(Name of Firm) A Partnership

\_\_\_\_\_  
(Address)

By: \_\_\_\_\_  
(SEAL)  
(Partner)

Name and Address of all Partners:

\_\_\_\_\_  
\_\_\_\_\_

\*\*\*\*\*

WHEN THE BIDDER IS A JOINT VENTURE:

N/A.  
\_\_\_\_\_  
(Correct Name of Corporation)

By: \_\_\_\_\_  
(SEAL)  
(Address)

\_\_\_\_\_  
(Official Title)

As Joint Venture  
(Corporate Seal)



Organized under the laws of the State of Florida, and authorized by the law to make this bid and perform all Work and furnish materials and equipment required under the Contract Documents.

\*\*\*\*\*

WHEN THE BIDDER IS A CORPORATION:

The Stout Group LLC  
\_\_\_\_\_  
(Correct Name of Corporation)

By: \_\_\_\_\_  
(SEAL)



Manager  
(Official Title)

10850 NW 138th St. Bay #3, Aratoca Gardens,  
(Address of Corporation) FL 33018

Organized under the laws of the State of Florida, and authorized by the law to make this bid and perform all Work and furnish materials and equipment required under the Contract Documents.

CERTIFIED COPY OF RESOLUTION OF  
BOARD OF DIRECTORS

The Stout Group, LLC  
(Name of Corporation)

RESOLVED that Jose M. Sanchez III  
(Person Authorized to Sign)

Manager of The Stout Group, LLC  
(Title) (Name of Corporation)

be authorized to sign and submit the Bid or Proposal of this corporation for the following project:

**CITY OF HOLLYWOOD**

**443976-1-58 CITY OF HOLLYWOOD VARIOUS LOCATIONS BIKE LANE/ SIDEWALK**  
**Bid No.: IFB-191-24-WV**

The foregoing is a true and correct copy of the Resolution adopted by

The Stout Group, LLC at a meeting of its Board of  
(Name of Corporation)

Directors held on the 6<sup>th</sup> day of May, 2021.

By: [Signature]

Title: Manager

(SEAL)

The above Resolution MUST BE COMPLETED if the Bidder is a Corporation.

- END OF SECTION -

## CITY OF HOLLYWOOD, FL

HOLLYWOOD BEVERLY PARK - BEACH ESTATES PROJECT - CITY OF HOLLYWOOD, FL

BID FORM

CITY PROJECT No.: FM #443944-1-58-01

IF THIS PROPOSAL IS ACCEPTED, THE UNDERSIGNED BIDDER AGREES TO COMPLETE ALL WORK UNDER THIS CONTRACT WITHIN 365 CALENDAR DAYS AFTER THE EFFECTIVE DATE ESTABLISHED IN THE NOTICE TO PROCEED WITH CONTRACT WORK. UNIT PRICE PREVAILS OVER TOTAL PRICE. All entries on this form must be typed or written in ink.

Payment to the CONTRACTOR shall be made on the basis of the Proposal bid items as full and complete payment for furnishing all materials, labor, tools and equipment, and for performing all operations necessary to complete the work included in the Contract Documents. Such compensation shall also include payments for any loss or damages arising directly or indirectly from the work, or from any discrepancies between the actual quantities of work and those shown in the Contract Documents, or from any unforeseen difficulties which may be encountered during the prosecution of the work until the final acceptance by the CITY.

The prices stated in the proposal include all costs and expenses for taxes, labor, equipment, materials, commissions, transportation charges and expenses, patent fees and royalties, labor for handling materials during inspection, together with any and all other costs and expenses for performing and completing the work as shown on the plans and specified herein. Unit prices used will be applied to the actual quantities furnished and installed in conformance with the Contract Documents.

The quantities for payment under the Contract shall be determined by actual measurement of the completed items, in place, ready for service and accepted by the CITY. A representative of the CONTRACTOR shall witness all field measurements.

| Pay Item Number | Description                                                                                        | Quantity | Unit | Unit Price  | Total Item Price |
|-----------------|----------------------------------------------------------------------------------------------------|----------|------|-------------|------------------|
| 0101-1          | MOBILIZATION 439921158/8801                                                                        | 1        | LS   |             |                  |
|                 | FIELD ENGINEERING, LAYOUT, AS-BUILTS                                                               | 1        | LS   |             |                  |
|                 | PAYMENT & PERFORMANCE BONDS                                                                        | 1        | LS   |             |                  |
| 0102-1          | MAINTENANCE OF TRAFFIC                                                                             | 120      | DAY  |             |                  |
| 0104-18         | INLET PROTECTION SYSTEM                                                                            | 12       | EA   |             |                  |
| 0110-7-1        | MAILBOX RELOCATION                                                                                 | 30       | EA   |             |                  |
| 0120-1          | REGULAR EXCAVATION FOR SIDEWALK INSTALLATION                                                       | 6,150    | CY   |             |                  |
| 0327-70-1       | MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH (DRIVEWAYS)                                        | 6,095    | CY   |             |                  |
|                 | DRIVEWAY REPAIR                                                                                    | 6,095    | SY   |             |                  |
| 0522-1          | CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK (23,825 LF)                                              | 10,150   | SY   |             |                  |
| 0522-2          | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK                                                          | 3,300    | SY   |             |                  |
| 0520-1-10       | CONCRETE CURB & GUTTER, TYPE F                                                                     | 700      | LF   |             |                  |
| 0520-3          | VALLEY GUTTER - CONCRETE                                                                           | 150      | LF   |             |                  |
| 0706-1-3        | RAISED PAVEMENT MARKING, TYPE B                                                                    | 72       | EA   |             |                  |
| 0827-2          | DETECTABLE WARNINGS                                                                                | 1,450    | SF   |             |                  |
| 0700-1-50       | SINGLE POST SIGN, RELOCATE                                                                         | 40       | AS   |             |                  |
| 0711-11123      | THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT                            | 0        | LF   |             |                  |
| 0711-11125      | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK                             | 250      | LF   |             |                  |
| 0711-15201      | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID 6"                             | 0.40     | GM   |             |                  |
| 0711-17-1       | THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS - SURFACE TO REMAIN                 | 1,400    | SF   |             |                  |
| 0110-1-1        | CLEARING & GRUBBING                                                                                | 2.78     | AC   |             |                  |
|                 | REMOVAL OF EXISTING DRIVEWAY MATERIAL                                                              | 3,300    | SY   |             |                  |
|                 | REMOVAL OF EXISTING ASPHALT                                                                        | 5,500    | SF   |             |                  |
|                 | TREE REMOVAL: 0" - 6" (DBH)                                                                        | 36       | EA   |             |                  |
|                 | TREE REMOVAL: 7" - 12" (DBH)                                                                       | 30       | EA   |             |                  |
|                 | TREE REMOVAL: 13" - 24" (DBH)                                                                      | 28       | EA   |             |                  |
|                 | TREE REMOVAL: 25" AND UP (DBH)                                                                     | 17       | EA   |             |                  |
|                 | SITE RESTORATION                                                                                   | 1        | LS   |             |                  |
| 0110-21         | ROOT BARRIER                                                                                       | 4,230    | LF   |             |                  |
|                 | SWALE RESTORATION                                                                                  | 11,700   | SY   |             |                  |
| 0570-1-2        | PERFORMANCE TURF, SOD                                                                              | 5,500    | SF   |             |                  |
| 0110-22         | TREE TRIMMING/ROOT PRUNING                                                                         | 120      | EA   |             |                  |
|                 | IRRIGATION REPAIR                                                                                  | 1        | LS   |             |                  |
| ALLOWANCE       | City Allowance for work as directed and upon authorization by the City due to undefined conditions | 1        | AL   | \$50,000.00 | \$50,000.00      |
| TOTAL BASE BID  |                                                                                                    |          |      |             |                  |

Dollars and Cents

TOTAL BASE BID IN WRITING

Date:

5/6/24

SIGNATURE

NAME/TITLE

CONTRACTOR COMPANY NAME

## NOTES:

- SUBSTANTIAL COMPLETION TIME AND PROJECT CLOSEOUT TIME FOR THE WORK SHALL BE AS DEFINED IN THE PROJECT SCHEDULE IN THE SUPPLEMENTARY GENERAL CONDITIONS (SGC'S).
- THE CITY OF HOLLYWOOD REQUIRES THE CONTRACTOR TO PROVIDE THE UNIT PRICE/TOTAL IN TEXT AS WELL AS NUMERICAL FORMAT FOR EACH LINE ITEM LISTED IN THE PROPOSAL BID FORMS. FAILURE TO PROVIDE UNIT PRICE/TOTAL FOR EACH LINE ITEM IN TEXT AS WELL AS NUMERICAL FORMAT MAY RENDER THE ENTIRE BID PACKAGE NON-RESPONSIVE.
- THE CITY OF HOLLYWOOD WILL EVALUATE THE BID PROPOSALS AND DETERMINE THE LOWEST, RESPONSIVE, RESPONSIBLE BIDDER FOR THE TOTAL BASE BID (ITEMS 1 THROUGH 12). IT IS THE CITY OF HOLLYWOOD'S INTENT TO AWARD THE PROJECT BASED UPON THE TOTAL BASE BID.
- PAY ITEM DESCRIPTIONS:**

**DRIVEWAY REPAIR** - THE COSTS INCLUDE INSTALLATION OF DRIVEWAY MATERIAL, ALL ASSOCIATED EXCAVATION, MANAGEMENT OF EXCAVATED MATERIALS, NEW LIMEROCK AND SUB BASE AS NEEDED, BACKFILL AND COMPACTION, TESTING, AND SOIL REGRADING IF REQUIRED BY ADJACENT GRADES TO DRIVEWAYS. IF REQUIRED, MILL, RESURFACE, AND REGRADE EXISTING DRIVEWAYS TO MATCH PROPOSED CONCRETE SIDEWALK ELEVATION. ALL IMPACTED DRIVEWAYS TO BE INCLUDED. SEE NOTE ON ENGINEERING PLANS.

**REMOVAL OF EXISTING DRIVEWAY MATERIALS** - UNIT PRICE SHALL INCLUDE ALL MATERIALS, LABOR, AND EQUIPMENT NECESSARY TO REMOVE EXISTING DRIVEWAY MATERIALS. LIMITED TO THE FIVE FOOT WIDE SECTION OF DRIVEWAY MATERIAL TO BE REMOVED FOR THE 6" CONCRETE SIDEWALK TRAVERSING EACH DRIVEWAY.

**REMOVAL OF EXISTING ASPHALT** - UNIT PRICE SHALL INCLUDE ALL MATERIALS, LABOR, AND EQUIPMENT NECESSARY TO REMOVE EXISTING ASPHALT PAVEMENT THAT IS TO BE REPLACED WITH SOD (WITHIN EXISTING ROADWAY).

**SITE RESTORATION** - THE LUMP SUM PRICE SHALL INCLUDE ALL MATERIALS, LABOR, AND EQUIPMENT NECESSARY TO PERFORM SITE RESTORATION WORK INCLUDING SWALE RESTORATION, SIDEWALK, ROADWAY, OR DRIVEWAYS IMPACTED BY ANY CONSTRUCTION ACTIVITY ADJACENT TO PROJECT SITE INCLUDING BUT NOT LIMITED TO CONCRETE AND BASE REMOVAL, STRIPING REMOVAL, CLEARING AND GRUBBING, UTILITY INSTALLATIONS, SIDEWALK INSTALLATION, SIGNPOST RELOCATIONS, ETC. THE PAY ITEM INCLUDES BUT IS NOT LIMITED TO NEW SOD, LANDSCAPING, TREES, EXCAVATION, BACKFILL, GRADING, IRRIGATION, DRIVEWAY APRONS, SIDEWALKS, FENCES, PIPES, CURBS, AND ANY OTHER WORK REQUIRED FOR PROJECT COMPLETION AND ACCEPTANCE. ANY EXCAVATION, BACKFILL, TRENCH RESTORATION, SITE RESTORATION, AND LANDSCAPING IMPROVEMENT COSTS REFERENCED AS PART OF OTHER BID ITEMS SHALL BE INCLUDED IN THOSE BID ITEMS ACCORDINGLY. RESTORATION OTHER THAN OR IN ADDITION TO WHAT IS INDICATED BY THE PLANS, SPECIFICATIONS, AND DEFINED HEREIN WILL BE CONSIDERED INCIDENTAL TO THE CONSTRUCTION AND THE COSTS OF THIS INCIDENTAL RESTORATION SHOULD BE INCLUDED IN THE COST OF THE PROJECT. THE CONTRACTOR SHALL INCLUDE THE COSTS ASSOCIATED WITH A PRECONSTRUCTION VIDEO TO CONFIRM EXISTING CONDITIONS. ANY DAMAGE NOT CONFIRMED BY PRECONSTRUCTION VIDEO WILL BE REPAIRED AT NO ADDITIONAL COST TO THE CITY.

**SWALE RESTORATION** - UNIT PRICE SHALL INCLUDE ALL MATERIALS, LABOR, AND EQUIPMENT NECESSARY TO REGRADE SWALE PER SWALE CUT DETAIL ON SHEET C500.

**IRRIGATION REPAIR** - THE LUMP SUM PRICE SHALL INCLUDE ALL MATERIALS, LABOR, AND EQUIPMENT NECESSARY TO RESTORE ANY EXISTING IRRIGATION INFRASTRUCTURE DAMAGED DURING CONSTRUCTION.

-END OF SECTION -

SECTION 00420  
INFORMATION REQUIRED FROM BIDDERS

GENERAL INFORMATION

The Bidder shall furnish the following information. Failure to comply with this requirement may cause its rejection. Additional sheets shall be attached as required.

1. Contractor's Name/Address: The Stout Group, LLC  
10850 NW 138th St. Bay #3, Aratcah Gardens, FL 33018
2. Contractor's Telephone Number: (786) 452-1481  
and e-mail address: jsanchez@thestoutgroup.com
3. Contractor's License (attach copy): E1400317 (See Attached)  
Primary Classification: Pipeline Eng., Structural Eng., Paving Eng.  
Broward County License Number (attach copy): \_\_\_\_\_
4. Number of years as a Contractor in construction work of the type involved in this Contract: 11 years
5. List the names and titles of all officers of Contractor's firm:  
Yvette Zuluaga Member  
Jose M. Sanchez III Manager
6. Name of person who inspected site or proposed work for your firm:  
Name: Jose M. Sanchez III  
Date of Inspection: 05/03/2024
7. Provide a list of projects of this nature you have completed in the past  
- See Attached -
8. Have you ever failed to complete work awarded to you; if so, where and why?  
NO.

9. Name three (3) individuals or corporations for which you have performed work and to which you refer:

See Attached

---

---

10. List the following information concerning all contracts on hand as of the date of submission of this proposal (in case of co-venture, list the information for all co-ventures).

| Name of Project | City | Total<br>Contract<br>Value | Contracted<br>Date of<br>Completion | %<br>Completion<br>to Date |
|-----------------|------|----------------------------|-------------------------------------|----------------------------|
|-----------------|------|----------------------------|-------------------------------------|----------------------------|

See Attached



---

---

---

---

(Continue list on inset sheet, if necessary)

11. What equipment do you own that is available for the work?

See Attached

---

---

12. What equipment will you purchase for the proposed work?

N/A

---

---

NOTE:

If requested by CITY, the Bidder shall furnish a notarized financial statement, references and other information, sufficiently comprehensive to permit an appraisal of its current financial condition



### LIST OF SUBCONTRACTORS

The Bidder shall list below the name and address of each Subcontractor who will perform work under this Contract in excess of one-half percent of the total bid price, and shall also list the portion of the work which will be done by such Subcontractor. After the opening of Proposals, changes or substitutions will be allowed with written approval of the City of Hollywood. Subcontractors must be properly licensed and hold a valid Hollywood Certificate of Competency.

|     | <b>Work to be Performed</b> | <b>Subcontractor's Name / Address</b> |
|-----|-----------------------------|---------------------------------------|
| 1.  | <u>TBD</u>                  |                                       |
| 2.  |                             |                                       |
| 3.  |                             |                                       |
| 4.  |                             |                                       |
| 5.  |                             |                                       |
| 6.  |                             |                                       |
| 7.  |                             |                                       |
| 8.  |                             |                                       |
| 9.  |                             |                                       |
| 10. |                             |                                       |

NOTE: Attach additional sheets if required.

SECTION 00495

TRENCH SAFETY

FORM- IF REQUIRED

This form must be completed and signed by the Bidder.

Failure to complete this form may result in the bid being declared non-responsive.

Bidder acknowledges that the Florida Trench Safety Act, Section 553.60 et. seq., which became effective October 1, 1990, shall be in effect during the period of construction of the project. The Bidder by signing and submitting the bid is, in writing, assuring that it will perform any trench excavation in accordance with applicable trench safety standards. The Bidder further identifies the following separate item of cost of compliance with the applicable trench safety standards as well as the method of compliance:

Method of Compliance

Cost

Total \$ N/A

Bidder acknowledges that this cost is included in the applicable items of the Proposal and in the Grand Total Bid Price. Failure to complete the above will result in the bid being declared non-responsive.

The Bidder is, and the Owner and Engineer are not, responsible to review or assess Bidder's safety precautions, programs or costs, or the means, methods, techniques or technique adequacy, reasonableness of cost, sequences or procedures of any safety precaution, program or cost, including but not limited to, compliance with any and all requirements of Florida Statute Section 553.60 et. seq. cited as the "Trench Safety Act". Bidder is, and the owner and Engineer are not, responsible to determine if any safety related standards apply to the project, including but not limited to, the "Trench Safety Act".

[Signature]  
Witness Signature

Franco S. Varela  
Witness Printed Name

4580 NW 21 Ave. Miami, FL 33142  
Witness Address

5/6/24  
Date

[Signature]  
Contractor's Signature  
Jose M. Sanchez  
Printed Name

Manager  
Title

5/6/24  
Date

- END OF SECTION-

SECTION 00410  
APPROVED BID BOND

(Construction)

STATE OF FLORIDA

KNOW ALL MEN BY THESE PRESENTS:

That we The Stout Group, LLC, as Principal, and Berkley Insurance Company, as

Surety, are held and firmly bound unto the City of Hollywood in the sum of \_\_\_\_\_

Ten Percent of Amount Bid Dollars (\$ 10% of Amount Bid ) lawful money

of the United States, amounting to 10% of the total Bid Price, for the payment of said sum, we bind ourselves, our heirs, executors, administrators, and successors, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION IS SUCH that whereas the principal has submitted the accompanying bid, dated \_\_\_\_\_ May 6th, 2024 for

**443976-1-58 CITY OF HOLLYWOOD VARIOUS LOCATIONS BIKE LANE/  
SIDEWALK**

**Bid No.: IFB-191-24-WV**

NOW, THEREFORE, if the principal shall not withdraw said bid within 90 days after date of the same and shall within ten days after the prescribed forms are presented to him for signature, enter into a written contract with the CITY, in accordance with the bid as accepted, and give bond with good and sufficient surety or sureties, and provide the necessary Insurance Certificates as may be required for the faithful performance and proper fulfillment of such Contract, then this obligation shall be null and void.

Approved Bid Bond

In the event of the withdrawal of said bid within the specified period, or the failure to enter into such contract and give such bond and insurance within the specified time, the principal and the surety shall pay to the City of Hollywood the difference between the amount specified in said bid and such larger amount for which the City of Hollywood may in good faith contract with another party to perform the work and/or supply the materials covered by said bid.

IN WITNESS WHEREOF, the above bound parties have executed this statement under their several seals this 6th  
day of May, 20<sup>24</sup>, the name and corporate seal of each corporate party being hereto affixed and these presents duly signed by its undersigned representative, pursuant to authority of its governing body.

WHEN THE PRINCIPAL IS AN INDIVIDUAL:

Signed, sealed and delivered in the presence of:

\_\_\_\_\_  
Witness

\_\_\_\_\_  
Signature of Individual

\_\_\_\_\_  
Address  
10850 N.W. 138th Street, Bay #3  
Miami, FL 33018

\_\_\_\_\_  
Printed Name of Individual

\_\_\_\_\_  
Witness

\_\_\_\_\_  
Address  
10850 N.W. 138th Street, Bay #3  
Miami, FL 33018

Approved Bid Bond

WHEN THE PRINCIPAL IS A CORPORATION:

Attest:

Yvette Zuluaga  
Secretary

The Start Group, LLC  
Name of Corporation

10850 NW 138th St. Bay #3  
Business Address

Hialeah Gardens, FL 33018

By: [Signature]  
(Affix Corporate Seal)

Jose M. Sanchez  
Printed Name

Manager.  
Official Title

CERTIFICATE AS TO CORPORATE PRINCIPAL

I, Yvette Zuluaga, certify that I am the secretary of the Corporation named as Principal in the attached bond; that Jose Sanchez who signed the said bond on behalf of the Principal, was then Manager of said Corporation; that I know his signature, and his signature thereto is genuine and that said bond was duly signed, sealed and attested for and on behalf of said Corporation by authority of its governing body.

Yvette Zuluaga  
Secretary

Approved Bid Bond

TO BE EXECUTED BY CORPORATE SURETY:

Attest:

  
Secretary Tracey Brown

Berkley Insurance Company  
Corporate Surety

Business Address 475 Steamboat Road  
Greenwich, CT 06830

BY:   
(Affix Corporate Seal)

Brett Rosenhaus, Attorney-in-Fact & FL Licensed Agent  
Attorney-in-Fact

Name of Local Agency Acisure, LLC

Business Address 1000 Central Avenue, Suite 200  
St. Petersburg, FL 33705

STATE OF FLORIDA

Before me, a Notary Public, duly commissioned, qualified and acting, personally appeared, \_\_\_\_\_  
Brett Rosenhaus to me well known, who being by me first duly sworn upon oath  
says that he is the attorney-in-fact for the Berkley Insurance Company \_\_\_\_\_ and  
that he has been authorized by Berkley Insurance Company to execute the forgoing bond  
on behalf of the CONTRACTOR named therein in favor of the City of Hollywood, Florida.  
Subscribed and sworn to before me this 6th day of May, 20 24

  
Notary Public, State of Florida

My Commission Expires:  
11-13-2024

MARGARET A. SCHULZ  
NOTARY PUBLIC  
STATE OF FLORIDA  
NO. HH 55224  
MY COMMISSION EXPIRES NOV. 13, 2024

- END OF SECTION -

POWER OF ATTORNEY  
BERKLEY INSURANCE COMPANY  
WILMINGTON, DELAWARE

NOTICE: The warning found elsewhere in this Power of Attorney affects the validity thereof. Please review carefully.

KNOW ALL MEN BY THESE PRESENTS, that BERKLEY INSURANCE COMPANY (the "Company"), a corporation duly organized and existing under the laws of the State of Delaware, having its principal office in Greenwich, CT, has made, constituted and appointed, and does by these presents make, constitute and appoint: **Brett Rosenhaus or Dale A. Belis of Acrisure, LLC dba Nielson, Rosenhaus & Associates of Delray Beach, FL** its true and lawful Attorney-in-Fact, to sign its name as surety only as delineated below and to execute, seal, acknowledge and deliver any and all bonds and undertakings, with the exception of Financial Guaranty Insurance, providing that no single obligation shall exceed **One Hundred Million and 00/100 U.S. Dollars (U.S.\$100,000,000.00)**, to the same extent as if such bonds had been duly executed and acknowledged by the regularly elected officers of the Company at its principal office in their own proper persons.

This Power of Attorney shall be construed and enforced in accordance with, and governed by, the laws of the State of Delaware, without giving effect to the principles of conflicts of laws thereof. This Power of Attorney is granted pursuant to the following resolutions which were duly and validly adopted at a meeting of the Board of Directors of the Company held on January 25, 2010:

**RESOLVED**, that, with respect to the Surety business written by Berkley Surety, the Chairman of the Board, Chief Executive Officer, President or any Vice President of the Company, in conjunction with the Secretary or any Assistant Secretary are hereby authorized to execute powers of attorney authorizing and qualifying the attorney-in-fact named therein to execute bonds, undertakings, recognizances, or other suretyship obligations on behalf of the Company, and to affix the corporate seal of the Company to powers of attorney executed pursuant hereto; and said officers may remove any such attorney-in-fact and revoke any power of attorney previously granted; and further

**RESOLVED**, that such power of attorney limits the acts of those named therein to the bonds, undertakings, recognizances, or other suretyship obligations specifically named therein, and they have no authority to bind the Company except in the manner and to the extent therein stated; and further

**RESOLVED**, that such power of attorney revokes all previous powers issued on behalf of the attorney-in-fact named; and further

**RESOLVED**, that the signature of any authorized officer and the seal of the Company may be affixed by facsimile to any power of attorney or certification thereof authorizing the execution and delivery of any bond, undertaking, recognizance, or other suretyship obligation of the Company; and such signature and seal when so used shall have the same force and effect as though manually affixed. The Company may continue to use for the purposes herein stated the facsimile signature of any person or persons who shall have been such officer or officers of the Company, notwithstanding the fact that they may have ceased to be such at the time when such instruments shall be issued.

IN WITNESS WHEREOF, the Company has caused these presents to be signed and attested by its appropriate officers and its corporate seal hereunto affixed this 25th day of March, 2020.



Attest:

By

Ira S. Lederman  
Executive Vice President & Secretary

Berkley Insurance Company

By

Jeffrey M. Hafter  
Senior Vice President

STATE OF CONNECTICUT )

) ss:

COUNTY OF FAIRFIELD )

Sworn to before me, a Notary Public in the State of Connecticut, this 25th day of March, 2020, by Ira S. Lederman and Jeffrey M. Hafter who are sworn to me to be the Executive Vice President and Secretary, and the Senior Vice President, respectively, of Berkley Insurance Company.

MARIA C RUNDBAKEN  
NOTARY PUBLIC  
CONNECTICUT  
MY COMMISSION EXPIRES  
APRIL 30, 2024

Maria C. Rundbaker  
Notary Public, State of Connecticut

**CERTIFICATE**

I, the undersigned, Assistant Secretary of BERKLEY INSURANCE COMPANY, DO HEREBY CERTIFY that the foregoing is a true, correct and complete copy of the original Power of Attorney; that said Power of Attorney has not been revoked or rescinded and that the authority of the Attorney-in-Fact set forth therein, who executed the bond or undertaking to which this Power of Attorney is attached, is in full force and effect as of this date.

Given under my hand and seal of the Company, this 6th day of May, 2024.



Vincent P. Forte



## JOSE M. SANCHEZ III, P.E.

Jose M Sanchez III, better known as Joey, since young age started working at his father's company Horizon Contractors, Inc. His hard work has allowed him to promote his way up from the unofficial ranks of unskilled laborer, skilled laborer, heavy equipment operator, surveyor's rod man, surveyor party chief, foreman and superintendent. He has performed every field job within the Engineering Contracting genre.

From 2000 to 2012, he worked his way up from the official positions of Assistant Project Manager, Project Manager, Project Engineer and Vice President. During this time, not only did he move up the ranks within his father's company, but he also completed his curriculum in FIU and graduated with a Bachelor of Science in Civil Engineering (2003).

Once Joey received his degree from FIU, he did not stop there. He then obtained the following licensures:

- Florida Professional Engineering License (PE)
- Florida Certified General Contractor License (CGC)
- Florida Certified Underground Contractors License (CUC)
- Florida Certified Home Inspector License
- Miami Dade County Engineering Contractors License
- Broward County Engineering Contractors License.

Along with these licensures, Joey has obtained many State Contracting Certifications allowing him to perform various specialized scopes within state projects.

In the Spring of 2012, The Stout Group was created. Joey has been the Managing Member/ Chief Estimator/Sr. Project Manager. Joey has a vast knowledge of all aspects of underground and highway projects.

### EXPERTISE

---

Over 25 years of experience in the following types of projects:

- |                                |                                   |
|--------------------------------|-----------------------------------|
| ▪ Water/Sewer Installation     | ▪ Drainage Installation           |
| ▪ Watermain Installation       | ▪ Bridge Deck and Pilling Install |
| ▪ Force Main/ Pump Stations    | ▪ Structural Work                 |
| ▪ Highway Construction         | ▪ Asphalt and Concrete Paving     |
| ▪ Street Lighting Construction | ▪ Signalization Construction      |

Joey has worked on many of projects from beginning to end.  
Please see attached a list of other sample projects relative to this bid.



## Experience

To Whom It May Concern,

Please find below completed projects within the last three (3) years, in which The Stout Group, LLC with Jose Maria Sanchez III (Joey)) as the Project Manager, provided Florida cities, counties or other Florida governmental agencies similar services.

### A. COMPLETED PROJECTS

1. Florida Department of Transportation – T6524 - SR 969/Milam Dairy Rd./NW 72 Ave.
  - a. Owner Name: Florida Department of Transportation  
Contact Person: Francisco Lledo – Construction Project Manager  
Phone Number: 305-619-7144  
Email Address: [Francisco.lledo@dot.state.fl.us](mailto:Francisco.lledo@dot.state.fl.us)
  - b. Narrative:
  - c. Contract amount: \$711,881.95
  - d. Completion Date: 6/15/2022
2. Miami Dade County – 422003-17-003 – Rickenbacker Causeway, Green Bike Lanes Segment A – Phase I
  - a. Owner Name: Miami Dade County  
Contact Person: Lin Li P.E.  
Phone Number: 786-268-5283  
Email Address: [lin.li@miamidade.gov](mailto:lin.li@miamidade.gov)
  - b. Narrative:

On the aforementioned project, The Stout Group, LLC performed various scopes within the project limits. The scopes performed were modification of bike lanes with green coating painted bike lanes, milling and resurfacing, pavement, thermoplastic, pavement markings and reflective markers.
  - c. Contract Amount: \$2,138,892.50
  - d. Completion Date: 10/29/2021

3. City of Miami Gardens – ITB # 18-19-011 – 203<sup>rd</sup> Street Outfall Modification
  - a. Owner Name: City of Miami Gardens  
Contact Person: Leslie Pettit P.E  
Phone Number: 954-325-8487  
Email Address: [lpettit@miamigardens-fl.gov](mailto:lpettit@miamigardens-fl.gov)
  - b. Narrative:  
On the aforementioned project, The Stout Group, LLC performed various scopes within the project limits. The scopes performed were installation of new pipes and structures, replacement and installation of draining ditches, excavation and backfill restoration to level grade.
  - c. Contract Amount: \$486,918.15
  - d. Completion Date: 08/31/2021
4. Miami Dade County – Miami Dade WASD Central District WWTP
  - a. Owner Name: Miami Dade County. Dynalectric Company  
Contact Person: Ron Taylor  
Project Address:
  - b. Narrative:  
The Stout Group, LLC performed various scopes within the project limits. The scopes performed were installed precast structures of different sizes, performed multiple duct bank of different measurements, excavation, restoration.
  - c. Contract amount: \$244,929.00.
  - d. Completion Date: 06/05/2021
5. City of Hollywood – Project No 19-11044 – City-Wide Miscellaneous Drainage Improvements
  - a. Owner Name: City of Hollywood – Public Utilities  
Contact Person: Raul Wainer – Project Manager  
Phone Number: 954-921-3930  
Email Address: [rwainer@hollywoodfl.org](mailto:rwainer@hollywoodfl.org)
  - b. Narrative:  
On the aforementioned project, The Stout Group, LLC is performing various scopes within the project limits of City of Hollywood. The scopes included Drainage, roadway restoration, concrete curb and gutter, concrete sidewalks, landscaping, regrade swale, milling and resurfacing.
  - c. Contract Amount: \$730,737.00
  - d. Completion Date: 05/03/2021

6. Florida Department of Transportation – T4534 – Rock Island Rd
  - a. Owner Name: Florida Department of Transportation  
Contact Person: Alejandro Pina – S.E.T. Project Administrator  
Phone Number: 954-958-7629  
Email Address: [alejandro.pina@dot.state.fl.us](mailto:alejandro.pina@dot.state.fl.us)
  - b. Narrative:  
On the aforementioned project, The Stout Group, LLC is performing various scopes within the project limits of Rock Island Rd. The scopes included roadway widening, concrete curb and gutter, concrete sidewalks, landscaping, milling, and resurfacing, and striping.
  - c. Contract Amount: \$1,247,199.00
  - d. Completion Date: 03/19/2021
  
7. Florida Department of Transportation – T6450 – Campbell Dr – Horizon Contractors, Inc.
  - a. Owner Name: Florida Department of Transportation  
Contact Person: Bernon Artola – Project Administrator  
Phone Number: 786-367-4674  
Email Address: [bartola@cgasolutions.com](mailto:bartola@cgasolutions.com)
  - b. Narrative:  
On the aforementioned project, The Stout Group, LLC performed various scopes within the project limits of Campbell Drive. The scopes self-performed included the removal and replacement of a live lift station, removal and replacement of a live sanitary sewer and the installation of drainage.
  - c. Contract Amount: \$16,300,000.00
  - d. Completion Date: 03/23/2021
  
8. Florida Department of Transportation – T4509 – Hollywood Blvd
  - a. Owner Name: Florida department of Transportation  
Contact Person: Mackendy Philippi – Construction Project Administrator II  
Phone Number: 954-958-7693  
Email Address: [mackendy.philippi@dot.state.fl.us](mailto:mackendy.philippi@dot.state.fl.us)
  - b. Narrative:  
On the aforementioned project, The Stout Group, LLC self-performed various scopes of work including drainage and water main installation along the project corridor, roadway restoration, concrete curb and gutter, concrete sidewalks, regrade swale, milling and resurfacing and striping.
  - c. Contract Amount: \$3,049,774.59
  - d. Completion Date: 12/03/2020

9. Florida Department of Transportation – T6401 – Biscayne Blvd Roadway Improvements
  - a. Owner Name: Florida Department of Transportation  
Contact Person: Jonathan Fundora – Construction Senior Project Manager  
Phone Number: 305-962-3653  
Email Address: [jonathan.fundora@dot.state.fl.us](mailto:jonathan.fundora@dot.state.fl.us)
  - b. Narrative:

On the aforementioned project, The Stout Group, LLC performed various scopes within the project limits of Biscayne Blvd. The scopes self-performed included were major drainage upgrades along the project corridor, water main upgrades, and sewer main upgrades. The sewer main upgrades included bypassing sewer mains. Full reconstruction of the roadway, concrete curb and gutter, concrete sidewalks, paver sidewalks, lighting upgrades, full intersection signalization installation, pedestrian signalization upgrades, milling and resurfacing, striping, and guardrail installation.
  - c. Contract Amount: \$5,700,000.00
  - d. Completion Date: 05/03/2019



## ONGOING Contracts

To Whom It May Concern:

Please find below (5) contracts in which The Stout Group, LLC is working:

1. Florida Department of Transportation – T4563 - SW 40TH AVE - FROM STIRLING RD TO GRIFFIN RD – Castillo Engineering, Inc.  
Contact Person: Andres Diaz – Project Administrator  
Telephone Number: 786-877-8572  
Email Address: [adiaz@castilloeng.com](mailto:adiaz@castilloeng.com)  
Contract amount: \$3,377,160.33  
Completion Date: Ongoing Project
2. Florida Department of Transportation – E6L97 – District-Wide Drainage Push Button Contract  
Contact Person: Lazaro Mesa  
Telephone Number: 305-401-1438  
Email Address: [Lazaro.mesa@dot.state.us](mailto:Lazaro.mesa@dot.state.us)  
Contract amount: \$1,000,000.00  
Completion: Ongoing Project
3. City of Sunny Isles Beach – 2022-7741 – Utility Undergrounding for Golden Shores  
Contact Person: Paul Abott  
Telephone Number: 305-773-6255  
Email Address: [ptgbhtl@aol.com](mailto:ptgbhtl@aol.com)  
Contract amount: \$5,858,477.87  
Completion: Ongoing Project
4. City of Miami Beach – 2021-12-ME – Rehabilitation of 20-inch North and South Water Mains Along the MacArthur Causeway Bridge  
Contact Person: Matthew LePera  
Telephone Number: 305-673-7000  
Email Address: [matthewlepera@miamibeachfl.gov](mailto:matthewlepera@miamibeachfl.gov)  
Contract amount: \$4,968,953.00  
Completion: Ongoing Project
5. Florida Department of Transportation – E4V27 – Sheet Pile Wall on A1A  
Contact Person: Rashmi Potdar  
Telephone Number: 954-850-0856  
Email Address: [rpotdar@cegroupfl.com](mailto:rpotdar@cegroupfl.com)  
Contract amount: \$2,398,227.38  
Completion: Ongoing Project

**UNDERGROUND | SITEWORK | EARTHWORKS | PAVING**

10850 NW 138th Street, Bay #3 - Hialeah Gardens, FL 33018 - O: 786.452.1481 - F: 305.397.2311

# Sample Projects

(Completed )

---

**Project Number: 001**

|                                  |                                                             |    |  |
|----------------------------------|-------------------------------------------------------------|----|--|
| Project Name:                    | I-595 to Turnpike Northbound Ramp – T7 Ramp                 |    |  |
| Owner:                           | Florida Department of Transportation                        |    |  |
| Contractor:                      | Maytin Engineering Corp.                                    |    |  |
| Contact:                         | Roly Maytin, PE                                             |    |  |
| Address:                         | 13900 NW 112 <sup>th</sup> Ave<br>Hialeah Gardens, FL 33018 |    |  |
| Phone:                           | 305-827-4545                                                |    |  |
| Fax:                             | 305-827-4547                                                |    |  |
| Completed:                       | March 2014                                                  |    |  |
| Contract Amount:                 | \$495,000                                                   |    |  |
| Contract Scope:                  |                                                             |    |  |
| ▪ Excavation                     | 3500                                                        | CY |  |
| ▪ Embankment                     | 18,000                                                      | CY |  |
| ▪ Limerock (Finish Grade)        | 12,000                                                      | SY |  |
| ▪ Solid Pipe (Various Diameters) | 750                                                         | LF |  |
| ▪ Drainage Structure             | 10                                                          | EA |  |
| ▪ Asphalt                        |                                                             |    |  |
| o Traffic Level D (PG 76-22)     | 420                                                         | TN |  |
| o FC-9.5                         | 80                                                          | TN |  |

---

**Project Number: 002**

|                                  |                                                               |    |  |
|----------------------------------|---------------------------------------------------------------|----|--|
| Project Name:                    | Phase VI – Storm Water Improvements                           |    |  |
| Owner:                           | Village of El Portal                                          |    |  |
| Contractor:                      | Horizon Contractors, Inc.                                     |    |  |
| Contact:                         | Xavier Salvat, PE                                             |    |  |
| Address:                         | 8175 West 32 <sup>nd</sup> Ave – Suite 2<br>Hialeah, FL 33018 |    |  |
| Phone:                           | 305-828-2050                                                  |    |  |
| Fax:                             | 305-820-0905                                                  |    |  |
| Completed:                       | April 2014                                                    |    |  |
| Contract Amount:                 | \$35,000                                                      |    |  |
| Contract Scope:                  |                                                               |    |  |
| ▪ Solid Pipe (Various Diameters) | 190                                                           | LF |  |
| ▪ Drainage Structure             | 2                                                             | EA |  |
| ▪ Asphalt                        |                                                               |    |  |
| o Traffic Level C                | 40                                                            | TN |  |

---

**Project Number: 003**

|                  |                                                                          |  |  |
|------------------|--------------------------------------------------------------------------|--|--|
| Project Name:    | T6207 - SR-5 – Overseas Highway (MM 93 – 97)                             |  |  |
| Owner:           | Village of El Portal                                                     |  |  |
| Contractor:      | Horizon Contractors, Inc.                                                |  |  |
| Contact:         | Xavier Salvat, PE                                                        |  |  |
| Address:         | 8175 West 32 <sup>nd</sup> Ave – Suite 2<br>Hialeah, FL 33018            |  |  |
| Phone:           | 305-828-2050                                                             |  |  |
| Fax:             | 305-820-0905                                                             |  |  |
| Completed:       | May 2014                                                                 |  |  |
| Contract Amount: | \$29,000                                                                 |  |  |
| Contract Scope:  | <ul style="list-style-type: none"><li>▪ Finish Grade 17,695 SY</li></ul> |  |  |

**Project Number: 004**

|                  |                                                                                                                                                                |  |  |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Project Name:    | E6H34 - SR-5 – Overseas Highway (MM 85 – 84)                                                                                                                   |  |  |
| Owner:           | Florida Department of Transportation                                                                                                                           |  |  |
| Contractor:      | Horizon Contractors, Inc.                                                                                                                                      |  |  |
| Contact:         | Xavier Salvat, PE                                                                                                                                              |  |  |
| Address:         | 8175 West 32 <sup>nd</sup> Ave – Suite 2<br>Hialeah, FL 33018                                                                                                  |  |  |
| Phone:           | 305-828-2050                                                                                                                                                   |  |  |
| Fax:             | 305-820-0905                                                                                                                                                   |  |  |
| Completed:       | March 2015                                                                                                                                                     |  |  |
| Contract Amount: | \$650,000                                                                                                                                                      |  |  |
| Contract Scope:  | <ul style="list-style-type: none"><li>▪ Solid Pipe (Various Diameters) 1900 LF</li><li>▪ French Drain 24" 680 LF</li><li>▪ Drainage Structures 18 EA</li></ul> |  |  |

**Project Number: 005**

|                  |                                                   |  |  |
|------------------|---------------------------------------------------|--|--|
| Project Name:    | The Bond – Duct Bank                              |  |  |
| Owner:           | 1080 Brickell Development                         |  |  |
| Contractor:      | ION Electric, LLC                                 |  |  |
| Contact:         | Jack Higgins                                      |  |  |
| Address:         | 2001 N. Andrews Avenue<br>Pompano Beach, FL 33069 |  |  |
| Phone:           | 954-434-7432                                      |  |  |
| Fax:             | 954-857-6687                                      |  |  |
| Completed:       | August 2014                                       |  |  |
| Contract Amount: | \$20,000                                          |  |  |
| Contract Scope:  |                                                   |  |  |



- 6" 15 Way Primary Duct Bank 120 LF

---

**Project Number: 006**

Project Name: T6314 – Marathon Key - SR-5 – Overseas Highway (MM 47 – 48)  
 Owner: Florida Department of Transportation

---

Contractor: Horizon Contractors, Inc.  
 Contact: Xavier Salvat, PE  
 Address: 8175 West 32<sup>nd</sup> Ave – Suite 2  
 Hialeah, FL 33018

Phone: 305-828-2050

Fax: 305-820-0905

---

Completed: February 2015

Contract Amount: \$377,000

Contract Scope:

- Excavation 839 CY
  - Embankment 2,946 CY
  - Limerock (Finish Grade) 6,749 SY
  - Rip Rap 150 CY
  - Grading 13,786 SY
- 

**Project Number: 007**

Project Name: E6100 - SE 26<sup>th</sup> Rd  
 Owner: Florida Department of Transportation

---

Contractor: The Stout Group, LLC (Prime)  
 Contact: Joey Sanchez, PE  
 Address: 10850 NW 138<sup>th</sup> Street – Bay 3  
 Hialeah Gardens, FL 33018

Phone: 305-216-8406

Fax: 305-397-2311

---

Completed: March 2015

Contract Amount: \$95,480

Contract Scope:

- Sidewalk 159 SY
  - Asphalt
    - o Traffic Level C – 12.5 42 TN
    - o FC-9.5 (PG76-22) (ARB) 30 TN
- 

**Project Number: 008**

Project Name: T6333 – NW 74<sup>th</sup> Street and 72<sup>nd</sup> Ave Intersection  
 Owner: Florida Department of Transportation

---

Contractor: The Stout Group, LLC (Prime)

Contact: Joey Sanchez, PE

Address: 10850 NW 138<sup>th</sup> Street – Bay 3  
Hialeah Gardens, FL 33018  
Phone: 305-216-8406  
Fax: 305-397-2311

---

Completed: April 2015  
Contract Amount: \$154,744  
Contract Scope:

- Sidewalk 80 SY
- Curb and Gutter 123 LF
- Asphalt
  - o FC-9.5 (PG76-22) (ARB) 153 TN

---

**Project Number: 009**

Project Name: PAMM Footing Installation  
Owner: Perez Art Museum Miami (PAMM)

---

Contractor: The Stout Group, LLC (Prime)  
Contact: Joey Sanchez, PE  
Address: 10850 NW 138<sup>th</sup> Street – Bay 3  
Hialeah Gardens, FL 33018  
Phone: 305-216-8406  
Fax: 305-397-2311

---

Completed: January 2015  
Contract Amount: \$29,200  
Contract Scope:

- Class I – Structural Concrete 50 CY

---

**Project Number: 010**

Project Name: Building 6 – Asphalt Improvements  
Owner: Broward Community College

---

Contractor: Thornton Construction Company  
Contact: Frank Gunn  
Address: 4300 Biscayne Blvd #207  
Miami, FL 33137  
Phone: 305-649-1995  
Fax: 305-649-1295

---

Completed: January 2015  
Contract Amount: \$237,750  
Contract Scope:

- Asphalt
    - o Traffic Level C – 9.6 60 TN
-

**Project Number: 012**

|                  |                                                                                         |  |  |
|------------------|-----------------------------------------------------------------------------------------|--|--|
| Project Name:    | T4386 – SRA1A / Ocean Drive                                                             |  |  |
| Owner:           | Florida Department of Transportation                                                    |  |  |
| Contractor:      | ION Electric                                                                            |  |  |
| Contact:         | Jack Higgins                                                                            |  |  |
| Address:         | 2001 N. Andrews Avenue<br>Pompano Beach, FL 33069                                       |  |  |
| Phone:           | 954-434-7432                                                                            |  |  |
| Fax:             | 954-857-6687                                                                            |  |  |
| Completed:       | July 2015                                                                               |  |  |
| Contract Amount: | \$51,200                                                                                |  |  |
| Contract Scope:  | <ul style="list-style-type: none"><li>▪ Structural Concrete (Pile Caps) 40 CY</li></ul> |  |  |

**Project Number: 013**

|                  |                                                                                                                                     |  |  |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Project Name:    | E6J26 – R0 – Districtwide Asphalt Maintenance                                                                                       |  |  |
| Owner:           | Florida Department of Transportation                                                                                                |  |  |
| Contractor:      | The Stout Group, LLC (Prime)                                                                                                        |  |  |
| Contact:         | Joey Sanchez, PE                                                                                                                    |  |  |
| Address:         | 10850 NW 138 <sup>th</sup> Street – Bay 3<br>Hialeah Gardens, FL 33018                                                              |  |  |
| Phone:           | 305-216-8406                                                                                                                        |  |  |
| Fax:             | 305-397-2311                                                                                                                        |  |  |
| Completed:       | December 2015                                                                                                                       |  |  |
| Contract Amount: | \$250,000                                                                                                                           |  |  |
| Contract Scope:  | <ul style="list-style-type: none"><li>▪ Asphalt<ul style="list-style-type: none"><li>o FC-12.5 (PG76-22) 625 TN</li></ul></li></ul> |  |  |

**Project Number: 014**

|                  |                                                                                                              |  |  |
|------------------|--------------------------------------------------------------------------------------------------------------|--|--|
| Project Name:    | Saxony Beach Walk                                                                                            |  |  |
| Owner:           | The Saxony Development                                                                                       |  |  |
| Contractor:      | ValleyCrest Landscape Development                                                                            |  |  |
| Contact:         | Ariel Caballero                                                                                              |  |  |
| Address:         | 4155 East Mowry Drive<br>Homestead, FL 33033                                                                 |  |  |
| Phone:           | 305-258-8011                                                                                                 |  |  |
| Fax:             | 305-258-0809                                                                                                 |  |  |
| Completed:       | August 2015                                                                                                  |  |  |
| Contract Amount: | \$295,000                                                                                                    |  |  |
| Contract Scope:  | <ul style="list-style-type: none"><li>▪ Demolition 1 LS</li><li>▪ Limerock (Finish Grade) 2,722 SY</li></ul> |  |  |

---

**Project Number: 015**

Project Name: T6393 – Krome Ave (450+00 – 499+00)

Owner: Florida Department of Transportation

---

Contractor: Horizon Contractors, Inc.

Contact: Xavier Salvat, PE

Address: 8175 West 32<sup>nd</sup> Ave  
Hialeah, FL 33018

Phone: 305-345-7816

Fax: 305-820-0905

---

Completed: Scheduled for December 2016

Contract Amount: \$2,655,311

Contract Scope:

|                                |         |    |
|--------------------------------|---------|----|
| ▪ Clearing and Grubbing        | 1       | LS |
| ▪ Regular Excavation           | 3,805   | CY |
| ▪ Subsoil Excavation           | 52,475  | CY |
| ▪ Embankment                   | 133,077 | CY |
| ▪ Prepared Soil Layer          | 60,978  | SY |
| ▪ Optional Base, Base Group 02 | 7,622   | SY |
| ▪ Optional Base, Base Group 10 | 26,133  | SY |

---

**Project Number: 016**

Project Name: Opalocka Airport Interior Service Road

Owner: Miami Dade Airport Department

---

Contractor: Horizon Contractors, Inc.

Contact: Xavier Salvat, PE

Address: 8175 West 32<sup>nd</sup> Ave  
Hialeah, FL 33018

Phone: 305-345-7816

Fax: 305-820-0905

---

Completed: January 2016

Contract Amount: \$960,555

Contract Scope:

|                                     |        |      |
|-------------------------------------|--------|------|
| ▪ Clearing and Grubbing             | 17     | ACRE |
| ▪ Demolition of Bituminous Pavement | 1,600  | SY   |
| ▪ On-Site Excavation                | 30,500 | CY   |
| ▪ Proof Rolling                     | 34,700 | SY   |
| ▪ 12" Thick Stabilization Subgrade  | 29,471 | SY   |
| ▪ 9" Thick Limerock Base Course     | 33,300 | SY   |
| ▪ 24" RCP Class V (Cross Drain)     | 430    | LF   |
| ▪ 24" Mitered End Section           | 14     | EA   |
| ▪ Swale Grading                     | 48,000 | SY   |
| ▪ Canal Bank Stabilization          | 3,000  | SY   |

---

**Project Number: 017**

Project Name: Tamiami Canal Bridge Replacement  
Owner: Miami Dade County Public Works and Waste Management

---

Contractor: Archer Western  
Contact: Dhaval Gandhi  
Address: 3201 NW 24<sup>th</sup> Street Road  
Miami, FL 33142  
Phone: 786-804-6252

---

Completed: Scheduled to Complete February 2018

Contract Amount: \$ 932,749

Contract Scope:

|                                           |       |    |
|-------------------------------------------|-------|----|
| ▪ F&I PERMANENT SAMPLE POINTS             | 2.0   | EA |
| ▪ CONNECT TO EXISTING WM (20.0 - 49.9")   | 1.0   | EA |
| ▪ ARV ASSEMBLIES                          | 2.0   | EA |
| ▪ F&I POLYETHYLENE ENCASEMENT             | 200.0 | LF |
| ▪ F&I TAPPING SLEEVE (20.0 - 49.9")       | 1.0   | EA |
| ▪ S&D FIRE HYDRANT ASSEMBLIES             | 2.0   | EA |
| ▪ S&D DIP (6 - 7.9") VALVE & FITTINGS     | 70.0  | LF |
| ▪ S&D DIP (8 - 9.9") VALVE & FITTINGS     | 120.0 | LF |
| ▪ FURINSH DIP (20 - 49.9") & FITTINGS     | 200.0 | LF |
| ▪ FURNISH MJ RSGV (20.0 - 49.9")          | 1.0   | EA |
| ▪ INSTALL FIRE HYDRANT ASSEMBLIES         | 2.0   | EA |
| ▪ INSTALL DIP (6 - 7.9") VALVE & FITTINGS | 70.0  | LF |
| ▪ INSTALL DIP (8 - 9.9") VALVE & FITTINGS | 120.0 | LF |
| ▪ INSTALL DIP (20 - 49.9") & FITTINGS     | 200.0 | LF |
| ▪ INSTALL MJ RSGV (20.0 - 49.9")          | 1.0   | EA |
| ▪ INLETS (CURB)(TYPE P-1) <10'            | 1.0   | EA |
| ▪ INLETS (CURB)(TYPE P-5) <10'            | 3.0   | EA |
| ▪ INLETS (CURB)(TYPE P-5) >10'            | 3.0   | EA |
| ▪ INLETS (CURB)(TYPE F) <10'              | 4.0   | EA |
| ▪ MANHOLES (TYPE P-7)(PARTIAL)            | 4.0   | EA |
| ▪ MANHOLES, P-8, <10'                     | 1.0   | EA |
| ▪ MANHOLES, P-8, >10'                     | 3.0   | EA |
| ▪ MANHOLES, J-8, <10'                     | 1.0   | EA |
| ▪ MANHOLES, J-8, >10'                     | 1.0   | EA |
| ▪ ADJUST MANHOLE                          | 4.0   | EA |
| ▪ ADJUST MANHOLE (UTILITIES)              | 3.0   | EA |
| ▪ ADJUST VALVE BOX (MDC ONLY)             | 9.0   | EA |
| ▪ PIPE CULVERT - 18"                      | 364.0 | LF |
| ▪ PIPE CULVERT - 24"                      | 216.0 | LF |
| ▪ PIPE CULVERT - 24" (ELLIPTICAL\OTHER)   | 19.0  | LF |

|                                      |         |    |
|--------------------------------------|---------|----|
| ▪ FRENCH DRAIN 24"                   | 647.0   | LF |
| ▪ REMOVAL OF EXISTING PAVEMENT       | 100.0   | SY |
| ▪ REGULAR EXCAVATION                 | 1,100.0 | CY |
| ▪ SUBSOIL EXCAVATION                 | 3,597.0 | CY |
| ▪ CHANNEL EXCAVATION                 | 4,408.0 | CY |
| ▪ EMBANKMENT                         | 7,026.5 | CY |
| ▪ REINFORCEMENT GRID                 | 2,083.0 | SY |
| ▪ TYPE "B" STABILIZATION (12" THICK) | 6,419.0 | SY |
| ▪ OPTIONAL BASE, BASE GROUP 06       | 6,484.0 | SY |
| ▪ TURNOUT CONSTRUCTION               | 440.0   | SY |
| ▪ SP ASPHALTIC CONCRETE (TRAFFIC C)  | 17.4    | TN |

---

**Project Number: 018**

|                                |                                                     |    |  |
|--------------------------------|-----------------------------------------------------|----|--|
| Project Name:                  | T6396 – Krome Ave (54+21 – 109+00)                  |    |  |
| Owner:                         | Florida Department of Transportation                |    |  |
| Contractor:                    | Horizon Contractors, Inc.                           |    |  |
| Contact:                       | Xavier Salvat, PE                                   |    |  |
| Address:                       | 8175 West 32 <sup>nd</sup> Ave<br>Hialeah, FL 33018 |    |  |
| Phone:                         | 305-345-7816                                        |    |  |
| Fax:                           | 305-820-0905                                        |    |  |
| Completed:                     | Scheduled for December 2016                         |    |  |
| Contract Amount:               | \$3,489,368                                         |    |  |
| Contract Scope:                |                                                     |    |  |
| ▪ Clearing and Grubbing        | 1                                                   | LS |  |
| ▪ Regular Excavation           | 3,837                                               | CY |  |
| ▪ Subsoil Excavation           | 73,025                                              | CY |  |
| ▪ Embankment                   | 174,449                                             | CY |  |
| ▪ Type B Stabilization         | 54,596                                              | SY |  |
| ▪ Prepared Soil Layer          | 69,630                                              | SY |  |
| ▪ Optional Base, Base Group 02 | 9,131                                               | SY |  |
| ▪ Optional Base, Base Group 10 | 30,018                                              | SY |  |

---

**Project Number: 019**

|               |                                                       |  |  |
|---------------|-------------------------------------------------------|--|--|
| Project Name: | Miscellaneous Drainage Repairs                        |  |  |
| Owner:        | Interstate Screw Corp.                                |  |  |
| Owner:        | Interstate Screw Corp.                                |  |  |
| Contact:      | Dominick Menendez                                     |  |  |
| Address:      | 475 West 18 <sup>th</sup> Street<br>Hialeah, FL 33010 |  |  |
| Phone:        | 305-888-8700                                          |  |  |
| Fax:          | 305-888-7081                                          |  |  |
| Completed:    | Scheduled for December 2016                           |  |  |

Contract Amount: \$4,375.00

Contract Scope:

- |                                  |   |    |
|----------------------------------|---|----|
| ▪ Miscellaneous Drainage Repairs | 1 | LS |
|----------------------------------|---|----|

---

**Project Number: 020**

Project Name: Shenandoah Middle School Renovation

Owner: Miami Dade County Public Schools

---

Contractor: Thornton Construction Company, Inc.

Contact: Dan Sheehy

Address: 4300 Biscayne Blvd

Suite 207

Miami, FL 33137

Phone: 305-649-1995

Fax: 305-649-1295

---

Completed: April 2016

Contract Amount: \$11,500.00

Contract Scope:

- |                                     |   |    |
|-------------------------------------|---|----|
| ▪ Limerock Base                     | 1 | LS |
| ▪ Superpave - Traffic Level C – 9.5 | 1 | LS |

---

**Project Number: 021**

Project Name: Emergency Asphalt Repair at the Downtown Mover (TPSS)

Owner: Miami Dade Transit

---

Contact: Nury Perez

Address: 6601 NW 72<sup>nd</sup> Ave

Miami, FL 33166

Phone: 305-884-7578

Fax: 305-884-7538

---

Completed: January 2016

Contract Amount: \$9,850.00

Contract Scope:

- |                  |   |    |
|------------------|---|----|
| ▪ Asphalt Repair | 1 | LS |
|------------------|---|----|

---

**Project Number: 023**

Project Name: Drainage Improvements Project Multiple Sites

Owner: Miami Dade County Public Works Department

---

Contact: Felipe Monteagudo

Address: 111 NW 1<sup>st</sup> Street

Suite 1410

Miami, FL 33128

Phone: 305-323-8192

---

---

Completed: Anticipated Completion June 2017

Contract Amount: \$1,504,737.12

Contract Scope:

|                                                 |         |    |
|-------------------------------------------------|---------|----|
| ▪ BARRICADES                                    | 18600   | ED |
| ▪ ADVANCE WARNING ARROW PANEL                   | 1050.0  | ED |
| ▪ Sediment Barrier                              | 600.0   | LF |
| ▪ Inlet Protection System                       | 91.0    | EA |
| ▪ CLEARING AND GRUBBING                         | 1.0     | LS |
| ▪ RE-GRADE EXISTING SWALE                       | 140.0   | SY |
| ▪ FLOWABLE FILL                                 | 28.0    | CY |
| ▪ BACKFILL EXISTING TRENCH WITH SELECT FILL     | 278.0   | CY |
| ▪ MILLING - 1" Depth                            | 4878.0  | SY |
| ▪ ROADWAY PAVEMENT RESTORATION                  | 2524.0  | SY |
| ▪ INLET PAVEMENT                                | 393.0   | SY |
| ▪ Hot Mix Asphalt, Traffic C, SP-9.5            | 555.0   | TN |
| ▪ Driveway Pavement-Asphalt                     | 100.0   | SY |
| ▪ Driveway Pavement-Concrete                    | 20.0    | SY |
| ▪ CLASS I CONCRETE                              | 30.0    | CY |
| ▪ SWALE INLET TYPE D-3 (36"Dia. )               | 37.0    | EA |
| ▪ SWALE INLET TYPE D-3 (36"X36")                | 17.0    | EA |
| ▪ SWALE INLET TYPE D-1 (17" X 27") (< 10' Deep) | 14.0    | EA |
| ▪ SWALE INLET TYPE P-10M                        | 14.0    | EA |
| ▪ SWALE INLET TYPE J-10                         | 1.0     | EA |
| ▪ POLLUTION RETARDANT BAFFLE                    | 3.0     | EA |
| ▪ MANHOLE (Type P-7T)                           | 30.0    | EA |
| ▪ CORE AND TIE TO EXIST. DRAINAGE               | 9.0     | EA |
| ▪ MODIFY STRUCTURE-                             | 17.0    | EA |
| ▪ DESILT PIPE (0 TO 48")                        | 1000.0  | LF |
| ▪ Desilting Drainage Structure                  | 12.0    | EA |
| ▪ Pipe Culvert 15" Diameter (Round)             | 1541.0  | LF |
| ▪ Pipe Culvert 18" Diameter (Round)             | 410.0   | LF |
| ▪ French Drain (18" diameter pipe, 10 ft bls)   | 3445.0  | LF |
| ▪ French Drain (18" diameter pipe, 15 ft bls)   | 380.0   | LF |
| ▪ French Drain (18" diameter pipe, 20 ft. BLS)  | 550.0   | LF |
| ▪ CONCRETE SIDEWALK [4" THICK,]                 | 463.0   | SY |
| ▪ CONCRETE SIDEWALK (6" Thick)                  | 110.0   | SY |
| ▪ DETECTABLE SURFACE                            | 94.0    | SF |
| ▪ RIP RAP (SAND CEMENT)                         | 17.0    | CY |
| ▪ SODDING-St Augustine                          | 12520.0 | SY |
| ▪ REFLECTIVE PAVEMENT MARKERS                   | 25.0    | EA |
| ▪ THERMOPLASTIC (White) (Solid) (12")           | 54.0    | LF |
| ▪ THERMOPLASTIC (White) (Solid) (24")           | 200.0   | LF |
| ▪ THERMOPLASTIC (Yellow) (Solid) (6")           | 450.0   | LF |



---

**Project Number: 024**

|                  |                                                   |      |    |
|------------------|---------------------------------------------------|------|----|
| Project Name:    | Joseph Caleb Center New Parking Garage            |      |    |
| Owner:           | Miami Dade County                                 |      |    |
| Contractor:      | ABC Construction, Inc.                            |      |    |
| Contact:         | Jorge Gonzalez                                    |      |    |
| Address:         | 7215 NW 7 <sup>th</sup> Street<br>Miami, FL 33126 |      |    |
| Phone:           | 305-663-0322                                      |      |    |
| Fax:             | 305-267-2403                                      |      |    |
| Completed:       | April 2017                                        |      |    |
| Contract Amount: | \$196,514.26                                      |      |    |
| Contract Scope:  |                                                   |      |    |
|                  | ▪ Milling Existing Asphalt (1" AVG)               | 7505 | SY |
|                  | ▪ Superpave - Traffic Level C – 9.5               | 489  | TN |
|                  | ▪ Friction Course - Traffic Level C – 9.5         | 396  | TN |

---

**Project Number: 025**

|                  |                                                                        |      |    |
|------------------|------------------------------------------------------------------------|------|----|
| Project Name:    | SR 953 – Lejeune Rd from Almeria Ave to Majorca Ave                    |      |    |
| Owner:           | Florida Department of Transportation                                   |      |    |
| Contractor:      | The Stout Group, LLC (Prime)                                           |      |    |
| Contact:         | Joey Sanchez, PE                                                       |      |    |
| Address:         | 10850 NW 138 <sup>th</sup> Street – Bay 3<br>Hialeah Gardens, FL 33018 |      |    |
| Phone:           | 305-216-8406                                                           |      |    |
| Fax:             | 305-397-2311                                                           |      |    |
| Completed:       | April 2017                                                             |      |    |
| Contract Amount: | \$1,155,672.82                                                         |      |    |
| Contract Scope:  |                                                                        |      |    |
|                  | ▪ MOBILIZATION                                                         | 1    | LS |
|                  | ▪ MAINTENANCE OF TRAFFIC                                               | 1    | LS |
|                  | ▪ TRAFFIC CONTROL OFFICER                                              | 456  | MH |
|                  | ▪ WORK ZONE SIGN                                                       | 6650 | ED |
|                  | ▪ BARRIER WALL, TEMPORARY, F&I, CONCRETE                               | 185  | LF |
|                  | ▪ CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD               | 5900 | ED |
|                  | ▪ CHANNELIZING DEVICE, TYPE III, 6'                                    | 570  | ED |
|                  | ▪ ARROW BOARD / ADVANCE WARNING ARROW PANEL                            | 440  | ED |
|                  | ▪ TEMPORARY RETROREFLECTIVE PAVEMENT MARKER                            | 194  | EA |
|                  | ▪ PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY                          | 388  | ED |
|                  | ▪ TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION                | 180  | ED |
|                  | ▪ TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION            | 180  | ED |

|                                                                                               |       |    |
|-----------------------------------------------------------------------------------------------|-------|----|
| ▪ INLET PROTECTION SYSTEM                                                                     | 19    | EA |
| ▪ LITTER REMOVAL                                                                              | 7.08  | AC |
| ▪ MOWING                                                                                      | 1.8   | AC |
| ▪ MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING                           | 1     | LS |
| ▪ MONITOR EXISTING STRUCTURES- VIBRATION MONITORING                                           | 1     | LS |
| ▪ CLEARING & GRUBBING 43349215201                                                             | 1     | LS |
| ▪ DELIVERY OF SALVAGEABLE MATERIAL TO FDOT 43349215201                                        | 1     | LS |
| ▪ REGULAR EXCAVATION (3-R PROJECTS ONLY) 43349215201                                          | 1     | LS |
| ▪ TYPE B STABILIZATION                                                                        | 532   | SY |
| ▪ PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"                                                  | 604   | SY |
| ▪ OPTIONAL BASE, BASE GROUP 11                                                                | 478   | SY |
| ▪ MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH                                                   | 4398  | SY |
| ▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC C                                                         | 52.6  | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22, ARB                         | 402.4 | TN |
| ▪ INLETS, CURB, TYPE 9, <10'                                                                  | 2     | EA |
| ▪ INLETS, GUTTER, TYPE S, <10'                                                                | 1     | EA |
| ▪ MANHOLES, P-7, <10'                                                                         | 1     | EA |
| ▪ MANHOLE, ADJUST                                                                             | 10    | EA |
| ▪ PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD                                               | 49    | LF |
| ▪ FRENCH DRAIN, 24"                                                                           | 120   | LF |
| ▪ CONCRETE CURB & GUTTER, TYPE F                                                              | 880   | LF |
| ▪ CONCRETE CURB, TYPE D                                                                       | 616   | LF |
| ▪ CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK                                                   | 395   | SY |
| ▪ CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK                                                   | 36    | SY |
| ▪ DETECTABLE WARNINGS                                                                         | 116   | SF |
| ▪ PERFORMANCE TURF, SOD                                                                       | 427   | SY |
| ▪ IRRIGATION SYSTEM REPAIRS 43349215201                                                       | 1     | LS |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"                                       | 0.324 | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"      | 0.077 | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"         | 540   | LF |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"              | 187   | LF |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"           | 190   | LF |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE                | 0.015 | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6" | 0.013 | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL                               | 10    | EA |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS                                          | 27    | EA |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"                                      | 0.585 | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"             | 28    | LF |

|                                                                                               |       |    |
|-----------------------------------------------------------------------------------------------|-------|----|
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6" | 0.026 | GM |
| ▪ SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF                                             | 18    | AS |
| ▪ SINGLE POST SIGN, RELOCATE                                                                  | 1     | AS |
| ▪ SINGLE POST SIGN, REMOVE                                                                    | 11    | AS |
| ▪ SIGN PANEL, RELOCATE, UP TO 12 SF                                                           | 8     | EA |
| ▪ DELINEATOR, FLEXIBLE HIGH PERFORMANCE 48"                                                   | 15    | EA |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE                                    | 38    | SF |
| ▪ PAINTED PAVEMENT MARKINGS, FINAL SURFACE 43349215201                                        | 1     | LS |
| ▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT                     | 540   | LF |
| ▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS                       | 187   | LF |
| ▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK                      | 190   | LF |
| ▪ THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"                | 0.013 | GM |
| ▪ THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL                                           | 3     | EA |
| ▪ THERMOPLASTIC, STANDARD, WHITE, ARROW                                                       | 22    | EA |
| ▪ THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON                         | 28    | LF |
| ▪ THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"      | 0.026 | GM |
| ▪ THERMOPLASTIC, PREFORMED, WHITE, MESSAGE                                                    | 7     | EA |
| ▪ THERMOPLASTIC, PREFORMED, WHITE, ARROWS                                                     | 5     | EA |
| ▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"                                    | 0.324 | GM |
| ▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"                                    | 0.077 | GM |
| ▪ THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP                  | 0.015 | GM |
| ▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"                                   | 0.585 | GM |
| ▪ THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS                              | 20    | SF |
| ▪ CONDUIT, FURNISH & INSTALL, OPEN TRENCH                                                     | 458   | LF |
| ▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE                                                | 354   | LF |
| ▪ PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE                                                | 12    | EA |
| ▪ LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <                                            | 646   | LF |
| ▪ LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6                                               | 4765  | LF |
| ▪ LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS                                      | 6914  | LF |
| ▪ LUMINAIRE, RELOCATE                                                                         | 30    | EA |
| ▪ LUMINAIRE, REMOVE                                                                           | 60    | EA |
| ▪ POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL                                                | 4     | EA |
| ▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE                                                | 1178  | LF |
| ▪ SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL                          | 1     | PI |
| ▪ SIGNAL CABLE, REMOVE- INTERSECTION                                                          | 1     | PI |
| ▪ PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE                                                | 31    | EA |

|                                                                              |     |    |
|------------------------------------------------------------------------------|-----|----|
| ▪ ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR  | 1   | AS |
| ▪ ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND                               | 1   | AS |
| ▪ ELECTRICAL SERVICE WIRE, REMOVE                                            | 195 | LF |
| ▪ PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE                     | 1   | EA |
| ▪ PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL-PEDESTAL/SERVICE POLE     | 1   | EA |
| ▪ ALUMINUM SIGNALS POLE, PEDESTAL                                            | 4   | EA |
| ▪ ALUMINUM SIGNALS POLE, REMOVE                                              | 2   | EA |
| ▪ STEEL MAST ARM,F&I, WIND SPEED-150,SINGLE ARM, W/O LUMINAIRE-36            | 2   | EA |
| ▪ MAST ARM,F&I, WIND SPEED-150,SINGLE ARM,W/O LUMINAIRE-46                   | 2   | EA |
| ▪ MAST ARM, REMOVE SHALLOW FOUNDATION, BOLT ON ATTACHMENT                    | 4   | EA |
| ▪ TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY               | 3   | AS |
| ▪ TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY      | 5   | AS |
| ▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY                  | 4   | AS |
| ▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS                 | 2   | AS |
| ▪ LOOP DETECTOR INDUCTIVE, F&I, TYPE 9                                       | 6   | EA |
| ▪ LOOP ASSEMBLY- F&I, TYPE A                                                 | 8   | AS |
| ▪ PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD                           | 4   | EA |
| ▪ TRAFFIC CONTROLLER ASSEMBLY, F&I, 170                                      | 1   | AS |
| ▪ TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET                | 1   | AS |
| ▪ SYSTEM AUXILIARIES, F&I, MODEM                                             | 1   | EA |
| ▪ INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | 4   | EA |
| ▪ LANDSCAPE COMPLETE- SMALL PLANTS 43349215201                               | 1   | LS |
| ▪ LANDSCAPE COMPLETE- LARGE PLANTS 43349215201                               | 1   | LS |
| ▪ VALVE BOXES, ADJUST                                                        | 7   | EA |

---

**Project Number: 026**

|               |                                                                        |
|---------------|------------------------------------------------------------------------|
| Project Name: | Miami Dade Countywide Drainage Pushbutton                              |
| Owner:        | Florida Department of Transportation                                   |
| Contractor:   | The Stout Group, LLC (Prime)                                           |
| Contact:      | Joey Sanchez, PE                                                       |
| Address:      | 10850 NW 138 <sup>th</sup> Street – Bay 3<br>Hialeah Gardens, FL 33018 |
| Phone:        | 305-216-8406                                                           |
| Fax:          | 305-397-2311                                                           |
| Completed:    | December 2018                                                          |

Contract Amount: \$848,713.00

Contract Scope:

|                                                                          |      |    |
|--------------------------------------------------------------------------|------|----|
| ▪ COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE                 | 50   | CY |
| ▪ TRAFFIC CONTROL OFFICER                                                | 300  | MH |
| ▪ WORK ZONE SIGN                                                         | 5000 | ED |
| ▪ BUSINESS SIGN                                                          | 20   | EA |
| ▪ BARRIER WALL, TEMPORARY, F&I, CONCRETE                                 | 500  | LF |
| ▪ BARRIER WALL, TEMPORARY, F&I, TYPE K                                   | 500  | LF |
| ▪ CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD                 | 6000 | ED |
| ▪ CHANNELIZING DEVICE, TYPE III, 6'                                      | 1025 | ED |
| ▪ CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | 50   | ED |
| ▪ ARROW BOARD / ADVANCE WARNING ARROW PANEL                              | 275  | ED |
| ▪ TEMPORARY RETROREFLECTIVE PAVEMENT MARKER                              | 50   | EA |
| ▪ TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION                            | 5    | LO |
| ▪ PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY                            | 100  | ED |
| ▪ PAVEMENT MARKING REMOVABLE TAPE, WHITE OR BLACK,SOLID                  | 1163 | LF |
| ▪ PAVEMENT MARKING REMOVABLE TAPE, YELLOW, SOLID                         | 1513 | LF |
| ▪ SEDIMENT BARRIER                                                       | 400  | LF |
| ▪ FLOATING TURBIDITY BARRIER                                             | 250  | LF |
| ▪ INLET PROTECTION SYSTEM                                                | 40   | EA |
| ▪ LITTER REMOVAL                                                         | 1    | AC |
| ▪ MOWING                                                                 | 1    | AC |
| ▪ REMOVAL OF EXISTING CONCRETE PAVEMENT                                  | 200  | SY |
| ▪ REGULAR EXCAVATION                                                     | 300  | CY |
| ▪ BORROW EXCAVATION, TRUCK MEASURE                                       | 600  | CY |
| ▪ LATERAL DITCH EXCAVATION                                               | 350  | CY |
| ▪ SUBSOIL EXCAVATION                                                     | 200  | CY |
| ▪ EMBANKMENT                                                             | 600  | CY |
| ▪ FLOWABLE FILL                                                          | 100  | CY |
| ▪ EXCAVATION FOR STRUCTURES Excavation for Structures and Pipes          | 200  | CY |
| ▪ TYPE B STABILIZATION                                                   | 150  | SY |
| ▪ OPTIONAL BASE, BASE GROUP 04                                           | 10   | SY |
| ▪ OPTIONAL BASE, BASE GROUP 09                                           | 1500 | SY |
| ▪ OPTIONAL BASE, BASE GROUP 11                                           | 1500 | SY |
| ▪ OPTIONAL BASE, BASE GROUP 13                                           | 250  | SY |
| ▪ MILLING EXIST ASPH PAVT, 1 AVG DEPTH                                   | 4000 | SY |
| ▪ MILLING EXIST ASPH PAVT, 1 1/2 AVG DEPTH                               | 300  | SY |
| ▪ MILLING EXIST ASPH PAVT, 1 3/4 AVG DEPTH                               | 300  | SY |
| ▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC C                                    | 150  | TN |
| ▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC D                                    | 20   | TN |

|                                                                       |      |    |
|-----------------------------------------------------------------------|------|----|
| ▪ SUPERPAVE ASPH CONC, TRAFFIC C, PG76-22, PMA                        | 60   | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE, FC-5, PG 76-22, ARB               | 40   | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22, PMA  | 1    | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22, PMA | 5    | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC D, FC-12.5, PG 76-22, PMA | 5    | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-9.5, PG 76-22, ARB  | 160  | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-12.5, PG 76-22, ARB | 40   | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22, ARB  | 160  | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22, ARB | 20   | TN |
| ▪ MISCELLANEOUS ASPHALT PAVEMENT                                      | 20   | TN |
| ▪ CONCRETE CLASS II, CULVERTS                                         | 50   | CY |
| ▪ CONCRETE CLASS IV, CULVERTS                                         | 30   | CY |
| ▪ CONC CLASS IV, RETAINING WALLS                                      | 30   | CY |
| ▪ REINFORCING STEEL- RETAINING WALL                                   | 350  | LB |
| ▪ REINFORCING STEEL- MISCELLANEOUS                                    | 1000 | LB |
| ▪ INLETS, CURB, TYPE P-1, <10'                                        | 2    | EA |
| ▪ INLETS, CURB, TYPE P-5, <10'                                        | 6    | EA |
| ▪ INLETS, CURB, TYPE P-5, >10'                                        | 2    | EA |
| ▪ INLETS, CURB, TYPE P-5, PARTIAL                                     | 2    | EA |
| ▪ INLETS, CURB, TYPE P-5, MODIFY                                      | 2    | EA |
| ▪ INLETS, CURB, TYPE P-6, <10'                                        | 6    | EA |
| ▪ INLETS, CURB, TYPE P-6, >10'                                        | 1    | EA |
| ▪ INLETS, CURB, TYPE P-6, PARTIAL                                     | 2    | EA |
| ▪ INLETS, CURB, TYPE P-6, MODIFY                                      | 2    | EA |
| ▪ INLETS, CURB, TYPE J-5, <10'                                        | 2    | EA |
| ▪ INLETS, CURB, TYPE J-5, >10'                                        | 1    | EA |
| ▪ INLETS, CURB, TYPE J-6, <10'                                        | 2    | EA |
| ▪ INLETS, CURB, TYPE J-6, >10'                                        | 2    | EA |
| ▪ INLETS, DT BOT, TYPE C, <10'                                        | 1    | EA |
| ▪ INLETS, DT BOT, TYPE C, JBOT, <10'                                  | 2    | EA |
| ▪ INLETS, DT BOT, TYPE C, JBOT, >10'                                  | 1    | EA |
| ▪ INLETS, DT BOT, TYPE D, <10'                                        | 4    | EA |
| ▪ INLETS, DT BOT, TYPE D, >10'                                        | 2    | EA |
| ▪ INLETS, DITCH BOTTOM, TYPE F, PARTIAL                               | 2    | EA |
| ▪ INLETS, DITCH BOTTOM, TYPE G, <10'                                  | 2    | EA |
| ▪ INLETS, DITCH BOTTOM, TYPE G, >10'                                  | 1    | EA |
| ▪ INLETS, DITCH BOTTOM, TYPE G, J BOT, <10'                           | 2    | EA |

|                                                                |     |    |
|----------------------------------------------------------------|-----|----|
| ▪ INLETS, DITCH BOTTOM, TYPE G, J BOT, >10'                    | 1   | EA |
| ▪ INLETS, GUTTER, TYPE V, <10'                                 | 4   | EA |
| ▪ INLETS, GUTTER, TYPE V, >10'                                 | 2   | EA |
| ▪ INLETS, GUTTER, TYPE V, J BOT, <10'                          | 2   | EA |
| ▪ INLETS, GUTTER, TYPE V, J BOTTOM, >10'                       | 2   | EA |
| ▪ MANHOLES, P-7, <10'                                          | 2   | EA |
| ▪ MANHOLES, P-7, >10'                                          | 4   | EA |
| ▪ MANHOLES, P-7, PARTIAL                                       | 2   | EA |
| ▪ MANHOLES, J-7, <10'                                          | 4   | EA |
| ▪ MANHOLES, J-7, >10'                                          | 2   | EA |
| ▪ MANHOLES, J-7, PARTIAL                                       | 2   | EA |
| ▪ INLETS, ADJUST                                               | 10  | EA |
| ▪ MANHOLE, ADJUST                                              | 10  | EA |
| ▪ VALVE BOXES, ADJUST                                          | 5   | EA |
| ▪ DRAINAGE STRUCTURES, MISCELLANEOUS, ADJUST                   | 5   | EA |
| ▪ REPLACE GRATE                                                | 10  | EA |
| ▪ DESILTING PIPE, 0 - 24 Desilt in the Wet                     | 273 | LF |
| ▪ DESILTING PIPE, 25 - 36 Desilt in Dry Condition              | 750 | LF |
| ▪ DESILTING PIPE, 37 - 48 Desilt in Dry Condition              | 400 | LF |
| ▪ DESILTING PIPE, 49 - 60 Desilt in the Wet                    | 159 | LF |
| ▪ DESILTING PIPE, 61 OR GREATER Desilt in the Wet              | 400 | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15S/CD                 | 100 | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18S/CD                 | 500 | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24S/CD                 | 200 | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 30S/CD                    | 200 | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 36S/CD                    | 200 | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 42S/CD                    | 100 | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 48S/CD                    | 100 | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 54S/CD                    | 100 | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 60S/CD                    | 100 | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 15S/CD       | 50  | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18S/CD       | 50  | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24S/CD | 50  | LF |
| ▪ U-ENDWALL, STD 261, 1:4 SLOPE, 18PIPE                        | 4   | EA |
| ▪ PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE              | 20  | CY |
| ▪ TRENCH DRAIN, STANDARD                                       | 150 | LF |
| ▪ FRENCH DRAIN, 24                                             | 400 | LF |
| ▪ FRENCH DRAIN, 36                                             | 100 | LF |
| ▪ PIPE HANDRAIL - GUIDERAIL, STEEL                             | 150 | LF |
| ▪ PIPE HANDRAIL - GUIDERAIL, ALUMINUM                          | 150 | LF |
| ▪ CONCRETE CURB & GUTTER, TYPE F                               | 600 | LF |

|                                                                                              |      |    |
|----------------------------------------------------------------------------------------------|------|----|
| ▪ CONCRETE CURB, TYPE D                                                                      | 100  | LF |
| ▪ VALLEY GUTTER- CONCRETE                                                                    | 100  | LF |
| ▪ SHOULDER CONCRETE BARRIER WALL, RIGID RETAINING                                            | 20   | LF |
| ▪ CONCRETE SIDEWALK AND DRIVEWAYS, 4 THICK                                                   | 150  | SY |
| ▪ CONCRETE SIDEWALK AND DRIVEWAYS, 6 THICK                                                   | 50   | SY |
| ▪ CONCRETE DITCH PAVEMENT, NON REINFORCED, 4                                                 | 10   | SY |
| ▪ CONCRETE DITCH PAVEMENT, 4, REINFORCED                                                     | 50   | SY |
| ▪ PAVERS, ARCHITECTURAL, SIDEWALK                                                            | 150  | SY |
| ▪ DETECTABLE WARNINGS                                                                        | 8    | SF |
| ▪ GUARDRAIL -ROADWAY                                                                         | 100  | LF |
| ▪ SPECIAL GUARDRAIL POST                                                                     | 5    | EA |
| ▪ GUARDRAIL REMOVAL                                                                          | 100  | LF |
| ▪ FENCING, TYPE B, 5.1-6.0', STANDARD                                                        | 200  | LF |
| ▪ FENCING, TYPE B, 5.1-6.0, RESET EXISTING                                                   | 50   | LF |
| ▪ PERFORMANCE TURF                                                                           | 1000 | SY |
| ▪ PERFORMANCE TURF, SOD                                                                      | 1000 | SY |
| ▪ SINGLE POST SIGN, RELOCATE                                                                 | 5    | AS |
| ▪ SINGLE POST SIGN, REMOVE                                                                   | 5    | AS |
| ▪ MULTI- POST SIGN, F&I GROUND MOUNT, RELOCATE                                               | 5    | AS |
| ▪ MULTI- POST SIGN, REMOVE                                                                   | 5    | AS |
| ▪ OBJECT MARKER, TYPE 1 TWO # 04                                                             | 5    | EA |
| ▪ RETRO-REFLECTIVE PAVEMENT MARKERS                                                          | 100  | EA |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6                                       | 0.1  | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8      | 0.1  | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12         | 400  | LF |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18              | 600  | LF |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24           | 100  | LF |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6 WIDE                | 0.1  | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6 | 0.2  | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL                              | 2    | EA |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS                                         | 5    | EA |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6                                      | 0.1  | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18             | 20   | LF |



|                                                                                            |     |    |
|--------------------------------------------------------------------------------------------|-----|----|
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, BLUE, SOLID FOR PARKING LOT- ACCESSIBLE MARKINGS, 6 | 50  | LF |
| ▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 12 FOR CROSSWALK AND ROUNDABOUT                   | 600 | LF |
| ▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 18 FOR DIAGONALS AND CHEVRONS                     | 400 | LF |
| ▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 24 FOR STOP LINE AND CROSSWALK                    | 50  | LF |
| ▪ THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6              | 0.1 | GM |
| ▪ THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL                                        | 5   | EA |
| ▪ THERMOPLASTIC, STANDARD, WHITE, ARROW                                                    | 5   | EA |
| ▪ THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18 FOR DIAGONAL OR CHEVRON                       | 100 | LF |
| ▪ THERMOPLASTIC, STANDARD, BLUE, SOLID, 6                                                  | 100 | LF |
| ▪ THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8                    | 0.1 | GM |
| ▪ THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8                    | 0.1 | GM |
| ▪ THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6,10-30 SKIP OR 3-9 LANE DROP                | 0.1 | GM |
| ▪ THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS                           | 50  | SF |
| ▪ LIGHT POLE COMPLETE, REMOVE                                                              | 5   | EA |
| ▪ LUMINAIRE, REMOVE                                                                        | 5   | EA |
| ▪ CONDUIT, FURNISH & INSTALL, OPEN TRENCH                                                  | 100 | LF |
| ▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE                                             | 50  | LF |
| ▪ PULL & SPLICE BOX, F&I, 13 x 24 COVER SIZE                                               | 5   | EA |
| ▪ ALUMINUM SIGNALS POLE, PEDESTAL                                                          | 5   | EA |
| ▪ ALUMINUM SIGNALS POLE, REMOVE                                                            | 2   | EA |
| ▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY                                | 5   | AS |
| ▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS                               | 5   | AS |
| ▪ LOOP DETECTOR INDUCTIVE, F&I, TYPE 9                                                     | 5   | EA |
| ▪ LOOP ASSEMBLY- F&I, TYPE A                                                               | 5   | AS |
| ▪ PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD                                         | 10  | EA |
| ▪ TRAFFIC CONTROLLER ASSEMBLY, MODIFY                                                      | 1   | AS |

---

**Project Number: 027**

|               |                                                                               |
|---------------|-------------------------------------------------------------------------------|
| Project Name: | Bay Shore One Project – 1100 100 <sup>th</sup> Street – Bay Harbor Island, FL |
| Owner:        | Thornton Construction                                                         |

---

Contractor: Thornton Construction  
Contact: Anthony Pasqualone  
Address: 4300 Biscayne Blvd – Suite 207  
Miami, FL 33137  
Phone: 305-649-1995  
Fax: 305-649-1295

---

Completed: December 2016

Contract Amount: \$34,841.25

Contract Scope:

|                            |      |      |
|----------------------------|------|------|
| ▪ MOBILIZATION             | 1    | LS   |
| ▪ SITE CLEARING & GRUBBING | 0.45 | ACRE |
| ▪ SILT FENCE               | 560  | LF   |
| ▪ SUBSOIL EXCAVATION       | 1185 | CY   |
| ▪ EARTH RAMP               | 1    | LS   |
| ▪ LIMEROCK BASE            | 1    | LS   |

---

**Project Number: 028**

Project Name: CT A – Relocation of Onsite Utilities and Drainage  
Owner: Port of Miami

---

Contractor: Central Florida Equipment Rentals, Inc. (Prime)  
Contact: Ana Depriest  
Address: 9030 NW 97<sup>th</sup> Terrace  
Medley, FL 33178  
Phone: 305-345-9039  
Fax: 305-887-7804

---

Completed: June 2017

Contract Amount: \$1,413,688.89

Contract Scope:

|                                          |   |    |
|------------------------------------------|---|----|
| ▪ UTILITIES                              |   |    |
| ▪ MOBILIZATION                           | 1 | LS |
| ▪ 12 DIP WATER MAIN (L&E)                | 1 | LS |
| ▪ 6 DIP WATER MAIN (L&E)                 | 1 | LS |
| ▪ FIRE HYDRANT w/ 6 GV & 4 BOLLARDS(L&E) | 1 | LS |
| ▪ 12 BENDS (L&E)                         | 1 | LS |
| ▪ 12 x 6 TEES (L&E)                      | 1 | LS |
| ▪ 12 GATE VALVES                         | 1 | LS |
| ▪ SANITARY SEWER MANHOLE                 | 1 | LS |
| ▪ SANITARY SEWER CAPS                    | 1 | LS |
| ▪ ASPHALT DEMO / RESTORATION             | 1 | LS |
| ▪ DRAINAGE                               |   |    |
| ▪ MOBILIZATION                           | 1 | LS |
| ▪ CURB INLET TYPE 5, 6                   | 1 | LS |

|                                                   |   |    |
|---------------------------------------------------|---|----|
| ▪ MEDIAN BARRIER INLET, TYPE 3                    | 1 | LS |
| ▪ CATCH BASIN                                     | 1 | LS |
| ▪ DRAINAGE MANHOLE                                | 1 | LS |
| ▪ ADJUST MANHOLES                                 | 1 | LS |
| ▪ PIPE CULVERT OPTIONAL MATERIAL, 18              | 1 | LS |
| ▪ PIPE CULVERT OPTIONAL MATERIAL, 24              | 1 | LS |
| ▪ FRENCH DRAIN, 24                                | 1 | LS |
| ▪ SPECIAL STRUCTURE, TWO CHAMBERED (6'x9.5'x9.5') | 1 | LS |
| ▪ ASPHALT DEMO / RESTORATION                      | 1 | LS |

---

**Project Number: 029**

|                                               |                                                                               |    |
|-----------------------------------------------|-------------------------------------------------------------------------------|----|
| Project Name:                                 | Kendall Town Center (SW 96 <sup>th</sup> Street and SW 157 <sup>th</sup> Ave) |    |
| Owner:                                        | Howard Hughes Corp.                                                           |    |
| Contractor:                                   | Brightview Landscape Development                                              |    |
| Contact:                                      | Ariel Caballero                                                               |    |
| Address:                                      | 4155 East Mowry Dr.<br>Homestead, FL 33033                                    |    |
| Phone:                                        | 305-986-2249                                                                  |    |
| Completed:                                    | February 2017                                                                 |    |
| Contract Amount:                              | \$107,422.20                                                                  |    |
| Contract Scope:                               |                                                                               |    |
| ▪ MOBILIZATION                                | 1.00                                                                          | LS |
| ▪ CLEARING AND GRUBBING                       | 1.00                                                                          | LS |
| ▪ SURVEYING                                   | 1.00                                                                          | LS |
| ▪ EXCAVATION (4 AVERAGE DEPTH)                | 215.00                                                                        | CY |
| ▪ STABILIZED SUBGRADE                         | 1250.00                                                                       | SY |
| ▪ SOD GRADING (5' EACH SIDE OF SIDEWALK)      | 2084.00                                                                       | SY |
| ▪ CONC. SIDEWALK (4 THK w/ 6X6 W2.9/W2.9 WWM) | 1250.00                                                                       | SY |
| ▪ BENCH PADS (5' x 8')                        | 4.00                                                                          | EA |
| ▪ SIDEWALK RAMP                               | 1.00                                                                          | LS |
| ▪ GRADING                                     | 1.00                                                                          | LS |

---

**Project Number: 030**

|               |                                            |  |
|---------------|--------------------------------------------|--|
| Project Name: | Ballpark of the Palm Beaches               |  |
| Owner:        | Palm Beach County                          |  |
| Contractor:   | Brightview Landscape Development           |  |
| Contact:      | Ariel Caballero                            |  |
| Address:      | 4155 East Mowry Dr.<br>Homestead, FL 33033 |  |
| Phone:        | 305-986-2249                               |  |
| Completed:    | January 2017                               |  |

Contract Amount: \$214,397.29

Contract Scope:

|                                                  |          |    |
|--------------------------------------------------|----------|----|
| ▪ 4in THICK SIDEWALK w/ WELDED WIRE MESH         | 73976.00 | SF |
| ▪ LOADING DOCK (2 DOCKS - 6500 SF TOTAL)         | 1.00     | LS |
| ▪ FLUSH REINFORCED HEADER CURB                   | 718.00   | LF |
| ▪ BATTING CAGE TUNNEL SLAB                       | 7890.00  | SF |
| ▪ PUMP RENTAL - 2 DAILY RATE                     | 2.00     | DA |
| ▪ PUMP RENTAL - 2 DAILY RATE                     | 7.00     | DA |
| ▪ FLUSH REINFORCED HEADER CURB                   | 705.00   | LF |
| ▪ 6in THICK SIDEWALK w/ WELDED WIRE MESH (COLOR) | 2970.00  | SF |
| ▪ 8in THICK SIDEWALK w/ #4 O.C.E.W (COLOR)       | 1430.00  | SF |

---

**Project Number: 031**

|                     |                                                      |
|---------------------|------------------------------------------------------|
| Project Name:       | SR – 823 NW 57 <sup>th</sup> Ave                     |
| Owner:              | Florida Department of Transportation                 |
| Contractor:         | Central Florida Equipment Rentals, Inc. (Prime)      |
| Contact:            | Ana Depriest                                         |
| Address:            | 9030 NW 97 <sup>th</sup> Terrace<br>Medley, FL 33178 |
| Phone:              | 305-345-9039                                         |
| Fax:                | 305-887-7804                                         |
| Completed:          | February 2017                                        |
| Contract Amount:    | \$11,912.00                                          |
| Contract Scope:     |                                                      |
| ▪ FINISH GRADE WORK | 1 LS                                                 |

---

**Project Number: 032**

|                         |                                                      |
|-------------------------|------------------------------------------------------|
| Project Name:           | SR 874 Project                                       |
| Owner:                  | MDX – Miami Dade Expressway Authority                |
| Contractor:             | The de Moya Group                                    |
| Contact:                | Fabricio Cedillo                                     |
| Address:                | 14600 SW 136 <sup>th</sup> Street<br>Miami, FL 33186 |
| Phone:                  | 305-987-4097                                         |
| Fax:                    | 305-255-1935                                         |
| Completed:              | December 2018                                        |
| Contract Amount:        | \$584,780.45                                         |
| Contract Scope:         |                                                      |
| ▪ MOBILIZATION          | 1.0 LS                                               |
| ▪ CLEARING AND GRUBBING | 1.0 LS                                               |

|                                                  |          |    |
|--------------------------------------------------|----------|----|
| ▪ C&G - CONTROL STRUCTURE                        | 1.0      | EA |
| ▪ C&G - DITCH BOTTOM INLET                       | 10.0     | EA |
| ▪ C&G - ENDWALL                                  | 1.0      | EA |
| ▪ C&G - MANHOLE                                  | 2.0      | EA |
| ▪ C&G - FRENCH DRAIN 36                          | 310.0    | LF |
| ▪ C&G - PIPE                                     | 210.0    | LF |
| ▪ CONCRETE CLASS I - ENDWALLS                    | 1.00     | EA |
| ▪ INLETS, DT BOT, TYPE B, <10'                   | 5.0      | EA |
| ▪ INLETS, DT BOT, TYPE D, MODIFY                 | 2.0      | EA |
| ▪ INLETS, DT BOT, TYPE E, <10'                   | 6.0      | EA |
| ▪ INLETS, DT BOT, TYPE E, PARTIAL                | 2.0      | EA |
| ▪ INLETS, BARRIER WALL, <10'                     | 8.0      | EA |
| ▪ INLETS, BARRIER WALL, >10'                     | 1.0      | EA |
| ▪ INLETS, BARRIER WALL, J BOT, <10'              | 3.0      | EA |
| ▪ INLETS, BARRIER WALL, J BOT, >10'              | 2.0      | EA |
| ▪ MANHOLES, P-7, <10'                            | 6.0      | EA |
| ▪ MANHOLES, TYPE 7, PARTIAL                      | 2.0      | EA |
| ▪ MANHOLES, J-7, <10'                            | 1.0      | EA |
| ▪ MANHOLES, J-7, >10'                            | 2.0      | EA |
| ▪ PIPE CULV, OPT MATL, ROUND, 18S/CD             | 1,379.0  | LF |
| ▪ PIPE CULV, OPT MATL, ROUND, 18S/CD             | 144.0    | LF |
| ▪ PIPE CULV, OPT MATL, ROUND, 24S/CD             | 793.0    | LF |
| ▪ PIPE CULV, OPT MATL, ROUND, 30S/CD             | 28.0     | LF |
| ▪ PIPE CULV, OPT MATL, ROUND, 36S/CD             | 20.0     | LF |
| ▪ FRENCH DRAIN, 24                               | 1,006.0  | LF |
| ▪ 18 RCP CLASS IV                                | 15.0     | LF |
| ▪ 18 RCP CLASS V                                 | 34.0     | LF |
| ▪ CLEAN\VIDEO PIPE (NEW PIPE ONLY)               | 2,269.0  | LF |
| ▪ CLEAN STRUCTURES                               | 40.0     | EA |
| ▪ MOBILIZATION 24961435201                       | 1.0      | LS |
| ▪ TEMP PAVEMENT (SUBGRADE & 6 BASE)              | 1.0      | SY |
| ▪ PULVERIZE EXISTING ASPHALT (4 MAX DEPTH)       | 16,685.0 | SY |
| ▪ REGULAR EXCAVATION                             | 5,887.0  | CY |
| ▪ EMBANKMENT                                     | 4,885.0  | CY |
| ▪ TYPE B STABILIZATION                           | 41,101.0 | SY |
| ▪ OPTIONAL BASE, BASE GROUP 06                   | 41,101.0 | SY |
| ▪ CURB TYPE E, GRADING ONLY                      | 727.0    | LF |
| ▪ CONC CURB & GUTR, F (4 LRB PAD & GRADING ONLY) | 18,447.0 | LF |
| ▪ VALLEY GUTTER, 2' GRADING ONLY                 | 2,021.0  | LF |
| ▪ TRAF SEP CONC, IV, 6' W (GRADING ONLY)         | 1.0      | LF |
| ▪ MED CONC BARRIER WALL (GRADING ONLY)           | 1.0      | LF |
| ▪ SIDEWALK 4 (GRADING ONLY)                      | 8,998.0  | SY |
| ▪ SIDEWALK 6 (GRADING ONLY)                      | 2,565.0  | SY |

|                                        |         |    |
|----------------------------------------|---------|----|
| ▪ GUARDRAIL ?ROADWAY (GRADING ONLY)    | 1.0     | LF |
| ▪ FENCE B, 6' STANDARD (GRADING ONLY)  | 1.0     | LF |
| ▪ PERFORMANCE TURF,SOD, (GRADING ONLY) | 5,406.0 | SY |

---

**Project Number: 033**

|                  |                                                                         |    |
|------------------|-------------------------------------------------------------------------|----|
| Project Name:    | Turnpike (HEFT) from Eureka Drive to Killian Parkway                    |    |
| Owner:           | Florida Department of Transportation                                    |    |
| Contractor:      | The de Moya Group                                                       |    |
| Contact:         | Fabricio Cedillo                                                        |    |
| Address:         | 14600 SW 136 <sup>th</sup> Street<br>Miami, FL 33186                    |    |
| Phone:           | 305-987-4097                                                            |    |
| Fax:             | 305-255-1935                                                            |    |
| Completed:       | April 2017                                                              |    |
| Contract Amount: | \$17,241.00                                                             |    |
| Contract Scope:  | <ul style="list-style-type: none"> <li>▪ RIPRAP, SAND CEMENT</li> </ul> |    |
|                  | 20                                                                      | CY |

---

**Project Number: 035**

|                  |                                                                                                                                                                                                                                                                                          |    |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Project Name:    | West 31 <sup>st</sup> Street and West 32 <sup>nd</sup> Street from West 12 <sup>th</sup> Ave to West 12 <sup>th</sup> Ave to West 9 <sup>th</sup> Avenue; West 11 <sup>th</sup> Avenue and West 9 <sup>th</sup> Avenue from West 30 <sup>th</sup> Street to West 33 <sup>rd</sup> Street |    |
| Owner:           | City of Hialeah                                                                                                                                                                                                                                                                          |    |
| Contractor:      | Horizon Contractors, Inc.                                                                                                                                                                                                                                                                |    |
| Contact:         | Jose M Sanchez                                                                                                                                                                                                                                                                           |    |
| Address:         | 8175 West 32 <sup>nd</sup> Ave – Bay 2<br>Hialeah, FL 33018                                                                                                                                                                                                                              |    |
| Phone:           | 305-216-8403                                                                                                                                                                                                                                                                             |    |
| Fax:             | 305-820-0905                                                                                                                                                                                                                                                                             |    |
| Completed:       | July 2017                                                                                                                                                                                                                                                                                |    |
| Contract Amount: | \$580,593.75                                                                                                                                                                                                                                                                             |    |
| Contract Scope:  | <ul style="list-style-type: none"> <li>▪ CONCRETE CURB AND GUTTER TYPE F</li> <li>▪ CONCRETE CURB TYPE D</li> <li>▪ CONCRETE VALLEY GUTTER (2')</li> <li>▪ CONCRETE SIDEWALK (4 THICK)</li> <li>▪ CONCRETE SIDEWALK (6 THICK)</li> </ul>                                                 |    |
|                  | 11,777.0                                                                                                                                                                                                                                                                                 | LF |
|                  | 1,650.0                                                                                                                                                                                                                                                                                  | LF |
|                  | 1,177.0                                                                                                                                                                                                                                                                                  | LF |
|                  | 5,416.0                                                                                                                                                                                                                                                                                  | SY |
|                  | 6,267.0                                                                                                                                                                                                                                                                                  | SY |

---

**Project Number: 036**

|                                                                                 |                                                                        |    |  |
|---------------------------------------------------------------------------------|------------------------------------------------------------------------|----|--|
| Project Name:                                                                   | SR 5 (SE 2 <sup>nd</sup> Ave) and SR 5 (US 1/Biscayne Blvd)            |    |  |
| Owner:                                                                          | Florida Department of Transportation                                   |    |  |
| Contractor:                                                                     | The Stout Group, LLC (Prime)                                           |    |  |
| Contact:                                                                        | Joey Sanchez, PE                                                       |    |  |
| Address:                                                                        | 10850 NW 138 <sup>th</sup> Street – Bay 3<br>Hialeah Gardens, FL 33018 |    |  |
| Phone:                                                                          | 305-216-8406                                                           |    |  |
| Fax:                                                                            | 305-397-2311                                                           |    |  |
| Completed:                                                                      | December 2018                                                          |    |  |
| Contract Amount:                                                                | \$3,499,047.23                                                         |    |  |
| Contract Scope:                                                                 |                                                                        |    |  |
| ▪ MOBILIZATION 41247375201                                                      | 1                                                                      | LS |  |
| ▪ MOBILIZATION 41247375202                                                      | 1                                                                      | LS |  |
| ▪ MOBILIZATION 41247395201                                                      | 1                                                                      | LS |  |
| ▪ MAINTENANCE OF TRAFFIC 41247375201                                            | 1                                                                      | LS |  |
| ▪ MAINTENANCE OF TRAFFIC 41247375202                                            | 1                                                                      | LS |  |
| ▪ MAINTENANCE OF TRAFFIC 41247395201                                            | 1                                                                      | LS |  |
| ▪ SPECIAL DETOUR 1 41247395201                                                  | 1                                                                      | LS |  |
| ▪ COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE                        | 38                                                                     | CY |  |
| ▪ TRAFFIC CONTROL OFFICER                                                       | 374                                                                    | HR |  |
| ▪ WORK ZONE SIGN                                                                | 13446                                                                  | ED |  |
| ▪ BARRIER WALL, TEMPORARY, F&I, TYPE K                                          | 2166                                                                   | LF |  |
| ▪ BARRIER WALL, TEMPORARY, RELOCATE, TYPE K                                     | 2500                                                                   | LF |  |
| ▪ CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD                        | 32492                                                                  | ED |  |
| ▪ CHANNELIZING DEVICE, TYPE III, 6'                                             | 6042                                                                   | ED |  |
| ▪ CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)        | 34100                                                                  | ED |  |
| ▪ ARROW BOARD / ADVANCE WARNING ARROW PANEL                                     | 1638                                                                   | ED |  |
| ▪ TEMPORARY RETROREFLECTIVE PAVEMENT MARKER                                     | 246                                                                    | EA |  |
| ▪ TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION                                   | 32                                                                     | LO |  |
| ▪ PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY                                   | 1160                                                                   | ED |  |
| ▪ TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION                         | 1680                                                                   | ED |  |
| ▪ TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION                     | 1680                                                                   | ED |  |
| ▪ INLET PROTECTION SYSTEM                                                       | 30                                                                     | EA |  |
| ▪ LITTER REMOVAL                                                                | 33.97                                                                  | AC |  |
| ▪ MOWING                                                                        | 0.18                                                                   | AC |  |
| ▪ MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING 41247375202 | 1                                                                      | LS |  |
| ▪ MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING 41247395201 | 1                                                                      | LS |  |

|                                                                 |       |    |
|-----------------------------------------------------------------|-------|----|
| ▪ MONITOR EXISTING STRUCTURES- VIBRATION MONITORING 41247395201 | 1     | LS |
| ▪ CLEARING & GRUBBING 41247375202                               | 1     | LS |
| ▪ CLEARING & GRUBBING 41247395201                               | 1     | LS |
| ▪ REMOVAL OF EXISTING CONCRETE PAVEMENT                         | 322   | SY |
| ▪ DELIVERY OF SALVAGEABLE MATERIAL TO FDOT 41247375202          | 1     | LS |
| ▪ DELIVERY OF SALVAGEABLE MATERIAL TO FDOT 41247395201          | 1     | LS |
| ▪ REGULAR EXCAVATION                                            | 1061  | CY |
| ▪ EMBANKMENT                                                    | 10    | CY |
| ▪ TYPE B STABILIZATION                                          | 2389  | SY |
| ▪ PREPARED SOIL LAYER, FINISH SOIL LAYER, 6                     | 149   | SY |
| ▪ REWORKING LIMEROCK BASE, 6                                    | 2177  | SY |
| ▪ OPTIONAL BASE, BASE GROUP 10                                  | 2211  | SY |
| ▪ ASPHALT TREATED PERMEABLE BASE                                | 20    | CY |
| ▪ MILLING EXIST ASPH PAVT, 2 AVG DEPTH                          | 6210  | SY |
| ▪ MILLING EXIST ASPH PAVT, 2 1/2 AVG DEPTH                      | 7456  | SY |
| ▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC C                           | 1402  | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 | 876.2 | TN |
| ▪ MISCELLANEOUS ASPHALT PAVEMENT                                | 4.5   | TN |
| ▪ PLAIN CEMENT CONCRETE PAVEMENT, 10                            | 178   | SY |
| ▪ PLAIN CEMENT CONCRETE PAVEMENT, 12                            | 4     | SY |
| ▪ REINFORCED CEMENT CONCRETE PAVEMENT, 6                        | 8     | SY |
| ▪ CONCRETE CLASS II, CULVERTS                                   | 1     | CY |
| ▪ CONC CLASS IV, BULKHEAD                                       | 6.3   | CY |
| ▪ REINFORCING STEEL- MISCELLANEOUS                              | 308   | LB |
| ▪ REINFORCING STEEL- BULKHEAD                                   | 274   | LB |
| ▪ INLETS, CURB, TYPE 9, <10'                                    | 6     | EA |
| ▪ INLETS, CURB, TYPE 9, J BOT, >10'                             | 1     | EA |
| ▪ INLETS, CURB, TYPE 9, PARTIAL                                 | 1     | EA |
| ▪ INLETS, CURB, TYPE 9, MODIFY                                  | 2     | EA |
| ▪ INLETS, CURB. TYPE P-3, >10'                                  | 1     | EA |
| ▪ INLETS, CURB, TYPE P-5, <10'                                  | 1     | EA |
| ▪ INLETS, CURB, TYPE P-5, >10'                                  | 2     | EA |
| ▪ INLETS, CURB, TYPE P-6, <10'                                  | 3     | EA |
| ▪ INLETS, CURB, TYPE P-6, >10'                                  | 4     | EA |
| ▪ INLETS, CURB, TYPE J-6, <10'                                  | 1     | EA |
| ▪ INLETS, CURB, TYPE J-6, >10'                                  | 1     | EA |
| ▪ MANHOLES, P-7, >10'                                           | 5     | EA |
| ▪ MANHOLES, P-8, <10'                                           | 1     | EA |
| ▪ MANHOLES, J-7, <10'                                           | 2     | EA |
| ▪ MANHOLES, J-7, >10'                                           | 6     | EA |
| ▪ MANHOLES, J-8, PARTIAL                                        | 1     | EA |



|                                                                                              |       |    |
|----------------------------------------------------------------------------------------------|-------|----|
| ▪ DRAINAGE MANHOLES, PROJECT 412473-9-52-02, J-7 6' x 10' WITH<br>ADDITIONAL RISER AND WALL  | 1     | EA |
| ▪ DRAINAGE MANHOLES, PROJECT 412473-9-52-02, J-7 5' x 8.5' WITH<br>ADDITIONAL RISER AND WALL | 1     | EA |
| ▪ MANHOLE, ADJUST                                                                            | 1     | EA |
| ▪ MODIFY EXISTING DRAINAGE STRUCTURE                                                         | 1     | EA |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 12S/CD                                               | 24    | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15S/CD                                               | 24    | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18S/CD                                               | 327   | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24S/CD                                               | 804   | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 30S/CD                                                  | 119   | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 42S/CD                                                  | 9     | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 48S/CD                                                  | 47    | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 15S/CD                                     | 37    | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18S/CD                                     | 22    | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 30S/CD                                | 143   | LF |
| ▪ FLAP GATES, 0-24                                                                           | 1     | EA |
| ▪ FLAP GATES, 37-48                                                                          | 1     | EA |
| ▪ FLAP GATES, 49-60                                                                          | 1     | EA |
| ▪ TRENCH DRAIN, STANDARD                                                                     | 181   | LF |
| ▪ SHEET PILING STEEL, F&I PERMANENT                                                          | 561   | SF |
| ▪ CONCRETE CURB & GUTTER, TYPE F                                                             | 1805  | LF |
| ▪ CONCRETE CURB, TYPE D                                                                      | 36    | LF |
| ▪ CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH                                        | 119   | SY |
| ▪ CONCRETE SIDEWALK AND DRIVEWAYS, 4 THICK                                                   | 709   | SY |
| ▪ CONCRETE SIDEWALK AND DRIVEWAYS, 6 THICK                                                   | 427   | SY |
| ▪ PAVERS, ARCHITECTURAL, SIDEWALK                                                            | 654   | SY |
| ▪ DETECTABLE WARNINGS                                                                        | 450   | SF |
| ▪ GUARDRAIL -ROADWAY, GENERAL TL-3                                                           | 119   | LF |
| ▪ GUARDRAIL REMOVAL                                                                          | 124   | LF |
| ▪ GUARDRAIL END ANCHORAGE ASSEMBLY/END TREATMENT- PARALLEL                                   | 1     | EA |
| ▪ CRASH CUSHION                                                                              | 2     | EA |
| ▪ PERFORMANCE TURF, SOD                                                                      | 60    | SY |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6                                       | 2.058 | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR<br>INTERCHANGE AND URBAN ISLAND, 8   | 0.291 | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR<br>CROSSWALK AND ROUNDABOUT, 12      | 1745  | LF |

|                                                                                                      |       |    |
|------------------------------------------------------------------------------------------------------|-------|----|
| PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18                        | 360   | LF |
| PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24                     | 1078  | LF |
| PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6 WIDE                          | 0.483 | GM |
| PAINTED PAVEMENT MARKING, STANDARD, WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12 WIDE, | 0.018 | GM |
| PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6           | 0.188 | GM |
| PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL                                        | 17    | EA |
| PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS                                                   | 38    | EA |
| PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6                                                | 0.995 | GM |
| PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8               | 0.166 | GM |
| PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18                       | 507   | LF |
| PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6           | 0.032 | GM |
| POLLUTION CONTROL STRUCTURE WITH BAFFLE AND FILTER, 6' DIAMETER, PROJECT 412473-9-52-02              | 1     | EA |
| POLLUTION CONTROL STRUCTURE WITH BAFFLE AND FILTER, 8' DIAMETER, PROJECT 412473-9-52-02              | 1     | EA |
| INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247375201                                                   | 1     | LS |
| INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247375202                                                   | 1     | LS |
| INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247395201                                                   | 1     | LS |
| INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247395202                                                   | 1     | LS |
| SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF                                                      | 43    | AS |
| SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF                                                         | 1     | AS |
| SINGLE POST SIGN, RELOCATE                                                                           | 2     | AS |
| SINGLE POST SIGN, REMOVE                                                                             | 17    | AS |
| MULTI- POST SIGN, REMOVE                                                                             | 1     | AS |
| SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF                                              | 4     | EA |
| SIGN PANEL, INSTALL, UP TO 12 SF                                                                     | 1     | EA |
| SIGN PANEL, REMOVE, UP TO 12 SF                                                                      | 2     | EA |
| SIGN PANEL, REMOVE, 101-200 SF                                                                       | 3     | EA |
| PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE                                              | 7     | SF |
| PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE                                             | 10    | SF |

|                                                                                                 |       |    |
|-------------------------------------------------------------------------------------------------|-------|----|
| PAINTED PAVEMENT MARKINGS, FINAL SURFACE 41247375201                                            | 1     | LS |
| PAINTED PAVEMENT MARKINGS, FINAL SURFACE 41247395201                                            | 1     | LS |
| THERMOPLASTIC, STANDARD, WHITE, SOLID, 8 FOR INTERCHANGE AND URBAN ISLAND                       | 0.104 | GM |
| THERMOPLASTIC, STANDARD, WHITE, SOLID, 12 FOR CROSSWALK AND ROUNDABOUT                          | 775   | LF |
| THERMOPLASTIC, STANDARD, WHITE, SOLID, 18 FOR DIAGONALS AND CHEVRONS                            | 360   | LF |
| THERMOPLASTIC, STANDARD, WHITE, SOLID, 24 FOR STOP LINE AND CROSSWALK                           | 389   | LF |
| THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6                     | 0.173 | GM |
| THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL                                               | 9     | EA |
| THERMOPLASTIC, STANDARD, WHITE, ARROW                                                           | 35    | EA |
| THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18 FOR DIAGONAL OR CHEVRON                              | 492   | LF |
| THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6           | 0.002 | GM |
| THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12 FOR CROSSWALK                                        | 777   | LF |
| THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24 FOR CROSSWALK                                        | 1286  | LF |
| THERMOPLASTIC, PREFORMED, WHITE, MESSAGE                                                        | 9     | EA |
| THERMOPLASTIC, PREFORMED, WHITE, ARROW                                                          | 3     | EA |
| THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD                                              | 5     | EA |
| THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6                                         | 1.402 | GM |
| THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8                                         | 0.187 | GM |
| THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6,10-30 SKIP OR 3-9 LANE DROP                       | 0.483 | GM |
| THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP | 0.018 | GM |
| THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6                                        | 0.42  | GM |
| THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8                                        | 0.141 | GM |
| CONDUIT, FURNISH & INSTALL, OPEN TRENCH                                                         | 293   | LF |
| CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE                                                    | 450   | LF |
| PULL & SPLICE BOX, F&I, 13 x 24 COVER SIZE                                                      | 7     | EA |
| LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6                                                   | 3002  | LF |
| LIGHT POLE COMPLETE, F&I, WIND SPEED 150, POLE - 40'                                            | 1     | EA |

# Sample Projects

(Completed )

## **Project Number: 001**

|                                  |                                                             |    |  |
|----------------------------------|-------------------------------------------------------------|----|--|
| Project Name:                    | I-595 to Turnpike Northbound Ramp – T7 Ramp                 |    |  |
| Owner:                           | Florida Department of Transportation                        |    |  |
| Contractor:                      | Maytin Engineering Corp.                                    |    |  |
| Contact:                         | Roly Maytin, PE                                             |    |  |
| Address:                         | 13900 NW 112 <sup>th</sup> Ave<br>Hialeah Gardens, FL 33018 |    |  |
| Phone:                           | 305-827-4545                                                |    |  |
| Fax:                             | 305-827-4547                                                |    |  |
| Completed:                       | March 2014                                                  |    |  |
| Contract Amount:                 | \$495,000                                                   |    |  |
| Contract Scope:                  |                                                             |    |  |
| ▪ Excavation                     | 3500                                                        | CY |  |
| ▪ Embankment                     | 18,000                                                      | CY |  |
| ▪ Limerock (Finish Grade)        | 12,000                                                      | SY |  |
| ▪ Solid Pipe (Various Diameters) | 750                                                         | LF |  |
| ▪ Drainage Structure             | 10                                                          | EA |  |
| ▪ Asphalt                        |                                                             |    |  |
| o Traffic Level D (PG 76-22)     | 420                                                         | TN |  |
| o FC-9.5                         | 80                                                          | TN |  |

## **Project Number: 002**

|                                  |                                                               |    |  |
|----------------------------------|---------------------------------------------------------------|----|--|
| Project Name:                    | Phase VI – Storm Water Improvements                           |    |  |
| Owner:                           | Village of El Portal                                          |    |  |
| Contractor:                      | Horizon Contractors, Inc.                                     |    |  |
| Contact:                         | Xavier Salvat, PE                                             |    |  |
| Address:                         | 8175 West 32 <sup>nd</sup> Ave – Suite 2<br>Hialeah, FL 33018 |    |  |
| Phone:                           | 305-828-2050                                                  |    |  |
| Fax:                             | 305-820-0905                                                  |    |  |
| Completed:                       | April 2014                                                    |    |  |
| Contract Amount:                 | \$35,000                                                      |    |  |
| Contract Scope:                  |                                                               |    |  |
| ▪ Solid Pipe (Various Diameters) | 190                                                           | LF |  |
| ▪ Drainage Structure             | 2                                                             | EA |  |
| ▪ Asphalt                        |                                                               |    |  |
| o Traffic Level C                | 40                                                            | TN |  |

**Project Number: 003**

|                  |                                                                          |  |  |
|------------------|--------------------------------------------------------------------------|--|--|
| Project Name:    | T6207 - SR-5 – Overseas Highway (MM 93 – 97)                             |  |  |
| Owner:           | Village of El Portal                                                     |  |  |
| Contractor:      | Horizon Contractors, Inc.                                                |  |  |
| Contact:         | Xavier Salvat, PE                                                        |  |  |
| Address:         | 8175 West 32 <sup>nd</sup> Ave – Suite 2<br>Hialeah, FL 33018            |  |  |
| Phone:           | 305-828-2050                                                             |  |  |
| Fax:             | 305-820-0905                                                             |  |  |
| Completed:       | May 2014                                                                 |  |  |
| Contract Amount: | \$29,000                                                                 |  |  |
| Contract Scope:  | <ul style="list-style-type: none"><li>▪ Finish Grade 17,695 SY</li></ul> |  |  |

**Project Number: 004**

|                  |                                                                                                                                                                |  |  |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Project Name:    | E6H34 - SR-5 – Overseas Highway (MM 85 – 84)                                                                                                                   |  |  |
| Owner:           | Florida Department of Transportation                                                                                                                           |  |  |
| Contractor:      | Horizon Contractors, Inc.                                                                                                                                      |  |  |
| Contact:         | Xavier Salvat, PE                                                                                                                                              |  |  |
| Address:         | 8175 West 32 <sup>nd</sup> Ave – Suite 2<br>Hialeah, FL 33018                                                                                                  |  |  |
| Phone:           | 305-828-2050                                                                                                                                                   |  |  |
| Fax:             | 305-820-0905                                                                                                                                                   |  |  |
| Completed:       | March 2015                                                                                                                                                     |  |  |
| Contract Amount: | \$650,000                                                                                                                                                      |  |  |
| Contract Scope:  | <ul style="list-style-type: none"><li>▪ Solid Pipe (Various Diameters) 1900 LF</li><li>▪ French Drain 24" 680 LF</li><li>▪ Drainage Structures 18 EA</li></ul> |  |  |

**Project Number: 005**

|                  |                                                   |  |  |
|------------------|---------------------------------------------------|--|--|
| Project Name:    | The Bond – Duct Bank                              |  |  |
| Owner:           | 1080 Brickell Development                         |  |  |
| Contractor:      | ION Electric, LLC                                 |  |  |
| Contact:         | Jack Higgins                                      |  |  |
| Address:         | 2001 N. Andrews Avenue<br>Pompano Beach, FL 33069 |  |  |
| Phone:           | 954-434-7432                                      |  |  |
| Fax:             | 954-857-6687                                      |  |  |
| Completed:       | August 2014                                       |  |  |
| Contract Amount: | \$20,000                                          |  |  |
| Contract Scope:  |                                                   |  |  |

- 6" 15 Way Primary Duct Bank 120 LF

---

**Project Number: 006**

Project Name: T6314 – Marathon Key - SR-5 – Overseas Highway (MM 47 – 48)  
 Owner: Florida Department of Transportation

---

Contractor: Horizon Contractors, Inc.  
 Contact: Xavier Salvat, PE  
 Address: 8175 West 32<sup>nd</sup> Ave – Suite 2  
 Hialeah, FL 33018

Phone: 305-828-2050  
 Fax: 305-820-0905

---

Completed: February 2015

Contract Amount: \$377,000

Contract Scope:

- Excavation 839 CY
  - Embankment 2,946 CY
  - Limerock (Finish Grade) 6,749 SY
  - Rip Rap 150 CY
  - Grading 13,786 SY
- 

**Project Number: 007**

Project Name: E6100 - SE 26<sup>th</sup> Rd  
 Owner: Florida Department of Transportation

---

Contractor: The Stout Group, LLC (Prime)  
 Contact: Joey Sanchez, PE  
 Address: 10850 NW 138<sup>th</sup> Street – Bay 3  
 Hialeah Gardens, FL 33018

Phone: 305-216-8406  
 Fax: 305-397-2311

---

Completed: March 2015

Contract Amount: \$95,480

Contract Scope:

- Sidewalk 159 SY
  - Asphalt
    - o Traffic Level C – 12.5 42 TN
    - o FC-9.5 (PG76-22) (ARB) 30 TN
- 

**Project Number: 008**

Project Name: T6333 – NW 74<sup>th</sup> Street and 72<sup>nd</sup> Ave Intersection  
 Owner: Florida Department of Transportation

---

Contractor: The Stout Group, LLC (Prime)  
 Contact: Joey Sanchez, PE

Address: 10850 NW 138<sup>th</sup> Street – Bay 3  
Hialeah Gardens, FL 33018  
Phone: 305-216-8406  
Fax: 305-397-2311

---

Completed: April 2015  
Contract Amount: \$154,744  
Contract Scope:

- Sidewalk 80 SY
- Curb and Gutter 123 LF
- Asphalt
  - o FC-9.5 (PG76-22) (ARB) 153 TN

---

**Project Number: 009**

Project Name: PAMM Footing Installation  
Owner: Perez Art Museum Miami (PAMM)

---

Contractor: The Stout Group, LLC (Prime)  
Contact: Joey Sanchez, PE  
Address: 10850 NW 138<sup>th</sup> Street – Bay 3  
Hialeah Gardens, FL 33018  
Phone: 305-216-8406  
Fax: 305-397-2311

---

Completed: January 2015  
Contract Amount: \$29,200  
Contract Scope:

- Class I – Structural Concrete 50 CY

---

**Project Number: 010**

Project Name: Building 6 – Asphalt Improvements  
Owner: Broward Community College

---

Contractor: Thornton Construction Company  
Contact: Frank Gunn  
Address: 4300 Biscayne Blvd #207  
Miami, FL 33137  
Phone: 305-649-1995  
Fax: 305-649-1295

---

Completed: January 2015  
Contract Amount: \$237,750  
Contract Scope:

- Asphalt
    - o Traffic Level C – 9.6 60 TN
-

**Project Number: 012**

|                  |                                                                                         |  |  |
|------------------|-----------------------------------------------------------------------------------------|--|--|
| Project Name:    | T4386 – SRA1A / Ocean Drive                                                             |  |  |
| Owner:           | Florida Department of Transportation                                                    |  |  |
| Contractor:      | ION Electric                                                                            |  |  |
| Contact:         | Jack Higgins                                                                            |  |  |
| Address:         | 2001 N. Andrews Avenue<br>Pompano Beach, FL 33069                                       |  |  |
| Phone:           | 954-434-7432                                                                            |  |  |
| Fax:             | 954-857-6687                                                                            |  |  |
| Completed:       | July 2015                                                                               |  |  |
| Contract Amount: | \$51,200                                                                                |  |  |
| Contract Scope:  | <ul style="list-style-type: none"><li>▪ Structural Concrete (Pile Caps) 40 CY</li></ul> |  |  |

**Project Number: 013**

|                  |                                                                                                                                     |  |  |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Project Name:    | E6J26 – R0 – Districtwide Asphalt Maintenance                                                                                       |  |  |
| Owner:           | Florida Department of Transportation                                                                                                |  |  |
| Contractor:      | The Stout Group, LLC (Prime)                                                                                                        |  |  |
| Contact:         | Joey Sanchez, PE                                                                                                                    |  |  |
| Address:         | 10850 NW 138 <sup>th</sup> Street – Bay 3<br>Hialeah Gardens, FL 33018                                                              |  |  |
| Phone:           | 305-216-8406                                                                                                                        |  |  |
| Fax:             | 305-397-2311                                                                                                                        |  |  |
| Completed:       | December 2015                                                                                                                       |  |  |
| Contract Amount: | \$250,000                                                                                                                           |  |  |
| Contract Scope:  | <ul style="list-style-type: none"><li>▪ Asphalt<ul style="list-style-type: none"><li>o FC-12.5 (PG76-22) 625 TN</li></ul></li></ul> |  |  |

**Project Number: 014**

|                  |                                                                                                              |  |  |
|------------------|--------------------------------------------------------------------------------------------------------------|--|--|
| Project Name:    | Saxony Beach Walk                                                                                            |  |  |
| Owner:           | The Saxony Development                                                                                       |  |  |
| Contractor:      | ValleyCrest Landscape Development                                                                            |  |  |
| Contact:         | Ariel Caballero                                                                                              |  |  |
| Address:         | 4155 East Mowry Drive<br>Homestead, FL 33033                                                                 |  |  |
| Phone:           | 305-258-8011                                                                                                 |  |  |
| Fax:             | 305-258-0809                                                                                                 |  |  |
| Completed:       | August 2015                                                                                                  |  |  |
| Contract Amount: | \$295,000                                                                                                    |  |  |
| Contract Scope:  | <ul style="list-style-type: none"><li>▪ Demolition 1 LS</li><li>▪ Limerock (Finish Grade) 2,722 SY</li></ul> |  |  |



---

**Project Number: 015**

Project Name: T6393 – Krome Ave (450+00 – 499+00)

Owner: Florida Department of Transportation

---

Contractor: Horizon Contractors, Inc.

Contact: Xavier Salvat, PE

Address: 8175 West 32<sup>nd</sup> Ave  
Hialeah, FL 33018

Phone: 305-345-7816

Fax: 305-820-0905

---

Completed: Scheduled for December 2016

Contract Amount: \$2,655,311

Contract Scope:

|                                |         |    |
|--------------------------------|---------|----|
| ▪ Clearing and Grubbing        | 1       | LS |
| ▪ Regular Excavation           | 3,805   | CY |
| ▪ Subsoil Excavation           | 52,475  | CY |
| ▪ Embankment                   | 133,077 | CY |
| ▪ Prepared Soil Layer          | 60,978  | SY |
| ▪ Optional Base, Base Group 02 | 7,622   | SY |
| ▪ Optional Base, Base Group 10 | 26,133  | SY |

---

**Project Number: 016**

Project Name: Opalocka Airport Interior Service Road

Owner: Miami Dade Airport Department

---

Contractor: Horizon Contractors, Inc.

Contact: Xavier Salvat, PE

Address: 8175 West 32<sup>nd</sup> Ave  
Hialeah, FL 33018

Phone: 305-345-7816

Fax: 305-820-0905

---

Completed: January 2016

Contract Amount: \$960,555

Contract Scope:

|                                     |        |      |
|-------------------------------------|--------|------|
| ▪ Clearing and Grubbing             | 17     | ACRE |
| ▪ Demolition of Bituminous Pavement | 1,600  | SY   |
| ▪ On-Site Excavation                | 30,500 | CY   |
| ▪ Proof Rolling                     | 34,700 | SY   |
| ▪ 12" Thick Stabilization Subgrade  | 29,471 | SY   |
| ▪ 9" Thick Limerock Base Course     | 33,300 | SY   |
| ▪ 24" RCP Class V (Cross Drain)     | 430    | LF   |
| ▪ 24" Mitered End Section           | 14     | EA   |
| ▪ Swale Grading                     | 48,000 | SY   |
| ▪ Canal Bank Stabilization          | 3,000  | SY   |

---

**Project Number: 017**

Project Name: Tamiami Canal Bridge Replacement  
Owner: Miami Dade County Public Works and Waste Management

---

Contractor: Archer Western  
Contact: Dhaval Gandhi  
Address: 3201 NW 24<sup>th</sup> Street Road  
Miami, FL 33142  
Phone: 786-804-6252

---

Completed: Scheduled to Complete February 2018

Contract Amount: \$ 932,749

Contract Scope:

|                                           |       |    |
|-------------------------------------------|-------|----|
| ▪ F&I PERMANENT SAMPLE POINTS             | 2.0   | EA |
| ▪ CONNECT TO EXISTING WM (20.0 - 49.9")   | 1.0   | EA |
| ▪ ARV ASSEMBLIES                          | 2.0   | EA |
| ▪ F&I POLYETHYLENE ENCASEMENT             | 200.0 | LF |
| ▪ F&I TAPPING SLEEVE (20.0 - 49.9")       | 1.0   | EA |
| ▪ S&D FIRE HYDRANT ASSEMBLIES             | 2.0   | EA |
| ▪ S&D DIP (6 - 7.9") VALVE & FITTINGS     | 70.0  | LF |
| ▪ S&D DIP (8 - 9.9") VALVE & FITTINGS     | 120.0 | LF |
| ▪ FURINSH DIP (20 - 49.9") & FITTINGS     | 200.0 | LF |
| ▪ FURNISH MJ RSGV (20.0 - 49.9")          | 1.0   | EA |
| ▪ INSTALL FIRE HYDRANT ASSEMBLIES         | 2.0   | EA |
| ▪ INSTALL DIP (6 - 7.9") VALVE & FITTINGS | 70.0  | LF |
| ▪ INSTALL DIP (8 - 9.9") VALVE & FITTINGS | 120.0 | LF |
| ▪ INSTALL DIP (20 - 49.9") & FITTINGS     | 200.0 | LF |
| ▪ INSTALL MJ RSGV (20.0 - 49.9")          | 1.0   | EA |
| ▪ INLETS (CURB)(TYPE P-1) <10'            | 1.0   | EA |
| ▪ INLETS (CURB)(TYPE P-5) <10'            | 3.0   | EA |
| ▪ INLETS (CURB)(TYPE P-5) >10'            | 3.0   | EA |
| ▪ INLETS (CURB)(TYPE F) <10'              | 4.0   | EA |
| ▪ MANHOLES (TYPE P-7)(PARTIAL)            | 4.0   | EA |
| ▪ MANHOLES, P-8, <10'                     | 1.0   | EA |
| ▪ MANHOLES, P-8, >10'                     | 3.0   | EA |
| ▪ MANHOLES, J-8, <10'                     | 1.0   | EA |
| ▪ MANHOLES, J-8, >10'                     | 1.0   | EA |
| ▪ ADJUST MANHOLE                          | 4.0   | EA |
| ▪ ADJUST MANHOLE (UTILITIES)              | 3.0   | EA |
| ▪ ADJUST VALVE BOX (MDC ONLY)             | 9.0   | EA |
| ▪ PIPE CULVERT - 18"                      | 364.0 | LF |
| ▪ PIPE CULVERT - 24"                      | 216.0 | LF |
| ▪ PIPE CULVERT - 24" (ELLIPTICAL\OTHER)   | 19.0  | LF |

|                                      |         |    |
|--------------------------------------|---------|----|
| ▪ FRENCH DRAIN 24"                   | 647.0   | LF |
| ▪ REMOVAL OF EXISTING PAVEMENT       | 100.0   | SY |
| ▪ REGULAR EXCAVATION                 | 1,100.0 | CY |
| ▪ SUBSOIL EXCAVATION                 | 3,597.0 | CY |
| ▪ CHANNEL EXCAVATION                 | 4,408.0 | CY |
| ▪ EMBANKMENT                         | 7,026.5 | CY |
| ▪ REINFORCEMENT GRID                 | 2,083.0 | SY |
| ▪ TYPE "B" STABILIZATION (12" THICK) | 6,419.0 | SY |
| ▪ OPTIONAL BASE, BASE GROUP 06       | 6,484.0 | SY |
| ▪ TURNOUT CONSTRUCTION               | 440.0   | SY |
| ▪ SP ASPHALTIC CONCRETE (TRAFFIC C)  | 17.4    | TN |

---

**Project Number: 018**

|                                |                                                     |    |  |
|--------------------------------|-----------------------------------------------------|----|--|
| Project Name:                  | T6396 – Krome Ave (54+21 – 109+00)                  |    |  |
| Owner:                         | Florida Department of Transportation                |    |  |
| Contractor:                    | Horizon Contractors, Inc.                           |    |  |
| Contact:                       | Xavier Salvat, PE                                   |    |  |
| Address:                       | 8175 West 32 <sup>nd</sup> Ave<br>Hialeah, FL 33018 |    |  |
| Phone:                         | 305-345-7816                                        |    |  |
| Fax:                           | 305-820-0905                                        |    |  |
| Completed:                     | Scheduled for December 2016                         |    |  |
| Contract Amount:               | \$3,489,368                                         |    |  |
| Contract Scope:                |                                                     |    |  |
| ▪ Clearing and Grubbing        | 1                                                   | LS |  |
| ▪ Regular Excavation           | 3,837                                               | CY |  |
| ▪ Subsoil Excavation           | 73,025                                              | CY |  |
| ▪ Embankment                   | 174,449                                             | CY |  |
| ▪ Type B Stabilization         | 54,596                                              | SY |  |
| ▪ Prepared Soil Layer          | 69,630                                              | SY |  |
| ▪ Optional Base, Base Group 02 | 9,131                                               | SY |  |
| ▪ Optional Base, Base Group 10 | 30,018                                              | SY |  |

---

**Project Number: 019**

|               |                                                       |  |  |
|---------------|-------------------------------------------------------|--|--|
| Project Name: | Miscellaneous Drainage Repairs                        |  |  |
| Owner:        | Interstate Screw Corp.                                |  |  |
| Owner:        | Interstate Screw Corp.                                |  |  |
| Contact:      | Dominick Menendez                                     |  |  |
| Address:      | 475 West 18 <sup>th</sup> Street<br>Hialeah, FL 33010 |  |  |
| Phone:        | 305-888-8700                                          |  |  |
| Fax:          | 305-888-7081                                          |  |  |
| Completed:    | Scheduled for December 2016                           |  |  |

Contract Amount: \$4,375.00

Contract Scope:

- Miscellaneous Drainage Repairs 1 LS

---

**Project Number: 020**

Project Name: Shenandoah Middle School Renovation

Owner: Miami Dade County Public Schools

---

Contractor: Thornton Construction Company, Inc.

Contact: Dan Sheehy

Address: 4300 Biscayne Blvd

Suite 207

Miami, FL 33137

Phone: 305-649-1995

Fax: 305-649-1295

---

Completed: April 2016

Contract Amount: \$11,500.00

Contract Scope:

- Limerock Base 1 LS
- Superpave - Traffic Level C – 9.5 1 LS

---

**Project Number: 021**

Project Name: Emergency Asphalt Repair at the Downtown Mover (TPSS)

Owner: Miami Dade Transit

---

Contact: Nury Perez

Address: 6601 NW 72<sup>nd</sup> Ave

Miami, FL 33166

Phone: 305-884-7578

Fax: 305-884-7538

---

Completed: January 2016

Contract Amount: \$9,850.00

Contract Scope:

- Asphalt Repair 1 LS

---

**Project Number: 023**

Project Name: Drainage Improvements Project Multiple Sites

Owner: Miami Dade County Public Works Department

---

Contact: Felipe Monteagudo

Address: 111 NW 1<sup>st</sup> Street

Suite 1410

Miami, FL 33128

Phone: 305-323-8192

---

---

Completed: Anticipated Completion June 2017

Contract Amount: \$1,504,737.12

Contract Scope:

|                                                 |         |    |
|-------------------------------------------------|---------|----|
| ▪ BARRICADES                                    | 18600   | ED |
| ▪ ADVANCE WARNING ARROW PANEL                   | 1050.0  | ED |
| ▪ Sediment Barrier                              | 600.0   | LF |
| ▪ Inlet Protection System                       | 91.0    | EA |
| ▪ CLEARING AND GRUBBING                         | 1.0     | LS |
| ▪ RE-GRADE EXISTING SWALE                       | 140.0   | SY |
| ▪ FLOWABLE FILL                                 | 28.0    | CY |
| ▪ BACKFILL EXISTING TRENCH WITH SELECT FILL     | 278.0   | CY |
| ▪ MILLING - 1" Depth                            | 4878.0  | SY |
| ▪ ROADWAY PAVEMENT RESTORATION                  | 2524.0  | SY |
| ▪ INLET PAVEMENT                                | 393.0   | SY |
| ▪ Hot Mix Asphalt, Traffic C, SP-9.5            | 555.0   | TN |
| ▪ Driveway Pavement-Asphalt                     | 100.0   | SY |
| ▪ Driveway Pavement-Concrete                    | 20.0    | SY |
| ▪ CLASS I CONCRETE                              | 30.0    | CY |
| ▪ SWALE INLET TYPE D-3 (36"Dia. )               | 37.0    | EA |
| ▪ SWALE INLET TYPE D-3 (36"X36")                | 17.0    | EA |
| ▪ SWALE INLET TYPE D-1 (17" X 27") (< 10' Deep) | 14.0    | EA |
| ▪ SWALE INLET TYPE P-10M                        | 14.0    | EA |
| ▪ SWALE INLET TYPE J-10                         | 1.0     | EA |
| ▪ POLLUTION RETARDANT BAFFLE                    | 3.0     | EA |
| ▪ MANHOLE (Type P-7T)                           | 30.0    | EA |
| ▪ CORE AND TIE TO EXIST. DRAINAGE               | 9.0     | EA |
| ▪ MODIFY STRUCTURE-                             | 17.0    | EA |
| ▪ DESILT PIPE (0 TO 48")                        | 1000.0  | LF |
| ▪ Desilting Drainage Structure                  | 12.0    | EA |
| ▪ Pipe Culvert 15" Diameter (Round)             | 1541.0  | LF |
| ▪ Pipe Culvert 18" Diameter (Round)             | 410.0   | LF |
| ▪ French Drain (18" diameter pipe, 10 ft bls)   | 3445.0  | LF |
| ▪ French Drain (18" diameter pipe, 15 ft bls)   | 380.0   | LF |
| ▪ French Drain (18" diameter pipe, 20 ft. BLS)  | 550.0   | LF |
| ▪ CONCRETE SIDEWALK [4" THICK,]                 | 463.0   | SY |
| ▪ CONCRETE SIDEWALK (6" Thick)                  | 110.0   | SY |
| ▪ DETECTABLE SURFACE                            | 94.0    | SF |
| ▪ RIP RAP (SAND CEMENT)                         | 17.0    | CY |
| ▪ SODDING-St Augustine                          | 12520.0 | SY |
| ▪ REFLECTIVE PAVEMENT MARKERS                   | 25.0    | EA |
| ▪ THERMOPLASTIC (White) (Solid) (12")           | 54.0    | LF |
| ▪ THERMOPLASTIC (White) (Solid) (24")           | 200.0   | LF |
| ▪ THERMOPLASTIC (Yellow) (Solid) (6")           | 450.0   | LF |

---

**Project Number: 024**

|                  |                                                   |      |    |
|------------------|---------------------------------------------------|------|----|
| Project Name:    | Joseph Caleb Center New Parking Garage            |      |    |
| Owner:           | Miami Dade County                                 |      |    |
| Contractor:      | ABC Construction, Inc.                            |      |    |
| Contact:         | Jorge Gonzalez                                    |      |    |
| Address:         | 7215 NW 7 <sup>th</sup> Street<br>Miami, FL 33126 |      |    |
| Phone:           | 305-663-0322                                      |      |    |
| Fax:             | 305-267-2403                                      |      |    |
| Completed:       | April 2017                                        |      |    |
| Contract Amount: | \$196,514.26                                      |      |    |
| Contract Scope:  |                                                   |      |    |
|                  | ▪ Milling Existing Asphalt (1" AVG)               | 7505 | SY |
|                  | ▪ Superpave - Traffic Level C – 9.5               | 489  | TN |
|                  | ▪ Friction Course - Traffic Level C – 9.5         | 396  | TN |

---

**Project Number: 025**

|                  |                                                                        |      |    |
|------------------|------------------------------------------------------------------------|------|----|
| Project Name:    | SR 953 – Lejeune Rd from Almeria Ave to Majorca Ave                    |      |    |
| Owner:           | Florida Department of Transportation                                   |      |    |
| Contractor:      | The Stout Group, LLC (Prime)                                           |      |    |
| Contact:         | Joey Sanchez, PE                                                       |      |    |
| Address:         | 10850 NW 138 <sup>th</sup> Street – Bay 3<br>Hialeah Gardens, FL 33018 |      |    |
| Phone:           | 305-216-8406                                                           |      |    |
| Fax:             | 305-397-2311                                                           |      |    |
| Completed:       | April 2017                                                             |      |    |
| Contract Amount: | \$1,155,672.82                                                         |      |    |
| Contract Scope:  |                                                                        |      |    |
|                  | ▪ MOBILIZATION                                                         | 1    | LS |
|                  | ▪ MAINTENANCE OF TRAFFIC                                               | 1    | LS |
|                  | ▪ TRAFFIC CONTROL OFFICER                                              | 456  | MH |
|                  | ▪ WORK ZONE SIGN                                                       | 6650 | ED |
|                  | ▪ BARRIER WALL, TEMPORARY, F&I, CONCRETE                               | 185  | LF |
|                  | ▪ CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD               | 5900 | ED |
|                  | ▪ CHANNELIZING DEVICE, TYPE III, 6'                                    | 570  | ED |
|                  | ▪ ARROW BOARD / ADVANCE WARNING ARROW PANEL                            | 440  | ED |
|                  | ▪ TEMPORARY RETROREFLECTIVE PAVEMENT MARKER                            | 194  | EA |
|                  | ▪ PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY                          | 388  | ED |
|                  | ▪ TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION                | 180  | ED |
|                  | ▪ TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION            | 180  | ED |

|                                                                                               |       |    |
|-----------------------------------------------------------------------------------------------|-------|----|
| ▪ INLET PROTECTION SYSTEM                                                                     | 19    | EA |
| ▪ LITTER REMOVAL                                                                              | 7.08  | AC |
| ▪ MOWING                                                                                      | 1.8   | AC |
| ▪ MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING                           | 1     | LS |
| ▪ MONITOR EXISTING STRUCTURES- VIBRATION MONITORING                                           | 1     | LS |
| ▪ CLEARING & GRUBBING 43349215201                                                             | 1     | LS |
| ▪ DELIVERY OF SALVAGEABLE MATERIAL TO FDOT 43349215201                                        | 1     | LS |
| ▪ REGULAR EXCAVATION (3-R PROJECTS ONLY) 43349215201                                          | 1     | LS |
| ▪ TYPE B STABILIZATION                                                                        | 532   | SY |
| ▪ PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"                                                  | 604   | SY |
| ▪ OPTIONAL BASE, BASE GROUP 11                                                                | 478   | SY |
| ▪ MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH                                                   | 4398  | SY |
| ▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC C                                                         | 52.6  | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22, ARB                         | 402.4 | TN |
| ▪ INLETS, CURB, TYPE 9, <10'                                                                  | 2     | EA |
| ▪ INLETS, GUTTER, TYPE S, <10'                                                                | 1     | EA |
| ▪ MANHOLES, P-7, <10'                                                                         | 1     | EA |
| ▪ MANHOLE, ADJUST                                                                             | 10    | EA |
| ▪ PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD                                               | 49    | LF |
| ▪ FRENCH DRAIN, 24"                                                                           | 120   | LF |
| ▪ CONCRETE CURB & GUTTER, TYPE F                                                              | 880   | LF |
| ▪ CONCRETE CURB, TYPE D                                                                       | 616   | LF |
| ▪ CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK                                                   | 395   | SY |
| ▪ CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK                                                   | 36    | SY |
| ▪ DETECTABLE WARNINGS                                                                         | 116   | SF |
| ▪ PERFORMANCE TURF, SOD                                                                       | 427   | SY |
| ▪ IRRIGATION SYSTEM REPAIRS 43349215201                                                       | 1     | LS |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"                                       | 0.324 | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"      | 0.077 | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"         | 540   | LF |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"              | 187   | LF |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"           | 190   | LF |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE                | 0.015 | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6" | 0.013 | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL                               | 10    | EA |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS                                          | 27    | EA |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"                                      | 0.585 | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"             | 28    | LF |

|                                                                                               |       |    |
|-----------------------------------------------------------------------------------------------|-------|----|
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6" | 0.026 | GM |
| ▪ SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF                                             | 18    | AS |
| ▪ SINGLE POST SIGN, RELOCATE                                                                  | 1     | AS |
| ▪ SINGLE POST SIGN, REMOVE                                                                    | 11    | AS |
| ▪ SIGN PANEL, RELOCATE, UP TO 12 SF                                                           | 8     | EA |
| ▪ DELINEATOR, FLEXIBLE HIGH PERFORMANCE 48"                                                   | 15    | EA |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE                                    | 38    | SF |
| ▪ PAINTED PAVEMENT MARKINGS, FINAL SURFACE 43349215201                                        | 1     | LS |
| ▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT                     | 540   | LF |
| ▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS                       | 187   | LF |
| ▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK                      | 190   | LF |
| ▪ THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"                | 0.013 | GM |
| ▪ THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL                                           | 3     | EA |
| ▪ THERMOPLASTIC, STANDARD, WHITE, ARROW                                                       | 22    | EA |
| ▪ THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON                         | 28    | LF |
| ▪ THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"      | 0.026 | GM |
| ▪ THERMOPLASTIC, PREFORMED, WHITE, MESSAGE                                                    | 7     | EA |
| ▪ THERMOPLASTIC, PREFORMED, WHITE, ARROWS                                                     | 5     | EA |
| ▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"                                    | 0.324 | GM |
| ▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"                                    | 0.077 | GM |
| ▪ THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP                  | 0.015 | GM |
| ▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"                                   | 0.585 | GM |
| ▪ THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS                              | 20    | SF |
| ▪ CONDUIT, FURNISH & INSTALL, OPEN TRENCH                                                     | 458   | LF |
| ▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE                                                | 354   | LF |
| ▪ PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE                                                | 12    | EA |
| ▪ LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <                                            | 646   | LF |
| ▪ LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6                                               | 4765  | LF |
| ▪ LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS                                      | 6914  | LF |
| ▪ LUMINAIRE, RELOCATE                                                                         | 30    | EA |
| ▪ LUMINAIRE, REMOVE                                                                           | 60    | EA |
| ▪ POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL                                                | 4     | EA |
| ▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE                                                | 1178  | LF |
| ▪ SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL                          | 1     | PI |
| ▪ SIGNAL CABLE, REMOVE- INTERSECTION                                                          | 1     | PI |
| ▪ PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE                                                | 31    | EA |



|                                                                              |     |    |
|------------------------------------------------------------------------------|-----|----|
| ▪ ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR  | 1   | AS |
| ▪ ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND                               | 1   | AS |
| ▪ ELECTRICAL SERVICE WIRE, REMOVE                                            | 195 | LF |
| ▪ PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE                     | 1   | EA |
| ▪ PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL-PEDESTAL/SERVICE POLE     | 1   | EA |
| ▪ ALUMINUM SIGNALS POLE, PEDESTAL                                            | 4   | EA |
| ▪ ALUMINUM SIGNALS POLE, REMOVE                                              | 2   | EA |
| ▪ STEEL MAST ARM,F&I, WIND SPEED-150,SINGLE ARM, W/O LUMINAIRE-36            | 2   | EA |
| ▪ MAST ARM,F&I, WIND SPEED-150,SINGLE ARM,W/O LUMINAIRE-46                   | 2   | EA |
| ▪ MAST ARM, REMOVE SHALLOW FOUNDATION, BOLT ON ATTACHMENT                    | 4   | EA |
| ▪ TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY               | 3   | AS |
| ▪ TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY      | 5   | AS |
| ▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY                  | 4   | AS |
| ▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS                 | 2   | AS |
| ▪ LOOP DETECTOR INDUCTIVE, F&I, TYPE 9                                       | 6   | EA |
| ▪ LOOP ASSEMBLY- F&I, TYPE A                                                 | 8   | AS |
| ▪ PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD                           | 4   | EA |
| ▪ TRAFFIC CONTROLLER ASSEMBLY, F&I, 170                                      | 1   | AS |
| ▪ TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET                | 1   | AS |
| ▪ SYSTEM AUXILIARIES, F&I, MODEM                                             | 1   | EA |
| ▪ INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | 4   | EA |
| ▪ LANDSCAPE COMPLETE- SMALL PLANTS 43349215201                               | 1   | LS |
| ▪ LANDSCAPE COMPLETE- LARGE PLANTS 43349215201                               | 1   | LS |
| ▪ VALVE BOXES, ADJUST                                                        | 7   | EA |

---

**Project Number: 026**

|               |                                                                        |
|---------------|------------------------------------------------------------------------|
| Project Name: | Miami Dade Countywide Drainage Pushbutton                              |
| Owner:        | Florida Department of Transportation                                   |
| Contractor:   | The Stout Group, LLC (Prime)                                           |
| Contact:      | Joey Sanchez, PE                                                       |
| Address:      | 10850 NW 138 <sup>th</sup> Street – Bay 3<br>Hialeah Gardens, FL 33018 |
| Phone:        | 305-216-8406                                                           |
| Fax:          | 305-397-2311                                                           |
| Completed:    | December 2018                                                          |

Contract Amount: \$848,713.00

Contract Scope:

|                                                                          |      |    |
|--------------------------------------------------------------------------|------|----|
| ▪ COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE                 | 50   | CY |
| ▪ TRAFFIC CONTROL OFFICER                                                | 300  | MH |
| ▪ WORK ZONE SIGN                                                         | 5000 | ED |
| ▪ BUSINESS SIGN                                                          | 20   | EA |
| ▪ BARRIER WALL, TEMPORARY, F&I, CONCRETE                                 | 500  | LF |
| ▪ BARRIER WALL, TEMPORARY, F&I, TYPE K                                   | 500  | LF |
| ▪ CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD                 | 6000 | ED |
| ▪ CHANNELIZING DEVICE, TYPE III, 6'                                      | 1025 | ED |
| ▪ CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE) | 50   | ED |
| ▪ ARROW BOARD / ADVANCE WARNING ARROW PANEL                              | 275  | ED |
| ▪ TEMPORARY RETROREFLECTIVE PAVEMENT MARKER                              | 50   | EA |
| ▪ TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION                            | 5    | LO |
| ▪ PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY                            | 100  | ED |
| ▪ PAVEMENT MARKING REMOVABLE TAPE, WHITE OR BLACK,SOLID                  | 1163 | LF |
| ▪ PAVEMENT MARKING REMOVABLE TAPE, YELLOW, SOLID                         | 1513 | LF |
| ▪ SEDIMENT BARRIER                                                       | 400  | LF |
| ▪ FLOATING TURBIDITY BARRIER                                             | 250  | LF |
| ▪ INLET PROTECTION SYSTEM                                                | 40   | EA |
| ▪ LITTER REMOVAL                                                         | 1    | AC |
| ▪ MOWING                                                                 | 1    | AC |
| ▪ REMOVAL OF EXISTING CONCRETE PAVEMENT                                  | 200  | SY |
| ▪ REGULAR EXCAVATION                                                     | 300  | CY |
| ▪ BORROW EXCAVATION, TRUCK MEASURE                                       | 600  | CY |
| ▪ LATERAL DITCH EXCAVATION                                               | 350  | CY |
| ▪ SUBSOIL EXCAVATION                                                     | 200  | CY |
| ▪ EMBANKMENT                                                             | 600  | CY |
| ▪ FLOWABLE FILL                                                          | 100  | CY |
| ▪ EXCAVATION FOR STRUCTURES Excavation for Structures and Pipes          | 200  | CY |
| ▪ TYPE B STABILIZATION                                                   | 150  | SY |
| ▪ OPTIONAL BASE, BASE GROUP 04                                           | 10   | SY |
| ▪ OPTIONAL BASE, BASE GROUP 09                                           | 1500 | SY |
| ▪ OPTIONAL BASE, BASE GROUP 11                                           | 1500 | SY |
| ▪ OPTIONAL BASE, BASE GROUP 13                                           | 250  | SY |
| ▪ MILLING EXIST ASPH PAVT, 1 AVG DEPTH                                   | 4000 | SY |
| ▪ MILLING EXIST ASPH PAVT, 1 1/2 AVG DEPTH                               | 300  | SY |
| ▪ MILLING EXIST ASPH PAVT, 1 3/4 AVG DEPTH                               | 300  | SY |
| ▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC C                                    | 150  | TN |
| ▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC D                                    | 20   | TN |

|                                                                      |      |    |
|----------------------------------------------------------------------|------|----|
| ▪ SUPERPAVE ASPH CONC, TRAFFIC C, PG76-22, PMA                       | 60   | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE, FC-5, PG 76-22, ARB              | 40   | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-9.5, PG 76-22, PMA  | 1    | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76-22, PMA | 5    | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE,TRAFFIC D, FC-12.5, PG 76-22, PMA | 5    | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE,TRAFFIC B, FC-9.5, PG 76-22, ARB  | 160  | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE,TRAFFIC B, FC-12.5, PG 76-22, ARB | 40   | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-9.5, PG 76-22, ARB  | 160  | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76-22, ARB | 20   | TN |
| ▪ MISCELLANEOUS ASPHALT PAVEMENT                                     | 20   | TN |
| ▪ CONCRETE CLASS II, CULVERTS                                        | 50   | CY |
| ▪ CONCRETE CLASS IV, CULVERTS                                        | 30   | CY |
| ▪ CONC CLASS IV, RETAINING WALLS                                     | 30   | CY |
| ▪ REINFORCING STEEL- RETAINING WALL                                  | 350  | LB |
| ▪ REINFORCING STEEL- MISCELLANEOUS                                   | 1000 | LB |
| ▪ INLETS, CURB, TYPE P-1, <10'                                       | 2    | EA |
| ▪ INLETS, CURB, TYPE P-5, <10'                                       | 6    | EA |
| ▪ INLETS, CURB, TYPE P-5, >10'                                       | 2    | EA |
| ▪ INLETS, CURB, TYPE P-5, PARTIAL                                    | 2    | EA |
| ▪ INLETS, CURB, TYPE P-5, MODIFY                                     | 2    | EA |
| ▪ INLETS, CURB, TYPE P-6, <10'                                       | 6    | EA |
| ▪ INLETS, CURB, TYPE P-6, >10'                                       | 1    | EA |
| ▪ INLETS, CURB, TYPE P-6, PARTIAL                                    | 2    | EA |
| ▪ INLETS, CURB, TYPE P-6, MODIFY                                     | 2    | EA |
| ▪ INLETS, CURB, TYPE J-5, <10'                                       | 2    | EA |
| ▪ INLETS, CURB, TYPE J-5, >10'                                       | 1    | EA |
| ▪ INLETS, CURB, TYPE J-6, <10'                                       | 2    | EA |
| ▪ INLETS, CURB, TYPE J-6, >10'                                       | 2    | EA |
| ▪ INLETS, DT BOT, TYPE C,<10'                                        | 1    | EA |
| ▪ INLETS, DT BOT, TYPE C,JBOT, <10'                                  | 2    | EA |
| ▪ INLETS, DT BOT, TYPE C, JBOT, >10'                                 | 1    | EA |
| ▪ INLETS, DT BOT, TYPE D, <10'                                       | 4    | EA |
| ▪ INLETS, DT BOT, TYPE D, >10'                                       | 2    | EA |
| ▪ INLETS, DITCH BOTTOM, TYPE F, PARTIAL                              | 2    | EA |
| ▪ INLETS, DITCH BOTTOM, TYPE G, <10'                                 | 2    | EA |
| ▪ INLETS, DITCH BOTTOM, TYPE G, >10'                                 | 1    | EA |
| ▪ INLETS, DITCH BOTTOM, TYPE G, J BOT, <10'                          | 2    | EA |

|                                                                |     |    |
|----------------------------------------------------------------|-----|----|
| ▪ INLETS, DITCH BOTTOM, TYPE G, J BOT, >10'                    | 1   | EA |
| ▪ INLETS, GUTTER, TYPE V, <10'                                 | 4   | EA |
| ▪ INLETS, GUTTER, TYPE V, >10'                                 | 2   | EA |
| ▪ INLETS, GUTTER, TYPE V, J BOT, <10'                          | 2   | EA |
| ▪ INLETS, GUTTER, TYPE V, J BOTTOM, >10'                       | 2   | EA |
| ▪ MANHOLES, P-7, <10'                                          | 2   | EA |
| ▪ MANHOLES, P-7, >10'                                          | 4   | EA |
| ▪ MANHOLES, P-7, PARTIAL                                       | 2   | EA |
| ▪ MANHOLES, J-7, <10'                                          | 4   | EA |
| ▪ MANHOLES, J-7, >10'                                          | 2   | EA |
| ▪ MANHOLES, J-7, PARTIAL                                       | 2   | EA |
| ▪ INLETS, ADJUST                                               | 10  | EA |
| ▪ MANHOLE, ADJUST                                              | 10  | EA |
| ▪ VALVE BOXES, ADJUST                                          | 5   | EA |
| ▪ DRAINAGE STRUCTURES, MISCELLANEOUS, ADJUST                   | 5   | EA |
| ▪ REPLACE GRATE                                                | 10  | EA |
| ▪ DESILTING PIPE, 0 - 24 Desilt in the Wet                     | 273 | LF |
| ▪ DESILTING PIPE, 25 - 36 Desilt in Dry Condition              | 750 | LF |
| ▪ DESILTING PIPE, 37 - 48 Desilt in Dry Condition              | 400 | LF |
| ▪ DESILTING PIPE, 49 - 60 Desilt in the Wet                    | 159 | LF |
| ▪ DESILTING PIPE, 61 OR GREATER Desilt in the Wet              | 400 | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15S/CD                 | 100 | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18S/CD                 | 500 | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24S/CD                 | 200 | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 30S/CD                    | 200 | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 36S/CD                    | 200 | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 42S/CD                    | 100 | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 48S/CD                    | 100 | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 54S/CD                    | 100 | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 60S/CD                    | 100 | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 15S/CD       | 50  | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18S/CD       | 50  | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24S/CD | 50  | LF |
| ▪ U-ENDWALL, STD 261, 1:4 SLOPE, 18PIPE                        | 4   | EA |
| ▪ PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE              | 20  | CY |
| ▪ TRENCH DRAIN, STANDARD                                       | 150 | LF |
| ▪ FRENCH DRAIN, 24                                             | 400 | LF |
| ▪ FRENCH DRAIN, 36                                             | 100 | LF |
| ▪ PIPE HANDRAIL - GUIDERAIL, STEEL                             | 150 | LF |
| ▪ PIPE HANDRAIL - GUIDERAIL, ALUMINUM                          | 150 | LF |
| ▪ CONCRETE CURB & GUTTER, TYPE F                               | 600 | LF |

|                                                                                              |      |    |
|----------------------------------------------------------------------------------------------|------|----|
| ▪ CONCRETE CURB, TYPE D                                                                      | 100  | LF |
| ▪ VALLEY GUTTER- CONCRETE                                                                    | 100  | LF |
| ▪ SHOULDER CONCRETE BARRIER WALL, RIGID RETAINING                                            | 20   | LF |
| ▪ CONCRETE SIDEWALK AND DRIVEWAYS, 4 THICK                                                   | 150  | SY |
| ▪ CONCRETE SIDEWALK AND DRIVEWAYS, 6 THICK                                                   | 50   | SY |
| ▪ CONCRETE DITCH PAVEMENT, NON REINFORCED, 4                                                 | 10   | SY |
| ▪ CONCRETE DITCH PAVEMENT, 4, REINFORCED                                                     | 50   | SY |
| ▪ PAVERS, ARCHITECTURAL, SIDEWALK                                                            | 150  | SY |
| ▪ DETECTABLE WARNINGS                                                                        | 8    | SF |
| ▪ GUARDRAIL -ROADWAY                                                                         | 100  | LF |
| ▪ SPECIAL GUARDRAIL POST                                                                     | 5    | EA |
| ▪ GUARDRAIL REMOVAL                                                                          | 100  | LF |
| ▪ FENCING, TYPE B, 5.1-6.0', STANDARD                                                        | 200  | LF |
| ▪ FENCING, TYPE B, 5.1-6.0, RESET EXISTING                                                   | 50   | LF |
| ▪ PERFORMANCE TURF                                                                           | 1000 | SY |
| ▪ PERFORMANCE TURF, SOD                                                                      | 1000 | SY |
| ▪ SINGLE POST SIGN, RELOCATE                                                                 | 5    | AS |
| ▪ SINGLE POST SIGN, REMOVE                                                                   | 5    | AS |
| ▪ MULTI- POST SIGN, F&I GROUND MOUNT, RELOCATE                                               | 5    | AS |
| ▪ MULTI- POST SIGN, REMOVE                                                                   | 5    | AS |
| ▪ OBJECT MARKER, TYPE 1 TWO # 04                                                             | 5    | EA |
| ▪ RETRO-REFLECTIVE PAVEMENT MARKERS                                                          | 100  | EA |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6                                       | 0.1  | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8      | 0.1  | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12         | 400  | LF |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18              | 600  | LF |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24           | 100  | LF |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6 WIDE                | 0.1  | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6 | 0.2  | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL                              | 2    | EA |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS                                         | 5    | EA |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6                                      | 0.1  | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18             | 20   | LF |

|                                                                                            |     |    |
|--------------------------------------------------------------------------------------------|-----|----|
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, BLUE, SOLID FOR PARKING LOT- ACCESSIBLE MARKINGS, 6 | 50  | LF |
| ▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 12 FOR CROSSWALK AND ROUNDABOUT                   | 600 | LF |
| ▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 18 FOR DIAGONALS AND CHEVRONS                     | 400 | LF |
| ▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 24 FOR STOP LINE AND CROSSWALK                    | 50  | LF |
| ▪ THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6              | 0.1 | GM |
| ▪ THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL                                        | 5   | EA |
| ▪ THERMOPLASTIC, STANDARD, WHITE, ARROW                                                    | 5   | EA |
| ▪ THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18 FOR DIAGONAL OR CHEVRON                       | 100 | LF |
| ▪ THERMOPLASTIC, STANDARD, BLUE, SOLID, 6                                                  | 100 | LF |
| ▪ THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8                    | 0.1 | GM |
| ▪ THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8                    | 0.1 | GM |
| ▪ THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6,10-30 SKIP OR 3-9 LANE DROP                | 0.1 | GM |
| ▪ THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS                           | 50  | SF |
| ▪ LIGHT POLE COMPLETE, REMOVE                                                              | 5   | EA |
| ▪ LUMINAIRE, REMOVE                                                                        | 5   | EA |
| ▪ CONDUIT, FURNISH & INSTALL, OPEN TRENCH                                                  | 100 | LF |
| ▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE                                             | 50  | LF |
| ▪ PULL & SPLICE BOX, F&I, 13 x 24 COVER SIZE                                               | 5   | EA |
| ▪ ALUMINUM SIGNALS POLE, PEDESTAL                                                          | 5   | EA |
| ▪ ALUMINUM SIGNALS POLE, REMOVE                                                            | 2   | EA |
| ▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY                                | 5   | AS |
| ▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS                               | 5   | AS |
| ▪ LOOP DETECTOR INDUCTIVE, F&I, TYPE 9                                                     | 5   | EA |
| ▪ LOOP ASSEMBLY- F&I, TYPE A                                                               | 5   | AS |
| ▪ PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD                                         | 10  | EA |
| ▪ TRAFFIC CONTROLLER ASSEMBLY, MODIFY                                                      | 1   | AS |

---

**Project Number: 027**

|               |                                                                               |
|---------------|-------------------------------------------------------------------------------|
| Project Name: | Bay Shore One Project – 1100 100 <sup>th</sup> Street – Bay Harbor Island, FL |
| Owner:        | Thornton Construction                                                         |

---

Contractor: Thornton Construction  
Contact: Anthony Pasqualone  
Address: 4300 Biscayne Blvd – Suite 207  
Miami, FL 33137  
Phone: 305-649-1995  
Fax: 305-649-1295

---

Completed: December 2016

Contract Amount: \$34,841.25

Contract Scope:

|                            |      |      |
|----------------------------|------|------|
| ▪ MOBILIZATION             | 1    | LS   |
| ▪ SITE CLEARING & GRUBBING | 0.45 | ACRE |
| ▪ SILT FENCE               | 560  | LF   |
| ▪ SUBSOIL EXCAVATION       | 1185 | CY   |
| ▪ EARTH RAMP               | 1    | LS   |
| ▪ LIMEROCK BASE            | 1    | LS   |

---

**Project Number: 028**

Project Name: CT A – Relocation of Onsite Utilities and Drainage

Owner: Port of Miami

---

Contractor: Central Florida Equipment Rentals, Inc. (Prime)

Contact: Ana Depriest

Address: 9030 NW 97<sup>th</sup> Terrace  
Medley, FL 33178

Phone: 305-345-9039

Fax: 305-887-7804

---

Completed: June 2017

Contract Amount: \$1,413,688.89

Contract Scope:

|                                          |   |    |
|------------------------------------------|---|----|
| ▪ UTILITIES                              |   |    |
| ▪ MOBILIZATION                           | 1 | LS |
| ▪ 12 DIP WATER MAIN (L&E)                | 1 | LS |
| ▪ 6 DIP WATER MAIN (L&E)                 | 1 | LS |
| ▪ FIRE HYDRANT w/ 6 GV & 4 BOLLARDS(L&E) | 1 | LS |
| ▪ 12 BENDS (L&E)                         | 1 | LS |
| ▪ 12 x 6 TEES (L&E)                      | 1 | LS |
| ▪ 12 GATE VALVES                         | 1 | LS |
| ▪ SANITARY SEWER MANHOLE                 | 1 | LS |
| ▪ SANITARY SEWER CAPS                    | 1 | LS |
| ▪ ASPHALT DEMO / RESTORATION             | 1 | LS |
| ▪ DRAINAGE                               |   |    |
| ▪ MOBILIZATION                           | 1 | LS |
| ▪ CURB INLET TYPE 5, 6                   | 1 | LS |

|                                                   |   |    |
|---------------------------------------------------|---|----|
| ▪ MEDIAN BARRIER INLET, TYPE 3                    | 1 | LS |
| ▪ CATCH BASIN                                     | 1 | LS |
| ▪ DRAINAGE MANHOLE                                | 1 | LS |
| ▪ ADJUST MANHOLES                                 | 1 | LS |
| ▪ PIPE CULVERT OPTIONAL MATERIAL, 18              | 1 | LS |
| ▪ PIPE CULVERT OPTIONAL MATERIAL, 24              | 1 | LS |
| ▪ FRENCH DRAIN, 24                                | 1 | LS |
| ▪ SPECIAL STRUCTURE, TWO CHAMBERED (6'x9.5'x9.5') | 1 | LS |
| ▪ ASPHALT DEMO / RESTORATION                      | 1 | LS |

---

**Project Number: 029**

|                                               |                                                                               |    |
|-----------------------------------------------|-------------------------------------------------------------------------------|----|
| Project Name:                                 | Kendall Town Center (SW 96 <sup>th</sup> Street and SW 157 <sup>th</sup> Ave) |    |
| Owner:                                        | Howard Hughes Corp.                                                           |    |
| Contractor:                                   | Brightview Landscape Development                                              |    |
| Contact:                                      | Ariel Caballero                                                               |    |
| Address:                                      | 4155 East Mowry Dr.<br>Homestead, FL 33033                                    |    |
| Phone:                                        | 305-986-2249                                                                  |    |
| Completed:                                    | February 2017                                                                 |    |
| Contract Amount:                              | \$107,422.20                                                                  |    |
| Contract Scope:                               |                                                                               |    |
| ▪ MOBILIZATION                                | 1.00                                                                          | LS |
| ▪ CLEARING AND GRUBBING                       | 1.00                                                                          | LS |
| ▪ SURVEYING                                   | 1.00                                                                          | LS |
| ▪ EXCAVATION (4 AVERAGE DEPTH)                | 215.00                                                                        | CY |
| ▪ STABILIZED SUBGRADE                         | 1250.00                                                                       | SY |
| ▪ SOD GRADING (5' EACH SIDE OF SIDEWALK)      | 2084.00                                                                       | SY |
| ▪ CONC. SIDEWALK (4 THK w/ 6X6 W2.9/W2.9 WWM) | 1250.00                                                                       | SY |
| ▪ BENCH PADS (5' x 8')                        | 4.00                                                                          | EA |
| ▪ SIDEWALK RAMP                               | 1.00                                                                          | LS |
| ▪ GRADING                                     | 1.00                                                                          | LS |

---

**Project Number: 030**

|               |                                            |  |
|---------------|--------------------------------------------|--|
| Project Name: | Ballpark of the Palm Beaches               |  |
| Owner:        | Palm Beach County                          |  |
| Contractor:   | Brightview Landscape Development           |  |
| Contact:      | Ariel Caballero                            |  |
| Address:      | 4155 East Mowry Dr.<br>Homestead, FL 33033 |  |
| Phone:        | 305-986-2249                               |  |
| Completed:    | January 2017                               |  |



Contract Amount: \$214,397.29

Contract Scope:

|                                                  |          |    |
|--------------------------------------------------|----------|----|
| ▪ 4in THICK SIDEWALK w/ WELDED WIRE MESH         | 73976.00 | SF |
| ▪ LOADING DOCK (2 DOCKS - 6500 SF TOTAL)         | 1.00     | LS |
| ▪ FLUSH REINFORCED HEADER CURB                   | 718.00   | LF |
| ▪ BATTING CAGE TUNNEL SLAB                       | 7890.00  | SF |
| ▪ PUMP RENTAL - 2 DAILY RATE                     | 2.00     | DA |
| ▪ PUMP RENTAL - 2 DAILY RATE                     | 7.00     | DA |
| ▪ FLUSH REINFORCED HEADER CURB                   | 705.00   | LF |
| ▪ 6in THICK SIDEWALK w/ WELDED WIRE MESH (COLOR) | 2970.00  | SF |
| ▪ 8in THICK SIDEWALK w/ #4 O.C.E.W (COLOR)       | 1430.00  | SF |

---

**Project Number: 031**

|                     |                                                      |
|---------------------|------------------------------------------------------|
| Project Name:       | SR – 823 NW 57 <sup>th</sup> Ave                     |
| Owner:              | Florida Department of Transportation                 |
| Contractor:         | Central Florida Equipment Rentals, Inc. (Prime)      |
| Contact:            | Ana Depriest                                         |
| Address:            | 9030 NW 97 <sup>th</sup> Terrace<br>Medley, FL 33178 |
| Phone:              | 305-345-9039                                         |
| Fax:                | 305-887-7804                                         |
| Completed:          | February 2017                                        |
| Contract Amount:    | \$11,912.00                                          |
| Contract Scope:     |                                                      |
| ▪ FINISH GRADE WORK | 1 LS                                                 |

---

**Project Number: 032**

|                         |                                                      |
|-------------------------|------------------------------------------------------|
| Project Name:           | SR 874 Project                                       |
| Owner:                  | MDX – Miami Dade Expressway Authority                |
| Contractor:             | The de Moya Group                                    |
| Contact:                | Fabricio Cedillo                                     |
| Address:                | 14600 SW 136 <sup>th</sup> Street<br>Miami, FL 33186 |
| Phone:                  | 305-987-4097                                         |
| Fax:                    | 305-255-1935                                         |
| Completed:              | December 2018                                        |
| Contract Amount:        | \$584,780.45                                         |
| Contract Scope:         |                                                      |
| ▪ MOBILIZATION          | 1.0 LS                                               |
| ▪ CLEARING AND GRUBBING | 1.0 LS                                               |

|                                                  |          |    |
|--------------------------------------------------|----------|----|
| ▪ C&G - CONTROL STRUCTURE                        | 1.0      | EA |
| ▪ C&G - DITCH BOTTOM INLET                       | 10.0     | EA |
| ▪ C&G - ENDWALL                                  | 1.0      | EA |
| ▪ C&G - MANHOLE                                  | 2.0      | EA |
| ▪ C&G - FRENCH DRAIN 36                          | 310.0    | LF |
| ▪ C&G - PIPE                                     | 210.0    | LF |
| ▪ CONCRETE CLASS I - ENDWALLS                    | 1.00     | EA |
| ▪ INLETS, DT BOT, TYPE B, <10'                   | 5.0      | EA |
| ▪ INLETS, DT BOT, TYPE D, MODIFY                 | 2.0      | EA |
| ▪ INLETS, DT BOT, TYPE E, <10'                   | 6.0      | EA |
| ▪ INLETS, DT BOT, TYPE E, PARTIAL                | 2.0      | EA |
| ▪ INLETS, BARRIER WALL, <10'                     | 8.0      | EA |
| ▪ INLETS, BARRIER WALL, >10'                     | 1.0      | EA |
| ▪ INLETS, BARRIER WALL, J BOT, <10'              | 3.0      | EA |
| ▪ INLETS, BARRIER WALL, J BOT, >10'              | 2.0      | EA |
| ▪ MANHOLES, P-7, <10'                            | 6.0      | EA |
| ▪ MANHOLES, TYPE 7, PARTIAL                      | 2.0      | EA |
| ▪ MANHOLES, J-7, <10'                            | 1.0      | EA |
| ▪ MANHOLES, J-7, >10'                            | 2.0      | EA |
| ▪ PIPE CULV, OPT MATL, ROUND, 18S/CD             | 1,379.0  | LF |
| ▪ PIPE CULV, OPT MATL, ROUND, 18S/CD             | 144.0    | LF |
| ▪ PIPE CULV, OPT MATL, ROUND, 24S/CD             | 793.0    | LF |
| ▪ PIPE CULV, OPT MATL, ROUND, 30S/CD             | 28.0     | LF |
| ▪ PIPE CULV, OPT MATL, ROUND, 36S/CD             | 20.0     | LF |
| ▪ FRENCH DRAIN, 24                               | 1,006.0  | LF |
| ▪ 18 RCP CLASS IV                                | 15.0     | LF |
| ▪ 18 RCP CLASS V                                 | 34.0     | LF |
| ▪ CLEAN\VIDEO PIPE (NEW PIPE ONLY)               | 2,269.0  | LF |
| ▪ CLEAN STRUCTURES                               | 40.0     | EA |
| ▪ MOBILIZATION 24961435201                       | 1.0      | LS |
| ▪ TEMP PAVEMENT (SUBGRADE & 6 BASE)              | 1.0      | SY |
| ▪ PULVERIZE EXISTING ASPHALT (4 MAX DEPTH)       | 16,685.0 | SY |
| ▪ REGULAR EXCAVATION                             | 5,887.0  | CY |
| ▪ EMBANKMENT                                     | 4,885.0  | CY |
| ▪ TYPE B STABILIZATION                           | 41,101.0 | SY |
| ▪ OPTIONAL BASE, BASE GROUP 06                   | 41,101.0 | SY |
| ▪ CURB TYPE E, GRADING ONLY                      | 727.0    | LF |
| ▪ CONC CURB & GUTR, F (4 LRB PAD & GRADING ONLY) | 18,447.0 | LF |
| ▪ VALLEY GUTTER, 2' GRADING ONLY                 | 2,021.0  | LF |
| ▪ TRAF SEP CONC, IV, 6' W (GRADING ONLY)         | 1.0      | LF |
| ▪ MED CONC BARRIER WALL (GRADING ONLY)           | 1.0      | LF |
| ▪ SIDEWALK 4 (GRADING ONLY)                      | 8,998.0  | SY |
| ▪ SIDEWALK 6 (GRADING ONLY)                      | 2,565.0  | SY |

|                                        |         |    |
|----------------------------------------|---------|----|
| ▪ GUARDRAIL ?ROADWAY (GRADING ONLY)    | 1.0     | LF |
| ▪ FENCE B, 6' STANDARD (GRADING ONLY)  | 1.0     | LF |
| ▪ PERFORMANCE TURF,SOD, (GRADING ONLY) | 5,406.0 | SY |

---

**Project Number: 033**

|                  |                                                                         |    |
|------------------|-------------------------------------------------------------------------|----|
| Project Name:    | Turnpike (HEFT) from Eureka Drive to Killian Parkway                    |    |
| Owner:           | Florida Department of Transportation                                    |    |
| Contractor:      | The de Moya Group                                                       |    |
| Contact:         | Fabricio Cedillo                                                        |    |
| Address:         | 14600 SW 136 <sup>th</sup> Street<br>Miami, FL 33186                    |    |
| Phone:           | 305-987-4097                                                            |    |
| Fax:             | 305-255-1935                                                            |    |
| Completed:       | April 2017                                                              |    |
| Contract Amount: | \$17,241.00                                                             |    |
| Contract Scope:  | <ul style="list-style-type: none"> <li>▪ RIPRAP, SAND CEMENT</li> </ul> |    |
|                  | 20                                                                      | CY |

---

**Project Number: 035**

|                  |                                                                                                                                                                                                                                                                                          |    |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Project Name:    | West 31 <sup>st</sup> Street and West 32 <sup>nd</sup> Street from West 12 <sup>th</sup> Ave to West 12 <sup>th</sup> Ave to West 9 <sup>th</sup> Avenue; West 11 <sup>th</sup> Avenue and West 9 <sup>th</sup> Avenue from West 30 <sup>th</sup> Street to West 33 <sup>rd</sup> Street |    |
| Owner:           | City of Hialeah                                                                                                                                                                                                                                                                          |    |
| Contractor:      | Horizon Contractors, Inc.                                                                                                                                                                                                                                                                |    |
| Contact:         | Jose M Sanchez                                                                                                                                                                                                                                                                           |    |
| Address:         | 8175 West 32 <sup>nd</sup> Ave – Bay 2<br>Hialeah, FL 33018                                                                                                                                                                                                                              |    |
| Phone:           | 305-216-8403                                                                                                                                                                                                                                                                             |    |
| Fax:             | 305-820-0905                                                                                                                                                                                                                                                                             |    |
| Completed:       | July 2017                                                                                                                                                                                                                                                                                |    |
| Contract Amount: | \$580,593.75                                                                                                                                                                                                                                                                             |    |
| Contract Scope:  | <ul style="list-style-type: none"> <li>▪ CONCRETE CURB AND GUTTER TYPE F</li> <li>▪ CONCRETE CURB TYPE D</li> <li>▪ CONCRETE VALLEY GUTTER (2')</li> <li>▪ CONCRETE SIDEWALK (4 THICK)</li> <li>▪ CONCRETE SIDEWALK (6 THICK)</li> </ul>                                                 |    |
|                  | 11,777.0                                                                                                                                                                                                                                                                                 | LF |
|                  | 1,650.0                                                                                                                                                                                                                                                                                  | LF |
|                  | 1,177.0                                                                                                                                                                                                                                                                                  | LF |
|                  | 5,416.0                                                                                                                                                                                                                                                                                  | SY |
|                  | 6,267.0                                                                                                                                                                                                                                                                                  | SY |

---

**Project Number: 036**

|                                                                                 |                                                                        |    |  |
|---------------------------------------------------------------------------------|------------------------------------------------------------------------|----|--|
| Project Name:                                                                   | SR 5 (SE 2 <sup>nd</sup> Ave) and SR 5 (US 1/Biscayne Blvd)            |    |  |
| Owner:                                                                          | Florida Department of Transportation                                   |    |  |
| Contractor:                                                                     | The Stout Group, LLC (Prime)                                           |    |  |
| Contact:                                                                        | Joey Sanchez, PE                                                       |    |  |
| Address:                                                                        | 10850 NW 138 <sup>th</sup> Street – Bay 3<br>Hialeah Gardens, FL 33018 |    |  |
| Phone:                                                                          | 305-216-8406                                                           |    |  |
| Fax:                                                                            | 305-397-2311                                                           |    |  |
| Completed:                                                                      | December 2018                                                          |    |  |
| Contract Amount:                                                                | \$3,499,047.23                                                         |    |  |
| Contract Scope:                                                                 |                                                                        |    |  |
| ▪ MOBILIZATION 41247375201                                                      | 1                                                                      | LS |  |
| ▪ MOBILIZATION 41247375202                                                      | 1                                                                      | LS |  |
| ▪ MOBILIZATION 41247395201                                                      | 1                                                                      | LS |  |
| ▪ MAINTENANCE OF TRAFFIC 41247375201                                            | 1                                                                      | LS |  |
| ▪ MAINTENANCE OF TRAFFIC 41247375202                                            | 1                                                                      | LS |  |
| ▪ MAINTENANCE OF TRAFFIC 41247395201                                            | 1                                                                      | LS |  |
| ▪ SPECIAL DETOUR 1 41247395201                                                  | 1                                                                      | LS |  |
| ▪ COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE                        | 38                                                                     | CY |  |
| ▪ TRAFFIC CONTROL OFFICER                                                       | 374                                                                    | HR |  |
| ▪ WORK ZONE SIGN                                                                | 13446                                                                  | ED |  |
| ▪ BARRIER WALL, TEMPORARY, F&I, TYPE K                                          | 2166                                                                   | LF |  |
| ▪ BARRIER WALL, TEMPORARY, RELOCATE, TYPE K                                     | 2500                                                                   | LF |  |
| ▪ CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD                        | 32492                                                                  | ED |  |
| ▪ CHANNELIZING DEVICE, TYPE III, 6'                                             | 6042                                                                   | ED |  |
| ▪ CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)        | 34100                                                                  | ED |  |
| ▪ ARROW BOARD / ADVANCE WARNING ARROW PANEL                                     | 1638                                                                   | ED |  |
| ▪ TEMPORARY RETROREFLECTIVE PAVEMENT MARKER                                     | 246                                                                    | EA |  |
| ▪ TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION                                   | 32                                                                     | LO |  |
| ▪ PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY                                   | 1160                                                                   | ED |  |
| ▪ TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION                         | 1680                                                                   | ED |  |
| ▪ TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION                     | 1680                                                                   | ED |  |
| ▪ INLET PROTECTION SYSTEM                                                       | 30                                                                     | EA |  |
| ▪ LITTER REMOVAL                                                                | 33.97                                                                  | AC |  |
| ▪ MOWING                                                                        | 0.18                                                                   | AC |  |
| ▪ MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING 41247375202 | 1                                                                      | LS |  |
| ▪ MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING 41247395201 | 1                                                                      | LS |  |

|                                                                 |       |    |
|-----------------------------------------------------------------|-------|----|
| ▪ MONITOR EXISTING STRUCTURES- VIBRATION MONITORING 41247395201 | 1     | LS |
| ▪ CLEARING & GRUBBING 41247375202                               | 1     | LS |
| ▪ CLEARING & GRUBBING 41247395201                               | 1     | LS |
| ▪ REMOVAL OF EXISTING CONCRETE PAVEMENT                         | 322   | SY |
| ▪ DELIVERY OF SALVAGEABLE MATERIAL TO FDOT 41247375202          | 1     | LS |
| ▪ DELIVERY OF SALVAGEABLE MATERIAL TO FDOT 41247395201          | 1     | LS |
| ▪ REGULAR EXCAVATION                                            | 1061  | CY |
| ▪ EMBANKMENT                                                    | 10    | CY |
| ▪ TYPE B STABILIZATION                                          | 2389  | SY |
| ▪ PREPARED SOIL LAYER, FINISH SOIL LAYER, 6                     | 149   | SY |
| ▪ REWORKING LIMEROCK BASE, 6                                    | 2177  | SY |
| ▪ OPTIONAL BASE, BASE GROUP 10                                  | 2211  | SY |
| ▪ ASPHALT TREATED PERMEABLE BASE                                | 20    | CY |
| ▪ MILLING EXIST ASPH PAVT, 2 AVG DEPTH                          | 6210  | SY |
| ▪ MILLING EXIST ASPH PAVT, 2 1/2 AVG DEPTH                      | 7456  | SY |
| ▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC C                           | 1402  | TN |
| ▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 | 876.2 | TN |
| ▪ MISCELLANEOUS ASPHALT PAVEMENT                                | 4.5   | TN |
| ▪ PLAIN CEMENT CONCRETE PAVEMENT, 10                            | 178   | SY |
| ▪ PLAIN CEMENT CONCRETE PAVEMENT, 12                            | 4     | SY |
| ▪ REINFORCED CEMENT CONCRETE PAVEMENT, 6                        | 8     | SY |
| ▪ CONCRETE CLASS II, CULVERTS                                   | 1     | CY |
| ▪ CONC CLASS IV, BULKHEAD                                       | 6.3   | CY |
| ▪ REINFORCING STEEL- MISCELLANEOUS                              | 308   | LB |
| ▪ REINFORCING STEEL- BULKHEAD                                   | 274   | LB |
| ▪ INLETS, CURB, TYPE 9, <10'                                    | 6     | EA |
| ▪ INLETS, CURB, TYPE 9, J BOT, >10'                             | 1     | EA |
| ▪ INLETS, CURB, TYPE 9, PARTIAL                                 | 1     | EA |
| ▪ INLETS, CURB, TYPE 9, MODIFY                                  | 2     | EA |
| ▪ INLETS, CURB. TYPE P-3, >10'                                  | 1     | EA |
| ▪ INLETS, CURB, TYPE P-5, <10'                                  | 1     | EA |
| ▪ INLETS, CURB, TYPE P-5, >10'                                  | 2     | EA |
| ▪ INLETS, CURB, TYPE P-6, <10'                                  | 3     | EA |
| ▪ INLETS, CURB, TYPE P-6, >10'                                  | 4     | EA |
| ▪ INLETS, CURB, TYPE J-6, <10'                                  | 1     | EA |
| ▪ INLETS, CURB, TYPE J-6, >10'                                  | 1     | EA |
| ▪ MANHOLES, P-7, >10'                                           | 5     | EA |
| ▪ MANHOLES, P-8, <10'                                           | 1     | EA |
| ▪ MANHOLES, J-7, <10'                                           | 2     | EA |
| ▪ MANHOLES, J-7, >10'                                           | 6     | EA |
| ▪ MANHOLES, J-8, PARTIAL                                        | 1     | EA |

|                                                                                              |       |    |
|----------------------------------------------------------------------------------------------|-------|----|
| ▪ DRAINAGE MANHOLES, PROJECT 412473-9-52-02, J-7 6' x 10' WITH<br>ADDITIONAL RISER AND WALL  | 1     | EA |
| ▪ DRAINAGE MANHOLES, PROJECT 412473-9-52-02, J-7 5' x 8.5' WITH<br>ADDITIONAL RISER AND WALL | 1     | EA |
| ▪ MANHOLE, ADJUST                                                                            | 1     | EA |
| ▪ MODIFY EXISTING DRAINAGE STRUCTURE                                                         | 1     | EA |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 12S/CD                                               | 24    | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15S/CD                                               | 24    | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18S/CD                                               | 327   | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24S/CD                                               | 804   | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 30S/CD                                                  | 119   | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 42S/CD                                                  | 9     | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, ROUND, 48S/CD                                                  | 47    | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 15S/CD                                     | 37    | LF |
| ▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18S/CD                                     | 22    | LF |
| ▪ PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 30S/CD                                | 143   | LF |
| ▪ FLAP GATES, 0-24                                                                           | 1     | EA |
| ▪ FLAP GATES, 37-48                                                                          | 1     | EA |
| ▪ FLAP GATES, 49-60                                                                          | 1     | EA |
| ▪ TRENCH DRAIN, STANDARD                                                                     | 181   | LF |
| ▪ SHEET PILING STEEL, F&I PERMANENT                                                          | 561   | SF |
| ▪ CONCRETE CURB & GUTTER, TYPE F                                                             | 1805  | LF |
| ▪ CONCRETE CURB, TYPE D                                                                      | 36    | LF |
| ▪ CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH                                        | 119   | SY |
| ▪ CONCRETE SIDEWALK AND DRIVEWAYS, 4 THICK                                                   | 709   | SY |
| ▪ CONCRETE SIDEWALK AND DRIVEWAYS, 6 THICK                                                   | 427   | SY |
| ▪ PAVERS, ARCHITECTURAL, SIDEWALK                                                            | 654   | SY |
| ▪ DETECTABLE WARNINGS                                                                        | 450   | SF |
| ▪ GUARDRAIL -ROADWAY, GENERAL TL-3                                                           | 119   | LF |
| ▪ GUARDRAIL REMOVAL                                                                          | 124   | LF |
| ▪ GUARDRAIL END ANCHORAGE ASSEMBLY/END TREATMENT- PARALLEL                                   | 1     | EA |
| ▪ CRASH CUSHION                                                                              | 2     | EA |
| ▪ PERFORMANCE TURF, SOD                                                                      | 60    | SY |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6                                       | 2.058 | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR<br>INTERCHANGE AND URBAN ISLAND, 8   | 0.291 | GM |
| ▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR<br>CROSSWALK AND ROUNDABOUT, 12      | 1745  | LF |

|                                                                                                      |       |    |
|------------------------------------------------------------------------------------------------------|-------|----|
| PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18                        | 360   | LF |
| PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24                     | 1078  | LF |
| PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6 WIDE                          | 0.483 | GM |
| PAINTED PAVEMENT MARKING, STANDARD, WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12 WIDE, | 0.018 | GM |
| PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6           | 0.188 | GM |
| PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL                                        | 17    | EA |
| PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS                                                   | 38    | EA |
| PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6                                                | 0.995 | GM |
| PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8               | 0.166 | GM |
| PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18                       | 507   | LF |
| PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6           | 0.032 | GM |
| POLLUTION CONTROL STRUCTURE WITH BAFFLE AND FILTER, 6' DIAMETER, PROJECT 412473-9-52-02              | 1     | EA |
| POLLUTION CONTROL STRUCTURE WITH BAFFLE AND FILTER, 8' DIAMETER, PROJECT 412473-9-52-02              | 1     | EA |
| INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247375201                                                   | 1     | LS |
| INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247375202                                                   | 1     | LS |
| INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247395201                                                   | 1     | LS |
| INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247395202                                                   | 1     | LS |
| SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF                                                      | 43    | AS |
| SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF                                                         | 1     | AS |
| SINGLE POST SIGN, RELOCATE                                                                           | 2     | AS |
| SINGLE POST SIGN, REMOVE                                                                             | 17    | AS |
| MULTI- POST SIGN, REMOVE                                                                             | 1     | AS |
| SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF                                              | 4     | EA |
| SIGN PANEL, INSTALL, UP TO 12 SF                                                                     | 1     | EA |
| SIGN PANEL, REMOVE, UP TO 12 SF                                                                      | 2     | EA |
| SIGN PANEL, REMOVE, 101-200 SF                                                                       | 3     | EA |
| PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE                                              | 7     | SF |
| PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE                                             | 10    | SF |

|                                                                                                 |       |    |
|-------------------------------------------------------------------------------------------------|-------|----|
| PAINTED PAVEMENT MARKINGS, FINAL SURFACE 41247375201                                            | 1     | LS |
| PAINTED PAVEMENT MARKINGS, FINAL SURFACE 41247395201                                            | 1     | LS |
| THERMOPLASTIC, STANDARD, WHITE, SOLID, 8 FOR INTERCHANGE AND URBAN ISLAND                       | 0.104 | GM |
| THERMOPLASTIC, STANDARD, WHITE, SOLID, 12 FOR CROSSWALK AND ROUNDABOUT                          | 775   | LF |
| THERMOPLASTIC, STANDARD, WHITE, SOLID, 18 FOR DIAGONALS AND CHEVRONS                            | 360   | LF |
| THERMOPLASTIC, STANDARD, WHITE, SOLID, 24 FOR STOP LINE AND CROSSWALK                           | 389   | LF |
| THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6                     | 0.173 | GM |
| THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL                                               | 9     | EA |
| THERMOPLASTIC, STANDARD, WHITE, ARROW                                                           | 35    | EA |
| THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18 FOR DIAGONAL OR CHEVRON                              | 492   | LF |
| THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6           | 0.002 | GM |
| THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12 FOR CROSSWALK                                        | 777   | LF |
| THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24 FOR CROSSWALK                                        | 1286  | LF |
| THERMOPLASTIC, PREFORMED, WHITE, MESSAGE                                                        | 9     | EA |
| THERMOPLASTIC, PREFORMED, WHITE, ARROW                                                          | 3     | EA |
| THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD                                              | 5     | EA |
| THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6                                         | 1.402 | GM |
| THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8                                         | 0.187 | GM |
| THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6,10-30 SKIP OR 3-9 LANE DROP                       | 0.483 | GM |
| THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP | 0.018 | GM |
| THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6                                        | 0.42  | GM |
| THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8                                        | 0.141 | GM |
| CONDUIT, FURNISH & INSTALL, OPEN TRENCH                                                         | 293   | LF |
| CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE                                                    | 450   | LF |
| PULL & SPLICE BOX, F&I, 13 x 24 COVER SIZE                                                      | 7     | EA |
| LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6                                                   | 3002  | LF |
| LIGHT POLE COMPLETE, F&I, WIND SPEED 150, POLE - 40'                                            | 1     | EA |



|                                                                                                                  |      |    |
|------------------------------------------------------------------------------------------------------------------|------|----|
| ▪ LIGHT POLE COMPLETE, REMOVE                                                                                    | 2    | EA |
| ▪ LOAD CENTER, F&I, SECONDARY VOLTAGE                                                                            | 1    | EA |
| ▪ LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD                           | 3    | EA |
| ▪ LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP                             | 9    | EA |
| ▪ POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL                                                                   | 6    | EA |
| ▪ LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, ALUMINUM, 30'                             | 5    | EA |
| ▪ LIGHT POLE COMPLETE- SPECIAL DESIGN, RELOCATE                                                                  | 1    | EA |
| ▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247395203                                                             | 1    | LS |
| ▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE                                                                   | 1003 | LF |
| ▪ SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL                                             | 1    | PI |
| ▪ SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL                                                          | 1185 | LF |
| ▪ SIGNAL CABLE, REMOVE- INTERSECTION                                                                             | 1    | PI |
| ▪ PULL & SPLICE BOX, F&I, 13 x 24 COVER SIZE                                                                     | 43   | EA |
| ▪ ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR                                      | 3    | AS |
| ▪ ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND                                                                   | 1    | AS |
| ▪ ELECTRICAL SERVICE WIRE, FURNISH & INSTALL                                                                     | 370  | LF |
| ▪ ELECTRICAL SERVICE WIRE, REMOVE                                                                                | 450  | LF |
| ▪ ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT                                                                 | 2    | EA |
| ▪ ELECTRICAL SERVICE DISCONNECT, REMOVE- POLE OR CABINET TO REMAIN                                               | 1    | EA |
| ▪ PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE                                                         | 2    | EA |
| ▪ ALUMINUM SIGNALS POLE, PEDESTAL                                                                                | 6    | EA |
| ▪ ALUMINUM SIGNALS POLE, RELOCATE                                                                                | 1    | EA |
| ▪ ALUMINUM SIGNALS POLE, REMOVE                                                                                  | 1    | EA |
| ▪ MAST ARM, F&I, WIND SPEED-150, DOUBLE ARM, W/O LUMINAIRE, 36-60                                                | 1    | EA |
| ▪ MAST ARM, REMOVE SHALLOW FOUNDATION, BOLT ON ATTACHMENT                                                        | 2    | EA |
| ▪ TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY                                                   | 8    | AS |
| ▪ TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY                                                   | 2    | AS |
| ▪ TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN                                                                        | 2    | AS |
| ▪ TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION                                                  | 2    | AS |
| ▪ VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- BLACK WITH REFLECT BORDER | 2    | EA |
| ▪ VEHICULAR SIGNAL AUXILLIARIES, FRAME BOX, PROJECT 412473-7-52-02                                               | 4    | EA |

|                                                                              |     |    |
|------------------------------------------------------------------------------|-----|----|
| ▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY                  | 6   | AS |
| ▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS                 | 2   | AS |
| ▪ PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN              | 2   | AS |
| ▪ LOOP DETECTOR INDUCTIVE, F&I, TYPE 9                                       | 2   | EA |
| ▪ LOOP ASSEMBLY- F&I, TYPE A                                                 | 8   | AS |
| ▪ PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD                           | 7   | EA |
| ▪ PEDESTRIAN DETECTOR, RELOCATE                                              | 1   | EA |
| ▪ PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN                       | 5   | EA |
| ▪ TRAFFIC CONTROLLER ASSEMBLY, F&I, 170                                      | 1   | AS |
| ▪ TRAFFIC CONTROLLER ASSEMBLY, MODIFY                                        | 5   | AS |
| ▪ TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET                | 1   | AS |
| ▪ SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF                            | 1   | AS |
| ▪ SINGLE POST SIGN, REMOVE                                                   | 1   | AS |
| ▪ SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF                    | 2   | EA |
| ▪ SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF                  | 9   | EA |
| ▪ SIGN PANEL, REMOVE, UP TO 12 SF                                            | 5   | EA |
| ▪ INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF | 2   | EA |
| ▪ INTERNALLY ILLUMINATED SIGN, RELOCATE                                      | 2   | EA |
| ▪ SIGN BEACON, F&I GROUND MOUNT- AC POWERED, TWO BEACONS                     | 1   | AS |
| ▪ LANDSCAPE COMPLETE- SMALL PLANTS 41247395201                               | 1   | LS |
| ▪ LANDSCAPE COMPLETE- LARGE PLANTS 41247375202                               | 1   | LS |
| ▪ LANDSCAPE COMPLETE- LARGE PLANTS 41247395201                               | 1   | LS |
| ▪ MANHOLE, ADJUST, UTILITIES                                                 | 10  | EA |
| ▪ VALVE BOXES, ADJUST                                                        | 26  | EA |
| ▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247375601                         | 1   | LS |
| ▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247395601                         | 1   | LS |
| ▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247395602                         | 1   | LS |
| ▪ UTILITY PIPE, F&I, PVC, WATER / SEWER, 5 - 7.9                             | 15  | LF |
| ▪ UTILITY PIPE, F&I, PVC, WATER / SEWER, 8 -19.9                             | 273 | LF |
| ▪ UTILITY PIPE, F&I, DI/CI, WATER / SEWER, 8 - 19.9                          | 25  | LF |
| ▪ UTILITY PIPE,REMOVE & DISPOSE, 8-19.9                                      | 295 | LF |
| ▪ UTILITY FITTINGS, F&I, DI/CI, ELBOW, 8 - 19.9                              | 4   | EA |
| ▪ UTILITY FITTINGS FOR PVC PIPE, FURNISH AND INSTALL, UNION, 10              | 1   | EA |

- UTILITY STRUCTURE, BELOW GROUND, F&I, WATER/SEWER, 0 - 80 FT3, 0 - 6' 1 EA
- UTILITY STRUCTURE, BELOW GROUND, ADJUST/MODIFY 1 EA
- UTILITY STRUCTURE, BELOW GROUND, REMOVE&DISPOSE CONTRACTOR TAKES OWNERSHIP 1 EA
- UTILITY FIXTURES, F&I, 8.0-19.9, TAPPING SADDLE/SLEEVE 2 EA
- LIFT STATION, SANITARY SEWER 1 EA



**THE STOUT GROUP, LLC.**

**EQUIPMENT**

| EQUIP TYPE             | MAINT. CODE | EQUIP CODE | YEAR | MAKE             | MODEL                 | SERIAL NUMBER        |
|------------------------|-------------|------------|------|------------------|-----------------------|----------------------|
| Air Compressor         | 51807       | AC-001     | 2006 | Sullair          | S185                  | 200601110025         |
| Curb Machine           | 51832       | CM-001     |      | Miller Formless  | M1000                 | attachment: PWC00238 |
| Dozer                  | 51850       | D-001      | 2016 | Caterpillar      | D5K2LGP               | KY200678             |
| Dump Truck             | 51815       | DT-001     | 1995 | Mack             | CH612                 | 1M1AA19Y2SW007600    |
| Excavator              | 51833       | E-002      | 2015 | Caterpillar      | 335FLCR               | KNE00410             |
| Excavator              | 51838       | E-003      | 2015 | Komatsu          | PC490LC-11            | KMTPC251KFWA41139    |
| Excavator - MINI       | 51849       | E-004      | 2014 | Caterpillar      | 308E2CR               | FJX00265             |
| Forklift               | 51822       | FL-001     |      | TCM              | FG25N2ST              | A21F25207            |
| Loader                 | 51816       | L-001      | 2015 | Volvo            | L70G                  | L70G-614526          |
| Loader                 | 51820       | L-002      | 2016 | Volvo            | L70H                  | L70H622396           |
| Mobile Excavator       | 51823       | ME-001     | 2002 | Gradall          | XL3100                | *03133315            |
| Paver                  | 51806       | PAV-001    | 2002 | Mauldin          | 1750 C Crawler        | 1031                 |
| Paver                  | 51840       | PAV-002    | 2010 | Mauldin          | 1750C                 | 402J75TJS6Y202402    |
| Paver                  | 51845       | PAV-003    | 2019 | Caterpillar      | AP555F                | AP500278             |
| Pickup                 | 51801       | P-001      | 2005 | Ford             | F250                  | 1FTSX21555EA58674    |
| Pickup                 | 51802       | P-002      | 2006 | Ford             | F250                  | 1FDNF20526EA79500    |
| Pickup                 | 51804       | P-003      | 2015 | Chevrolet        | Silverado 2500        | 1GC1KWE86FF197455    |
| Pickup                 | 51825       | P-004      | 2009 | Chevrolet        | 3500 HD CREW CAB      | 1GCJC73689F178382    |
| Pickup                 | 51826       | P-005      | 2013 | Chevrolet        | 3500 HD FLATBED       | 1GB3CZC88DF179096    |
| Pickup                 | 51827       | P-006      | 2009 | Chevrolet        | 3500 HD FLATBED       | 1GBJC74659E131545    |
| Pickup                 | 51842       | P-007      | 2020 | GMC              | SIERRA 1500           | 1GTU9EET9LZ261845    |
| Roller                 | 51808       | R-001      | 1998 | Caterpillar      | CB-214C               | 9XK00876             |
| Roller                 | 51839       | R-002      | 2012 | Caterpillar      | CB64                  | CAT0CB64PDJM00359    |
| Roller                 | 51841       | R-003      | 2008 | Caterpillar      | CB22                  | 22000120             |
| Roller                 | 51846       | R-004      | 2012 | Caterpillar      | CB-434D               | CATCB434ECNH01302    |
| Roller                 | 51848       | R-005      | 2014 | Caterpillar      | CS54B                 | L4H00434             |
| Skid Steer             | 51809       | SS-001     | 2015 | Caterpillar      | 272DXHP               | ETL00553             |
| Skid Steer             | 51809       | SS-001A    | 2015 | Caterpillar      | CATBA118C             | CEPILLO              |
| Skid Steer             | 51842       | SS-002     | 2020 | Caterpillar      | 229D3XE               | BX901095             |
| Soil Stabilizer        | 51835       | SOIL-001   | 1995 | CMI              | RS425 4x4x4           | 526147               |
| Street Sweeper         | 51847       | STSW-001   | 2009 | Johnston         | Conti Street Sweeper  | 1J9VM4LF19C172071    |
| Tack Sprayer           | 51819       | T-001      | 2016 | Mauldin          | MT300                 | EQ0050842            |
| Trailer                | 51803       | TR-001     | 2014 | Big Tex          | 14ET-18               | 16VEX1829E3055053    |
| Trailer                | 51810       | TR-002     | 2015 | Carolina Trailer | 25TN Paver Trailer    | 1C9DP2827G1804034    |
| Trailer                | 51812       | TR-003     | 2015 | Carry-On Trailer | 5X8 G                 | 4YMUL0812FG063202    |
| Trailer                | 51853       | TR-004     | 2020 |                  | Asphalt Straightedge  | NOVIN0201311849      |
| Truck                  | 51813       | TK-001     | 2006 | Ford             | F750 XL Reel Truck    | 3FRXF75P26V347652    |
| Truck                  | 51814       | TK-002     | 1987 | Ford             | L8000 FUEL&LUBE Truck | 1FDYR82A5HVA21899    |
| Truck                  | 51844       | TK-003     | 2011 | Ford             | F450 XL Mechanics TK  | 1FD0X4GT3BEA92211    |
| Truck - MOT / Old STSW | 51834       | TK-004     | 2002 | Sterling         | SC8000                | 49HAADB52DK27440     |
| Truck - Tack           | 51852       | TT-001     | 2020 | Kenworth         | Entyre Centennial     | 2NKHMH7XXLM420599    |
| Van                    | 51829       | V-001      | 2017 | Chevrolet        | EXPRESS               | 1GCWGAFFXH1139095    |
| Van                    | 51830       | V-002      | 2017 | Chevrolet        | EXPRESS               | 1GCWGAFF9H1115855    |
| Van                    | 51831       | V-003      | 2018 | Honda            | ODYSSEY               | 5FNRL6H9XJB017928    |
| Water Truck            | 51805       | WT-001     | 2000 | Sterling         | L8513 - 2250 Gallon   | 2FWWMJBA0YAF29252    |
| Water Truck            | 51818       | WT-002     | 1999 | Sterling         | A9513 - 2000 Gallon   | 2FWWJWDB1XAB94044    |





Ron DeSantis, Governor

Melanie S. Griffin, Secretary



**STATE OF FLORIDA**  
**DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION**

**CONSTRUCTION INDUSTRY LICENSING BOARD**

THE GENERAL CONTRACTOR HEREIN IS CERTIFIED UNDER THE  
PROVISIONS OF CHAPTER 489, FLORIDA STATUTES

**SANCHEZ, JOSE MARIA III**

THE STOUT GROUP, LLC  
10850 NW 138TH STREET  
BAY #3  
HIALEAH GARDENS FL 33018

**LICENSE NUMBER: CGC1507974**

**EXPIRATION DATE: AUGUST 31, 2024**

Always verify licenses online at [MyFloridaLicense.com](https://myfloridalicense.com)



Do not alter this document in any form.

This is your license. It is unlawful for anyone other than the licensee to use this document.





Ron DeSantis, Governor

Melanie S. Griffin, Secretary



**STATE OF FLORIDA**  
**DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION**

**CONSTRUCTION INDUSTRY LICENSING BOARD**

THE UNDERGROUND UTILITY & EXCAVATION CO HEREIN IS CERTIFIED UNDER THE  
PROVISIONS OF CHAPTER 489, FLORIDA STATUTES

**SANCHEZ, JOSE MARIA III**

THE STOUT GROUP, LLC  
10850 NW 138TH STREET  
BAY #3  
HIALEAH GARDENS FL 33018

**LICENSE NUMBER: CUC1224022**

**EXPIRATION DATE: AUGUST 31, 2024**

Always verify licenses online at [MyFloridaLicense.com](https://myfloridalicense.com)



Do not alter this document in any form.

This is your license. It is unlawful for anyone other than the licensee to use this document.





Ron DeSantis, Governor

Melanie S. Griffin, Secretary



**FBPE**  
FLORIDA BOARD OF  
PROFESSIONAL ENGINEERS

## STATE OF FLORIDA

### BOARD OF PROFESSIONAL ENGINEERS

THE PROFESSIONAL ENGINEER HEREIN IS LICENSED UNDER THE  
PROVISIONS OF CHAPTER 471, FLORIDA STATUTES

**SANCHEZ, JOSE MARIA III**

10850 NW 138 STREET  
BAY #3  
HIALEAH GARDENS FL 33018

**LICENSE NUMBER: PE67764**

**EXPIRATION DATE: FEBRUARY 28, 2025**

Always verify licenses online at [MyFloridaLicense.com](https://myfloridalicense.com)



Do not alter this document in any form.

This is your license. It is unlawful for anyone other than the licensee to use this document.



## Florida Department of Transportation

RON DESANTIS  
GOVERNOR

605 Suwannee Street  
Tallahassee, FL 32399-0450

JARED W. PERDUE, P.E.  
SECRETARY

April 29, 2023

THE STOUT GROUP LLC  
10850 NW 138TH STREET  
MIAMI, FLORIDA 33018

### RE: CERTIFICATE OF QUALIFICATION

The Department of Transportation has qualified your company for the type of work indicated below.

#### FDOT APPROVED WORK CLASSES:

DRAINAGE, FENCING, FLEXIBLE PAVING, GRADING, GRASSING, SEEDING AND SODDING, HOT PLANT-MIXED BITUM. COURSES, PAVEMENT MARKING, ROADWAY SIGNING, SIDEWALK, LIFT STATION, SHEET PILING, UNDERGROUND UTILITIES (WATER AND SEWER), UNDERGROUND UTILITIES (ELECTRIC)

Unless notified otherwise, this Certificate of Qualification will expire **6/30/2024**.

In accordance with Section 337.14(4), Florida Statutes, changes to Ability Factor or Maximum Capacity Rating will not take effect until after the expiration of the current certificate of prequalification (if applicable).

In accordance with Section 337.14(1), Florida Statutes, an application for qualification must be filed within (4) months of the ending date of the applicant's audited annual financial statements.

If the company's maximum capacity has been revised, it may be accessed by logging into the Contractor Prequalification Application System via the following link:

**[HTTPS://fdotwp1.dot.state.fl.us/ContractorPreQualification](https://fdotwp1.dot.state.fl.us/ContractorPreQualification)**

Once logged in, select "View" for the most recently approved application, and then click the "Manage" and "Application Summary" tabs.

The company may apply for a Revised Certificate of Qualification at any time prior to the expiration date of this certificate according to Section 14-22.0041(3), Florida Administrative Code (F.A.C.), by accessing the most recently approved application as shown above and choosing "Update" instead of "View." If certification in additional classes of work is desired, documentation is needed to show that the company has performed such work.

All prequalified contractors are required by Section 14-22.006(3), F.A.C., to certify their work underway monthly in order to adjust maximum bidding capacity to available bidding capacity. You can find the link to this report at the website shown above.

Sincerely,

James E. Taylor II, Prequalification Supervisor  
Contracts Administration Office

JTII:cg



**Local Business Tax Receipt**

Miami-Dade County, State of Florida

-THIS IS NOT A BILL - DO NOT PAY

**LBT**

7126469

**BUSINESS NAME/LOCATION**

THE STOUT GROUP LLC  
10850 NW 138TH ST UNIT 3  
HIALEAH GARDENS FL 33018-1162

**RECEIPT NO.**

RENEWAL  
7403751

**EXPIRES****SEPTEMBER 30, 2024**

Must be displayed at place of business  
Pursuant to County Code  
Chapter 8A - Art. 9 & 10

**OWNER**

THE STOUT GROUP LLC  
JOSE M SANCHEZ III MGR

**SEC. TYPE OF BUSINESS**

196 SPECIALTY ENGINEERING CONTRACT  
CUC1224022

**PAYMENT RECEIVED  
BY TAX COLLECTOR**

\$54.00 09/15/2023  
INT-23-457825

Worker(s) 13

This Local Business Tax Receipt only confirms payment of the Local Business Tax. The Receipt is not a license, permit, or a certification of the holder's qualifications, to do business. Holder must comply with any governmental or nongovernmental regulatory laws and requirements which apply to the business.

The RECEIPT NO. above must be displayed on all commercial vehicles - Miami-Dade Code Sec 8a-276.

For more information, visit [www.miamidade.gov/taxcollector](http://www.miamidade.gov/taxcollector)

**Local Business Tax Receipt**

Miami-Dade County, State of Florida

-THIS IS NOT A BILL - DO NOT PAY

**LBT**

7126451

**BUSINESS NAME/LOCATION**

THE STOUT GROUP LLC  
10850 NW 138TH ST UNIT 3  
HIALEAH GARDENS FL 33018-1162

**RECEIPT NO.**

RENEWAL  
7403744

**EXPIRES****SEPTEMBER 30, 2024**

Must be displayed at place of business  
Pursuant to County Code  
Chapter 8A - Art. 9 & 10

**OWNER**

THE STOUT GROUP LLC  
JOSE M SANCHEZ III MGR

**SEC. TYPE OF BUSINESS**

196 GENERAL BUILDING CONTRACTOR  
CGC1507974

**PAYMENT RECEIVED  
BY TAX COLLECTOR**

\$54.00 09/15/2023  
INT-23-457825

Worker(s) 13

This Local Business Tax Receipt only confirms payment of the Local Business Tax. The Receipt is not a license, permit, or a certification of the holder's qualifications, to do business. Holder must comply with any governmental or nongovernmental regulatory laws and requirements which apply to the business.

The RECEIPT NO. above must be displayed on all commercial vehicles - Miami-Dade Code Sec 8a-276.

For more information, visit [www.miamidade.gov/taxcollector](http://www.miamidade.gov/taxcollector)

**Local Business Tax Receipt**

Miami-Dade County, State of Florida

-THIS IS NOT A BILL - DO NOT PAY

**LBT**

7225032

**BUSINESS NAME/LOCATION**

THE STOUT GROUP LLC  
10850 NW 138TH ST UNIT 3  
HIALEAH GARDENS FL 33018-1162

**RECEIPT NO.**

RENEWAL  
7509766

**EXPIRES****SEPTEMBER 30, 2024**

Must be displayed at place of business  
Pursuant to County Code  
Chapter 8A - Art. 9 & 10

**OWNER**

THE STOUT GROUP LLC  
C/O JOSE M SANCHEZ

**SEC. TYPE OF BUSINESS**

196 GENERAL ENGINEERING CONTRACTOR  
E1400317

**PAYMENT RECEIVED  
BY TAX COLLECTOR**

\$45.00 09/15/2023  
INT-23-457825

Worker(s) 1

This Local Business Tax Receipt only confirms payment of the Local Business Tax. The Receipt is not a license, permit, or a certification of the holder's qualifications, to do business. Holder must comply with any governmental or nongovernmental regulatory laws and requirements which apply to the business.

The RECEIPT NO. above must be displayed on all commercial vehicles - Miami-Dade Code Sec 8a-276.

For more information, visit [www.miamidade.gov/taxcollector](http://www.miamidade.gov/taxcollector)

**Contractor License Information**

**Contractor Number:** E1400317  
**Contractor name:** THE STOUT GROUP LLC  
**Address:** 10850 NW 138TH ST BAY3  
**City, St, Zip:** HIALEAH GARDENS FL 33018  
**Phone:** (786) 452-1481  
**Other Phone:**  
**Fax:** (786) 452-1481  
**Email:** YZULUAGA@THESTOUTGROUP.COM  
**D/B/A:**  
**Contractor Status:** ACTIVE

| Class | Category | Category Description | Expiration Date |
|-------|----------|----------------------|-----------------|
| ENGR  | 3        | PIPE LINE ENG        | 09/30/2025      |
| ENGR  | 4        | STRUCTURAL ENG       | 09/30/2025      |
| ENGR  | 7        | PAVING ENGINEERING   | 09/30/2025      |
| ENGR  | 9        | EXCAU & GRADING ENG  | 09/30/2025      |

**CONTRACTOR INQUIRY COMPLETE**[BCCO Contractor Inquiry and Complaint Search](#) | [BCCO Home Page](#) | [State License Search Menu](#)[Home](#) | [About](#) | [Phone Directory](#) | [Privacy](#) | [Disclaimer](#)

© 2001 Miami-Dade County. All rights reserved.



# CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

07/13/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

| <b>PRODUCER</b><br>Gil, Garden, Avetrani Insurance Group<br>10689 N. Kendall Drive<br>Suite 208<br>Miami FL 33176 | <b>CONTACT NAME:</b> Alain Bencomo<br><b>PHONE (A/C, No, Ext):</b> (305) 630-4777<br><b>E-MAIL ADDRESS:</b> abencomo@ggaig.com<br><b>FAX (A/C, No):</b> (305) 279-3022                                                                                                                                                                                                                                                                                                                                                                  |                               |  |        |            |                         |       |            |                             |       |            |                                     |       |            |                         |       |            |                       |       |            |  |  |
|-------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|--|--------|------------|-------------------------|-------|------------|-----------------------------|-------|------------|-------------------------------------|-------|------------|-------------------------|-------|------------|-----------------------|-------|------------|--|--|
| <b>INSURED</b><br>The Stout Group LLC<br>10850 NW 138TH Street Bay #3<br>Hialeah Gardens FL 33018                 | <table><tr><th colspan="2">INSURER(S) AFFORDING COVERAGE</th><th>NAIC #</th></tr><tr><td>INSURER A:</td><td>XL Insurance of America</td><td>24554</td></tr><tr><td>INSURER B:</td><td>Greenwich Insurance Company</td><td>22322</td></tr><tr><td>INSURER C:</td><td>Richmond National Insurance Company</td><td>17103</td></tr><tr><td>INSURER D:</td><td>Wesco Insurance Company</td><td>25011</td></tr><tr><td>INSURER E:</td><td>Federal Insurance Co.</td><td>20281</td></tr><tr><td>INSURER F:</td><td></td><td></td></tr></table> | INSURER(S) AFFORDING COVERAGE |  | NAIC # | INSURER A: | XL Insurance of America | 24554 | INSURER B: | Greenwich Insurance Company | 22322 | INSURER C: | Richmond National Insurance Company | 17103 | INSURER D: | Wesco Insurance Company | 25011 | INSURER E: | Federal Insurance Co. | 20281 | INSURER F: |  |  |
| INSURER(S) AFFORDING COVERAGE                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | NAIC #                        |  |        |            |                         |       |            |                             |       |            |                                     |       |            |                         |       |            |                       |       |            |  |  |
| INSURER A:                                                                                                        | XL Insurance of America                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 24554                         |  |        |            |                         |       |            |                             |       |            |                                     |       |            |                         |       |            |                       |       |            |  |  |
| INSURER B:                                                                                                        | Greenwich Insurance Company                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 22322                         |  |        |            |                         |       |            |                             |       |            |                                     |       |            |                         |       |            |                       |       |            |  |  |
| INSURER C:                                                                                                        | Richmond National Insurance Company                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 17103                         |  |        |            |                         |       |            |                             |       |            |                                     |       |            |                         |       |            |                       |       |            |  |  |
| INSURER D:                                                                                                        | Wesco Insurance Company                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 25011                         |  |        |            |                         |       |            |                             |       |            |                                     |       |            |                         |       |            |                       |       |            |  |  |
| INSURER E:                                                                                                        | Federal Insurance Co.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 20281                         |  |        |            |                         |       |            |                             |       |            |                                     |       |            |                         |       |            |                       |       |            |  |  |
| INSURER F:                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                               |  |        |            |                         |       |            |                             |       |            |                                     |       |            |                         |       |            |                       |       |            |  |  |

**COVERAGES****CERTIFICATE NUMBER:** CL2352421051**REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

| INSR LTR                                        | TYPE OF INSURANCE                                                                                                                                                                                                                                                                                                      | ADDL INSD | SUBR WVD | POLICY NUMBER  | POLICY EFF (MM/DD/YYYY) | POLICY EXP (MM/DD/YYYY) | LIMITS                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
|-------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------|----------------|-------------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|--------------|-------------------------------------------|--------------------|------------------------------|----------------------------|--------------------------------|-----------------------------|-------------------|--------------|------------------------|--------------|-------------------|--------------|
| A                                               | <input checked="" type="checkbox"/> <b>COMMERCIAL GENERAL LIABILITY</b><br><input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR<br>GEN'L AGGREGATE LIMIT APPLIES PER:<br><input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC<br>OTHER: | Y         |          | NGL-1000327-04 | 07/14/2023              | 07/14/2024              | <table><tr><td>EACH OCCURRENCE</td><td>\$ 1,000,000</td></tr><tr><td>DAMAGE TO RENTED PREMISES (Ea occurrence)</td><td>\$ 100,000</td></tr><tr><td>MED EXP (Any one person)</td><td>\$ 10,000</td></tr><tr><td>PERSONAL &amp; ADV INJURY</td><td>\$ 1,000,000</td></tr><tr><td>GENERAL AGGREGATE</td><td>\$ 2,000,000</td></tr><tr><td>PRODUCTS - COMP/OP AGG</td><td>\$ 2,000,000</td></tr><tr><td>Employee Benefits</td><td>\$ 1,000,000</td></tr></table> | EACH OCCURRENCE                                 | \$ 1,000,000 | DAMAGE TO RENTED PREMISES (Ea occurrence) | \$ 100,000         | MED EXP (Any one person)     | \$ 10,000                  | PERSONAL & ADV INJURY          | \$ 1,000,000                | GENERAL AGGREGATE | \$ 2,000,000 | PRODUCTS - COMP/OP AGG | \$ 2,000,000 | Employee Benefits | \$ 1,000,000 |
| EACH OCCURRENCE                                 | \$ 1,000,000                                                                                                                                                                                                                                                                                                           |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| DAMAGE TO RENTED PREMISES (Ea occurrence)       | \$ 100,000                                                                                                                                                                                                                                                                                                             |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| MED EXP (Any one person)                        | \$ 10,000                                                                                                                                                                                                                                                                                                              |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| PERSONAL & ADV INJURY                           | \$ 1,000,000                                                                                                                                                                                                                                                                                                           |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| GENERAL AGGREGATE                               | \$ 2,000,000                                                                                                                                                                                                                                                                                                           |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| PRODUCTS - COMP/OP AGG                          | \$ 2,000,000                                                                                                                                                                                                                                                                                                           |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| Employee Benefits                               | \$ 1,000,000                                                                                                                                                                                                                                                                                                           |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| B                                               | <input checked="" type="checkbox"/> <b>AUTOMOBILE LIABILITY</b><br><input checked="" type="checkbox"/> ANY AUTO<br><input type="checkbox"/> OWNED AUTOS ONLY<br><input type="checkbox"/> HIRED AUTOS ONLY<br><input type="checkbox"/> SCHEDULED AUTOS<br><input type="checkbox"/> NON-OWNED AUTOS ONLY                 |           |          | NBA-1000328-04 | 07/14/2023              | 07/14/2024              | <table><tr><td>COMBINED SINGLE LIMIT (Ea accident)</td><td>\$ 1,000,000</td></tr><tr><td>BODILY INJURY (Per person)</td><td>\$</td></tr><tr><td>BODILY INJURY (Per accident)</td><td>\$</td></tr><tr><td>PROPERTY DAMAGE (Per accident)</td><td>\$</td></tr><tr><td>Medical payments</td><td>\$ 5,000</td></tr></table>                                                                                                                                      | COMBINED SINGLE LIMIT (Ea accident)             | \$ 1,000,000 | BODILY INJURY (Per person)                | \$                 | BODILY INJURY (Per accident) | \$                         | PROPERTY DAMAGE (Per accident) | \$                          | Medical payments  | \$ 5,000     |                        |              |                   |              |
| COMBINED SINGLE LIMIT (Ea accident)             | \$ 1,000,000                                                                                                                                                                                                                                                                                                           |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| BODILY INJURY (Per person)                      | \$                                                                                                                                                                                                                                                                                                                     |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| BODILY INJURY (Per accident)                    | \$                                                                                                                                                                                                                                                                                                                     |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| PROPERTY DAMAGE (Per accident)                  | \$                                                                                                                                                                                                                                                                                                                     |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| Medical payments                                | \$ 5,000                                                                                                                                                                                                                                                                                                               |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| C                                               | <input checked="" type="checkbox"/> <b>UMBRELLA LIAB</b><br><input checked="" type="checkbox"/> EXCESS LIAB<br>DED RETENTION \$                                                                                                                                                                                        |           |          | RN-7-0326857   | 07/14/2022              | 07/14/2023              | <table><tr><td>EACH OCCURRENCE</td><td>\$ 4,000,000</td></tr><tr><td>AGGREGATE</td><td>\$ 4,000,000</td></tr><tr><td></td><td>\$</td></tr></table>                                                                                                                                                                                                                                                                                                           | EACH OCCURRENCE                                 | \$ 4,000,000 | AGGREGATE                                 | \$ 4,000,000       |                              | \$                         |                                |                             |                   |              |                        |              |                   |              |
| EACH OCCURRENCE                                 | \$ 4,000,000                                                                                                                                                                                                                                                                                                           |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| AGGREGATE                                       | \$ 4,000,000                                                                                                                                                                                                                                                                                                           |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
|                                                 | \$                                                                                                                                                                                                                                                                                                                     |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| D                                               | <b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b><br>ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)<br>If yes, describe under DESCRIPTION OF OPERATIONS below                                                                                                                          | Y/N<br>N  | N/A      | CPW1001559     | 07/14/2023              | 07/14/2024              | <table><tr><td><input checked="" type="checkbox"/> PER STATUTE</td><td>OTH-ER</td><td></td></tr><tr><td>E.L. EACH ACCIDENT</td><td>\$ 1,000,000</td></tr><tr><td>E.L. DISEASE - EA EMPLOYEE</td><td>\$ 1,000,000</td></tr><tr><td>E.L. DISEASE - POLICY LIMIT</td><td>\$ 1,000,000</td></tr></table>                                                                                                                                                         | <input checked="" type="checkbox"/> PER STATUTE | OTH-ER       |                                           | E.L. EACH ACCIDENT | \$ 1,000,000                 | E.L. DISEASE - EA EMPLOYEE | \$ 1,000,000                   | E.L. DISEASE - POLICY LIMIT | \$ 1,000,000      |              |                        |              |                   |              |
| <input checked="" type="checkbox"/> PER STATUTE | OTH-ER                                                                                                                                                                                                                                                                                                                 |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| E.L. EACH ACCIDENT                              | \$ 1,000,000                                                                                                                                                                                                                                                                                                           |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| E.L. DISEASE - EA EMPLOYEE                      | \$ 1,000,000                                                                                                                                                                                                                                                                                                           |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| E.L. DISEASE - POLICY LIMIT                     | \$ 1,000,000                                                                                                                                                                                                                                                                                                           |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| E                                               | Inland Marine                                                                                                                                                                                                                                                                                                          |           |          | 45468715       | 07/14/2023              | 07/14/2024              | <table><tr><td>Equipment Limit</td><td>\$3,135,885</td></tr><tr><td>Deductible</td><td>\$5,000</td></tr></table>                                                                                                                                                                                                                                                                                                                                             | Equipment Limit                                 | \$3,135,885  | Deductible                                | \$5,000            |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| Equipment Limit                                 | \$3,135,885                                                                                                                                                                                                                                                                                                            |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |
| Deductible                                      | \$5,000                                                                                                                                                                                                                                                                                                                |           |          |                |                         |                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                 |              |                                           |                    |                              |                            |                                |                             |                   |              |                        |              |                   |              |

**DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES** (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

City of Hollywood is named Additional Insured with respects to the General Liability and Auto Liability. Umbrella is written on a follow form.

**CERTIFICATE HOLDER****CANCELLATION**

|                                                                     |                                                                                                                                                                                                        |
|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| City of Hollywood<br>2600 Hollywood Blvd.<br><br>Hollywood FL 33021 | <p>SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.</p> <p>AUTHORIZED REPRESENTATIVE</p> |
|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

© 1988-2015 ACORD CORPORATION. All rights reserved.



# Request for Taxpayer Identification Number and Certification

Give Form to the  
requester. Do not  
send to the IRS.

► Go to [www.irs.gov/FormW9](http://www.irs.gov/FormW9) for instructions and the latest information.

Print or type.  
See Specific Instructions on page 3.

1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.

**The Stout Group LLC**

2 Business name/disregarded entity name, if different from above

3 Check appropriate box for federal tax classification of the person whose name is entered on line 1. Check only **one** of the following seven boxes.

☐ Individual/sole proprietor or single-member LLC

☐ C Corporation

☐ S Corporation

☐ Partnership

☐ Trust/estate

☒ Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) ► **S**

**Note:** Check the appropriate box in the line above for the tax classification of the single-member owner. Do not check LLC if the LLC is classified as a single-member LLC that is disregarded from the owner unless the owner of the LLC is another LLC that is **not** disregarded from the owner for U.S. federal tax purposes. Otherwise, a single-member LLC that is disregarded from the owner should check the appropriate box for the tax classification of its owner.

☐ Other (see instructions) ►

4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3):

Exempt payee code (if any) \_\_\_\_\_

Exemption from FATCA reporting code (if any) \_\_\_\_\_

(Applies to accounts maintained outside the U.S.)

5 Address (number, street, and apt. or suite no.) See instructions.

**10850 NW 138 Street Bay 3**

Requester's name and address (optional)

6 City, state, and ZIP code

**Hialeah Gardens, FL 33018**

7 List account number(s) here (optional)

## Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

**Note:** If the account is in more than one name, see the instructions for line 1. Also see *What Name and Number To Give the Requester* for guidelines on whose number to enter.

### Social security number

|  |  |  |   |  |  |   |  |  |  |  |
|--|--|--|---|--|--|---|--|--|--|--|
|  |  |  | - |  |  | - |  |  |  |  |
|--|--|--|---|--|--|---|--|--|--|--|

or

### Employer identification number

|   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|
| 4 | 5 | - | 5 | 3 | 1 | 2 | 1 | 1 | 9 |
|---|---|---|---|---|---|---|---|---|---|

## Part II Certification

Under penalties of perjury, I certify that:

1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
3. I am a U.S. citizen or other U.S. person (defined below); and
4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

**Certification instructions.** You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign  
Here

Signature of  
U.S. person ►

*Jovette Zuluaga*

Date ► 02-14-2023

## General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

**Future developments.** For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to [www.irs.gov/FormW9](http://www.irs.gov/FormW9).

## Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following.

- Form 1099-INT (interest earned or paid)

- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)
- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding, later.

# *State of Florida*

## *Department of State*

I certify from the records of this office that THE STOUT GROUP, LLC is a limited liability company organized under the laws of the State of Florida, filed on May 23, 2012, effective May 18, 2012.

The document number of this limited liability company is L12000069574.

I further certify that said limited liability company has paid all fees due this office through December 31, 2023, that its most recent annual report was filed on January 20, 2023, and that its status is active.

*Given under my hand and the  
Great Seal of the State of Florida  
at Tallahassee, the Capital, this  
the Twentieth day of January,  
2023*



  
*Secretary of State*

Tracking Number: 1071654107CC

To authenticate this certificate, visit the following site, enter this number, and then follow the instructions displayed.

<https://services.sunbiz.org/Filings/CertificateOfStatus/CertificateAuthentication>