

(Revised 08/2015)

### CITY OF HOLLYWOOD, FLORIDA

PROCUREMENT SERVICES
DIVISION

2021 APR 27 PM 12: 30

#### PROCUREMENT SERVICES DIVISION

Piggybacking Request Form (Use for purchase(s) over \$25,000, when piggybacking off other contracts)

Date <u>04/14/2021</u>	*					
Department/Office PRCA		Division/Area <u>300701</u>				
Contract Administrator Karl C	huck	Title Parks Manager				
Phone <u>954-921-3404</u>		Email kchuck@hollywoodfl.org				
Requested Vendor FieldT	urf	Vendor Number <u>100435</u>				
Address <u>175 N. Industrial</u>	Blvd NE Calhoun GA 30701					
Contact Person Chris Wed	dge	Title Regional Sales Manager				
Phone <u>352-242-7520</u>		Email chris.wedge@Fieldturf.com				
2. Contract title requesting to p	olggyback? <u>FieldTurf - Athleti</u> e	c Surfaces				
Awarding Agency <u>Sou</u>	rcewell					
Contract Expiration Da	ate <u>August 31, 2022</u>					
Copy of Contract and	Awarding Agency documenta	ation is attached. ⊠ Yes □ No				
3. Product/Service being reque Installation of FieldTurf Classic maintenance plan	ested (be specific). <u>Removal</u> CHD, Coolplay infill, soccer fi	of existing synthetic turf. Site preparation. eld markings, groomer equipment, 10 year				
4. Detailed description of the p	roducts/services function and	purpose. Syntentic turf for soccer field.				
	Procurement Service Division	n use only				
Requisition # R(As Applicable)	Purchase Order # P(As Applicable)	Blanket Purchase Oder # BPO (As Applicable)				

5. Please explain what process the Department/Office took to verify and/or identify this contract. Researched several different brands of synthetic turf. Visited synthetic turf fields in Coral Springs, Davie, and Hallandale.
The state of the s
6. Were alternative contracts evaluated to determine that the City is obtaining the most advantageous contract pricing for the required product/service?
☐ Yes ⊠ No
Please explain Staff selected FieldTurf based on durability, aesthetics, Coolplay infill
7. Total cost of the requested product/service. \$638,166.25
8. Total estimated annual (fiscal year) cost of requested product/service. \$1,000
Account Number(s) 333, 309901.57200.563010.001211.000.000
9. Is this product/service covered by a warranty? ⊠ Yes ☐ No
If yes, please attach a copy of the warranty details.
10. Would this purchase(s) result in the potential of future purchases for related products/services being restricted to a particular vendor or create a specific vendor as sole source provider for related items?
☐ Yes   No
If yes, please describe the related products/services and estimated cost(s.)
11. Would this purchase(s) result in any future maintenance costs which are not included in the initial purchase?
⊠ Yes □ No
If yes, please attach a draft maintenance plan which includes cost estimates and funding source(s.) Routine maintenance by City staff. Semi-annual maintenance by vendor
12. Is this a grant related purchase? ☐ Yes ⊠ No
If yes, please provide details (timeline, expiration dates, milestones, special procurement requirements, etc.)
Will this require matching funds? ☐ Yes ☒ No
What is the grant source?
What is the grant (dollar) amount?
13. Please complete an advanced search of the vendor recommended for award on the Federal Government's Systems for Award Management at <a href="https://www.sam.gov">www.sam.gov</a> .
Date of Advanced Search <u>04/15/2021.</u>
Company Name(s) Searched Search Results
Procurement Service Division use only
Requisition # R Purchase Order # P Blanket Purchase Oder # BPO (As Applicable) (As Applicable) (As Applicable)
(Revised 08/2015)

(As Applicable)	(As Applicable)	(As Applicable)	Oud! # DFU
Requisition # R	Purchase Order # P	Blanket Purchase	Oder # RPO
	Procurement Service D	ivision use only	
Ву:			
Approved		Date	
Verified By:		Date	
	APPROVAL (Procuren	nent Service Division Use Only	
Director's Signature		Date	•
649	2-/	115/2021	
Supervisor's Signature	7	7 // > / Seo-1 Date	
1)///	2/ //	1/15/2021	
Cδηtact Person's Signa	ature	Date	
#10-	1 Pf	De 7501	
best of you knowled regulation.	ge the contract does not vio	late any applicable policy, sta	tue, governing rule or
based on the contract	t complying with the City of H	ollywood's scope and pricing r	equirements and to the
Note: By signing and portions (scope, term	returning this form, you are versions, conditions, pricing, etc.) o	erifying and acknowledging tha f the requested contract and re	t you have reviewed all
	REQUESTING DEPARTMEN		
STATE OF THE PARTY	DECLICATING DEDARTMEN	T DECOMMEND ATION	
<del></del>			
SEE ATTACHE	<u>- L</u>		
OFF ATTACHE	=n		

(Revised 08/2015)



#### **Piggyback Checklist**

Contract Number/Name: Athletic Surfacing with Related Materials, Supplies, Installation, &

<u>Services</u>

Services/Supplies to be provided: Athletic Surfaces

Using Department(s): Department of Parks, Recreation & Cultural Arts

ITEMS VERIFIED	YES	NO	COMMENT
Does the piggyback contract allow the utilization of the contract by other entities, including use in the state of FL if it's an out of state contract?	Yes		Documents available at https://www.sourcewell- mn.gov/cooperative-purchasing/060518-ftu#tab- contract-documents
Was the contract awarded through a solicitation or other acceptable competitive process that was publicly advertised?	Yes		Documents available at https://www.sourcewell- mn.gov/cooperative-purchasing/060518-ftu#tab- contract-documents
Plggyback Contract is Valid? Contract Expiration Date: 12/31/2025 (includes renewal terms, see comments)	Yes		Contract is effective 08/07/2018 - 08/07/2022
Goods / Services requested by the Using Department(s) match those allowed under the piggyback contract and do not extend beyond the expiration date of the piggyback contract?	Yes		
Does the piggyback contract have acceptable terms and conditions?	Yes		
Did the vendor confirm that the piggyback contract is authorized to be used with the established terms, conditions, and pricing?	Yes		Local representative approves of using the contract.
Is pricing "Fair and Reasonable" in the piggyback contract?	Yes		·
Piggyback Contract Certificate(s) of Insurance (COI) is acceptable to the COH's Risk Management?			
Piggyback Contract has Warranty Conditions?	Yes		As part of the new field replacement Installation, FieldTurf's 3rd party, pre-paid, insured 8-yr. warranty gets an additional 2-yr. manufacturer's warranty with this maintenance agreement
Piggyback Contract has liquidated damages (if Yes, provide the dally liquidated amount)		No	

Verified	By:
Date:	



A NEW WAY TO SIGN IN - If you already have a SAM account, use your SAM email for login.gov.

Log In

Login.gov FAQs

ALERT: Each entity registration expiring between April 1 and Suptember 30, 2021 will have an additional 180 days added to its expiration date. Read more about the extension on

▲ ALERT: SAM.gov will be down for scheduled maintenance Saturday, 04/10/2021 from 8:00 AM to 1:00 PM.

Search Results

Current Search Terms: fieldturf\*

Total records:a

Save POF Export Results Print

Result Page:

Sort by Relevance 🔻 Order by Descending 🗸

Your search for fieldturf\* returned the following results...

Entity Fieldturf USA, Inc.

DUNS: 131862364 Has Active Exclusion?: No

CAGE Code: 4BYK4 DoDAAC:

View Details

Expiration Date: 10/27/2021 Purpose of Registration: All Awards

Debt Subject to Offset?: No

Rotity Fieldturf S.M. Co. Ltd,.

Status: Active 🛈

DUNS: 689906878

CAGE Code: 1W49F

View Details

Has Active Exclusion?: No Expiration Date: 09/10/2021 DeDAAC:

Deht Subject to Offset?: No

Purpose of Registration: All Awards

Save PDF Export Results Print

Result Page: 1

PRM-P-zaz ngrą-ollos

GSA

Search Records Disclaimers

FAPHS.gov GSA.gov/lAE

Data Arcess Check Status About

Accessibility Privacy Policy GSA gov USA.gov

Help

The 1st C.S. General Services, Administration to the discontinuous computers at some time in TOB OPENAL USE OPENAL This spatem is subject to membering, Indicateds found perturaling an entirely any articles are adject to the options whom membering criminal prosecution.



Awarded Contract

### CITY OF HOLLYWOOD



April 14, 2021

FieldTurf USA, Inc. is pleased to present the following proposal. FieldTurf pricing is based on the Sourcewell contract (formerly NJPA). Sourcewell provides predetermined preferential pricing through approved vendors. Since the products have already been bid at the national level, individual municipalities do not have to duplicate the bidding process per Sourcewell Contract # 060518-FTU.

Click on the following Sourcewell hyperlink for contract due diligence documentation: Sourcewell

	Hollywood West Sports Complex REPL	Quantity	Units	Unit Price	Total
	Site work		***************************************		
1	Removal & Disposal of existing turf system including infill	106,080	SF	\$0.44	\$46,953.98
2	Box drag existing base for planarity	1	LS	included above	included above
3	Owner controled contingency for base repairs	1	LS	\$20,000.00	\$20,000.00
	Subtotal Site Work				\$66,953.98
~~~	Synthetic Turf				
4	Furnish & Install FieldTurf Classic HD FTHD-50 (2") - 3 layer	106,080	SF	\$4.17	\$442,353.60
5	Furnish & Install FieldTurf CoolPlay .60 lbs infill top layer	106,080	SF	\$0.52	\$55,161.60
6	Inlaid Full Size Soccer Markings	1	EA	\$7,200.00	DONATED
7	Inlaid U-12 Soccer Markings	2	EA	\$7,200.00	DONATED
8	Inlaid U-8 Soccer Markings	2	EA	\$7,200.00	DONATED
9	Maintenance Equipment: 1 GroomRight + 1 SweepRight	1	EA	\$8,100.00	\$8,100.00
	Subtotal Synthetic Turf				\$505,615.20
	Subtotal Project				\$572,569.18
10	Performance & Payment Bonds	1	LS	\$6,597.07	\$6,597.07
	Total Project				\$579,166.25
	Add Alternates				
A1	* Ten (10) year - Two (2) site visits per year maintenance plan	10	YEAR	\$5,900.00	\$59,000.00

<sup>\*</sup> See Maintenance Proposal ATTACHMENT 1 for Hollywood West Sports Park for maintenance scope of work.

\$638,166.25



#### **PRODUCT DETAILS**


FieldTurf, the worldwide leader in artificial turf, is pleased to offer the FieldTurf Classic HD 2" (FTHD-2) 3 layer turf system with CoolPlay top layer of infill, with the following product characteristics:

Pile Height: 2 Inches

Infill Weight: 3.65 lbs sand, 2 lbs cryo & .6 lbs CoolPlay per sq.ft.


Pile Weight: 30 oz/yd2

Total System Weight: 951 oz/yd2



#### 3-LAYER SYSTEM

One of the most intricate and meticulous infill systems available today. Designed to provide the best Gmax and energy restitution results, a 3-layer system provides athletes with improved safety and performance.



## **CLASSIC HD**

Our leading slit-film fiber, Classic HD was carefully crafted to maximize durability and safety, as well as be aesthetically pleasing. Designed to deliver ultimate strength, the system is a perfect match for fields with high use. With less abrasion and splash than competitive systems, Classic HD is proven on the field and in the lab. As we say, it's a Beauty and a Beast.

Fiber	Slit-Film
Infill	3-layer
Backing	Finger-unit / SureLock



COOLPLAY

TOP DRESSING

MIXED CRYOGENIC

SILICA SAND LAYER

(SBR) RUBBER &

SILICA SAND


# CoolPlay

# **HIGH PERFORMANCE** LOW TEMPERATURE

#### KEEP YOUR ATHLETES COOL WITH FIELDTURF'S LEADING FIELD COOLING TECHNOLOGY

CoolPlay, our exclusive and innovative extruded composite (EC) top dressing, allows the system to deliver the same behavior and overall stability as FieldTurf's Elite system fields, which can be found in some of the world's most renowned stadiums.

CoolPlay takes nothing away from performance... except the heat.



FieldTurf has taken the necessary steps to ensure that your project will run smoothly and that the quality promised will be the quality delivered.

#### **PRICE INCLUDES:**

- a) Mobilization
- b) Removal and disposal of existing turf and infill
- c) Box dragging of existing field base
- d) Furnish & Installation of the artificial in-filled grass surface upon a suitable base
- e) An eight (8) year 3rd party pre-paid insured warranty on the FieldTurf artificial grass surface
- f) Inlaid Sports Markings per COOP breakdown



- g) Performance and Payment Bond fees
- h) All applicable taxes
- I) Maintenance Equipment per COOP breakdown

#### PRICE DOES NOT INCLUDE:

- a) The base upon which the FieldTurf artificial turf surface will be placed. FieldTurf shall not be responsible for the stability, the porosity, nor the approval of the base upon which the FieldTurf surface will be installed, the drainage system, nor any construction or modification of existing installations around the fields.
- b) FieldTurf is not altering or improving the existing drainage system under the existing artificial turf limits. No removal, milling, ponding, flooding or repairs within the existing base and drainage system are included and shall remain the responsibility of the owner.
- c) The supply, replacement, installation and/or modification of the existing field edging, perimeter nailer board or existing inner concrete curbing within the artificial turf limits.
- d) The supply and import of additional finish aggregate.
- e) Any costs associated with necessary charges relating to the delineation of the field.
- f) Unless otherwise specified, the price does not include any G-max testing.
- g) The supply of or adjustment to existing manholes, clean-outs or grates and supply of the manhole covers.
- h) Any alteration or deviation from specifications involving extra costs, which alteration or deviation will be provided only upon executed change orders, and will become an extra charge over and above the offered price.
- Repair or resurfacing existing asphalt parking lot if damaged by truck traffic.
- j) Site restoration, sodding, landscaping or grow-in.
- k) Permit fees, Inspection fees, Impact fees, Site security.
- Vehicle to tow FieldTurf maintenance equipment.
- m) All prevailing wages, union labor and other labor law levies.
- n) Anything not explicitly noted in the inclusions or not noted in the COOP breakdown
- o) Drainage work of any kind.

\* The price is valid for a period of 90 days. The price is subject to increase if affected by an increase in raw materials, freight, or other manufacturing costs, a tax increase, new taxes, levies or any new legally binding imposition affecting the transaction.

Please feel free to reach out to any member of our project team with questions about our offer:

Kristie Cramer
Project Manager
(423) 645-7533
Kristle.Cramer@FieldTurf.com

Chris Wedge
Regional Sales Manager
(352) 242 7520
Chris.Wedge@FieldTurf.com



Thank you again for your interest in FieldTurf, we look forward to working with you.

Per:

Marie-Christine Raymond, Director of Operations FleidTurf USA, Inc. / Tarkett Sports Canada, Inc.

FieldTurf USA, Inc. holds the Cooperative Purchase contract, any PO for Contract must be made out to FieldTurf USA, Inc. 175 N Industrial Blvd NE. Calhoun, GA 30701

If you have questions regarding the FieldTurf and Beynon SmartBuy Cooperative Purchasing Program, please contact Eric Fisher at: <a href="mailto:Eric.Fisher@smartbuycooperative.com">Eric.Fisher@smartbuycooperative.com</a>.





#### CONDITIONS

Notwithstanding any other document or agreement entered into by FieldTurf in connection with the supply and installation only of its product pursuant to the present bid proposal, the following shall apply:

- a) This bid proposal and its acceptance is subject to strikes, accidents, delays beyond our control and force majeure.
- b) FieldTurf's preferred payment terms are as follows: (i) 50% of the Price upon Customer's execution of contract; (ii) 40% of the Price upon shipment of materials from FieldTurf's manufacturing facility; and (iii) Remaining balance of ten percent (10%) upon substantial completion of the field, which shall be achieved when Customer is able to use the field for its intended purpose, even if punchlist items remain and the Certificate of Completion has not been executed by Customer.
- Accounts overdue beyond 30 days of invoice date will be charged at an interest rate of 10% per annum.
- d) FieldTurf requires a minimum of 21 days after receiving a fully executed contract or purchase order and final approvals on shop drawings to manufacture, coordinate delivery and schedule arrival of installation crew. Under typical field size and scenario, FieldTurf further requires a minimum of 28 days per field to install the Product subject to weather and force majeure
- e) FieldTurf requires a suitable staging area. Staging area must be square footage of field x 0.12, have a minimum access of 15 feet wide by 15 feet high, and, no more than 100 ft from the site. A 25 foot wide by 25 foot long hard or paved clean surface area located within 50 feet of the playing surface shall be provided for purposes of proper mixing of infill

- material. Access to any field will include suitable bridging over curbs from the staging area to permit suitable access to the field by low clearance vehicles. Staging area surface shall be suitable for passage with motor vehicles used to transport materials to the site and/or staging area. FleldTurf shall not be liable for any damages to the staging area or its surface unless such damages are caused by FieldTurf's intentional misconduct or negligence.
- f) This proposal is based on a single mobilization. If the site is not ready and additional mobilizations are necessary, additional charges will apply.
- g) Upon substantial completion of FieldTurf's obligations, the Customer shall sign FieldTurf's Certificate of Completion in the form currently in force; to accomplish this purpose, the Customer will ensure that an authorized representative is present at the walk-through to determine substantial completion and acceptance of the field, which may include a list of punch list items.
- h) FieldTurf shall not be a party to any penalty clauses and/or liquidated damages provisions.
- FieldTurf shall be entitled to recover all costs and expenses, including attorney fees, associated with collection procedures in the event that FieldTurf pursues collection of payment of any past due invoice.
- All colors are to be chosen from FieldTurf's standard colors.

THE TARKETT SPORTS FAMILY - LEADERS IN SPORTS SURFACING



































# Hollywood West Sports Complex REPL

THE ULTIMATE
SURFACE EXPERIENCE

Sourcewell Breakdown (Previously NJPA)

Proposal Date: April 6, 2021

A1	Line#			မှာ	8	7	G.	U1	4	1, 2, 3	Line#
78	Sourcewell Line#			72	35	35	35	61	12	88	Sourcewell Line#
Maintenance Equip 1 GroomRight (and SweepRight)	ITEMS ON FIELDTURF NJPA CONTRACT:	TOTAL	Payment and Performance Bood	Maintenance Equip 1 GroomRight (and SweepRight)	thiaid U-8 Soccer Markings	tolaid U-12 Soccer Markings	inlaid Full Size Soccer Markings	Funish and Install CoolPlay infill	FleidTurf Classic HD -50 2*	Removal and Disposal of the turf system including intil. (Also includes Box drag existing base for planarity and contingency)	ITEMS ON FIELDTURF NJPA CONTRACT:
6500	MRSP .			10000	8000	8000	8000	0.75	5.24	1.50	MRSP
9%	9% Sourcewell Discount			9%	9%	9%	9%	%6	9%	9%	9% Sourcewell Discount
\$ 5,915.00	Sourcewell Base Price			\$ 9,100.00	\$ 7,280.00	\$ 7,280.00	\$ 7,280.00	0.68	4.77	1.37	Sourcewell Base Price
ó	QTY			->	->	<b>.</b>	د	106,080	106,080	106,080	ALD
Ę	Unit			ES	ΕA	E.	5	SF	SF	នុ	Unit
\$ 59,150	Total Extended			<b>\$</b>	\$ 7,280	\$ 7,280	\$ 7,280	\$ 72,400	\$ 505,832	\$ 144,799	Total Extended
-150.00	Additional Discount			-1,000.00	-7,280,00	-7,280.00	-7,280.00	-17,238.00	-63,478.27	-77,845.22	Additional Discount
\$ 59,000.00	Final Cost to Customer	5 579,166.25	\$ 6,597.07	\$ 8,100.00		to to		\$ 55,161.60	\$ 442,353.60	\$ 56,953,98	Final Cost to Customer

# FieldTurf Sourcewell Primary Pricing Spreadsheet

# Sourcewell

FieldTurf agrees to pay Sourcewell an administrative fee of 1.25% per project.

2021 Modification V. 2

	T	1							
01	رم ا	4	ω	2	Line#				
s Fa⊧iaTurf CORE 2.0°	Field Turf CORE 2.25	HeldTurf CORE 2.5"	FieldTurf Vertex Prime	Field Turf Vertex Prime	FeldTurf Vertex Prime	Manufacturer item or part number		FieldTurf USA, Inc.	
FT-CORE 2"	F1-CORE 2.25"	FI-CORE 2.5"	FIVIP -CORE-2	FIVIP-CORE-57	FIVTP-CORE-1	Supplier item or part number (if Different than Manufacturer part number)		Sourcewell	
Symbatic surf. Artificial surf. All weather surf. Produced in Fightfurfs own. Sher manufacturing plant, the Fightfurf CORE fiber is a proprietary dualpolymer formulation that resists spiring and degradation and includes industry leading surfavoler inhibitor schoology. A state-of-the-art excussion process provides an intricate and thick construction for spiripor tear resistance and resistance a	Synthetic tarf, Artificial tarf, All weather tarf. Produced in FieldTurf's own fiber meanifecturing plant, the FieldTurf CORE fiber is a proprietary dual-polymer formulation that resists princing and degradation and includes industry leading tarreviolet this/high retembolary. A state-refere extension process provides an introate and strick construction for superjor tear resistance and resilience. This CORE fiber was designed to provide extension that the construction of the private fiber was designed to provide extension that the construction of the private fibrilly and longarity. Includes FieldTurf's patented infill and same look Costing System.	Synthetic surf, Artificial turf, All weather surf. Produced in FieldTorf's own fiber manufacuning plant, the FieldTorf CORE fiber is a proprietary dual-polymer formulation that resists sphring and degratation and mobiles industry leading ultravoled in hibbot returnology. A state-of-tipe after cortusion process provides an incritate and thick construction for apoptior train resistance and resiliance. The CORE fiber was designed to provide extraordinary durability and longerity, includes FieldTorf's patented infill and surelock Copting System.	Field Turf Vertex Prime CORE 2" VertexCORE features all of Field Turf's activative special technology: CORE & Classic IID Files is for performance, heavyweight infill for safety and SureLock coating drainage for durability and usage. From top to bottom, the system is designed to deline; at the eithe level.	Fieldfurf Ventex Frime CORE 2.25" VentexCORE features all of Fieldfurf's actionise a steam technology: CORE & Classic Not Hibers for performance, heavyweight infulf for safety and SureLock costing drainage for durability and urage. From top to bottom, the spream is designed to define; at the effite level.	INITESUITED THE ADDRESS OF THE PLACE OF THE	Description	Turf, track, court unit pricing is for the sports surfacing only on a previously prepared base. Base construction can be priced using RS MEANIS.	All Pricing is NOTTO EXCEED (Ceiling price) and includes supply, install, and freight within continental U.S. FleidTurf will offer the lowest price possible for each customer based on their location, project details, economies of scale opportunities, and wage rate requirements. The pricing provided below is the maximum per unit cost.	Proposed item pricing
Per St, Ft	Per Sq. Pt.	Per Sq. Ft.	Cost Per Sq. Ft.	Cost Per Sq. Ft.	Cost Per Sq. Ft. \$ 6	Unit of Measure			
\$5.54	\$55.76	\$6.17	\$ 5.65	\$ 5.87					
9.00%	₩00.€	9.009.6	9,00%	9200.6	%DC6	Discount %			
\$5.04	\$5.24	\$5.61	\$ 5.14	\$ 5.34	27 9.00% \$ 5.71	Proposed Sourcewell Contract Price			

			<u> </u>		## 11 //###############################		
14;FeldTuf XM7-57 (2.25°)	13 FebTurf XM7-65 (2.5°)	12 FeldTuf Classic HD 2.0*	11 FieldTurf Classic HD 2-25" FTDSI-57	10 FieldTurf Classic HD 2.5"	Field Turf Revolution 360	FieldTurf Revolution 360	FieldTurf Revolution 360
XM7-57	XNE7-GS	FTOSI-2	FIDS1-57	FIOSI-1	FTRV-2 360	FIRV-57, 360	FTRV-1 360
11.x 3M/SR). Synthetic run's Artificial run's All weather turis. The FieldTor FXM7 system is built with a proven, in-house ridges-mountilement/filter turinology, providing your surface with durability and resilience characteristics that match the top products in the indistry. The infill in the AM/System is FieldTur's 2-bayer SRR Rubber and Silica Sand infill that the been increaled on hundreds and hundreds of fields worthwide to ensure proper safety and arthèse custion.	1.x 1.W (5F), Synthetic unit, Artificial turit, All weather unit. The Hedituri XMT system is built with a proven, in bouse ridged-accooliamentificer technology, providing your surface with deviability and resilience characteristics that match the top products in the indicatery. The infill in the XMT <sub>2</sub> system is Hedituric 2-bayer 58R Rubber and Silica Sand infill that has been installed on hundreds and hundreds of flicitis worldwide to ensure proper safety and atthese continen.	LLX 1W (57), Synthetic turf, Artificial turf, All weather turf. Classic HD is the newest aft film other from FieldTurf. It was carefully crashed to maximize durability and safety, as well as theigh earthstellay pleasing. Couples with FieldTurf's patential heavy 3-layer infill system and state-of-the art SureLock; coating method, the FieldTurf'Classic HD unif system has been designed to be the way best synthetic surf system with unparalleled player safety and turf drainings ratter.	Cassie HD is the newest sith-film fiber from FieldTurf. It was carefully crafted to maximize durability and safety, as well as being aesthetically yleasing. Coupled with FieldTurf's potential loawy 2-layer infill systemland state-of-the-art SureLock coating method, the FieldTurf Cassis: HD ruf system has been designed to be the very best synthetic ruff system with unpaid-lieled player safety and turf drainage rates.	Classic HD is the newest shedlin fiber from Rieldfurf. It was carefully confed to maximize durability and safety, as well as being aesthetically pleasing. Coupled with rieldfurf's patented heavy 2-layer infill systemiand state-of-the-art surel-ock coating method, the Rieldfurf Classic HD surf system has been designed to be the very best synthetic surf system with unparalleled player safety and turf drainage rates.	It x 1W [5F], Synthetic turf, Artificial turf, All weather turf. Produced in Fedd Turf's own fitter manufacturing plant, the field Turf Recolution 350 fiber is a proprietary polymer formulation that resists splitting and degradation and include; industry localing climacions inhibitor technology. A sixthet fibe are extracted process provides an inhibitor technology. A sixthet five specifor tear resistance and resilience. The Revolution 350 fiber was designed to provide activate of the sixthetic and sixthetic and sixthetic process and resilience. The Revolution 350 fiber was designed to provide activate fundamental process and sixthetic Coording System.	IL X IW [SF]. Synthetic turft, Artificial turft, All weather turft, Epoclucus in Failf Iurf's own fiber manufacturing plant, the fleid Turf Respiration 300 fiber is a proprietary polymer formulation that resists splitting and degradation and molutes industry leading climaviolet inhibitor wechnology. A sinte-of-the-art extrusion process provides an inhibitor and construction for superior control of the service of the art extrasion process provides an inhibitor and office construction for superior cast resistance and resilience. The Revolution 350 fiber was designed to provide extraordinary climability and longerity, includes Fleid Turf's patented infill and SuiteLock Coading System.	ILx XW [5f], Synthetic turf, Artificial turf, All weather turf. Poduced in Fleidfurfs own fiber manufacturing plant; the Fleidfurfs Respitation 250 fiber is a proprietary polymer formulation that resists splitting and degradation and includes industry polymer formulation that resists splitting and degradation and includes industry pending ultraviolet inhibitor textinology. A state-of-tin-eart extrusion process provides an intricate and thick construction for superior near resistance and resilience. The Revolution 560 fiber was designed to provide extraordinary durability and longwidty, includes fieldfrurfs paramad infill and Sureducts Coathing System.
e FieldTurfXtM7 liber technology, ristics that system is con installed on safety and	e Field Turf XM7 fiber technology, fixits that system is een installed on safety and	lassic HD is the oraximize Couples with he art SureLock to designed to be afery and turf	arefully crafted by pleasing. and state-of-the- atem has been alieled player	lly pleasing. and state-of-the- and state-of-the- item has been alleled player	roduced in Nution 360 fiber degradation and state of the art to for superior designed to first patented	roduced in introduced in degradation and degradation and state-of-the-art a far superior designed to furn's patented	roduced in Justice 350 fiber degradation and stake of the eart for superior for superior designed to struct a paramed
Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.
\$4.95	\$5.18	\$5.24	\$5.46	\$5.87	\$5.24	\$5.46	\$5.87
9.00%	9.00%	500.6	9,00%	9.00.6	9.00%	9.00%	%00'5
\$4.50	\$4.71	\$4.77	\$4.97	\$5.34	\$4.77	\$4. <u>97</u>	\$5.34

23 FieldTurf Vertex 2.25"	22 FieldTurf Vertex 2.5"	FieldTurf Vertex Prime	SteldTurf Vertex Prime	FieldTurf Vertex Prime	18 FieldTurf XT 50 (2.0")		16 FieldTurf XT 85 (2.5")	15 Feed Turf XM7-50 (2.0°)
FieldTurf Vertex 2.25"	FieldTurf Vertex 2.5"	FieldTurf Vertex Prime 2"	FieldTurf Vertax Prime 2.25"	FieldTurf Vertex Frime 2.5"	X150	X157	X165	50-CANX
FieldTurf Vertex is comprised of specially designed silefilm files and high performance monofilament filess. The fibrillation process of the silefilm component allows for proper in file encapsulation while the monofilament filess facilitate grass-like hall roll and a better aesthetic appearance. Both filess have withstood stringsort resting and were designed to justice mutting Prestign Infill. 8 year warranty. Price applicable for fields that are greater than 45,000 st.	HedTurfVereex is comprised of specially designed sile-film flipes and high performance monofilement filters. The fibrillation process of the sile-film component allows for people in fill encapsulation while the monofilement filters facilitate grass-like ball roll and a better sestient appearance. Both filters here withstood stringent testing and were designed to resist mathing Pressign Infill. 8 year warranty. Price applicable for fields that are greater than 45,000 sf.	ReiSTurf Verzex Prime 2.0" is comprised of specially designed silvilim fibers and high performance ridged monofilament ibers. The fibrialdion process of the silvilim component allows for popper intill exappatation/while the monofilament fibers facilitate grace-like ball roll and a better pestitetic appearance. Soft fibers are tithed together in the some stim for an inprisor application. Fifty fifty, a specific processor. Fifty fifty, 8 year warranty. Price applicable for fields that are greater than 45,000 st.	fieldTurfVerzex Prime 2.0" is comprised of specially designed sill-film fibers and liqft performance felged monofilament buss. The fibrilation process of the sift-film component allows for proper triffil encapsual-doo-jubile the monofilament fibers facilitate grass-like ball roll and a better seathetic appearance. Both fibers are suffect logosther in the same strick for a updrinor applicable for field and seathed appearance. Bitch fill, 8 year warrancy, Price applicable for field that are greater than 45,000 st.	FieldTurf Vertex Prime 2.5" is comprised of specially designed silk-film fibers and high performance ridged monofilament ibers. The fibrial/dion process of the silk-film component allows for proper intil encoratalistic mobile the monofilament fibers facilitate grass-like ball roll and a better sesthetic appearance. Both fibers are infred together in the same stitus for an updrisor acethetic appearance. Effic hiff. 8 year warranty, Price applicable for fields that are greater than 45,000 sf.	11.x 1W (SF), Synthetic turfy Artificial turfy All weather turf. The XI system has been designed to be the best of the best of the best of the order of Site Rim durability and softness, coupled with a 2-keyer intil system of SSR Rubber and Silica Sand to provide a proper custion.	11.x 1W (57), Synthetic turf, Artificial turf, All weather turf. Tips XI system has been designed to be the best of the total to the the best of the best of the best of the best of the total to be the best of t	11. x 1W (S1. Synthetic turf, Artificial turf, All weather turf. The XT System features a size-film theer that has been devigned to be the best of the best in zorms of site-film untability and softness, coupled with a 2-layer infill system of SIR Rubber and Sitted Sand to provide a proper cushion.	11.x x w (55) Synthetic turf, Artificial turf, All weather turf. The field furf XMO System is built with a proven, in-bouse intged-monofiliament their technology, providing your surface with durability and resiliance characteristics that match the top produces in the indextry. The infill in the XMO System is Field Turfs 2-layer SRS Robber and Silna Send infill that has been installed on hundreds and hundreds of fields worldoide to ensure propel safety and airbide custion.
ers and high the sit-film nonofilament aranos. Both resist metting trace greater	ers and high the silt-film conciliament conciliament conciliament conciliament trace Both tresist matting trace greener	sitefilm fibers from process of white the sesthetic for fire as uperior fields	silk-film fibers tion process of wither the wither the from a uperior frable for fields	silk-film fibers tion process of while the while the for a uperior licable for fields	he XI system has durability and nd Silica Sand to	he XI system has durability and nd Slica Sand to	he XT System of the best in er infill system of	e FieldTurfXM7 Taber technology, station that system is seen installed on staffety and
Per Sq. Ft	Per Sq. Ft.	Per Sq. Ft	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.
\$5.46	\$5.87	\$5.24	\$5.46	\$5.87	\$4,75	\$4.88 8	\$5.16	\$4.74
9.00%	9.00.8	3600'6	9.00%	%00.6 %00.6	9.00%	9,00%	3600°6	9,00.6
\$4.97	\$5.34	\$4.77	\$4.97	\$5.34	\$4.32	\$4.44	\$4.70	\$4.31

	1876 1883	- Water Committee of the Committee of th		<del> </del>	1		1
31	ප	26	28	22	26	24	24
EasyField - Removeable Tray System (10,000 sf minimum)	FieldTurf Hockey Gold	Hockey Speed	FleidTurf	27 ਜeldTurf	26 FieldTurf	25 FieldTurf	24 Field Turf Vertex 2.0"
EasyField - Removeable Tray System (10,000 of minimum)	FieldTurf Hockey Gold	Hockey Speed	FieldTurf Triple Threat Natural	Triple Tureat Speed	FieldTurf Double Play Natural	FieldTurf Double Play Speed	FieldTurf Vertex 2"
Field Turf's Removable Tray System has proven to be a viable/performance solution for a facility's customized conversion needs. Field furf's removable trays consist of portable sect.	The pilet fur Hockey Gold System is a revolutionary turk system—designed specifically for the highest levels of field hockey beys, it is the full culturity's premiere field hockey offering. The product is suffix with the jiliptic filter a uniquely engineered filternet with the same reliable, builts in durability characteristic state field fruit products leve become from fire. Shaped like a lens, the fiber is meanized through a high heat process to crept its crimped effect. Within the weath-based and sand-drassed field flur flockey Gold System, the liber for relate its memory to hold its shapels providing a truly uniform and non-directional surface with exceptional durability. Excellent ball performance and law abbreion, heater non-directional ball roll and speed than other traditional field hockey urifs, premium bockey performance, water heated or rand dressed options for desired performance. Pad or from underlayment required and additional out.	hockey Speed by Field Turf was engineered specifically for field hockey, however, metastole levels of reaction in deally finding the clear Speed, we consulted with experts in the hockey words to determine the peet characteristics desired for superior play at the elter level. The hockey Speed, we characteristics desired for superior play at the elter level. The hockey Speed product was developed for field hockey by focusing on three key hockey, specific-elements: Superior Ball Control, Easy Stock Movement, and Excellent Traction. Hockey Speed takes field hockey surfacing to a new level of performance, quality, and value. Designed to provide the best playing characteristics of riyon "wet performance" systems, lockey Speed is more economical and better designed than competing systems. Pad or four underlayment required and additional cost.	Softball turf product designed to play like a natural grass field. Cur development program pushed past the standard infield/outfield to defiver optimal performance specifically for your field. Triple Threat learner allows you to design your entire field, start to finish, with precision, Pricing applies to a minimum purchase of 40,000 st.	Sorball torf product designed for a "fact" field. Our development program pushed past the standard infield/outfield options to deliver optical performance specifically for your field. Triple Threat Speed allows you to design your entire field, start to finish, with precision. Priorigispiles to a minimum purchase of 40,000 sf.	Baseball turf product designed to play like a natural grass field. Our development program pushed post the standard infinit/outfield to deliver optimal performance specifically for your field. DoubhiePlay allows you to design your enter field, start to finish, with precision. Pricing applies to a minimum purchase of 40,000 st.	Basahali nuf product designed for a "fast" field. Our development program pushed past the standard inhield/ourfield options to deliver optimal performance specifiesly for your field. Double/Bay allows you to design your entire field, start to finish, with procision. Pricing applies to a minimum purchase of 40,000 st.	HeldTurf Vertex is comprised of specially designed sile-film filters and high performance monoillament filters. The filtrillation process of the disfilm component allows for proper in fall engaguation while the monoillament filters facilitate grass-like hell roll and a henter aeatheric appearance. Both filters from the vertice of stringent testing and were designed to resist muritage. Pressign hell. 8 year warranty, Price applicable for fields that are greater than 45,000 st.
Per Sq. Ft.	y y Per Sq. Ft.	: Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Pt.	Per Sq. Ft.
\$25.00	% %	\$9.70	\$5.63	\$6.22	\$5.63	\$6.22	55.24
9.00%	9,000,6	%00°6	10.00%	10,00%	10.00%	10.00%	9.00%
\$22.75	\$7.87	\$58.853	\$5.07	\$5.60	\$5.07	55.80	\$4.77

Г	T		1	T	Γ	П	<del></del> -	Ι	1	T	Γ	1	Τ	1	т-		1	1			
52	ជ	50	49	48	47		<b>&amp;</b>	#	£	43	£	8	ყვ	<b>8</b>	37	36	83	22		낹	32
52 ThennaGreen 23mm	Schmitz Proplay- ProPlay 23mm	Rondi-PDS Drain Tiles	Beynon: E-layer	Product/Manufacturers	FieldTurf Preshipment 47 Testing		FieldTurf-Lacrosse Tick Marks	Restraining Lines		FieldTurf-Flag Football Lines	FieldTurf-Baseball Lines	40 FieldTurf-Lacrosse Lines	FieldTurf-FieldHockey Lines		37 FieldTurf-logo	36 FieldTurf-Hash Markings	35 FieldTurf- Soccer Markings Soccer Markings	FieldTurf- Numbers and 34 Arrows	Product/Manufacturer	33 FieldTurf	32 FieldTurf
ThermaGreen 23mm	ProPlay 23mm	PDS Drain Tiles	E-Layer	Product 4	Preshipment Testing	GMAX	Lacrosse Tick Marks	Football Restraining Lines	Sofbali Lines	Flag Football Lines	Baseball Lines	Lacrosse Lines	FieldHockey Lines	Endzone Letters	Loga	Hash Marks	Soccer Markings	Numbers and Arrows	Product #	Removable Batter/Umpire baseball system	Pitching Mound and Home Plate
Luncs: ped system from Enemastreen, used as an underlayment to artificial turf system. Designad to reduce gnax,	Shock pad system from Schmitz Feam Products, used as an underlayment to arthrical unit system. Designed to reduce grazy. Product only available with purchase of FledTurf surface.	PDS delivers the Procision Performance and Madmized Drainage that the player and the facility demand. Consistent responses throughout the field ensures that eithe levels of play on a houge be nearbed. Madminding the drainage ensures the on field performance when the wearing data tough. West or dry, your level of play recusins the same. The installation of the PDS system is user frainage and reduces been installation three by approximately 20% withe reducing bear coars by up to 20%, Your players and facility demand the best. PDS delivers. Product only available with purchase of Field Turf rurf surface.	Bastic-layer (E-Layer): A pawed-in-place, permeable, synthetic field surface base consisting of rubber granules, gravel aggregate and moisture cured polymeriman bin der. Electric-Layer specims stell have demonstrated resistance to ret, mildew, water, freeze-thaw and compression set associated with normal athletic field use. Bistic layer shots, packs provide durability for synthetic fields, great ball roll and bounce and a lower G-MAC.	Turfalternate infills underlayment options and miscellaneous (on wavallable with the purchase of a Heldfurfiteld)	Preshipment Testing	impact testing as per ASTM F355 and 1936.	Permanent Tick Warks for Lacrosse	Permanent Football Restraining Lines	Permanent Softball lines	Permanent Flag Football lines	Permanent Paseball lines	Permanent Lacrosse Lines	Permanant Field Hockey Unes	Permanent Turf EndZone Letters (20' High Letters)	Permanent Turf Logo (\$5' x 35' Approx. Dimension) 1-2 Coloss	Permanent Football Hash Markings	Permanent Soccer Markings	Permanent Turf Football numbers and Arrows.	ierodict/Manifracturers。Droabdas/1998年1998年1998年1998年1998年1998年1998年1998	Our Valcto systam offers a quick and simple solution to replacing your batter and umpire areas. We equip you with the spare pieces updoint, allowing your beam to exchange when needed.	Pitching Mound and home plate (Vitrage 40-90 + 8mm pad) FieldTurf Pitching (Mound and Home plate unit is specifically designed to be suitable for multiple Levels of play. Constructed using Vintage 40 silt-film and thatch turf, loughback Coating, with 20% sund and 20% 58% or Othe Infill on 3% exposed there on a Erm form brubber Pad. Price is for purchase of both mound and home-plate unit)
ext to artificial	used as an underlayment to Product only available with	age that the field wizing the field wizing the gets tough, fon of the PDS populately decilly urchase of	mthetic field ind moisture monstrated monstrated in set associated e durability for c	dons and purchase											- 6-					cing your batter	FieldTurf to be suitable for and thatch turf, ill on 1%" exposed h mouzd and
Per Sq. Ft.	Par Sq. Ft.	Per Sq. Ft.	Per Sq. Yard	UNIT	Per Unit	Per Unit	Per Unit	Per Unit	Per Unit	Per Unit	Per Unit	Per Unit	Per Unit	Per Unit	Per Unit	Per Unit	Per Unit	Per Unit	Units of the second	Per Unit	Cost Per Sq. Ft.
\$1.55	\$1.55	\$1.26	\$ 32.97	Marie	\$3,000.00	\$1,800.00	\$1,500.00	\$8,585,00	90,000,8\$	\$8,000.00	\$8,000.00	\$8,000.00	\$8,000.00	\$1,925.00	\$27,000.00	\$8,000.00	\$8,000.00			\$22,000.00	\$ 5,000.00
%00v6	9.00%	9.00%	98	Discount	9.00%	9,00%	9.00.6	%00.e	9.00%	%007e	%00.e	9,00%	9.00%	9,00%	9,00%	9.00%	9,00,6	9.00%	%Discount	9%	%00.e
\$1.41	\$1.41	\$1.15	30.00	Pake per Unit.	\$2,730.00	\$1,638.00	\$1,365.00	\$7,812.35	\$7,280,00	\$7,280.00	\$7,280.00	\$7,280.00	\$7,280.00	\$1,751.75	\$24,570,00	\$7,280.00	\$7,280.00	\$7,280.00	编纂 《Discounts》《 Priceper Unit	\$20,020.00	\$ 4,550.00

		I			T		Ī						
Sustainab Sustainab	64 EnviroFill	63 EasyFill	62 E-Core/EPDM	51 CoolPlay	60 TrueBlend		Natural G 59 or Seed	56 FieldTurf	57 Rondi-Versatile	56 Beynon- S	55 Beynon- S	54 BROCK - SP 14	53 SROCK POWERBASE
Sustainable Performance Solutions-ECO Grind			MÖ				Natural Grass Field: Sod or Seed		satile	Bey⊓or≻ Shock Base	Beynon- Shock Base	Ϋ 14	)WERBASE
ECO-GRIND	EnviroFili	EASY FILL Coated Sand	EPDM	CoolPlay V3	TrueBlend		Sod or Seed	Removal and Disposal	Versettle	Shock Base (19 mm)	Shock Base (Z6mm)	Brook SP 14	BROCK POWERBASE
ECO GRIND (no additional pad required) is one of the most cost-efficient alternatives to SRR. Made from port-industrial recycled products (maining shoes) these rechained materials are ground up to create a new, clean, co-friendly infill and another absensite to crumb rubber. Ecological is the ideal anower for high use facilities looking for a proven infill solution.	Composed of coated sand (granules), our Enviro-Til infill offers an alternative solution that is environmentally and maintenance friendly. Engineered to replicate the look and feel of a natural graiss surface, this system will provide a satis and ulrable solution for your facility. (Shook pad required at an additional cost).	Acrylic internal coated sand. Can be colored, UV resistant. (Shock pad required at an additional cost).	A capolymer of eithere and propleme having time in linguet that can be cross-fithed with percodies or suffici. Similar feet and performance to SER, No. additional pad needed. High to medium resiliency depending on filter level. (no additional shock pad required)	CoolPlay utilizes FieldTruffs exclusive and innovative Extruded Cook Composite top dressing which allows the system to deliver the same believior and overall stability as the elite systems but with an added hear reduction feature - up to 35 degrees cooler! No change in judgetality vs. sand/orogenic rubber opstem. Natural UV resistance. [No additional pad required]:		TRUEBLEND: RLENDED TO CREATE A SUPERIOR SOLUTION: Made from natural cork and premier-grade electromers, TrueBlend is produced by finsing these marierials into one. The result is an infill that provides natural-like playing characteristics, aethector and the added benefit of easy upkeep. Natural materials and sophisticated engineering blended into one.	Supply and Install a natural grass field via either sod or seed. Price does not include any preparation of ground. Grow in is not guaranteed.	Work involves the removal and disposal of an existing spathetic turf achietic field. This work can only be performed in preparation for the installation of a new HeldTurf Field.	The ultimate interage and shock underlayment/pad system, werea The installed under the ture system and above the base to provide added drainage and improved Gmax. Product only available with purchase of Fieldfurf turf surface.	Shockhase Blayer is an elastic layer shock pad that is 19mm in normal thickness and provides an energy absorbing elastic layer for use with athletic field auritaces. Composition to be comprised of SSR rubber ganutees and moisture cared polyurethane binder. Pricing for 90,000 of feet minimum. 8 Year warranty.	Shookhase Elayer is an elastic layer shook pad that it 26mm in normal thickness and provides an energy absorbing elastic layer for rice with athletic flad auffaces. Composition to be comprised of 5SR rubber glandles and moisture cured polymentane binder. Pricing for 90,000 of feet minimum. 8 year wateranty.	The original panel underlayment designed specifically for artificial turf it can replace most of the traditional stone base and has a perfect track record for field drainage. Product only available with purchase of field furf turf surface.	Brock PowerBase is a molded expended polypropylene underlayment that is orginesed for specific applications, primarily shock and drainage layers under artificial buri arbitett fields and playgrounds. Product only available with purchase of Fieldfurf field. Forum:Base provides ideal sciock absorption and field stiffness for elife arbitetes such as NAA, Professional Scoops, and Pro Football.
st-efficient cts frunting w, clean ,eco- bid is the ideal	offers an noo friendly. ss surface, this acility. (Shock	nt. (Shock pad	that can be ance to SER. No on filter level.	Cork Composite wior and overall feature - up to ic rubber		DN: Made from vials into one. haracterístics, al materials	Price does not 1.	ic turfathletic installation of a	VersaTile added drainage FieldTurf burf	normal se with athletic anples and t minimum. 8	normal se with athletic ancies and t minimum. 8	lly for tone base roduct only	layment that is lage layers any available ook absorption it socces, and
Per Sq. Ft. \$	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.		Persq. Ft.	Per Sq. Ft.		Per Sq. Ft. &	Per Sq. Ft. \$	Per Sq. Ft.	Per 54. Ft.
2.20	\$2.66	\$4.05	\$1.50	\$0.75	\$2.40		\$1.50	\$1.50	\$1.65	4.95	4.95	\$2,17	\$2.75
9,00%	%00.2	9.00%	9.00%	800°6	9,00%		9,00,0	9,00%	9,00%	9,000,6	9.00%	9,000.9	9,000,6
\$2.00	\$2.41	\$3.69	\$1.37	\$0.68	\$2,18		\$1.37	\$1.37	\$1.50	\$4.50	\$4.50	\$1.97	\$2.50

		1			Γ	T	Γ	<u> </u>					
79 F	78 F	77	761	75	74.5	73	72 8	7	70	8	88	ध	8
79 Fieldcare 5	Reidcare 1	77 FleidTurf Static Brush	75 Tow Behind Magnet	GroomRight Wings	74 FieldTurf SweepRight Pro	73 FieldTurf SweepRight	FieldTurf GroomRight	iud Grooming Equipment	70 Pure GEO	69 Pure Elite Olive	68 DOF Cork-Purefill Infill	57 Colorex- ECO MAX Infill	SOFTER SPA- EcoGreen Plus Environmental Infili [[PE Infili]
Fieldcare 5	Reidcare 1	Field Turf Static Brush	Tow Betind Magnet	GroomRight Wings	FieldTurf SweepRight Pro	FieldTurf SweepRight	FieldTurf GroomRight	Turf.Grooping.Equipment and Ministenance.Care packages.	Pure GEO (Coconut)	PURESELECT (Olives)	PUREFIL (Cork)	ECOMAX	ECOGREEN
5 Ye. Contract ~ 2 Vsits per Vear (Continental IJS only, excludes Alaska and Hawatiji. Hadcare is a mational mainteaance program gearafoowards making Heal Turf synthetic turf field systems perform at their ordinal level for even longer. Field furf's Hedcare Meintenance Program will support years of consistent, high performance to your field and lar you maximize your investment. Consult with your FieldCare Service Manager to find the FieldCare program that's fight for you. (Additional charges may apply for alternate infill fields)	1 Yr. Contract – 2 Visits per Year (Continental US only, excludes Alaska and Iswarill, Feld Care is a national maintenance program gearesticowards making Field tring synthetic until field systems perform at their cytimal level for even longer. Field Turf's Field Care Maintenance Program will support years of consistent, high performance to your field and let you maximize your investment. Consuit with your Field Care Service Manager to find the Field Care program that's light for you. (Additional charges may apply for electronate infill fields)	FieldTurf Static Brush has a 7 static brush and spring the system. Designed to lift synthetic theors and level infill material. Brush height and spring tines are independently adjustable.	Tow behind magnet system for synthetic intil turf. Pull handles allow debris to be released from magnet Powder Coated Stee and aluminum construction. Compatible with FieldTurf SweepRight and GroomRight.	Removable and adjustable brush execusions extend the unit to 14 feet in order to level off utill and raise fibers for better playability.	FieldTurf SweepRight Pro	FieldTurf SweepRight (Standard or Allied)	FieldTurf GroomRight		PURE GEO - Environmentally Friendly and Sustainable - Made from community and any community of the community	PureSelect-Olive Cores Organic (Eiber Based). Fully organic material, proven heat reduction, natural UV resistanca. Infill looks like naturalsoit. Natural produce. not chemically produced. Provides phyling characteristics similar to natural turf. (Shook pad required at additional cort)	FaidTurf's PureFII cork infill is an all-earmal infill. It is an organic, recyclable and assessinable product that it increased from the crack cark true every nine years, without harming the trees. It is 100% environmentally-friently and non cooks. (Shock god required at an additional cook).	EcoMax is an extruded composite of recycled materials and thermopistic diagrams (TPE). It is a new, impact absorbing firfill that offer; safe and confortable performance and the heat value in its energy regarding durability, price, and performance. (Shock pad required at an additional cost)	EcoGreen is built from premium, virgin TPE that have been selected for their characteristics to deliver a stable surface over the long-term. Each police has built in memory and rebounds back to its original shape affected mpression. Resistant to UV departation, it is a durable and UV recyclable infill alternative. (Sinck pad required at an additional cost).
s Alaska and towards making level for even of even of et years of the your and the yapply for	s Alaska and towards making level for even it years of ze your ind the y apply for	m. Designed to pring tines are	es allow debris un construction.	o 14 feet in					from coconut histics all while to natural surf. searching for cost)	naterial, proven soil. Natural istics similar to	anic, recyclable res every nins friendly and non-	esmopiastic scafe and garding additional cost)	ected for their Each peliet has compression. to infill
Per Package   \$	Per Package &	Per Unit \$	Per Unit	Per Unit	Per Unit \$	Per Unit	Per Unit	Unit	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.	Per Sq. Ft.
		10,000.00	\$ 6,000.00	\$ 7,000.00	10,000.00	\$ 5,000.00	\$ 10,000.00		\$2.15	\$2.55	\$1.80	\$3,00	\$3.25
o %	9%	9%	9%	9%	9%	9%	9%	Discount	9,00%	%pa's	9,00%	%00'6	%00.6
\$27,∋00.00¢	\$5,9 <u>15,00</u>	\$9,100.00	\$5,460.00	\$6,370.00	00.001'6\$	\$4,550.00	\$9,100.00	Discount Cost to customer,	\$1.9 <del>6</del>	\$2.41	\$1.64	\$2.73	\$2.96

F				<del></del>
28	8	83	æ	85
84 Field Turf SaniSport	83 PURE CARE 8	82 PURE CARE 5	PURE CARE 1	80 Fieldcare 8
SanjSport	PURE CARE 8	PURE CARE 5	PURE CARE 1	Fieldcare 8
Fearthur's feating valued sent sport is the unmate Anthetic feating Sentization program. The Sani Sport Technology significantly reduces harmful bacteria and viruses on personal protective gear; sports equipment and endosed spaces. 3200 times more powerful than bleath. Customers can select the appropriate Sani Sport size that fits their needs	PureCare 8 years- (3 times a year) Field Assessment summary, infill depth measurements, select warranted seam and inlay repairs (not to exceed 8), perimeter debris cleaning, Cork infill replenishment (max 1 supersack of cork art1500lbs per year across the 3 visits) if necessary for infill topdressing meterial, field infill decompaction (only if needed), field magnet sweeping for metal debris, surface temperature reading, static brush in multiple directions to redistribute infill, application of Anti-static spray during and after maintenance service [5 bottles ber session), 6-Max testing one per year to be performed right after 2nd maintenance visit.	PureCare 5 years- (3 times a year) Field Assessment summary, infill depth measurements, select warrented seam and inley repairs (not to exceed 8), perimeter debris cleaning, Cork infill replenishment (max 1 supersack of cork art1500is per year across the 3 visits) if necessary for Infill topdressing material, field infill decompaction (only if needed), field magnet sweeping for metal debris, surface temperature reading, static brush in multiple directions to redistribute infill, application of Anti-static spray during and after maintenence service (5 bottles ber session), G-Max testing one per year to be performed right after 2nd maintenence visit.	PureCare 1 year- (3 times a year) Field Assessment summary, infill depth measurements, select warranted seam and inlay repairs (not to exceed 8), perimeter debris cleaning. Cork infill replenishment (max 1 supersack of oork atd500lbs per year across the 3 visits) if necessory for infill topdresding/material, field infill decompaction (only if needed), field magnet sweeping for metal debris, surface temperature reading, static brush in multiple directions to redistribute infill, application of Ard-static spray during and after maintenance service (5 bottles ber session). G-Max testing: one per year to be performed right after 2nd maintenance visit.	8 Yr. Contract — 2 Visits per Year (Continental US only, excludes Alaska and Itawall). Fieldcare is a national maintenance program generalizowards making Fishland spintheds that field systems perform at their optimal level for even longer. Fieldfurf's Fieldcare Maintenance Program will support years of consistent, high performance to your field and lat your maching your investment. Consult with your Fieldcare Serices Manager to find the FieldCare program that's right for you. (Additional charges may apply for alternates inful fields)
Per Unit	Per Package	Per Package	Per Paddage	ng Per Package
aaraarae \$	5 20.000,08	\$ 50,000.00	\$ 10,000.00	\$ 44,000.00
\$ 9600'6	\$	5%	9%	<b>19</b>
27,300.00	\$72,800.00	\$4\$,500.00	00'007'6\$	\$40,040.00

				T			·	<u> </u>		
<b>S</b>	9 <u>4</u>	<b>8</b>	92	经	90	88	88	87	86	8
0 10mm	94 Beynon-BSS 300	93 Beynon- BSS 200	92 Bayrion-BSS 100	51 Beynon-BSS 50	Red Polyresin - 1/2" depth (13mm)	Poly-4000 - 3/8" depth (10mm)	<u>a</u>	87 L-2000 (Black only)		FieldTuf Cleanse
BSS 1000 10mm	BSS 300	BS\$ 200	BSS 100	ESS 50	Red Polyresin - 1/2" depth (13mm)	Poly-4000 - 3/8" depth (10mm)	Black Polyresin (Black only) - 1/2" depth (13mm)	L-2000 (Black only)		FieldTuf Cleanse Complete
All-weather track surface. The BSS 2000 is a full pour polyurerhane surface that allows of hieres to perform at their highest level while training or in competition. Its bloom-gineered force reduction beyor integrates ever fine SER rubber granules with environmentally friendly polyurethane to create an impermeable shock-absorbing custion. The BSS 2000 can be found at some of the world's most prestigious and renowned facilities in your choice of embedded, enapsystead or Hobert recurried ERDN granules mixed throughout the top layer to give your affaience total control.	All weather track surface. The MAF Certified BSS 300 running track is a clurable, all-weather, flood and chip sandwich system with excellent shock abcorption and the highest setum of sourch, it is implementally realisate, and fart, and can take on anything that comes its way. The Dual Durometer Sandwich system features a paved-in-place polyureblame basemat; topped with a two-component seal coat end floathed with a flow-explined layer of two-component polyurathane and embedded or encapsulated votance.	All-weather track surface. The IAAF certified BSS 200 running track allows for safe, long-term training white providing an excellent surface to mest virtually eventy level of competition. The BSS 200 starts with a pawel-ti-place base layer of high performance polyurethane and SBR rubber granules. It's then custed with our two component-polyurethane sasier, making the surface impermeable. Pigmented EDMs granules and single component polyurethan surface impermeable. Pigmented EDMs granules and single component polyurethan structural spray combine to form the spray applied top layer.	All-Westine track surface. The BSS 100 is the cost effective solution local achook and communities who are in search of an all-weather track system. This (AAF certified system is paved in place utilizing a machine installed base of single compound polyurchana bioder and SBR rubber gaminies. The surface is finished with multiple syrey applications of 100% solids, pignetted polyurchane and EPDM granules or environmentally friendly EPTMR 1500 water-based structural spray that only Beynon offers.	BSS 50: Economical, durable, and easy to maintain the Boyncis Sports BSS 50 is the cast effective track-surface solution for schools and local communities who are in search for an all-weather track system. The Beynon's Sports BSS 50 is a portous, pawod-in-place system, utilizing a machine installed base of single-component polyurethane binder, SBR grandles or EPDM granules.	To resurface a Red Polyresia cunning track include all material and labor (1/2" depth)	To resurface a lates/polyurethane hybrid running track include all material and labor (Poly-4000 3/8" depth)	To resurface a Black Polyresin running track include all meterial and labor: 1/2" depth (13mm)	To install a Latex running track include all material and labor (U-2000)	ilunging <u>ili</u> je Caufaang opyaxiing stable pasaw. W	FRINCIPANTS COMPRISES OUT FEEDTURE'S SYNICE EXPERTS WILL PROVISE BE fall service deense with santization utilizing EPA Approved mPerial santizer.  EPA APPROVED CORONAVIRUS (COVID-19) SANITIZER.  FRINTINE'S NEW FRIEDCHEARCE program will help deep clean your surface to combat COVID-19. Prizing based on minimum of 40,000 st field.  Utilizing an EPA approved coronavirus sanitizer: mPerial "", by MPact" Environmental Solutions,  LLC, which conflims results that demonstrates the ability of the and protect against the spread of the COVID-19 Virus. mPerial "s is EPA registered with multiple that the spread of the COVID-19 Virus. mPerial "s EPA registered with multiple that the spread of the COVID-19 Virus.
70	G- Per Sq. Yard	r y Per 5q . Yard	d Per Sq . Yard	Per Sq. Yard		Per Sq. Yard	Per Sq . Yard	Per \$q . Yard	Units	Per Sq. foot
<del>ω</del>	↔	69	<del>u</del>	€5	49	69	ta	49	NISRP	to.
79.00	76.65	85 05 05	48.00	43.00	49.45	39.56	42.86	27.47		0.17
9.000.6	9.00%	9.00%	%00.e	%00.e	9,00.6	\$ %00.6	9,0076	9,00%	tscount	9.00%
69	<del>69</del>	↔	€	<del>⇔</del>	69	<del>(4)</del>	69	¢n	Sourcewei	w
71.89	69.75	50.05	43.68	39.13	45.00	36.00	39,00	25.00	is Price Pers	0.15

							**************************************		
105 <u>Ве</u> упоп-BSS 200 RE	104 Beynon-BSS 100 RE	103 BSS-50 RE	Red Polyresin 102 Resurfacing	Black Polyresin 101 Resurfacing	100 Top-Coat (latex tracks)	99 Product/Me	D D D D D D D D D D D D D D D D D D D	97] BSS-1000 ML	96 Веупот- ВС
			ij		itex tracks) T	nufacturer P	2000 12 12 12 12 12 12 12 12 12 12 12 12 12		Beymon- BSS 1000 13mm
BSS 200 RE	88S 100 RE	BSS-50 RE	Red Polyresin Resurfacing	Black Polyresin Resurfacing	Top-Coat (latex tracks)	99 Product/Manufactures: Product#	26 2000 12000	855-1000 ML	BSS 1900 13mm
BES 200 RE: The Beynon Sports RES 200 RE is an impermeable resurfacing system that features; a two component polyarethane seel cost layer and two coats of polyarethane structural spray for reservace an existing polyarethane structural spray track-surface. The SES 200 RE adds structural structural spray track-surface. The SES 200 RE adds structural imaging and a uniform seel layer to protect the activity great can be approximated to protect the activity great can describ the finish is a seeminese becuted wearing coat that will rejuvenate and capie-component. If the open surface and supplementations of component to the seeming component of the seeming component is a seemine and supplementations of component to the seeming component in the spray applied top layer. Also available in the environmentally friendly BEYFUR 150 weign-based structural spray that only Beynon coffes.	BSS 100 RE Economical and durable, the Baynon Sports BSS 100 RE is a permeable resurfacing system that features; a two coet structural system y application that it weed to neutrino an existing polyurethane base mater structural spray track surface. The BSS 100 RE is applied to tracks that are showing were but still have structural integrits. The resulting rinks is a virtually seamless tractured wearing cost that will rejuvenate and cotten of the fifth of the track surface. The resulting track smiles to the country application consists of 1,00% spilits, pigmented polyurethane and £70% granules or the environmental of 1,00% spilits, pigmented polyurethane and £70% granules or the environmental pray timents of 1,00% spilits, pigmented polyurethane and £70% granules or the environmental pray timents are successful than the surface of 1,00% spilits, pigmented polyurethane and £70% granules or the environmental pray timents are the surface of	To resurface a Polyurethane Tracks Base Mat running track include all material and labor	To resurface a Red Polyresin running track include all material and labor	To resurface a Black Polyresin running track include all material and labor		RESURFACING ON an existing rubber annual and control.		BSS 1000 ML. The BSS 1000 ML is an IAAF Certified full pour multilayered mack and field surface for schools and Universities that desire a full pour tracks surface to make competitive bidding requirements. Comprised of UV stabilized two component polyarchana, recycled SSR granules and EPOM, the BSS 1000 ML is three (3) layer system that exceeds the requirements of IAAF performance standards. The ESS 1000 ML is acts with the application of BEPUR 250 two-component polyarchane, upon which SSR granules are broadcasted and recitiened. The next layer is comprised of BEPUR 270, a specially polyarchane electrone with superior hybrizal properties that give the final product outstanding resiliency. The wear layer of SEPUR 250 is then applied with your choice of jennedded, and polyarchane in Espanors. The ESS 1000AL is IAAF Certified at 174mm and is necked by an industry leading S-pigir wormany. The SES 1000 AL polyarchane make risks are manufactured in our ISO 90012008 certified fadility.	The Olympic-caliber 385 1000 is IAAF certified and offices athickes the highest level of control and crowdnum caugy return. It makes training more manageable and allows athickes to complete art their best. The ISS 1000 running track can be TUNET to meet the precise allocanear rejudication to meet the abstract and needs of your coaching staff, athickes and facility managers. The ISS 1000 is designed and manufactured for optical competitive performance indoors and out. EPDM granules-embedded, capabilities of Hobart teachers—a mixed throughout the west layer giving stabless the necessary traction for improved response times and total control.
urfacing we and two lyurerhane tructural a and resulting lackend the imponent top layer.	RE is a spray e match that are that are this a	track	naterial	material	and labor	Unit	the highest oxe is 2000 red to meet managers, the sulared or etes the	rr at deafre a Lomprised ules and he tarts with on which on which on which you wear layer of badded, b	the highest protect protect protect protect protect pred to meet the managers. The suitable of season the season the season the protect protec
Per Sq. Yard \$	Per Sq . Yard S	_				Unit - Fe 34 - I e id		Per Sq. Yard	Per Sq. Yard
45,00	32.80	\$ 32.80	\$ 28.57	\$ 21.98	\$ 24.18	SRP	1100	\$ 88.00	\$ 98.00
9%	9%	9%	9%	9%	9%	%Discount	D 000	<del>9.000.6</del>	%00.E
<b>tv</b>	<b>t</b> s	29.85	26.00	20.00	22.00	SW SDIscount Swall Drice person variables	100	<b>w</b>	en
40.95	25.85						5	80.08	89.18

		<u> </u>				T				
116]	115 F	114	113	1127	11	110	109 WBSS	100	107	106
116 Fast Track 3	115 Fast Track 1	Track surface removal and	113 Track Cleaning	112 Track Restriping	Beynon- in situ Base	110 Beynon- Hobart Coating	WBSS	Beynon- BSS 2000 RE	Beynon-BSS 2000 RE 5	Beynon-BSS 300 RE
lω	2	ace rem	aning.	triping:	n situ Ba	-lobart C		BSS 2000	\$SS 2000	1 00E SS(
		cval and			<u>\$</u>	oating		) RE	7E 5	ļ <del>rii</del>
Fast Track 3	Fast Track 1	Track si	Track Cleaning	Track R	h-Situ Base	Hobart	WBSS	BSS 22	BSS 20	Beynor
다	유 사	Track surface removal and Disposal	leaning	Track Restriping	Sase	Hobart Coating		BSS 2000 RE 7mm	BSS 2000 RE 5 mm	Beynon-BSS 300 RE
		moval ar	:					m H		).RE
		nd Dispos								
EAST annu track			prott enha	Six, e	100 .	inclu	5 To 1	and mak best dure athle man imperior perficus.	BSS. MOI athir train BSS. requestion options of the Hobits areas of the Hobits are areas of the Hobits areas of the Hobits are are areas of the Hobits are areas of the Hobits are areas of the Hobits are are areas of the Hobits are are areas of the Hobits are areas of the Hobits are are areas of the Hobits are areas of the Hobits are are areas of the Hobits are are areas of the Hobits are areas of the Hobits are areas of the Hobits areas of the Hobits are are areas of the Hobits are are areas of th	BSS system comman a mesu than avail
FAST TRACK 3: Three (3) year track main annual site visits to maintain the synthe track washings and one (1) line restripe inspection site report included per visit.	FAST TRACK 1: One (1) time track maintenance visit to v synthetic running track. Inspection site report included.	Wark involve track surface performed in or Beynon to sy or more.	• Dack Cleaning (FastTrack): Cleaning your track for protect your track surface from alreasive materic chancing it. Sweepers and blowers are used to decrease ran be used (Dwmers choice) for deeper dearing.	<ul> <li>Track Re-Striping: Six, eight or nine lane to high school level compound in of all associated line markings and lettering.</li> </ul>	In-Situ Ba se înstallec su Base cas vîng synth	To resurface a running track to include all material and labor	esurface ny- Bey? RE, BSS	SES 2000 RE 7mm: The Okm and offers athletes the higher makes training more manage beat. The SES 2000 RE 7mm: to thoughout required to meet the mountacture and facility manager mountactures and facility manager athletes and facility manager transmissed on the energies the permeable seal to re-energies to promise for unmarched training to youst for unmarched training to the countries of the seal of the top one for unmarched training the seal of the seal and total control by athletes.	ISS 2000 BE Sama TOP-ODATING OF EXISTING MINES 2000 RE Sama MIDIRE fibe Olympic-caliber BSS 2000 RE Sama bibleat fibe lighest level of control and max shickes the lighest level of control and max rather bearing more manageable and allows arbico BSS 2000 RE Sama manifeg track can be TURIN experience to meet the desires and nexts of two persons to meet the desires and nexts of two persons to ment the desires and next in the desires with existing the secured boyone fire unamariant at trach lobest featured boyone of the unamariant at trach exponse times and total control by athlesse.	BSS 360 RE The Beynord Sports BSS 300 RE is at system that features; a two component polyur component polyurethings with 1.3mm embedd an existing polyurethinase base mate or structural an existing polyurethinase base mate or structural resulting finish is an impermeable, seamless or that will ephyenarie and exend the life of your exellable in enrapsulated and Hobert textures.
Three (3) y s to maint and one (7	One (1) tir ng track, li	s the rel up to 13 prepara	nning (Fast track su sweepers sed (Owne	Striping: '	se: Comb in lieu of also be u	canning to	a runnir ur 160. F 100, BSS	nm: The Cetes the hi more mar come To uned to m diffy ment to re-ener, eal mat + rith either natched to of by athle	um TOP-O mpic-callt ghest level manageab; man runnin ent ne des et the des ers. The BS diche perf d topcoat d topcoat	e Beynon S stures; a tr bur'ethan wrethane is an impe mate and c capsulated
rear track I ain the sys i) line rest	ne track m espection :	noval an Imm in t Inton for De. Price	Track): Cl face from and blown as choice)	Track strip cks rangin tion facilit criping for	ination of asphaltice sed as a q urfacing, i	abor	g track t rice is to 200 REI	lympic-ca ghest leve ageable a ram runnin, cet the de ggrs. The gize your t fixe your t action and	DATING OF ET BSS 200 of control of control of g track can inces and n inces an	ports BSS wo compo with 1.3r base met rmeable, extend the
naintenan nhetic run fipe to the	aistenano ite report	d dispos hickness the insta applies	eening you n abrasiv ers are us for deeper	ing to brit gricom nor less and Co your fac	pea-gravel concrete to sick cure o Depth can	he Hobart	sing the be ADD track of	liber BSS 2 l of contro nd allows: g track can g track can dics and r sites and r sites and r sites and r sites and r sites and r out allows ded, encap ded, encap	EXISTING DO RE 5mm DO RE 5mm DO RE 5mm DO RE 5mm Land maxin Was arthlete Was arthlete Land maxin Was arthlete Land maxin Land Land maxin Land Land Land Land Land Land Land Lan	300 RE is a nent polyu nm embed or structu or structu or structu or structu or structu or structure it texture
FAST TRACK 3: Three (3) year track maintenance program. Secioloss include annual site visits to maintain the synthetic running track and include three is track washings and one (1) ine restripe to the synthetic running track. Inspection site report included per visit.	FAST TRACK 1: Ohe (1) time track maintenance visit to wash and restripe the synthetic running track, inspection site report included.	Work involves the removal and disposal of an existing synthetic track surface up to 15mm in thickness. This work can only be performed in preparation for the installation of a new Fiskflurf or Beynon track surface. Price applies to projects that are 3500 sy or more.	ir track fre e materia ed to clea deaning.	g your tra r-competiti Rege and I	In-Stu Base: Combination of pea-gravel rock and polyalethane binder on he installed in lieu of asphaltic concrete to make a protout sub base. The linking base can also be used as a quick care over concrete or asphaltip for treaching synthetic track surfacing. Depth can range from 'X' -4' thick.	Coating to	To resurface a running track using the Beynon Water Based Spray- Bey? ur 160. Price is to be ADDED to the BSS-100 RE, 200 RE, BSS-100, BSS-200 RED track options only.	ESS 2000 RE 7mm: The Olympic-caliber 1855 2000 RE 7mm is JuAF certified and offers athletes the highest level of control and maximum (nortgy return, makes training more manageable and allows athletes to complete at their beast. The ISS 2000 RE 7mm running track can be TURED to meet the precise duronable required to meet the decisier and needs of your coalching staff, athletes and feeds of your coalching staff, athletes and feeds of the precision of the properties of the precision of the properties of the proper	ISS 2000 BE Samm TOP-CDATING OF EXISTING SUBFACES OF 4,500 SQLYISS OF MODIE; Fibe Olympic-caliber BSS 2000 RE Sama is UAF certified and offers abblete the highest level of control and meximum energy retirm. It makes training more manageable and allows abbletes to compete at their best. The BSS 2000 RE Sama running track can be TURED to meet the precise duranted required to meet the desires and nextless of your coaching sand; abbletes and facility managers. The BSS 2000 RE Sama is designed and manufactured for potent competitive performance with exitor at embedded, disapsished of blokent exacured to postent for unmarked tracking and discounted for the state of	BSS 500 RE The Beynou Sports BSS 300 RE is an impermeable insurfacing system that features; a two component polyurethane seal coat layer and component polyurethane with 1.3mm embedded EPMM gracules to result an existing polyurethane with 1.3mm embedded EPMM gracules to result an existing polyurethane base made or structural super track suiface. The resulting finish is an impermeable, seamless embedded textured wearing that will eighteen and count of the fife of your track suiface, it is also evaluable in encapsulated and Hobert textures.
running tr	esh and r	ocisting s ork can o a new F cas that a	e of cilita ils and a an topical	ck's lines ion tracks, Universitie des lane	polyujetha orous sub te or asph	r Polyaret	Water B BSS-100 N.	m is DAF mum ener compete to meet t ur coachi designed a designed a ling a unif timal com Hobert to	s OF 4,500 retified and sy return, the at their the precise the precise g staff, ath I manufact ded, encap rebility for	eableiresu sal coat las I granules I granules ack surfac textured v
FAST TRACK 3: Three (3) year track maintenance program, Services include senuel site visits to maintain the synthetic running track and include three (3) track washings and one (1) ine restripe to the synthetic running track inspection site report included per visit.	stripe the	nthetic nly be ieldTurf ire 3500	Track Gesning (FastTrack): Gesning your track free of dirt and debyls to protect, your track surface from abrasive materials and aesthetically enhancing its Sweepers and blowers are used to dean topical debris and water can be used (Dwners choice) for desper deaning.	Track Re-Striping: Track striping to bring your track's fixes back to life. Stx eights or line lane tracks renging from non-compedition tracks, middle and high school level competition for this sea of Orlege and Universities, Marching of all associated line striping for your facility includes lane lines, event markings and lettering.	In-Situ Base: Combination of pea-gravel nock and polyujetiane binder on he installed in lieu of asphaltic concrete to make a potous sub base. The in-Situ Base can also be used as a quick cure over concrete or syniality inforto receiving synthetic track surfacing. Depth Lean range from ½"—4" thick.	To resurface a running track using the Hobart Coating for Polytrethane tracks Include all material and labor	SE BSS-	ISS 2000 RE7mm: The Olympic-caliber BSS 2000 RE7mm is pAF certified and offers athletes the highest level of control and maximum energy return. It ruthes training more manageable and allows athletes to complete at their best. The RSS 2000 RE7mm running track can be TIMED to meet the precise durantees required to meet the detailer and needs of your coaduling staff, athletes and facility managers. The BSS 2000 RE7mm is designed and manufactured to re-energie your track surface by inscaling a uniform. But manufactured to re-energie your track surface by inscaling a uniform a precision of the particular of the performance with either an embedded covered for orbinal formatched traction and durability for improved response times and total control by athletes.	ISS 2000 RE Sum TOP-COATINIG OF EXISTING SURFACES OF 4,500 SQ.YUS OR MODE; the Olympic-caliber BSS 2000 RE Sums is UAF cartified and offices achieves the highest level of control and maximum energy return. It makes training more manageable and allows arbitetes to compete at their best. The BSS 2000 RE Summ running track can be TUNED to meet the precise elimentees to see the compete surface and the second properties of the properties of the properties of the second for the second the second for the second for the second second for the second second for the second second for the se	BSS 500 RE The Beynou Sports BSS 300 RE is an impermeable resurfacing system that features; a two component polyurethane seal cost layer and two component polyurethane with 1.3mm embedded EPDM grazules to resurface an existing polyurethane with 1.3mm embedded EPDM grazules to resurface an existing polyurethane base mate or structural surpy track suffect. The resulting finish is an impermeable, seamless embedded textured wearing cost than will rejevente and extend the Re of your track surface, it is also evaluable in encapsulated and Hobert textures.
Per	 Pe									
Per Package	Per Package	Per Sq. Yard	Per Sq . Yard	Lump Sum	Per Sq , Yard	Per Sq. Yard	Per Sq. Yard	Per Sq. Yard	Per Sq . Yard	Per Sq . Yard
<b>5</b>	<u>ب</u>	Yard \$	Yard S	\$	Yand S•	Yard \$	Yard	Yard S	Yard \$	Yard S
и	w			15,00		ļ				
50,000,00	35,000.00	88 88	5.00	000.00	18.68	44.00	\$2.76	70.45	63.00	76.65
							********			
ω	10	<b>v</b>	up.	,	L <sub>u</sub>	\$ %000.6	ıa	la l	10	10
\$	\$	9% \$	9% \$	\$	\$	8	\$	\$	₩ 	\$
- 4.	ŧw			H						
45,500.00	31,850.00	7.60	4.55	13,650.00	17.00	40.04	2.51	<b>2</b>	57.33	S9.75

	1	T		<u> </u>	,						T		П		
132 FI	131 FI	130 FI	129 B	128 Fi	127 P	126 FI	125 TI	124 8	123	122 F	121	120 A F	119 P	118 R	117 F
FieldTurf Ultra Pet	FieldTurf Nutmeg Ultra	FieldTurf Olive Ultra	FieldTurf All Purpose Blend	FieldTurf Versa Lush	FieldTurf Nutmeg Premium	FieldTurf Olive Premium	FieldTurf Power Play Fit Turf	124 FieldTurf Command Duo	FieldTurf Command Play Olive	FieldTurf Command Play	FieldTurf Command CORE	FieldTurf-EasyTurf	ınufacturer	Past Track 8	117 Fast Track 5
FieldTurf Ultra Pet	FieldTurf Nutmeg Ultra	FieldTurf Olive Ultra	FieldTurf All Purpose Blend	FieldTurf Versa Lush	FieldTurf Nutmeg Premium	FieldTurf Olive Premium	FieldTurf Power Play Fit Turf	ReldTurf Command Duo	FieldTurf Command Play Olive	FieldTurf Command Play Nutrneg	FieldTurf Command CORE	AirFieldTurf	Product#	Fast Track 8	Fast Track 5
construction containing no nylon and features the proprietary Macrifford Drittoge System.	numbel, unter se coluption on traps, quality numberanced manus submitted by rationary formatters of the manuscript of charmed gash, it is made unable for the sea of the charmed gash, it is made unable to the control gash of the charmed gash it is made unable to the propertiestry blanckform Starten.  Lincolling Starten in the control gash of the charmed gash gash of the charmed gash gash gash gash gash gash gash gash	Olive Ultra is comprised of high quality multi-colared blades successful by a natural reasonized thanh ager that shoulines the looks and field of Lattonia gauge. It is made using 100% polycopytion that construction containing an option and demants the proprietary Marantings Thainings System.	similate the look and fied of tratural grass. It is made using 100% polycliplene fiber construction containing no tylen and Gatures the propertiesy Maxwelley Drainings System.	Versal Jasa is complessed of "multi-colored blades surmounded by an objec "transmoot" that the layer that simultanes the book and the of tentum layers. It is mode-intege 100% pulperflaying a fiber construction constaining no spices and features the proprietary Manager's producting Dentalings System.	Nameg Pennium is comprised of premium mails-colored blades surminated by a nature recombact from layer their discely simulates the look and field of natural grass. It is made insig 100% polythylooc fiber construction committing no sydm and deduces the proprietary Manchines Desimps System.	Office Frantism is comprised of premium multi-colored blades surrounded by an olive "Lecurizade" through layer than closely simulates the book and sked of Catalrial games. It is made using 100% policythen: Date construction continuing no raylot and definings the proprietary Manachers Drainings System.	Economically FIT That is comprised of permium multi-colored situ-film bindes surrounded by a other "proximent" funch layer and includes a Sean form backing. This mat'll designed to be seen the form of does not enquine infill. It is made using 100% polyethylene filter construction containing no apion.	COMMAND Date is comprised of a bland of mountinement and sit-film lideds that closely simulates the look and find for transmit gens. It is made state; (10)% polychylates the construction committing as system and features the projectory aqualities Datings System.	COMMAND Flay Office is comprised of prominen multi-colored Nucleor immediately en- olitic "transfirmed" thanki layer that closely circulates the lock and that Grannat grees. It is made using 10% ophychicae their construction containing to nyion and faitness the proprise by Aquadlow Dustings System.	COMMAND Play Nameg is comprised of premium unth-colored thirds surrounded by nameng "notations" thank layer that closely simulates the look and field of that named gains and sold played plates the construction containing no nylon and features the proprietory Aquather Drainings System.	COMMAND COMB is comprised of a brand of monofiliament and slit film bades surrounded by an olive and marine; "texturized" furth byer first decey's simulates to book and fiel of mutual grass. It is made using 100% polyathytics film; construction containing an wifen and features the propriemry Aquallow Denings System.	Patented Air FaldTlurf is the leader in aviation-grade authinical but solutions and has been rigorously tested to ensure the system meets aid exceeds all United States federal aviation Administration (F9A) requirements for ainside applications of synthetic surf per F4A AC 150/3370-13. As the leading global provides in a windron grade artificial surf systems, we are your do-pilot in improved ground safety and lower maintenance. We offer the planning applications and options to practice a stift, low maintenance artificial turf surface that pags for listel quickly, Most clients can expect a gium on their nutral investment in as little as 3 years.	Greenscapes	FAST TRACK &: Elgit (8) year track maintenance program. Services include annual site visits to maintain the synthetic running track and include eight (8) track washings and one (1) line restripe to the synthetic running track inspection site report included per visit.	FAST TRACK 5: Five (5) year track maintenance program. Services include onmed side visits to maintain the oynthetic running track and include five (5) track washings and one (1) line restripe to the synthetic running track inspection side report included per visit.
Drainage	it is made using to proprietary at closely	by a nutneg It is made using e progridary	glene fiber Drainage	e textumed" ing 100% fidary	led by a natmeg I grass. It is I features the	Thy an olive I grass. It is I Scattmes the	es surrounded by runf is designed ethylene fiber	blades that 6 polyethylene Sow Praimage	arrounded by an catural grass. It and features the	s sproppeded by a of matural grass. It mod freshures	m blades simulates the construction tern.	rf solutions exceeds all tos for airside eading global pilot in planning planning fitical turf turn on their		s Services g track and to the er visit.	es include clude five (5) z track
¥	λί	Si	ধ	ਹੀ	Si.	χ	क्ष	<del>t</del> i	St.	N.	έ	Per Sq. Ft.	UNIT	Per Package	Per Package
tv.	·s.	ts	is	tn	ss.	v,	₩.	in	ts.	is.	₹A.	to	MSRP	S	w
11.55	11.55	11.55	11.55	12.15	11.85	11.85	14.99	11.85	12.25	12.25	12.48	6.99		110,000,001	85,000.00
9%	3%	9%	%2	%	9%	9%	9%	9%	%	9%	9%	l s	% Discount		10
₩.	\$	\$	w	s.	w	<b>₩</b>	-tn	in	to.	₩	w	9% \$	Price pe	\$ ts	\$
10.51	10.51	10.51	10.51	11.06	10.78	10.78	13.64	10.78	11.15	11.15	11.36	ន្តា ម ទ	Price per sq. foot	100,100,00	77,350.00

												***************************************			
150	Outdoor Court Surfacing (	larkett Indoor Court Flooring: Tarkolay 147 Moisture Barrier 148 Brount Manufacture	Tarket Indoor Court 146 Flooring: PTP P&P 7+2	Tarket Indoor Court 145 Flooring: OS 7.1	Basy/Ited/Futting Green Pad is a green cashing pad that is 14" thick and support and used to cashing and support 143 spatients purting green subsets.	FieldTurf Playground Pad 142 5'	FieldTurf Playground Pad	FieldTurf EasyTurf Signature Pro Driving 140 Range Turf	FieldTurf EasyTurf 139 Signature Pro Tee Turf	Fieldfurffru-Roll Putting	FieldTurf Classic HD S	HeldTurf Classic HD Sports	135 FieldTurf EasyPlay Color	134 FieldTurf EasyPlay	FieldTurf General Purpose
	ing { Outdoor Court Surfacing	Tarket Indoor Court   Flooring: Tarkolay   Moisture Barrier   Moisture Barrier   Moisture Barrier   Tarkolay   Product#)   Product#	2 PTP P&P 7+2	05.7.1	thick Essylant Purining Green. End is a green cushford real field that is 1/4" thick and most to combine and angood a pulled for parting green surfaces.	<b> </b>	Pad FieldTurf Playground Pad 12'	PieldTurf EasyTurf Signature Pro Driving Range Turf		ing FieldTurfTru-Roll Putting Green	FieldTurf Classic HD Sports FieldTurf Classic HD Sports Turf Turf Color Color	ports FieldTurf Classic HD Sports Turf	or FieldTurf EasyPlay Color	FieldTurf EasyPlay	pose FieldTurf General Purpose Thatch
Open Market territor Gutreed Goodst (Ste Victoria to 1110) protestatata (registrative or configurational a finition to protestatatata)	4 coat system that provides a long-wearing color surface of uniform texture. Systems are suitable for all climatic conditions and protect asphalt from ultraviolet; ray detarlocation. Based on 100% acrylic water valide coatings. 1 court is 7200sf.	Polymentan indoor sports Hoois  Per Sq. Ft.  Pouthoon Court's infections (Accord Fiesdbace)	Polyurethan Indoor Tennis/baskethall/Sports Floors	Polyurethan Indoor Tennis/Baskethall/Sports Floors	Beyforf Puning Circa. Pad is a great enstina pad that is 114° th and support symbolic puning great surfaces.	Playground Paul is a water-permetale satisty paul that is inspired benefit synthetic playground tenf. One layer of Ensyltent Playground Paul is cated for full height satisty of the to 5 thet, and exceeds all ASTM requirements.	Elaygound Bal is a waer-pemoetile safety pal they is insalled beneath symbolic polytopend and foot layer of Bay Tar Elaygound Pal is rated for fall height safety of up to 8 dect, and conset of ASTM registraturates Relating can also be declar stated to provide full height safety ratings at up to 12 feet.	Ben/Int Signatum Fro Diving Rouge That's constructed of the highest quality polyethelyne all. Ilim blades that clouely simulate the look and first of rimoni gasse golf chiraly cross. Every Signatum Pro Golf project is designed for functionality and to anext professional standards. Signature Pro Diving Range Pur Senys pictures with only minimal attention and one.	Bag/Luf Signature Dro Tae Tauf is constructed of the highest quality p-hypoxylear blankes final obsery simulate the hole and feel of canamit grass golf tee from trees. Every 486 Signature Tro Colf-Quyden's a designed of fee final monthly and to most grayleastered searcheds. Signature Pro Tee Tauf stays pixturesque with only mixtural justemices and once	Tra-Roll Trutting Greens are conservated of polygropylene blades that closely simular the look and that of county jerses give greens. Here Yra-Roll Parting Green project is designed for functionally and to now probessional constants. Tra-Roll Parting Greens step pictures que with only maintain attention and care.	Classio EID Spears Tarf is a comprised of single-color penatura UV-resistant polyethylene firefulend sin-Eun hades. It is made using 100% polyethylene fiber construction commission to pylon, and the hadding is made of dual-dayer worsto polypropylene.	Classic HD Sports Tart is a comprised of faigle-color paraism UV-resistant polyathylano fibrilanced sit. Aim thickets. It is made using 100% polyathylano fibre consumention commissing no nylan, and the backing is made of danl-layer woman polyathylane.	EasyElry Color is comprised of a single-color prentium UV-resistant polyethylene fibrathetic site-fine histor. It is made many 100% polyethylene fibra construction commission upon the both fibration fibration as unique insort theory-monitoring production and the fibration of the fibration fibration production for high-new mone EasyElry one of the strongest and most resilient synthetic games option; for high-new mone	EasyFlay is comprised of a single-color promium UV-resistant polyethylene flerilaned sit flush hidder. It is mode resign 100% substributes flor construction containing no crysta. Best flow it on a single interfact hospoproth parture, making EasyFlay one of the strongers not most resilient symbols genes options for high-use mass.	General Purpose Thatch is comprised of multi-colored blades amounded by a namespoiste "tenched" feach layer that simulates the look and the fortunant gens. This faction layer netwest requirements fix sand or sand/miber mix infill forescen the blades, which notes frist product ideal for applications where lower infill is desired. It is made using 10% polycologues five construction authinities no uploa and features the programmy Measther Deninage System.
ING ING	xture. Ings. 1 Per Court	Per Sq. ft.	Per Sq. Ft.	Per Sq. Ft	costion Sf	ety of up	ety of up	to ancet: only SF	Every SF	visio the Rectus	yeitylene SF	yethykene SF	naking SF	ngion. of the	grass for the first state of the
MSRP	\$ 14,000.00	\$ 4.25	ts.	\$ 1	30	\$ 3.50	\$ 3.85	\$ 7.50	\$ 15.64	\$ 14.87	\$ 12.58	\$ 11.08	\$ 11.96	\$ 10.48	\$ 8.25
%Discount:	0.09 \$	5% \$	\$ %9	2.90 9% \$ 11.74	\$	\$	9%	\$	\$	9%	\$	\$ %6	9% S	9%	3. 366
MEANS Coefficient	12,740.00	\$ 3.87	11.39	11.74	1.16	3.19	3.50	5.83	14.23	13.53	11.45	10.08	10.88	9.54	7.51

T	1	1	1		г		1	•	1	1	<del> </del>	7	1				1			
169	168	167	166	186	164	163	162	161	160	159	158	<b>5</b>	156	15:	Ŕ	15	15	151		
Offerer's Support for Sourcewell Pricing, Percent off the Offerer's Support for Sourcewell pricing Page	R.S. Means Multiplien/Factor - Out Side of Normal Hours	R.S. Means Multiplier/Factor - Normal Hours	Discounts officed of alternative costing methods (cost + profit & overhead) Rate of discount.	Alternative methods of costing - percent of overhead/markup to cost	· · · · · · · · · · · · · · · · · · ·		Performance and payment bond - bonding rate (percent of project)	Description of Cost Factors	FieldTurf	FeidTurf	3 FieldTurf	7 FeldJuf	5	155 FieldTurf	154 FieldTurf	153 FieldTurf		surface	track, or court to install a	Site Work to build or construct base for Turf.
Percent	Milipiier	Multiplier	Percent	Percent	Percent	Dollar Amount	Pencent	Unit of Measure	FieldTurf Field Sweep	FieldTurf Re-Cover (Replacement Overlay)	FieldTurf Genius supply with 8 Year Monthly plan	FieldTurf Genius-Supply equipment (does not include monthly plan or pole)		Admin.	Engineering	Design/Mgt				
9,0%	1.15	0.99	10%	25%	NA .	\$75,000,000.00	1,5000%	Offeror's Base Bid	Field Turf Field Sweep	install a new field furfield on top of an eligible existing synthetic field. Process allows for consistent footing, ball-to-urface interaction and performance on 3a-Cower, the existing field is carefully leveled to create plannishy. A surfactant is than a spilled to the existing infill to lower surface tension and aid in reducing long-term compaction. [Additional coets rigg apply for additional leveling/base remediation].	FaidTurf Genius uses the latest in computer technology to document real time field usage and participation. Data is provided to owner's facilities department that identifies trends in field usage, peak/off peak times, and attendance. Through inhalligent maintenance already set and exhebites, this technology will help you maintain a constant high level of surface performance throughout the life of the turf to maximize usage, includes a sear monthly fee.	FieldTurf Gealiss uses the latest in computer technology to document real time field usage and participation. Data is provided to owner's facilities department that identifies trends in field usage, peak/off peak arms, and attendance. Through intelligent maintenance alors and schedules, this rechnology will help you maintain a constant high level of surface performance throughout the life of the turf to maximize usage.		Installer/Admin (Tradesman)(Not related to turn, track, or court installation) Project Administrator costs for Sha Work.	Professional Engineering Services: Geo Technical, Survey, boying testing, etc.	Project Design, Development or Consultant/Construction Management	Professional Services		base, top rock, conduits, critic repair, demolition or any other necessary related site work will be priced via RS MEARS.	Any cut and fill, excaustion, asphalt, lighting, fencing, sidewalks, concrete work, drainage systems, the in to existing drainage, windscreens, aggregate
										etic field. and to	ument real recities fires, and ules, this oe Indudes 8	ument real s facilities times, and ules, this		t installation)	ng testing, etc.	gement.			necessary	s, concrete s, aggregate
		Additional Discount on RS Means available besed on dollar volume	(e.g. \$125 - 10% Discount = \$112.50)	(e.g. \$100 + 25% P&O = \$125)					Per Unit	Per Sq. Ft.	Cost per Unit	Cost per Unit		Per Hour	Per Hour	Per Hour	UNIT MSRP	RS MEANS	7	-
		es Means	ount=\$1	)=\$125					t/s		₩.	45		43-	to	w	MSRP	RS MEAI		
		evallable be	12.50)	-	•				5,000.00	\$1.50	90,000,09	40,000.00		125.00	175.00	200.00		S		
									9%	10.00%	10.00%	10.00%	No. of the last		5 %6	5%	% Discount	0.01		
			Additional discount on Alternative costing available based on doilar volume.						\$4,550.00	\$1.35	\$ 54,000	\$ 36,000		\$	\$ 159.25	\$ 182,00	Cost to Eustomer	0.59		

		·
		l ;
	i	
	1	
	1	i
		į
	1	
	İ	
		į ir dartininininininininininininininininininin
		<u> </u>
		•
		į
	[ ]	
		<b> </b>
		1
		<b> </b>
		•
	1	!
	]	ì
		ļ
	]	
		·
	į l	
	]	
to PRESSOR CO. C. C. SEC. Min. C. C. Charles Co., Mark Co., Mark Co., Company Co., Co., Co., Co., Co., Co., Co., Co.,	a ar mar mar mar mar a	The fact to the control of the contr
	i	
•		
	i l	
·		
·		
		:
·		
·		

#### **Karl Chuck**

From:

Horace McLarty

Sent:

Thursday, May 6, 2021 9:59 AM

To:

Karl Chuck

Cc:

Alexander Nonamaker

Subject:

FW: [EXT]Hollywood West Sourcewell COOP

**Attachments:** 

CityofHollywood\_W20791644.pdf

Acceptable. Thanks

#### Horace McLarty

Accountant, Human Resources/Risk Management



Office: (954) 921-3292 Fax: (954) 921-3678

From: Karl Chuck

Sent: Thursday, May 06, 2021 9:02 AM

To: Horace McLarty < HMCLARTY@hollywoodfl.org>

Cc: Alexander Nonamaker < ANONAMAKER@hollywoodfl.org>

Subject: RE: [EXT]Hollywood West Sourcewell COOP

#### Horace

See updated, renewal COI for Field Turf for synthetic turf install at Dowdy Field and Hollywood West. For your review. KC

From: Horace McLarty

**Sent:** Wednesday, April 14, 2021 2:37 PM **To:** Karl Chuck < <u>KChuck@hollywoodfl.org</u>>

Subject: FW: [EXT]Hollywood West Sourcewell COOP

Satisfactory. Thanks

#### Horace McLarty

Accountant, Human Resources/Risk Management



#### CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 04/30/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

	CONTACT Willis Towers Watson Certificate Center
Willis Towers Watson Northeast, Inc. c/o 26 Century Blvd	PHONE (A/C, No, Ext): 1-877-945-7378 FAX (A/C, No): 1-888-467-2378
P.O. Box 305191	EMAIL ADDRESS: certificates@willis.com
Nashville, TN 372305191 USA	INSURER(S) AFFORDING COVERAGE NAIC#
	INSURER A: XL Insurance America Inc 24554
INSURED	INSURER B: Travelers Property Casualty Company of Ame 25674
Fieldturf USA, Inc. c/o Sports Division	INSURERC: Travelers Indemnity Company of America 25666
Tarkett Inc.	INSURERD: Travelers Indemnity Company 25658
7445 Cote-de-Liesse Road, Suite 200	INSURER E:
Montreal, QC H4T 1G2 CAN	INSURER F:

^	•			0	А	•	E٤	•
•	v	ν	С	К	м	u	G3	,

#### **CERTIFICATE NUMBER: W20791644**

**REVISION NUMBER:** 

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

	EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.  NSR! POLICY EFF   POLICY EXP								
INSR LTR		TYPE OF INSURANCE	INSD	WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMIT	5
	×	COMMERCIAL GENERAL LIABILITY						EACH OCCURRENCE	\$ 1,000,000
		CLAIMS-MADE X OCCUR						DAMAGE TO RENTED PREMISES (Ea occurrence)	\$ 500,000
A								MED EXP (Any one person)	\$ 10,000
			Y		US00010327LI21A	05/01/2021	05/01/2022	PERSONAL & ADV INJURY	\$ 1,000,000
	GE	N'L AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGATE	\$ 2,000,000
	×	POLICY PRO- LOC						PRODUCTS - COMP/OP AGG	\$ 2,000,000
		OTHER:							\$
	AU.	OMOBILE LIABILITY						COMBINED SINGLE LIMIT (Ea accident)	\$ 3,000,000
	×	ANY AUTO						BODILY INJURY (Per person)	\$
В		OWNED SCHEDULED AUTOS ONLY AUTOS	Y		TC2JCAP-823K312A	05/01/2021	05/01/2022		\$
		HIRED NON-OWNED AUTOS ONLY				1		PROPERTY DAMAGE (Per accident)	\$
						-			\$
		UMBRELLA LIAB OCCUR						EACH OCCURRENCE	\$
		EXCESS LIAB CLAIMS-MADE						AGGREGATE	\$
l .		DED RETENTION\$							\$
		RKERS COMPENSATION EMPLOYERS' LIABILITY						X PER OTH- STATUTE ER	
С	ANY	PROPRIETOR/PARTNER/EXECUTIVE	N/A		UB-8P793534-21-51-K	05/01/0001	05/01/2022	E.L. EACH ACCIDENT	\$ 1,000,000
	(Ma	idatory in NH)	"'^		UB-82/93534-21-51-X	05/01/2021	05/01/2022	E.L. DISEASE - EA EMPLOYEE	\$ 1,000,000
	If ye	s, describe under CRIPTION OF OPERATIONS below						E.L. DISEASE - POLICY LIMIT	\$ 1,000,000
D	Wo	kers Compensation &			UB-8P760619-21-51-R	05/01/2021	05/01/2022	E.L. Each Accident	\$1,000,000
	Employer's Liability							E.L. Disease-Pol Lant	\$1,000,000
	Work Comp - Per Statute							E.L. Disease-Each Emp	\$1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

WC Policies:

Policy # UB-8P793534-21-51-K - covers all other states.

Policy # UB-8P760619-21-51-R - covers AZ, MA, OR, WI only.

Project: Hollywood West Sourcewell COOP

CERTIFICATE HOLDER	CANCELLATION
	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
City of Hollywood	AUTHORIZED REPRESENTATIVE
P.O. Box 229045	
Hollywood, FL 33022-9045	leable measure

© 1988-2016 ACORD CORPORATION. All rights reserved.

AGENCY CUSTOMER ID:	 
LOC #:	



#### **ADDITIONAL REMARKS SCHEDULE**

Page 2 of 2

AGENCY Willis Towers Watson Northeast, Inc.	NAMED INSURED Fieldturf USA, Inc. a/o Sports Division		
POLICY NUMBER See Page 1	Tarkett Inc. 7445 Cota-de-Liesse Road, Suite 200		
CARRIER See Page 1	Montreal, QC H4T 1G2 CAN  EFFECTIVE DATE: See Page 1		

CARRIER	NAIC CODE							
See Page 1	See Page 1	EFFECTIVE DATE: See Page 1						
ADDITIONAL REMARKS								
THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,								
FORM NUMBER: 25 FORM TITLE: Certificate of	Liability	Insurance						
		General Liability and Auto Liability policy, as respects						
to the liability arising out of ongoing and comp								
construction contract for the period of time req	uired withi	n the contract.						
·								
		·						
I								

ACORD 101 (2008/01)

© 2008 ACORD CORPORATION. All rights reserved.

The ACORD name and logo are registered marks of ACORD

SR ID: 21038731

BATCH: 2077416

CERT: W20791644

#### **ENDORSEMENT**

This endorsement, effective 12:01 a.m., May 01, 2021 forms a part of Policy No. US00010327LI21A issued to Tarkett Enterprises, Inc. by XL Insurance America, Inc.

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

#### **CANCELLATION NOTIFICATION TO OTHERS ENDORSEMENT**

In the event coverage is cancelled for any statutorily permitted reason, other than nonpayment of premium, advanced written notice will be mailed or delivered to person(s) or entity(ies) according to the notification schedule shown below:

Name of Person(s) or Entity(ies)	Mailing Address:	Number of Days Advanced Notice of Cancellation:
As required by a written contract or written agreement. All certificate holders on file with the Insured.		30 All other 10 for nonpayment

All other terms and conditions of the Policy remain unchanged.

ISSUE DATE: 05-01-21

#### THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

# DESIGNATED ENTITY – NOTICE OF CANCELLATION PROVIDED BY US

This endorsement modifies insurance provided under the following:
ALL COVERAGE PARTS INCLUDED IN THIS POLICY

#### **SCHEDULE**

CA	NCE	ΙΙΔ	TIC	Mi-
$\sim$	$\mathbf{u}$	ᆫᆫᄶ		/ I W -

Number of Days Notice of Cancellation: 30

# PERSON OR ORGANIZATION:

Any person or organization to whom you have agreed in a written contract that notice of cancellation of this policy will be given, but only if:

- 1. You send us a written request to provide such notice, including the name and address of such person or organization, after the first Named Insured receives notice from us of the cancellation of this policy; and
- 2. We receive such written request at least 14 days before the beginning of the applicable number of days shown in this endorsement.

#### ADDRESS:

The address for that person or organization included in such written request from you to us.

#### PROVISIONS:

If we cancel this policy for any statutorily permitted reason other than nonpayment of premium, and a number of days is shown for cancellation in the schedule above, we will mail notice of cancellation to the person or organization shown in the schedule above. We will mail such notice to the address shown in the schedule above at least the number of days shown for cancellation in the schedule above before the effective date of cancellation.



ONE TOWER SQUARE HARTFORD, CT 06183

WORKERS COMPENSATION
AND
EMPLOYERS LIABILITY POLICY
ENDORSEMENT WC 99 06 R3 (00)

POLICY NUMBER: UB-8P793534-21-51-K

# NOTICE OF CANCELLATION TO DESIGNATED PERSONS OR ORGANIZATIONS

The following is added to PART SIX-CONDITIONS:

#### Notice Of Cancellation To Designated Persons Or Organizations

If we cancel this policy for any reason other than non-payment of premium by you, we will provide notice of such cancellation to each person or organization designated in the Schedule below. We will mail or deliver such notice to each person or organization at its listed address at least the number of days shown for that person or organization before the cancellation is to take effect.

You are responsible for providing us with the information necessary to accurately complete the Schedule below, If we cannot mail or deliver a notice of cancellation to a designated person or organization because the name or address of such designated person or organization provided to us is not accurate or complete, we have no responsibility to mail, deliver or otherwise notify such designated person or organization of the cancellation.

#### **SCHEDULE**

#### Name and Address of Designated Persons or Organizations:

Number of Days Notice

NAME: ANY PERSON ORGANIZATION WITH WHOM YOU HAVE AGREED IN A WRITTEN CONTRACT THAT NOTICE OF CANCELLATION OF THIS POLICY WILL BE GIVEN, BUT ONLY IF:

30

- 1. YOU SEE TO IT THAT WE RECEIVE A WRITTEN REQUEST TO PROVIDE SUCH NOTICE, INCLUDING THE NAME AND ADDRESS OF SUCH PERSON OR ORGANIZATION, AFTKR TME FIRST NAMED INSURED RECEIVES NOTICE FROM US OF THE CANCELLATION OF THIS POLICY; AND
- 2. WE RECEIVE SUCH WRITTEN REQUEST AT LEAST 14 DAYS BEFORE THE BEGINNING OF THE APPLICABLE NUMBER OF DAYS SHOWN IN THIS ENDORSEMENT.

ADDRESS: THE ADDRESS FOR THAT PERSON OR ORGANIZATION INCLUDED IN SUCH WRITTEN REQUEST FROM YOU TO US.

# TRAVELERSJ

ONE TOWER SQUARE HARTFORD, CT 06183

WORKERS COMPENSATION
AND
EMPLOYERS LIABILITY POLICY
ENDORSEMENT WC 99 06 R3 (00)

POLICY NUMBER:UB-8P793534-21-51-K.

Number of Days Notice

Name and Address of Designated Persons or Organizations:



**DATE OF ISSUE**: 05-01-21

© 2013 The Travelers Indemnity Company. All rights reserved.

STASSIGN:

ONE TOWER SQUARE HARTFORD, CT 06183

#### WORKERS COMPENSATION AND EMPLOYERS LIABILITY POLICY ENDORSEMENT WC 99 06 R3 (00)

Page 3 of 3

POLICY NUMBER: UB-8P793534-21-51-K

Name and Address of Designated Per	sons or Organizations:	Number of Days Notice
		•
		' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
All other terms and conditions of this poli	icy remain unchanged.	
This endorsement changes the policy to stated.	which it is attac.lled and is effective o	n the date issued unless otherwise
(The information below is required on the policy.)	ly when this endorsement is issued	subsequent to preparation of
Endorsement Effective 05/01/21 Insured	Policy No.	Endorsement No. Premium\$
Insurance Company	Countersigned by ————	