

SECTION 00300 – PROPOSAL

TO THE MAYOR AND COMMISSIONERS
CITY OF HOLLYWOOD, FLORIDA

SUBMITTED Nov. 15th, 2012

Dear Mayor and Commissioners:

The undersigned, as BIDDER, hereby declares that the only person or persons interested in the Proposal as principal or principals is or are named herein and that no other person than herein mentioned has any interest in this Proposal or in the Contract to be entered into; that this Proposal is made without connection with any other person, company or parties making a Bid or Proposal; and that it is in all respects fair and in good faith without collusion or fraud.

The BIDDER further declares that he has examined the site of the Work and informed himself fully in regard to all conditions pertaining to the place where the Work is to be done; that he has examined the Drawings and Specifications for the Work and contractual documents relative thereto, including the Notice to Bidders, Instructions to Bidders, Proposal Bid Form, Form of Bid Bond, Form of Contract and Form of Performance Bond, General, Supplementary and Technical Specifications, Addenda, Drawings, and MBE/WBE Program, Exhibit A-D, and has read all of the Provisions furnished prior to the opening of bids; and that he has satisfied himself relative to the work to be performed.

The undersigned BIDDER has not divulged to, discussed or compared his bid with other bidders and has not colluded with any other BIDDER of parties to this bid whatever.

If this Proposal is accepted, the undersigned BIDDER proposes and agrees to enter into and execute the Contract with the City of Hollywood, Florida, in the form of Contract specified; of which this Proposal, Instructions to Bidders, General Specifications, Supplementary Conditions and Drawings shall be made a part for the performance of Work described therein; to furnish the necessary bond equal to one hundred (100) percent of the total Contract base bid, the said bond being in the form of a Cash Bond or Surety Bond prepared on the applicable approved bond form furnished by the CITY; to furnish all necessary materials, equipment, machinery, tools, apparatus, transportation, supervision, labor and all means necessary to construct and complete the work specified in the Proposal and Contract and called for in the Drawings and in the manner specified; to commence Work on the effective date established in the "Notice to Proceed" from the ENGINEER; and to substantially complete all Contract Work as per Project Schedule of Section 00800, and stated in the "Notice to Proceed" or pay liquidated damages for each calendar day in excess thereof, or such actual and consequential damages as may result therefrom, and to abide by the MBE/WBE Program.

The BIDDER acknowledges receipt of the following addenda:

No. <u>1</u>	Dated <u>October 25, 2012</u>
No. _____	Dated _____
No. _____	Dated _____

And the undersigned agrees that in case of failure on his part to execute the said Contract and

the Bond within ten (10) days after being presented with the prescribed Contract forms, the check or Bid Bond accompanying his bid, and the money payable thereon, shall be paid into the funds of the City of Hollywood, Florida, otherwise, the check or Bid Bond accompanying this Proposal shall be returned to the undersigned.

Attached hereto is a certified check on the

_____ Bank of _____

or approved Bid Bond for the sum of

10% of Bid Dollars (\$) according to the conditions under the Instructions to Bidders and provisions therein.

NOTE: If a Bidder is a corporation, the legal name of the corporation shall be set forth below, together with signature(s) of the officer or officers authorized to sign Contracts on behalf of the corporation and corporate seal; if Bidder is a partnership, the true name of the firm shall be set forth below with the signature(s) of the partner or partners authorized to sign Contracts in behalf of the partnership; and if the Bidder is an individual, his signature shall be placed below; if a partnership, the names of the general partners.

WHEN THE BIDDER IS AN INDIVIDUAL:

(Signature of Individual)

(Printed Name of Individual)

(Address)

WHEN THE BIDDER IS A SOLE PROPRIETORSHIP OR OPERATES UNDER A TRADE NAME:

(Name of Firm)

(Address)

(Signature of Individual) (SEAL)

WHEN THE BIDDER IS A PARTNERSHIP:

(Name of Firm) A Partnership

(Address)

By: _____
(SEAL)
(Partner)

Name and Address of all Partners:

WHEN THE BIDDER IS A JOINT VENTURE:

(Correct Name of Corporation)

By: _____
(SEAL)
(Address)

(Official Title)

As Joint Venture
(Corporate Seal)

Organized under the laws of the State of _____, and authorized
by the law to make this bid and perform all Work and furnish materials and equipment
required under the Contract Documents.

WHEN THE BIDDER IS A CORPORATION:

T.V. Diversified, Inc

(Correct Name of Corporation)

By: Thomas R. Kite Jr

(SEAL)

President

(Official Title)

6397 Shadow Creek Village Cir

(Address of Corporation) Lake Worth, FL 33463

Organized under the laws of the State of Florida, and authorized by the law to make this bid and perform all Work and furnish materials and equipment required under the Contract Documents.

CERTIFIED COPY OF RESOLUTION OF
BOARD OF DIRECTORS

T.V. Diversified, Inc.

(Name of Corporation)

RESOLVED that Thomas V. Vitale Jr.
(Person Authorized to Sign)

President of T.V. Diversified, Inc.
(Title) (Name of Corporation)

be authorized to sign and submit the Bid or Proposal of this corporation for the following project:

CITY OF HOLLYWOOD, FLORIDA

GRAVITY SEWER SYSTEM CONDITION ASSESSMENT AND RENEWAL AND
REPLACEMENT (INFLOW / INFILTRATION - I / I) PROGRAM
(LEVEL 2) - MANHOLE REPAIRS AND REPLACEMENTS

PROJECT NO. 11-7063C

The foregoing is a true and correct copy of the Resolution adopted by

T.V. Diversified, Inc. at a meeting of its Board of
(Name of Corporation)

Directors held on the _____ day of November, 2012.

By: Thomas V. Vitale Jr.

Title: Secretary

(SEAL)

The above Resolution MUST BE COMPLETED if the Bidder is a Corporation.

- END OF SECTION -

SECTION 00301

PROPOSAL BID FORM

CITY OF HOLLYWOOD

**GRAVITY SEWER SYSTEM CONDITION ASSESSMENT AND RENEWAL AND
REPLACEMENT (INFLOW / INFILTRATION – I / I) PROGRAM
(LEVEL 2) – MANHOLE REPAIRS AND REPLACEMENTS**

PROJECT NO. 11-7063C

11-7063C

*Gravity Sewer System Condition Assessment and Renewal
and Replacement (Inflow / Infiltration – I / I) Program (LEVEL 2)*

PROPOSAL BID FORM

<u>Deliver Bid To:</u> City of Hollywood City Clerk's Office 2600 Hollywood Blvd. Room 221, Hollywood, FL 33020	GRAVITY SEWER SYSTEM CONDITION ASSESSMENT AND RENEWAL AND REPLACEMENT (INFLOW / INFILTRATION -I/I) PROGRAM (LEVEL 2) PROJECT # 11-7063C MANHOLE REPAIRS AND REPLACEMENTS
To be opened and publicly read on 11/15/2012 at 10:30 a.m., 1621 N 14th Avenue, Hollywood, FL 33020 Bldg. "A", 2nd Floor	
Company Name <i>T.V. Diversified, Inc.</i>	Phone Number <i>561-629-8078 7081</i>
Vendor Mailing Address <i>6391 Shadow Creek Village Cir</i>	Fax Number <i>561-433-3086</i>
City, State, and Zip Code <i>Lake Worth, FL 33463</i>	Bid Contact Person (Please Print Clearly) <i>Thomas V. Vitale Jr.</i>
Title <i>President</i>	E-mail Address <i>TOMVITALE@TVDIVERSIFIED.COM</i>

The quantities stated in the Bid Proposal are approximate only and are intended to serve as a basis for the comparison of bids and to fix the approximate amount of the cost of the project. The OWNER does not expressly or impliedly agree that the actual amount of the work to be done in the performance of the contract will correspond with the quantities in the Bid Proposal; the amount of work to be done may be more or less than the said quantities and may be increased or decreased by the OWNER as circumstances may require. The increase or decrease of any quantity shall not be regarded as grounds for an increase in the unit price or in the time allowed for the completion of the work, except as provided in the Contract Documents.

Orders will be placed to vendors on an as - needed basis to meet the City's requirements. Providing the successful bidder will agree to maintain the same terms and conditions of the current contract, this contract could be extended for an additional two (2) years, on a year to year basis if mutually agreed upon by both parties.

The OWNER requires the Contractor to provide the unit price for each line item listed in the Bid Form.

PROJECT # 11-7063C

MANHOLE REPAIRS AND REPLACEMENTS

CONTRACTOR MUST PROVIDE UNIT PRICE FOR EACH LINE ITEM

Item	Description	Units	Qty	Unit Price	Total
C1	Realign, grout and seal manhole casting (in street)	EA		1,014.-	
C2	Realign, grout and seal manhole casting (in rear-yard easement)	EA		741.-	
C3	Install manhole chimney seal	EA		938.-	
C4	Seal visible infiltration through manhole walls, bench, and invert (brick manhole)	EA	180	100.-	18,000.-
C5	Seal visible infiltration through manhole walls, bench, and invert (concrete manhole)	EA	15	541.-	8,115.-
C6	Repair manhole bench and invert	EA	42	289.-	12,138.-
C7	Replace manhole bench and invert	EA	23	377.-	8,671.-
C8	Replace standard manhole frame and cover and install seal	EA	80	697.-	55,760.-
C9	Replace watertight manhole frame and cover and install seal	EA		1,396.-	
C10	Install cementitious manhole liner for precast 4 - feet diameter manhole (in street)	V.F.	52	213.-	11,076.-
C10A	Install cementitious manhole liner for brick 4 - feet diameter manhole (in street)	V.F.	178	215.-	38,270.-
C11	Install cementitious manhole liner for precast 5 - feet diameter manhole (in street)	V.F.	18	234.-	4,212.-
C11A	Install cementitious manhole liner for brick 5 - feet diameter manhole (in street)	V.F.	19	236.-	4,484.-
C12	Install cementitious manhole liner for precast 6 - feet diameter manhole (in street)	V.F.	38	293.-	11,134.-
C12A	Install cementitious manhole liner for brick 6 - feet diameter manhole (in street)	V.F.	27	303.-	8,181.-
C13	Install cementitious manhole liner for precast 7 - feet diameter manhole (in street)	V.F.	32	353.-	11,296.-
C13A	Install cementitious manhole liner for brick 7 - feet diameter manhole (in street)	V.F.	30	376.-	11,280.-
C14	NOT USED				
C15	Install new standard precast concrete 48-inch-diameter sewer manhole (up to 4 feet in depth)	EA		3874.-	
C16	Install new standard precast concrete 48-inch-diameter sewer manhole (4 to 6 feet in depth)	EA		4,070.-	
C17	Install new standard precast concrete 48-inch-diameter sewer manhole (6 to 8 feet in depth)	EA		4,254.-	
C18	Install new standard precast concrete 48-inch-diameter sewer manhole (8 to 10 feet in depth)	EA		6,273.-	
C19	Install new standard precast concrete 48-inch-diameter sewer manhole (10 to 12 feet in depth)	EA		6,873.-	
C20	Install new standard precast concrete 48-inch-diameter sewer manhole (12 to 14 feet in depth)	EA		7,013.-	
C21	Install new standard precast concrete 48-inch-diameter sewer manhole (14 to 16 feet in depth)	EA		9,347.-	
C22	Install new drop connection precast concrete 48-inch-diameter sewer manhole (up to 4 feet in depth)	EA		376.-	
C23	Install new drop connection precast concrete 48-inch-diameter sewer manhole (4 to 6 feet in depth)	EA		565.-	
C24	Install new drop connection precast concrete 48-inch-diameter sewer manhole (6 to 8 feet in depth)	EA		692.-	
C25	Install new drop connection precast concrete 48-inch-diameter sewer manhole (8 to 10 feet in depth)	EA		1,900.-	

Item	Description	Units	Qty	Unit Price	Total
C26	Install new drop connection precast concrete 48-inch-diameter sewer manhole (10 to 12 feet in depth)	EA		2,276 ⁰⁰	
C27	Install new drop connection precast concrete 48-inch-diameter sewer manhole (12 to 14 feet in depth)	EA		2,768 ⁰⁰	
C28	Install new drop connection precast concrete 48-inch-diameter sewer manhole (14 to 16 feet in depth)	EA		2,968 ⁰⁰	
C29	Work in rear-yard easement (where required for items C3 through C9)	EA		869 ⁰⁰	
C30	Work in rear-yard easement (where required for items C10 through C11)	EA		1,112 ⁰⁰	
C31	Work in rear-yard easement (where required for items C15 through C28)	EA		3,810 ⁰⁰	
C32	Bypass pumping (6-inch through 10-inch sewer)	DAY		587 ⁰⁰	
C33	Bypass pumping (12-inch and 15 inch sewer)	DAY		587 ⁰⁰	
C34	Bypass pumping (18-inch and 21-inch sewer)	DAY		625 ⁰⁰	
C34A	Bypass pumping (30-inch sewer)	DAY		640 ⁰⁰	
C34B	Bypass pumping (36-inch sewer)	DAY		702 ⁰⁰	
C34C	Bypass pumping (42-inch and 48-inch sewer)	DAY		708 ⁰⁰	
C34D	4,000 gallons tanker truck bypass system	HOURL		115 ⁰⁰	
C35	Asphalt roadway replacement	S.Y		39 ⁰⁰	
C36	Asphalt pavement overlay (1-inch thick)	S.Y		33 ⁰⁰	
C37	Concrete sidewalk replacement	S.Y		58 ⁰⁰	
C38	Concrete curb and gutter replacement	L.F.		34 ⁰⁰	
C39	Asphalt driveway replacement	S.Y		53 ⁰⁰	
C40	Concrete driveway replacement	S.Y		46 ⁰⁰	
C41	Replace concrete slabs and/or aprons	S.Y		49 ⁰⁰	
C42	Sod replacement (Type: St. Augustine)	S.F.		150 ⁰⁰	
C43	Traffic control - flagman, each	HOURL		38 ⁰⁰	
C44	Traffic control - arrow board, each	DAY		64 ⁰⁰	
C45	Traffic control - barricade, each	DAY		3 ⁰⁰	
C46	Expedited mobilization (within 24 hours of request)	EA		3,682 ⁰⁰	
C46A	Manhole Inspection Report	EA	600	81 ⁰⁰	48,600 ⁰⁰
C46B	Additional excavation (more than 2-feet below the pipe), disposal of muck, furnish and install additional backfill materials	C.Y.		10 ⁰⁰	
C46C	Reinstall tack weld of manhole cover	EA		625 ⁰⁰	
C47	Undefined Allowance, cost allowance for work as directed by Engineer and upon authorization by the City of Hollywood Director of Public Utilities due to undefined conditions.	L.S.	1	\$100,000.00	\$100,000.00
TOTAL BASE BID FOR ITEMS C1 THROUGH C47 INCLUSIVE:					351,217 ⁰⁰

Company Name:

T.V. Diversified Inc

OK
JCM
11-16-12

NOTES:

1. REFER TO SECTION 01025 FOR ADDITIONAL DESCRIPTION OF ITEMS.
2. SUBSTANTIAL COMPLETION SHALL BE AS DEFINED IN THE PROJECT SCHEDULE IN THE SUPPLEMENTARY GENERAL CONDITIONS (SGC'S).
3. CLOSEOUT SHALL BE COMPLETED WITHIN 240 DAYS FROM THE "NOTICE TO PROCEED".
4. THE CONTRACT SHALL BE BASED UPON THE SUM OF TOTAL BASE BID.

SECTION 00410 - APPROVED BID BOND

(Construction)

STATE OF FLORIDA

KNOW ALL MEN BY THESE PRESENTS:

KNOW ALL MEN BY THESE PRESENTS: _____, Capitol Indemnity Corporation
That we T. V. Diversified, Inc., as Principal, and _____, as _____,

Surety, are held and firmly bound unto the City of Hollywood in the sum of Ten Percent of Amount Bid

_____ Dollars (\$ 10% of Amount Bid _____) lawful money

of the United States, amounting to 10% of the total Bid Price, for the payment of said sum, we

bind ourselves, our heirs, executors, administrators, and successors, jointly and severally, firmly

by these presents.

THE CONDITION OF THIS OBLIGATION IS SUCH, that whereas the principal has submitted the accompanying bid, dated November 15 20¹² for

CITY OF HOLLYWOOD, FLORIDA

GRAVITY SEWER SYSTEM CONDITION ASSESSMENT AND RENEWAL AND
REPLACEMENT (INFLOW / INFILTRATION - I / I) PROGRAM
(LEVEL 2) – MANHOLE REPAIRS AND REPLACEMENTS

PROJECT NO. 11-7063C

NOW, THEREFORE, if the principal shall not withdraw said bid within 90 days after date of the same and shall within ten days after the prescribed forms are presented to him for signature, enter into a written contract with the CITY, in accordance with the bid as accepted, and give bond with good and sufficient surety or sureties, and provide the necessary Insurance Certificates as may be required for the faithful performance and proper fulfillment of such Contract, then this obligation shall be null and void.

Approved Bid Bond

In the event of the withdrawal of said bid within the specified period, or the failure to enter into such contract and give such bond and insurance within the specified time, the principal and the surety shall pay to the City of Hollywood the difference between the amount specified in said bid and such larger amount for which the City of Hollywood may in good faith contract with another party to perform the work and/or supply the materials covered by said bid.

IN WITNESS WHEREOF, the above bound parties have executed this statement under their several seals this 15th
day of November, 20 12, the name and corporate seal of each corporate party being hereto affixed and these presents duly signed by its undersigned representative, pursuant to authority of its governing body.

WHEN THE PRINCIPAL IS AN INDIVIDUAL:

Signed, sealed and delivered in the presence of:

Witness

Address

Signature of Individual

Printed Name of Individual

Witness

Address

WHEN THE PRINCIPAL IS A CORPORATION:

Attest:

Darcie Vitale
Secretary

T. V. Diversified, Inc.

Name of Corporation

6397 Shadow Creek Village Circle

Business Address

Lake Worth, Florida 33463

By: Thomas V. Vitale Jr.
(Affix Corporate Seal)

Thomas V. Vitale Jr.
Printed Name

President
Official Title

CERTIFICATE AS TO CORPORATE PRINCIPAL

I, Darcie Vitale, certify that I am the secretary of the Corporation named as Principal in the attached bond; that Thomas V. Vitale Jr. who signed the said bond on behalf of the Principal, was then President of said Corporation; that I know his signature, and his signature thereto is genuine and that said bond was duly signed, sealed and attested for and on behalf of said Corporation by authority of its governing body.

Darcie Vitale (SEAL)
Secretary

Approved Bid Bond

TO BE EXECUTED BY CORPORATE SURETY:

Attest:


As per attached power of attorney

Secretary

Capitol Indemnity Corporation

Corporate Surety
PO Box 5900

Business Address
Madison, WI 53705

BY: 
(Affix Corporate Seal)

Warren Alter

Attorney-in-Fact

Alter Surety Group, Inc.

Name of Local Agency


5979 NW 151st St., #104, Miami Lakes, FL 33014

Business Address

STATE OF FLORIDA


Before me, a Notary Public, duly commissioned, qualified and acting, personally appeared, Warren Alter to me well known, who being by me first duly sworn upon oath says that he is the attorney-in-fact for the Capitol Indemnity Corporation and that the has been authorized by them to execute the forgoing bond on behalf of the CONTRACTOR named therein in favor of the City of Hollywood, Florida.

Subscribed and sworn to before me this 15th day of November, 20 12


Notary Public, State of Florida

My Commission Expires:

- END OF SECTION -



**CAPITOL INDEMNITY CORPORATION
POWER OF ATTORNEY**

60085951

KNOW ALL MEN BY THESE PRESENTS, That the **CAPITOL INDEMNITY CORPORATION**, a corporation of the State of Wisconsin, having its principal offices in the City of Middleton, Wisconsin, does make, constitute and appoint

~~WARREN ALTER; DAVID SATINE~~

its true and lawful Attorney(s)-in-fact, to make, execute, seal and deliver for and on its behalf, as surety, and as its act and deed, any and all bonds, undertakings and contracts of suretyship, provided that no bond or undertaking or contract of suretyship executed under this authority shall exceed in amount the sum of

~~ALL WRITTEN INSTRUMENTS IN AN AMOUNT NOT TO EXCEED: \$20,000,000.00~~

This Power of Attorney is granted and is signed and sealed by facsimile under and by the authority of the following Resolution adopted by the Board of Directors of **CAPITOL INDEMNITY CORPORATION** at a meeting duly called and held on the 15th day of May, 2002.

"RESOLVED, that the President, Executive Vice President, Vice President, Secretary or Treasurer, acting individually or otherwise, be and they hereby are granted the power and authorization to appoint by a Power of Attorney for the purposes only of executing and attesting bonds and undertakings, and other writings obligatory in the nature thereof, one or more resident vice-presidents, assistant secretaries and attorney(s)-in-fact, each appointee to have the powers and duties usual to such offices to the business of this company; the signature of such officers and seal of the Company may be affixed to any such power of attorney or to any certificate relating thereto by facsimile, and any such power of attorney or certificate bearing such facsimile signatures or facsimile seal shall be valid and binding upon the Company; and any such power so executed and certified by facsimile signatures and facsimile seal shall be valid and binding upon the Company in the future with respect to any bond or undertaking or other writing obligatory in the nature thereof to which it is attached. Any such appointment may be revoked, for cause, or without cause, by any of said officers, at any time."

IN WITNESS WHEREOF, the **CAPITOL INDEMNITY CORPORATION** has caused these presents to be signed by its officer undersigned and its corporate seal to be hereto affixed duly attested, this 2nd day of May, 2011:

Attest:


Richard W. Allen III
President
Surety & Fidelity Operations



CAPITOL INDEMNITY CORPORATION


David F. Pauly
CEO & President

STATE OF WISCONSIN } S.S.:
COUNTY OF DANE }

On the 2nd day of May, 2011 before me personally came David F. Pauly, to me known, who being by me duly sworn, did depose and say: that he resides in the County of Dane, State of Wisconsin; that he is President of **CAPITOL INDEMNITY CORPORATION**, the corporation described herein and which executed the above instrument; that he knows the seal of the said corporation; that the seal affixed to said instrument is such corporate seal; that it was so affixed by order of the Board of Directors of said corporation and that he signed his name thereto by like order.



CERTIFICATE



Daniel W. Krueger
Notary Public, Dane Co., WI
My Commission Is Permanent

STATE OF WISCONSIN } S.S.:
COUNTY OF DANE }

I, the undersigned, duly elected to the office stated below, now the incumbent in **CAPITOL INDEMNITY CORPORATION**, a Wisconsin Corporation, authorized to make this certificate, **DO HEREBY CERTIFY** that the foregoing attached Power of Attorney remains in full force and has not been revoked; and furthermore, that the Resolution of the Board of Directors, set forth in the Power of Attorney is now in force.

Signed and sealed at the City of Middleton, State of Wisconsin this 15th day of November, 2012.




Alan S. Ogilvie
Secretary

THIS DOCUMENT IS NOT VALID UNLESS PRINTED ON GRAY SHADED BACKGROUND WITH A RED SERIAL NUMBER IN THE UPPER RIGHT HAND CORNER. IF YOU HAVE ANY QUESTIONS CONCERNING THE AUTHENTICITY OF THIS DOCUMENT CALL 800-475-4450.

CIC-POA (5-11)

SECTION 00420 - INFORMATION REQUIRED FROM BIDDERS

GENERAL INFORMATION

The Bidder shall furnish the following information. Failure to comply with this requirement may cause its rejection. Additional sheets shall be attached as required.

1. Contractor's Name/Address: T.V. Diversified, Inc.
6397 Shadow Creek Village Cir.
Lake Worth, FL 33463
2. Contractor's Telephone Number: 561-629-7081
3. Contractor's License (attach copy): LC61511610
Primary Classification: General Contractor
Broward County License Number (attach copy): _____
4. Number of years as a Contractor in construction work of the type involved in this Contract: +4 years
5. List the names and titles of all officers of Contractor's firm:
Thomas V. Vitale Jr. President
Darcie Vitale Vice-President
6. Name of person who inspected site or proposed work for your firm:
Name: Hector Meneses
Date of Inspection: October 25, 2012
7. What is the last project of this nature you have completed?
See attached
8. Have you ever failed to complete work awarded to you; if so, where and why?
No

9. Name three individuals or corporations for which you have performed work and to which you refer:

See attached

10. List the following information concerning all contracts on hand as of the date of submission of this proposal (in case of co-venture, list the information for all coventures).

See attached

Name of Project	City	Total Contract Value	Contracted Date of Completion	% Completion to Date

(Continue list on inset sheet, if necessary)

11. What equipment do you own that is available for the work?

See attached

12. What equipment will you purchase for the proposed work?

As needed

NOTE:

If requested by CITY, the Bidder shall furnish a notarized financial statement, references and other information, sufficiently comprehensive to permit an appraisal of its current financial condition.

LIST OF SUBCONTRACTORS

The Bidder shall list below the name and address of each Subcontractor who will perform work under this Contract in excess of one-half percent of the total bid price, and shall also list the portion of the work which will be done by such Subcontractor. After the opening of Proposals, changes or substitutions will be allowed with written approval of the City of Hollywood. Subcontractors must be properly licensed and hold a valid Hollywood Certificate of Competency.

	Work to be Performed	Subcontractor's Name / Address
1.		
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		

NOTE: Attach additional sheets if required.

- END OF SECTION -

SECTION 00435

LOCAL PREFERENCE (EXHIBIT "A")

Pursuant to §38.50 of the City of Hollywood Code of Ordinances, the City shall grant a preference to local Hollywood vendors if their initial bid is within 5% of the bid of the lowest responsive responsible bidder that is a non-local Hollywood vendor. The preference shall allow the local Hollywood vendor to submit a second and final offer, which must be at least 1% less than the bid of the lowest responsive responsive non-local Hollywood vendor to be awarded. The local Hollywood vendor shall have the burden of demonstrating that it maintains a permanent place of business with full-time employees within the City limits and has done so for a minimum of one (1) year prior to the date of issuance of a bid or proposal solicitation within Hollywood, Florida. All supporting documentation (e.g. City of Hollywood valid local business tax receipt) for local preference eligibility must be received with the bid package prior to the bid opening date and time.

SECTION 00495

TRENCH SAFETY FORM

This form must be completed and signed by the Bidder.

Failure to complete this form may result in the bid being declared non-responsive.

Bidder acknowledges that the Florida Trench Safety Act, Section 553.60 et. seq., which became effective October 1, 1990, shall be in effect during the period of construction of the project. The Bidder by signing and submitting the bid is, in writing, assuring that it will perform any trench excavation in accordance with applicable trench safety standards. The Bidder further identifies the following separate item of cost of compliance with the applicable trench safety standards as well as the method of compliance:

<u>Method of Compliance</u>	<u>Cost</u>
-----------------------------	-------------

Slope

Total \$ *1,500*

Bidder acknowledges that this cost is included in the applicable items of the Proposal and in the Grand Total Bid Price. Failure to complete the above will result in the bid being declared non-responsive.

The Bidder is, and the Owner and Engineer are not, responsible to review or assess Bidder's safety precautions, programs or costs, or the means, methods, techniques or technique adequacy, reasonableness of cost, sequences or procedures of any safety precaution, program or cost, including but not limited to, compliance with any and all requirements of Florida Statute Section 553.60 et. seq. cited as the "Trench Safety Act". Bidder is, and the owner and Engineer are not, responsible to determine if any safety related standards apply to the project, including but not limited to, the "Trench Safety Act".

Witness Signature

Hector Meneses

Witness Printed Name

14776 SW 101 Terr

Witness Address

Nov 13, 2012

Date

Contractor's Signature

Thomas V. Vitale Jr.

Printed Name

President

Title

Nov. 13, 2012

Date

END OF SECTION

THIS PAGE INTENTIONALLY LEFT BLANK

**STATE OF FLORIDA**

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

CONSTRUCTION INDUSTRY LICENSING BOARD
1940 NORTH MONROE STREET
TALLAHASSEE FL 32399-0783

(850) 487-1395

MONTOKA, GILDARDO A
T.V. DIVERSIFIED INC.
12664 KENWOOD LN APT D
FORT MYERS FL 33907

Congratulations! With this license you become one of the nearly one million Floridians licensed by the Department of Business and Professional Regulation. Our professionals and businesses range from architects to yacht brokers, from boxers to barbeque restaurants, and they keep Florida's economy strong.

Every day we work to improve the way we do business in order to serve you better. For information about our services, please log onto www.myfloridalicense.com. There you can find more information about our divisions and the regulations that impact you, subscribe to department newsletters and learn more about the Department's initiatives.

Our mission at the Department is: License Efficiently, Regulate Fairly. We constantly strive to serve you better so that you can serve your customers. Thank you for doing business in Florida, and congratulations on your new license!

STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND
PROFESSIONAL REGULATION

AC# 6141598

CGC1511610 05/26/12 118191517

CERTIFIED GENERAL CONTRACTOR
MONTOKA, GILDARDO A
T.V. DIVERSIFIED INC.IS CERTIFIED under the provisions of Ch.489 FS
Expiration date: AUG 31, 2014 L12052600432

DETACH HERE

THIS DOCUMENT HAS A COLORED BACKGROUND • MICROPRINTING • LINEMARK™ PATENTED PAPER

AC# 6141598

STATE OF FLORIDA

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION
CONSTRUCTION INDUSTRY LICENSING BOARD

SEQ# L12052600432

DATE	BATCH NUMBER	LICENSE NBR
05/26/2012	118191517	CGC1511610

The GENERAL CONTRACTOR
Named below IS CERTIFIED
Under the provisions of Chapter 489 FS.
Expiration date: AUG 31, 2014

MONTOKA, GILDARDO A
T.V. DIVERSIFIED INC.
12664 KENWOOD LN APT D
FORT MYERS FL 33907RICK SCOTT
GOVERNOR

DISPLAY AS REQUIRED BY LAW

KEN LAWSON
SECRETARY

2012 PROJECTS

Project Name	Owner/Owners Agent Address	Owners Rep. Contact	Phone	Cell	Fax	Scope	Date Completed
Loxahatchee River District Lift Station # 99 Rehabilitation	Loxahatchee River District 2500 Jupiter Park Dr. Jupiter, FL 33458	George DiCarlo, PE	561-747-5700x110	561-222-8394	561-747-9929	Remove existing pump bases, piping, check and plug valves & replace with new to include DIP. Application of protective coat and restoration	August-12
City of Atlantis Master Lift Station	City of Atlantis 260 Orange Tree Drive Atlantis, FL 33462	Jay G. Foy, P.E. StormwaterJ Engineering, Inc.	561-242-0028		561-242-0109	Installation of Master Lift Station, including pumps, pipe, fittings, electrical work and misc. appurtenance. Approximate 120 lf of sanitary sewer, tie-in into existing force main and restoration	August-12
City of Fort Myers Repair Work at the Digestive Side Screen Lift Station	City of Fort Myers 1501 Raleigh Street, Fort Myers, FL 33902	Darren Hoagland, Maintenance Supervisor	239-321-7575		239-344-5941	Installation of approximate 104 lf of double barrel overflow sewer pipe, removal of existing lift station liner, removal and replacement of pump base, sandblasting lift station and installation of protective coat.	August-12
Dale MaBry Hwy 41 Centri-Pipe Lining	Florida Department of Transportation District # 7	Jeff Perry Project Manager for WWV Engineering, Inc.	904-783-2535	904-588-4302	904-375-1608	Set up and maintained Bypass pumping operation. High pressure water blasted interior and removal of all accumulated debris. Application of AP/IM Permaform PL-8000 1" cementitious coating on (2) 36"x115' RCP pipes.	April-12
Town of Lantana Lift Station # 2 Emergency Pump Base Replacement	Town of Lantana 510 W. Pine Street Lantana, FL 33462	Darrell Blom, Utilities Supervisor	561-540-5750	561-718-1515	561-540-5759		April-12
City of Margate Emergency 12" Sewer Main Repair	City of Margate 5790 Margate Blvd., Margate, FL 33063	Abe Stubbins & Robert Loftus	954-972-0828	954-592-9198 Bob Loftus			April-12
City of Sarasota Manhole Rehabilitation, Ongoing Contract	City of Sarasota 1750 12th St. Sarasota, FL 34263	Alex Hernandez	941-365-2200 X6359		941-329-6155	Application of Strong Seal HPM C.A. cement liner to 19 manholes, reestablishing the structural integrity and eliminating exfiltration & infiltration. 164 V.F.	March-12
City of Punta Gorda 2012 Manhole Rehabilitation	City of Punta Gorda 900 W. Hendry Street Punta Gorda, FL 33462	Robert Ruth & Bobby Legg, Wastewater Collections Supervisor's	941-575-5047	941-628-6836 Robert	941-575-5079	Application of SewerCoat P.G. cement liner to manhole, reestablishing the structural integrity and eliminating exfiltration & infiltration. 12 MH's at a total of 93 Vertical Feet (V.F.)	March-12
Palmetto Waste Water Plant Veolia Water Splitter Box WARRANTY	Veolia Water North America-South 1310 28th Ave Palmetto, FL 33421	Ray D'Aiuto Veolia Water	941-723-6106	941-737-8167 Ray	941-723-2579	Setup and maintained bypass of influent sewage, applied epoxy mortar on a 613 sf splitter box. Sprayed 2 MHs and LS w/ Green Indentifier.	March-12
City of Boca Raton Annual Lift Station Ongoing Contract	City of Boca Raton Utility Services 1401 Glades Rd. Boca Raton, FL 33431	Todd Kieman L.S. Maintenance Supervisor	561-338-7315		561-338-7366	Ongoing contract for L.S. rehab @ varios locations. To date LS's # 236,85,147 29,186,67,195,91,176,146,115,61,166,51,143	March-12

6397 Shadow Creek Village Circle, Lake Worth, FL 33467

561.629.7087 Office 561.433.3086 Fax

2012 PROJECTS

Project Name	Owner/Owners Agent Address	Owners Rep. Contact	Phone	Cell	Fax	Scope	Date Completed
Town of Lantana, Receiving MH to LS #13 & The Moorings	Town of Lantana 510 W. Pine Street Lantana, FL 33462	Darrell Blom, Utilities Supervisor	561-540-5750	561-718-1515	561-540-5759	Application of Strong Seal HPW C.A. cement liner to two manholes, re-establishing the structural integrity and eliminating exfiltration & infiltration. 1 MH - LS #13 on East Lantana Rd. across from Chase Bank, 7 V.F. and 107 S.F. *Awaiting full completion, 1 MH - the Moorings, located on LIS-1 with 11 V.F. and 157 S.F.	March-12
Morgan Johnson Road Culvert Centri-Pipe Lining	Manatee County 1022 26th Ave East Bradenton FL 34208	Randy Milton		941-708-7497		Clean, repair and structurally lined a 73' long by 84" diameter corrugated metal storm culvert PL-8000 cementuous liner	February-12
Otto Road Culvert Centri-Pipe Lining	Hillsborough County	Larry Watts	813-987-6220	813-5081395	813-987-6223	Clean, repair and structurally lined a 55'x 76"x 41" corrugated metal storm culvert w/ PL-8000 cementuous liner 2" thick	February-12
City Of Pompano Lift Station # 110 Rehabilitation	City of Pompano 1201 NE 5th Avenue, Pompano Beach, FL 33060	Tammy L Good	954-786-5512	954-650-7783		Application of SewperCoat P.G. cement liner to manhole, reestablishing the structural integrity and eliminating exfiltration & infiltration. 2 MH's at 12.5 depth each and 1 MH at 14 depth for a total of 39 Vertical Feet (V.F.). Installation of 120 lf of sanitary sewer. Tie in into existing force main. Installation of hydrant and tapping of existing water main.	February-12
Waste Water Treatment Plant Manhole Rehabilitation	City of Punta Gorda 900 W. Hendry Street Punta Gorda, FL 33462	Scott Rambo Wastewater Collections Supervisor's	941-639-1883	941-628-5461 Scott	941-639-9416	High pressure water blasted interior and removal of all accumulated debris on 1 MH at 6' depth and 1 Splitter Box at 144sf. Application of SewperCoat P.G. cement liner to manhole and box, reestablishing the structural integrity and eliminating exfiltration & infiltration.	January-12
City of Margate Emergency Manhole Replacement (Coconut Creek)	City of Margate 5790 Margate Blvd., Margate, FL 33063	Abe Stubbins & Robert Loftus	954-972-0828	954-592-9198 Bob Loftus		Set up and maintained Bypass pumping operation. Remove and replace 8" dia x15'deep SS MH. Remove ex FM and replace w/ 10"DIP. Tie-in to existing Sanitary Sewer	January-12
Rehabilitation of Bradenton SR-64 Box Culvert (Manatee County)	Florida Department of Transportation District # 1	Gibbs & Register Construction Engineer Joel Covitz	407-654-6133	407-722-2615 Joel	407-722-2615	High pressure water blasted interior and removal of all accumulated debris and structurally lined a 6.1'x6.9'x61' precast box culvert with 5" of MS 10k with an insert of 6 gauge WWM after lift of 2" on entire culvert (culvert= approx 1586sf)	January-12
City of Winter Park Lift Station # 40	City of Winter Park 1409 Howell Branch Road Winter Park, FL 32789	Lon Katcher	407-599-3570	407-303-5232	407-691-6752	Set up and maintained Bypass pumping operation. Remove and install 6' WW top. Install new VV and all new piping. Application of SewperCoat P.G. cement liner to LS, reestablishing the structural integrity and eliminating exfiltration & infiltration	January-12
City of Coral Springs Emergency Water Main Interconnect Upgrade	City of Coral Springs 9551 W. Sample Rd, Coral Springs, FL 33065	Evan Kennedy, P.E. Eckler Engineering, Inc.	954-510-4700	561-573-1679		Installation of approximate 2,200 lf of 12" water main, 800 lf of Directional Drill, Installation of two water main master meter, rehabilitation of two existing master meter and restoration	On going
City of Boca Raton Annual Lift Station Ongoing Contract	City of Boca Raton Utility Services 1401 Glades Rd. Boca Raton, FL 33431	Todd Kiernan L.S. Maintenance Supervisor	561-338-7315		561-338-7366	Ongoing contract for L.S. rehab @ various locations. To date LS's # 147 B, 60, 59, 70, 98, 95, 102, 144, 119, 106, 150, 114, 78, 40, 51, 143, 79.	On going

6397 Shadow Creek Village Circle, Lake Worth, FL 33467

561.629.7087 Office 561.433.3086 Fax

2011 PROJECTS

Project Name	Owner/Owners Agent Address	Owners Rep. Contact	Phone	Cell	Fax	Scope	Date Completed
City of Atlantic Beach Royal Palm Drainage Rehab.	1200 Sandpiper Lane Atlantic Beach, FL 32233	Mark Lyon, Public Works Inspector	904-247-5834	904-838-8076	904-247-5843	Installed cement liners. (1) 72" X 44" CMP X 119 L.F. (1) 65" X 40" CMP X 106 L.F. PL-8000 Centi-Pipe application	January-11
Town of Lantana Master PS #3 Rehab	Town of Lantana 510 W. Pine Street Lantana, FL 33462	Darrell Blom, Utilities Supervisor	561-540-5750	561-718-1515	561-540-5759	Setup and maintained bypass of influent sewage, remove and replace pumps & retrofit with new submersible style, 6" & 8" gate valves and associated piping within the pump room.	March-11
Town of Lantana Master PS #3 Rehab	Town of Lantana 510 W. Pine Street Lantana, FL 33462	Darrell Blom, Utilities Supervisor	561-540-5750	561-718-1515	561-540-5759	Rehabbed interior of wetwell with MS-10,000 with Con- Shield, Stopped major infiltration with chemical grout & fast setting cements.	March-11
City of Sarasota Emergency Manhole Rehab.	City of Sarasota 1750 12th St. Sarasota, FL 34263	Alex Hernandez	941-365-2200 X6359		941-329-6155	Application of Strong Seal HPM C.A. cement liner to two brick manholes, re-establishing the structural integrity and eliminating exfiltration & infiltration, each is 6.5 deep. Total of 13 V.F.	March-11
City of Winter Park, Lift Station # 48	1409 Howell Branch Road Winter Park, FL 32789	Lon Katschor Division Chief for Water & Waste Water	407-599-3570	407-303-5232	407-691-6752	Remove existing pump bases & reset with S.S. base plates, piping replaced with new HDPE piping.	May-11
City of Fort Pierce, Lift Station D Rehabilitation	City of Fort Pierce Utility Authority 100 North US Hwy 1, Ft. Pierce, FL 34950	James Carnes, FPUA Environmental Engineer	772-468-1600 X3472		772-468-2414	Submersible Pump Lift Station. Installed new receiving manhole. Coated entire new Lift Station and Manhole with Strong Seal HPM. Lined 15" Cast Iron Pipe with CIPP. MH 18 V.F. LS's 5373 S.F. or 25 V.F.	September-11
City of Miramar Lift Stations A, D, & G	City of Miramar 13900 Pembroke Road, Miramar, FL 33027	Gilbert Rodoli		954-548-0148	954-602-3717	Remove existing pump bases, piping, check and plug valves & replace with new to include DIP. Application of 680 SF BASF HBS-100/ 100% solids epoxy system with SP-15 cement underlayment.	October-11
City of Sarasota Manhole Rehabilitation, Ongoing Contract	City of Sarasota 1750 12th St. Sarasota, FL 34263	Alex Hernandez	941-365-2200 X6359		941-329-6155	Application of Strong Seal HPM C.A. cement liner to 34 manholes, restablising the structural integrity and eliminating exfiltration & infiltration. 205 V.F.	October-11
City of Boca Raton Annual Lift Station Ongoing Contract	City of Boca Raton Utility Services 1401 Glades Rd. Boca Raton, FL 33431	Todd Kiernan L.S. Maintenance Supervisor	561-338-7315		561-338-7366	Ongoing contract for L.S. rehab @ various locations. To date LS's # 236,85,147,29,186,67,195,91,176,146,115,61,166	November-11
City of Margate Lift Station # 34	City of Margate 5790 Margate Blvd., Margate, FL 33063	Peter Kunen, Craig A. Smith & Associates Senior Supervising Engineer	561-314-4445	954-815-9038	561-314-4457	Removed and demolished Existing Can Style Pump Station and installed a new Submersible Pump Lift Station 8' Dia. X 21' deep. New precast V.Vault. Stainless Steel Piping and Knife Gate Valve. Force Main Installation	December-11
City of Winter Park	City of Winter Park Howell Branch Road Winter Park, FL 32789	Robert Guest	407-691-7853	321-299-2761	407-691-6759	Application of Strong Seal HP C.A. cement liner to 45 manholes, restablising the structural integrity and eliminating exfiltration & infiltration. 356 V.F.	December-11

6397 Shadow Creek Village Circle, Lake Worth, FL 33467

561.629.7087 Office 561.433.3086 Fax

2010 PROJECTS

Project Name	Owner/Owners Agent Address	Owners Rep. Contact	Phone	Cell	Fax	Sub-Contract To	MH	LS/PS	V.F. (Depth)	S.F.	Scope	Date Completed
Town of Lantana Lift Stations 5,6,7 Rehab	510 W. Pine Street Lantana, FL 33462	Darrell Blom Utilities Supervisor	561-540-5750	561-718-1515	561-540-5759	Technical Inspections Inc. Pat Dean 772-597-5755		3			Setup and maintained bypass of influent sewage, remove and replace plug & check valves and associated piping, application of MS-10,000 with Con Shield to interior of lift stations & valve vaults. Applied epoxy coating to DIP piping & fittings	December-10
City of Fort Myers South W.W. Side Stream Lift Station Rehab.	2600 Dr. Martin Luther King Blvd. Ft. Myers, FL 33902	Chris Kremski South Waste Water Plant Supervisor	239-321-7583					1			Remove & replace pump bases in submersible lift station	December-10
City of Fort Myers 2010 Manhole Rehab project Phase II	2600 Dr. Martin Luther King Blvd. Ft. Myers, FL 33902	Tom Gloster Operations Supervisor	239-321-7594	239-633-7759			36		280		Rehabilitation of 36 manholes utilizing Strong Seal HPM C.A. cement. Cortez Blvd, Cranford Ave. 280 V.F.	December-10
City of Fort Myers South W.W. Influent Screw Pump Removal	2600 Dr. Martin Luther King Blvd. Ft. Myers, FL 33902	Chris Kremski South Waste Water Plant Supervisor	239-321-7583					1			Remove Influent screw pump with (X2) 70 ton hydraulic cranes	December-10
City of Fort Myers 2010 Manhole Rehab project Phase I	2600 Dr. Martin Luther King Blvd. Ft. Myers, FL 33902	Tom Gloster Operations Supervisor	239-321-7594	239-633-7759			37		222		Rehabilitation of 37 manholes utilizing Strong Seal HPM C.A. cement. Wyndam Way. 222 V.F.	November-10
Broward Co. Landfill Leechie Field Lift Station's 1-A&B, 2-A, 3-A Rehab. (Sheridan Street)	Broward Co Water & Wastewater Engineering Division 4980 S.W. 40th Avenue Ft. Lauderdale, FL	Larry Concannon Engineering Inspector	954-831-4130	954-553-9224	954-831-4134	Intercounty Engineering, Inc. Luis Cordova 954-325-7948		5			Liner application of 1,396 SF BASF HBS-100/ 100% solids epoxy system with SP-15 cement underlayment	November-10
City of Winter Park Lift Station # 67 Rehab	1409 Howell Branch Road Winter Park, FL 32789	Lon Katshor Division Chief for Water & Waste Water	407-599-3570	407-303-5232	407-691-6752	Technical Inspections Pat Dean 954-931-4826		1	20	400	Remove existing pump bases, piping, check and plug valves & replace with new to include HDPE piping. Applied Strong Seal HPM calcium aluminate cementitious liner to the interior of the wet well. 400 S.F. or 20 V.F., Rehab entire Pump Station	October-10
Loxahatchee River District Master PS#1 Rehab.	2500 Jupiter Park Drive Jupiter, FL 33458	Lox. Contact: Adrian Sanchez Engineer; Arcadis US Inc. Contact Kris Dean	561-747-5709 561- 967-7000	561-262-3464	561-743-3027 561-967-7751	TLC Diversified William Pellam 561-719-1534		1	25	536	Rehabilitation of Receiving Influent Chamber of P.S. Application of Strong Seal HPM Cementitious Structural liner. 536 S.F. or 25 V.F.	October-10
City Of Charlottesville Manhole Rehab	Dept. of Public Works 305 4th Street NW Charlottesville, VA	Jason McIlwee	434-970-3826	434-989-7515	434-970-3817	D & S Contractors Mike Sheppard 804-400-4217	41		274		Rehabilitation of manholes with MS-10K cementitious liner. 41 manholes, 274 V.F.	September-10
Broward Co. Landfill Leechie Field Lift Station Rehab. (Phipps Park)	Broward Co Water & Wastewater Engineering Division 4980 S.W. 40th Avenue Ft Lauderdale, FL	Larry Concannon Engineering Inspector	954-831-4130	954-553-9224	954-831-4134	Intercounty Engineering, Inc. Luis Cordova 954-325-7948		1		377	Liner application of 377 SF BASF HBS-100/ 100% solids epoxy system with SP-15 cement underlayment	August-10
Splitter Box at City of Palmetto Waste Water Treatment Plant	Veolia Water North America-South 1310 28th Ave Palmetto, FL 33421	Ray D'Aauto	941-723-6106	941-737-8167	941-723-2579					613	Rehabilitated of splitter box with MS-10,000 cementitious coating fortified with Con Shield. 613 Square feet.	August-10
City of Winter Park, Lift Station # 7 Rehab	1409 Howell Branch Road Winter Park, FL 32789	Lon Katshor Division Chief for Water & Waste Water	407-599-3570	407-303-5232	407-691-6752	Technical Inspections Inc. Pat Dean 954-931-4826		1	18	340	valves & replace with new to include HDPE piping. Applied Strong Seal HPM calcium aluminate cementitious liner to the interior of the wet well. 340 S.F. or 18 V.F., Rehab entire Pump Station	July-10
City of Staunton Manhole Rehab	City of Staunton	Mike Sheppard	804-752-6737	804-400-4217	804-752-6739	D & S Contractors	53		393		Rehabilitated manholes with MS-10,000 cementitious coating fortified with Con Shield. 53 manholes, 393 vertical feet; installation of Green Seal chimney seals.	July 2010

2010 PROJECTS

Project Name	Owner/Owners Agent Address	Owners Rep. Contact	Phone	Cell	Fax	Sub-Contract To	MH	LS/PS	V.F. (Depth)	S.F.	Scope	Date Completed
Clean and Repair Drainage Pipe, S.R. 19 MM 215.9	Florida Dept. of Transportation	Sergio Stibelman	407-656-1006	407-287-2132	407-656-5035	Trasfield Services					Restoration of existing headwall, 18" drainage pipe, installation of CIP liner existing 18" drainage line	June 2010
Repair Sewer and Replace 63 feet of pipe, S.R. 19 MM 216.6	Florida Dept. of Transportation	Sergio Stibelman	407-656-1006	407-287-2132	407-656-5035	Trasfield Services					Restoration of existing headwall, 15" drainage pipe, installed CIP liner existing 15" drainage line	June 2010
Pipe line & Structure Reining, S.R. 60 & U.S. 1 Indian River Co.	Florida Dept. of Transportation	Ev Foster	772-299-1554	772-633-5334	772-299-1849	Trasfield Services					Rehabilitation of 10 drainage structures and drainage pipe of various sizes (15" to 42") Installation of CIPP and Cement liners (Centri-Pipe Application)	June 2010
Floridana Lift Station Rehab	Floridana Mobile Home Park 304 52nd Terrace Bradenton, FL	Tom or Butch Morgan	941-232-4629	941-232-1788	941-379-6820	Water Equipment Technologies	33	1			Rehabilitate Sanitary Sewer Lift Station & Applied MS-10K cementitious liner with Con-Shield.	June 2010
River Forest Manhole Rehabilitation at Various Location within the Park.	River Forest Village, Inc. 4300 Riverside Drive Punta Gorda, FL	George Zobrest	941-639-3311		941-639-1670				171		Rehabilitated 33 sanitary sewer manholes with Strong Seal HPM C.A. cement. 171 vertical feet	May 2010
City of Punta Gorda 2009 Manhole Rehab.	900 W. Hendry Street Punta Gorda, FL 33462	Robert Ruth & Bobby Legg, Wastewater Collections Supervisor's	941-575-5047	941-628-6836 Robert	941-575-5079	P.O. # 042526	28		194		Rehabilitated 28 sanitary sewer manholes with Strong Seal HPM C.A. cement. 194 vertical feet	May-10
Orange Co. Lk. Conway Estates Water & Wastewater MH Rehab.	Orange County		407-872-7000 x 25		407-872-7222	A&M SI Const. Co Inc. Amy Stevenson	3				1) Application of BASF HBS-100/ 100% solids epoxy system with SP-15 cement underlayment to 3 manholes. 2) Application of Cor-Flex Chimney Seal.	April-10
City of Arcadia Sanitary Sewer Inspections & Repairs	City of Arcadia & FDOT					Shenandoah Construction Mike Stone 239-337-9385	3		17		Rehabilitated 3 Sanitary Sewer Manholes with Strong Seal HPM C.A. cement. 5,6.6 V.F. = 17 vertical feet	April-10
City of New Smyrna Beach EMERGENCY sanitary sewer repair.	200 Canal Street New Smyrna Beach, FL 32168	Bill Dean, Superintendent	386-423-3190	386-547-1555	386-423-7194		1		15		Dewater w/ WellPoint system, bypass san. sewage, Excavate 15' deep 8" broken VCP sewer, cut, repair & reconnect to S.S. manhole. Lined M.H. w/ Strong Seal HPM C.A. cement. 15 vertical feet	April-10
City of New Smyrna Beach 09 Manhole Rehab.	200 Canal Street New Smyrna Beach, FL 32168	Bill Dean, Superintendent	386-423-3190	386-547-1555	386-423-7194		15				Rehabilitated 15 manholes with MS - 10K cementitious coating.	April-10
Town of Lantana Master PS #1 Rehab	510 W. Pine Street Lantana, FL 33462	Darrell Blom, Utilities Supervisor	561-540-5750	561-718-1515	561-540-5759	Technical Inspections Inc. Pat Dean 772-597-5755		1			Setup and maintained bypass of influent sewage, remove and replace six 8" & 10" plug valves and associated piping within the master pump room.	April-10
Clay County SR-16 F.D.O.T. Black Creek 156" C.M.P. Rehab	Florida Dept. of Transportation		904-349-7580	904-252-5577	904-284-5919	Trasfield Services Spencer Townsend					Cement lining of a 156" C.M.P. Storm Water Drainage Culvert utilizing AP/IM Permaform Permacast PL 8,000 lining Mortar, and PL-12,000 flow able grout, per AP/IM Permaform design standards.	March-10
Town of Holiday, Pasco Co. Manhole Rehab, Florida Government Utility Authority	280 Wekiva Springs Road Longwood, FL 32779	Michael Wilson Capitol Projects Mgr.	407-629-6900	407-340-1891	407-629-6963	Shenandoah Construction Mike Stone 239-337-9385	55		250		Rehabilitated 55 manholes with MS-10,000 cementitious coating fortified with Con-Shield, 250 vertical feet	February-10

2010 PROJECTS

Project Name	Owner/Owners Agent Address	Owners Rep. Contact	Phone	Cell	Fax	Sub-Contract To	MH	LS/PS	V.F. (Depth)	S.F.	Scope	Date Completed
Lehigh Acres Manhole Rehab, Florida Government Utility Authority	280 Wekiva Springs Road Longwood, FL 32779	Dwight Perry Project Inspector	407-629-6900	407-580-8858	407-629-6963	Shenandoah Construction Mike Stone 239-337-9385	10		33		Rehabilitated 10 manholes with MS-10,000 cementitious coating fortified with Con- Shield. 33 vertical feet	February-10
Manhole # 40 Bay Harbor Drive Key Biscayne	Miami Dade Water & Sewer Dept. 20900 S.W. 17th Avenue Miami, FL 33177	Rod Lovett, Chief Wastewater Collection & Transmission line Division or Mr. Inl Roberts	786-288-5025		786-288-5030		1				Application of MS-10,000 W/ Con-Shield	January-10

TV diversified

2010 PROJECTS

Project Name	Owner/Owners Agent Address	Owners Rep. Contact	Phone	Cell	Fax	Sub-Contract To	MH	LS/PS	V.F. (Depth)	S.F.	Scope	Date Completed
South Dist. WWTP Clarifiers, 2300 SW 97th Ave, Miami, FL 33190	Miami Dade Water & Sewer Dept. 20900 S.W. 17th Avenue Miami, FL 33177	Todd Palmatier	305-258-5801		305-258-5803	Skanska USA Bid Inc.					Cement lining of one 96" PCCP Closure with AP/M Permaform PL-8,000 lining mortar fortified with Con-Shield. Centri/Pipe application	January-10
South Dist. WWTP Clarifiers, 2300 SW 97th Ave, Miami, FL 33190	Miami Dade Water & Sewer Dept. 20900 S.W. 17th Avenue Miami, FL 33177	Hanson Pipe Greg Zadia	386-325-8841 x 20		386-325-0584	Hanson Pipe & Precast					Cement lining of 60" PCCP with AP/M Permaform PL- 8,000 lining mortar fortified with Con-Shield. Centri/Pipe application	January-10
Bahia Oaks Manhole Rehab.	Bahia Oaks Lodge 2186 Bahia Vista Street Sarasota, FL 34239	Charlie Schwall	941-954-1911		941-917-0535		1				Application of MS-10K with Con-Shield cement liner to one brick manhole. Very poor condition & extreme microbial corrosion	January-10
Beneva Road Manhole Rehab.	City of Sarasota 1750 12th St. Sarasota, FL 34263	Alex Hernandez	941-955-2325 X6254		941-951-6211		1				Application of MS-10K with Con-Shield cement liner to one brick manhole. Very poor condition & extreme microbial corrosion	January-10
City of Oakland Park LS# B-8 Rehab.	City Of Oakland Park	Intercounty Engineering Luis Cordova		954-325-7948	954-974-0042	Intercounty Engineering		1		450	Application of 450 SF BASF HBS-100/ 100% solids epoxy system with SP-15 cement underlayment	January-10

2009 PROJECTS

Project Name	Owner/Owners Agent Address	Owners Rep. Contact	Phone	Cell	S.F.	Sub-Contract To	MH	LS/PS	V.F. (Depth)	S.F.	Scope	Date Completed
City of Fort Lauderdale Phase II Pump Station Upgrades, WW PS A-40, D-36, A-14, B-9, D-33, 35	City of Ft Lauderdale	Maurice Hynes	954-972-9800	954-325-7202	954-974-0042	Intercounty Engineering		6	95	4873	Application of Strong Seal HP 100% pure fused calcium aluminate cementitious coating. 4,873 S.F. or 95 V.F.	October-09
Miami Dade Manhole Rehab @ 11165 SW 138th St Miami, FL	Miami Dade Water & Sewer Dept. 20800 S.W. 17th Avenue Miami, FL 33177	Rod Lovett, Chief Wastewater Collection & Transmission Line Division	786-288-5025		786-288-5030		1				Application of MS-10,000 W/ Con-Shield	November-09
City of Oakland Park LSR B-3 Rehab	City Of Oakland Park	Intercounty Engineering Luis Cordova		954-325-7948	954-974-0042	Intercounty Engineering		1		450	Application of 450 SF BASF HBS-100/ 100% solids epoxy system with SP-15 cement underlayment	October-09
City of Ft Lauderdale Receiving Manhole @ PSD-35 Rehab.	City of Ft. Lauderdale 200 N Andrews Avenue, Suite 300 Fort Lauderdale, FL 33301	Jorge Holguin, Senior Engineer		954-522-2804 x 38	954-522-7971		1	1			Application of MS-10,000 w/Cor+ Guard 100% solids epoxy system	October-09
4122 Beechnut Interceptor, City of Houston, TX	Repipe Inc. 7600 S. Santa Fe Building E Houston, TX 77061	Mike Veliano, Regional Manager	281-727-8734			Repipe Inc. Houston, Texas				5500	Applied AP/M Permaform MS-10,000 cementitious coating fortified with Con-Shield, 5,500 SF	October-09
Manhole Rehab, Prospect Rd & Lake Dr.	Town of Lantana 510 W. Pine Street Lantana, FL 33462	Darrell Blom, Utilities Supervisor	561-540-5750	561-718-1515	561-540-5759		1				Rehabilitate sanitary MH with MS-10,000 + Cor+Roc epoxy System	September-09
Lehigh Acres & Golden Gate Manhole rehab, Florida Government Utility Authority	280 Wekiva Springs Road Longwood, FL 32779	Dwight Perry, Project Inspector	407-629-6900	407-580-8858	407-629-6963	Shenandoah Construction Mike Stone 239-337-9385	50		360		Rehabilitated 50 manholes with MS-10,000 cementitious coating fortified with Con-Shield. 360 vertical feet	September-09
City of Fort Myers	2200 Second Street Ft. Myers, FL 33902	Ben Bullart, Sr. Project Manager	239-321-7470		239-344-5943		1				Demo manhole installed AP/M Permaform MS-10,000 cementitious coating fortified with Con-Shield. Located on Plumosa Street.	September-09
Palm Beach County, Water Utilities Dept. Southern Regional Water Reclamation Facility	12751 Hagen Ranch Road Boynton Beach, FL 33437	David Dallon, O&M Water Reclamation Manager	561-381-5305	561-801-2345	561-488-7113						Applied AP/M Permaform MS-10,000 cementitious coating fortified with Con-Shield to one aeration tank spillway in order to test it's ability to protect the existing concrete structure from the effects of erosion caused by the sewage passing over it, as well as the deterioration caused by microbial attack.	September-09
Manhole Rehab, Prospect Rd & Lake Dr.	Town of Lantana 510 W. Pine Street Lantana, FL 33462	Darrell Blom, Utilities Supervisor	561-540-5750	561-718-1515	561-540-5759		1				Rehabilitate sanitary MH with Cor+Roc epoxy System	September-09
City of Tampa Wastewater Dept. Collection Division	2609 N. Rome Avenue Tampa, FL 33607	Jeffery Taylor, Construction Contracts Supervisor	813-630-1627	813-690-7557	813-259-1628		1				Demo manhole installed AP/M Permaform MS-10,000 cementitious coating fortified with Con-Shield. Located on Skagway Ave just west of Nebraska street.	September-09
Town of Lantana Master PS #1 Rehab	510 W. Pine Street Lantana, FL 33462	Darrell Blom, Utilities Supervisor	561-540-5750	561-718-1515	561-540-5759					4762	Rehabilitated sanitary sewer master pump station #1 wet well & receiving 5' dia. X 13' manhole utilizing AP/M Permaform MS-10,000 cementitious coating fortified with Con-Shield. 1,430 SF Application of AP/M Permaform Cor + Guard epoxy to dry pump room and iron piping pumps etc. 3,332 SF	August-09

2009 PROJECTS

Project Name	Owner/Owners Agent Address	Owners Rep. Contact	Phone	Cell	Sub-Contract To	MH	LS/PS	V.F. (Depth)	S.F.	Scope	Date Completed
City of Delray Beach, Sanitary sewer master pump station #1 Rehab	434 S. Swinton Avenue Delray Beach, FL 33444	Milton Willingham, Utilities Supervisor	561-243-7307	561-214-0116	Technical Inspections Inc. Dean 954-931-4826		1		4440	Set up and maintained Bypass pumping operation. High pressure water blasted interior and vacuum removal of APM Permaform MS-10,000 cementitious coating fortified with Con-Shield. 4,440 SF	August-09
City of Punta Gorda 2008 Lift Stations Rehab.	900 W. Hendry Street Punta Gorda, FL 33462	Robert Ruth & Bobby Legg, Wastewater Collections Supervisor's	941-575-5047	941-628-8836 Robert Ruth	941-639-9416		11		2327	Rehabilitated 11 sanitary sewer lift stations with MS-10,000 cementitious coating fortified with Con-Shield. 2,327 SF. Set new pump bases and installed discharge piping	August-09
City of Punta Gorda, Bermount Rd. Wastewater Treatment Plant	30999 Bermonite Road Punta Gorda, FL 33982	Carlos Gould	941-639-1883			1			300	Rehabilitated 1 sanitary manhole & head works chamber with MS-10,000 cementitious coating fortified with Con-Shield. 300 SF	August-09
City of Fort Myers South W.W. Plant Head Works Rehab.	2600 Dr. Martin Luther King Blvd. FL Myers, FL 33902	Chris Kremski, South Waste Water Plant Supervisor	239-321-7583				1		5206	Bypass waste water plant. Influent sewage 20 million + gallons per day. Rebuild and rehabilitate plant head works chambers and flow channels. Utilizing MS-10,000 cementitious coating fortified with Con-Shield. 5,206 square feet.	July-09
City of Winter Park, Lift Station # 53 Rehab	1409 Howell Branch Road Winter Park, FL 32789	Lon Katshor, Division Chief for Water & Waste Water	407-599-3570	407-303-5232	Technical Inspections Inc. Pat Dean 954-931-4826		1			Remove existing pump bases, piping, check and plug valves & replace with new to include HDPE piping. Applied MS-10,000 cementitious coating fortified with Con Shield to the interior of the wet well. 400 SF. Rehab entire Pump Station	June-09
City of New Smyrna Beach 09 Manhole Rehab.	200 Canal Street New Smyrna Beach, FL 32169	Bill Dean, Superintendent	386-423-3190	386-547-1555		8		35		Rehabilitated 8 manholes with MS-10,000 cementitious coating fortified with Con Shield. 35 vertical feet	June-09
Citrus County 2009 Lift Stations & Manhole Rehab.	1300 S. Lecanto Highway Locanto, FL 34461	Rodger Ingali, Utilities Supervisor	352-527-7650	352-400-0947	Technical Inspections Inc. Pat Dean 772-597-5755	8	9	170	2700	Rehabilitated 8 manholes with Strong Seal HPM CA cementitious coating. 40 vertical feet. 2) Rehabilitated 9 sanitary sewer submersible Pump Stations & valve vaults. Removed and replaced existing piping check and plug valves etc. w/ new. Applied Strong Seal HPM calcium aluminate cement to the interior as a protective and structural coating. 2,700 square feet or 130 vertical feet LS's	May-09
Deerfield Lake MHC. Manhole Rehab.	4400 N.W. 69th Court Coconut Creek, FL 33073	Butch Gross	954-421-1116	954-520-4732		18		88		Rehabilitated 18 manholes with Strong Seal HPM C.A. cement. 88 vertical feet	April-09
Lehigh Acres & Golden Gate- Florida Government Utility Authority	280 Wekiva Springs Road Longwood, FL 32779	Dwight Perry Project Inspector	407-629-6900	407-560-8858	Sherandoah Construction Mike Stone 239-337-9385	20		230		Rehabilitated 20 manholes with MS-10,000 cementitious coating fortified with Con- Shield. 230 vertical feet. Two projects located in Golden Gate & Lehigh Acres.	April-09
City of Port St. Lucie	900 S Ogden Lane Port St. Lucie, FL 34983	Sean Woods, Maintenance Dept. Supervisor I & I Division	772-871-5428	772-528-2097		2		12		Scope of work: Rehabilitated two manholes with MS-10,000 fortified with Con-Shield. 12 vertical feet	March-09
Private Lift Station Rehab. "The Breakwaters" in the city of West Palm Beach	4929 Vilma Lane West Palm Beach, FL 33417	Roy Bush	561-718-5398		All Star Plumbing				300	Repaired cracks and eliminated major ground water infiltration with chemical grout injection. Applied MS-10,000 cementitious coating fortified with Con Shield to the interior of the lift station, ultimately reestablishing the structural integrity as well as eliminating ground water infiltration. 300 square feet	February-09
Lazy Lagoon Home Owners Association W.W. Plant Rehab.	8320 Riverside Drive #4160 Punta Gorda, FL 33982	Don Hultburg	941-639-2980						4500	Rehabilitate/ Line eight concrete wastewater treatment tanks with MS-10,000 cementitious coating fortified with Con- Shield. 4,500 SF	February-09

2009 PROJECTS

Project Name	Owner/Owners Agent Address	Owners Rep. Contact	Phone	Cell		Sub-Contract To	MH	LS/PS	V.F. (Depth)	S.F.	Scope	Date Completed
City of Punta Gorda 2008 Manhole Rehab.	900 W. Hendry Street Punta Gorda, FL 33452	Robert Ruth & Bobby Legg, Wastewater Collections Supervisors	941-575-5047	941-628-6836 Robert	941-575-5079		6		44		Rehabilitated 6 sanitary sewer manholes with Strong Seal HPM CA cement. 44 vertical feet	February-09
Fort Pierce Utilities Authority Lift Station #38 Rehab.	715 25th Street P.O. Box 3191 Fort Pierce, FL 34948-3191	Gary Gillette	772-466-1600 X 5515	772-216-0718	772-461-9036			1	10.5	234	Rehabilitated sanitary sewer pump station #38 with Strong Seal HP100% pure fused calcium aluminate cement. 234 square feet or 10.5 vertical feet	January-09
City of Winter Park Lift Station #5	1409 Howell Branch Road Winter Park, FL 32789	Lon Katshor, Division Chief for Water & Waste Water	407-599-3570	407-303-5232	407-691-6752		1			500	Converted existing dry well Pump Station #5 to a submersible pump type station. Applied MS-10,000 cementitious coating fortified with Con Shield to the interior of the wet well & valve vault. 500 square feet	January-09
						FOR CURRENT YEAR:	Total of Manholes, Lift Stations/Pump Stations, Vertical Foot &	32	1044.5	36092		

TVdiversified

2008 PROJECTS

Project Name	Owner/Owners Agent Address	Owners Rep. Contact	Phone	Cell	Fax	Sub-Contract To	MH	LS/PS	V.F. (Depth)	S.F.	Scope	Date Completed
City of Dania Beach Lift Station's 1, 2, 3 & 6 Rehabilitation Project	1800 Eller Drive St.600 Fort Lauderdale, FL 33316	Calvin Giordano David Robbins, Field Inspector 954-868-8938	954-921-7781		954-921-7971	Intercounty Engineering, Inc. Maurice Hines 954-972-9800		4	94	2512	Applied Strong Seal HP 100% pure fused calcium aluminate cementitious coating to the mentioned Lift Stations. Converted existing dry can pump stations to submersibles. 4 LS x 23.5 Depth = 94 V.F. or 2,512 S.F.	December-08
City of Tampa Wastewater Dept. Collection Division	2609 N. Rome Avenue Tampa, FL 33607	Marcus Johnson, Wastewater System Mgr. 954-868-8938	813-259-1627	813-267-6808	813-259-1628	Joint Venture w/ Sun Coast Environmental Northwest	5		*	*	Emergency repair under contract for manhole rehabilitation by structural coating system utilizing Strong Seal HP 100% pure fused calcium aluminate cementitious coatings. Five manholes located on N. Howard ave between Cathleen & Cordelia Streets. *Missing Data, Pending	October-08
City of Tampa Wastewater Dept. Collection Division	2609 N. Rome Avenue Tampa, FL 33607	Jeffery Taylor, Construction Contracts Supervisor	813-630-1627	813-690-7857	813-259-1628	Joint Venture w/ Sun Coast Environmental Northwest	200		*	*	Contract for manhole rehabilitation by structural coating system utilizing Strong Seal HP 100% pure fused calcium aluminate cementitious coatings. And replaced frame & covers. 200 manholes. *Missing Data, Pending	October-08
City of Delray Beach Sanitary Sewer Lift Station #56- A (EMERGENCY REPAIR)	434 S. Swinton Avenue Delray Beach, FL 33444	Milton Willingham, Utilities Supervisor	561-243-7307	561-214-0116	561-243-7344		1		22	628	Set up and maintained bypass pumping operation. Repaired major ground water infiltration leaks that were causing the lift station to sink and tilt. By chemical grouting & fast setting cements. Followed by application of Strong Seal 100% pure fused calcium aluminate cement. this reestablished the structural integrity, stopped all chances of future infiltration while providing resistance to microbiological corrosion. Removed and replaced pump bases, guide rails, discharge piping, check and plug valves etc. Re connected force main tying into lift station that had broken off due to the sinking/ tilt. 628 S.F., 8 Diam. x 22 V.F.	September-08
Town of Lantana Manhole Rehab.	510 W. Pine Street Lantana, FL 33462	Darrell Blom, Utilities Supervisor	561-540-5750	561-718-1515	561-540-5759		7		42		Rehabilitated 7 manholes utilizing Strong Seal HP 100% pure fused calcium aluminate cement. 42 vertical feet.	September-08
Town of Lantana Manhole Rehab.	510 W. Pine Street Lantana, FL 33462	Darrell Blom, Utilities Supervisor	561-540-5750	561-718-1515	561-540-5759		7		35		Rehabilitated 7 manholes with APM/ Permaform CR-9000 calcium aluminate cement. 35 vertical feet	September-08
Fort Pierce Utilities Authority Pump Station # 6 Rehab.	715 25th Street P.O. Box 3191 Fort Pierce, FL 34948-3191	Gary Gillet or Mark Kobbe, Wastewater Systems Maintenance Supervisor	772-466-1600 X 4515	772-528-0074	772-461-9036		1	1	19	353	Renovated sanitary sewer pump station #6 and collection manhole with Strong Seal HP 100% pure fused calcium aluminate cement. 11 ft deep Pump Station, 8 ft deep Manhole Total L.F. 19 vertical feet or 353	July-08
Loxahatchee River District Manhole Rehab.	2500 Jupiter Park Dr. Jupiter, FL 33458	Adrian Sanchez Collection/Transmission Supervisor	561-747-5709	561-262-3464	561-743-3027		3				Repaired major infiltration & rehabilitated 3 sanitary sewer man holes with Strong Seal HP 100% pure fused calcium aluminate cement to the interior as a protective and structural coating/ liner. Sub Contractor to Technical Inspections Inc.	June-08
City of Boynton Beach Utilities Department Manhole Demo.	124 East Woolbright Road Boynton Beach, FL 33435	Christopher J. Roschek, P.E. Engineering Division Manager	561-742-6413		561-742-6298		1		10		Demo manhole. Installed Strong Seal HP 100% pure fused calcium aluminate cement on June 15th 2008. Evaluation for one year June 15th 2009. Approved for use on City projects. 10 vertical feet	June-08
City of Lake Wales 2009 Manhole & Lift Station Rehab.	201 Central Avenue W. Lake Wales, FL 33859	Randell Britti, Lead Collection System Tech.	863-678-4114	863-528-7600	863-678-4052		10	4	117	1700	Rehabilitated 10 sanitary sewer manholes, 44 vertical feet, with Strong Seal HP 100% pure fused calcium aluminate cement. Rehabilitated 4 sanitary sewer submersible Pump Stations. Removed and replaced existing piping check and plug valves etc. w/ new Strong Seal HPM to the interior as a protective and structural coating. 1,700 square feet or 73 vertical feet	June-08
Charlotte County Utilities	25550 Harbor View Road, Suite #1 Port Charlotte, FL 33980-2503	Richard Hoglund, Project Manager	941-764-4570	941-286-7198	941-764-4319		1				Rehabilitated 1 sanitary sewer manhole with Strong seal composite system.	May-08

6397 Shadow Creek Village Circle, Lake Worth, FL 33467

561.629.7087 Office 561.433.3086 Fax

2008 PROJECTS

Project Name	Owner/Owners Agent Address	Owners Rep. Contact	Phone	Cell	Fax	Sub-Contract To	MH	LS/PS	V.F. (Depth)	S.F.	Scope	Date Completed
City of Port St. Lucie Manhole Rehab.	900 S Ogden Lane Port St. Lucie, FL 34983	Sean Woods Maintenance Dept. Supervisor I & I Division	772-871-5428	772-528-2097	772-344-4313		1		6		Rehabilitated sanitary sewer manhole with Strong Seal HPM 100% pure fused calcium aluminate cement. 6 vertical feet	May-08
City of Port St. Lucie Westport Lift Station #59	900 S Ogden Lane Port St. Lucie, FL 34983	Mike Jolly, Lift Station Supervisor	772-871-5428	772-528-2099	772-344-4313			1			Removed and replaced discharge pipe with new H.D.P.E.	May-08
City of Delray Beach Sanitary Sewer Master Pump Station #50 Cleaning	434 S. Swinton Avenue Delray Beach, FL 33444	Milton Willingham, Utilities Supervisor	561-243-7307	561-214-0116	561-243-7344			2			Set up and maintained Bypass pumping operation with two 12" pumps handling flows up to 4,100 GPM @ 110 TDH. High pressure water blasted interior and vacuum removed sewage all accumulated debris such as grease grit etc. from the P.S. by means of industrial vacuum truck.	April-08
City of Delray Beach Sanitary Sewer Lift Stations 107, 94-A, 95,	434 S. Swinton Avenue Delray Beach, FL 33444	Milton Willingham, Utilities Supervisor	561-243-7307	561-214-0116	561-243-7344	Technical Inspections Inc. Pat Dean 772-597-5755		3			Set up and maintain bypass pumping operations. Removed and replaced pump bases, guide rails, discharge piping, check and plug valves etc.	April-08

T.V. Diversified, Inc.

UNIT	Description	SERVICE DUE / NOTES / COMMENTS
LOADER BACKHOE		
100	John Deere 410 Loader Backhoe	
101	Case 590D Loader Backhoe	
TRASH PUMPS		
300	3" Whacker	
301	3" Whacker	
AIR COMPRESSORS		
302	IR P-185 Air Compressor (Tow Behind)	
GENERATORS		
303	Titan 8000 Industrial	
MIXERS		
304	Machine Technologies P-25/D-25	
SURVEYING EQUIPMENT		
400	Dial a Grade 4600 Pipe Laser Beam	
401	Rotating Land Laser	
402	Top Con AT G7 Level	
UNIT	Description	SERVICE DUE / NOTES / COMMENTS
AUTO / PICK UP TRUCKS		
500	2008 F-450 Crew Cab Truck	
501	2008 F-450 Crew Cab Truck	
TRUCKS		
503	1999 International 15' Box Truck	
504	1998 Chevrolet Flat Bed	
TRAILERS/CONTAINERS		
600	Interstate 12 Tons	
601	Master Custom Made 6 Tons	
602	Freedom Cargo	
603	Equipment 20 Tons	
604	Black Debris	
605	Storage Container	
MISCELLANEOUS TOOL		
	14" Stihl Saw	
	14" Stihl Saw	
	14" Stihl Saw	
	1" x 8' x 20' Steel Plates	
	1" x 8' x 20' Steel Plates	
	1" x 8' x 20' Steel Plates	
	1" x 8' x 20' Steel Plates	
	8' x 10' Manhole Box	
700	APM Spin Caster	
	2008 RTV Utility Machine (R2R)	
	Misc. Air Plugs	
	Gas Detector	
	Gas Detector	
	Gas Detector	
701	5000 psi Pressure Washer	
702	5000 psi Pressure Washer	
	Graco Model 185 Variable Ratio Sprayers.	
BY-PASS PUMP		
704	4" Sewer By-pass Pump	