



## **GENERAL APPLICATION**

APPLICATION DATE:				
<b>2600 Hollywood Blvd</b> Room 315 Hollywood, FL 33022	APPLICATION TYPE (CHECK ALL  Technical Advisory Committee  Planning and Development Board  City Commission	THAT APPLIES):  Art in Public Places Committee  Historic Preservation Board  Administrative Approval  THAT APPLIES):  Variance  Special Exception		
Tel: (954) 921-3471	022			
Tel: (954) 921-3471 PROPERTY INFORMATION  Email: Development@ Location Address: 834 Polk Street				
Hollywoodfl.org	Lot(s): <sup>26</sup> Block			
	Folio Number(s): 514214024271	CN(5) Subdivision.		
SUBMISSION REQUIREMENTS:	Tollo (Vallibor(5)).			
<ul> <li>One set of signed &amp; sealed plans (i.e. Architect or Engineer)</li> <li>One electronic combined PDF submission (max. 25mb)</li> </ul>	Zoning Classification: RS-6 Land Use Classification: RESIDENTIAL  Existing Property Use: RESIDENTIAL - VACANT LAND Sq Ft/Number of Units: 6,400 SQFT  Is the request the result of a violation notice? Yes No If yes, attach a copy of violation Has this property been presented to the City before? If yes, check all that apply and provide Fil Number(s) and Resolution(s): YES / RESOLUTION PENDING / LOT DIVISION APPROVED #24-V-17			
<ul> <li>Completed Application Checklist</li> </ul>	DEVELOPMENT DDODOGAL			
Application fee	DEVELOPMENT PROPOSAL  Explanation of Request: NEW SINGLE FAMILY HOME			
	Phased Project: Yes  No  Number of Phases:			
			_	
	Project	Proposal		
	Project Units/rooms (# of units)	Proposal # UNITS: 1 #Rooms 5		
NOTE:			· .)	
This application must	Units/rooms (# of units)	# UNITS: 1 #Rooms 5		
This application must be completed in full and submitted with all	Units/rooms (# of units) Proposed Non-Residential Uses	# UNITS: 1 #Rooms 5		
This application must be completed in full and submitted with all documents to be placed on a Board or	Units/rooms (# of units) Proposed Non-Residential Uses Open Space (% and SQ.FT.)	# UNITS: 1 #Rooms 5 S.F.  Required %: 45.69 (Area: 2,922 S.F.	)	
This application must be completed in full and submitted with all documents to be placed on a Board or Committee's agenda.	Units/rooms (# of units) Proposed Non-Residential Uses Open Space (% and SQ.FT.) Parking (# of spaces) Height (# of stories)	# UNITS: 1 #Rooms 5  S.F.  Required %: 45.69 (Area: 2,922 S.F.  PARK. SPACES: (# 5  (# STORIES) 2 ( 30 FT.	)	
<ul> <li>This application must be <u>completed in full</u> and submitted with all documents to be placed on a Board or Committee's agenda.</li> <li>The applicant is</li> </ul>	Units/rooms (# of units) Proposed Non-Residential Uses Open Space (% and SQ.FT.) Parking (# of spaces) Height (# of stories) Gross Floor Area (SQ. FT)	# UNITS: 1 #Rooms 5  S.F.  Required %: 45.69 (Area: 2,922 S.F.  PARK. SPACES: (# 5  (# STORIES) 2 ( 30 FT.  Lot(s) Gross Area ( 3,465 FT.)	)	
<ul> <li>This application must be <u>completed in full</u> and submitted with all documents to be placed on a Board or Committee's agenda.</li> <li>The applicant is responsible for obtaining the appropriate</li> </ul>	Units/rooms (# of units) Proposed Non-Residential Uses Open Space (% and SQ.FT.) Parking (# of spaces) Height (# of stories) Gross Floor Area (SQ. FT)  Name of Current Property Owner	# UNITS: 1 #Rooms 5  S.F.  Required %: 45.69 (Area: 2,922 S.F.  PARK. SPACES: (# 5  (# STORIES) 2 ( 30 FT.  Lot(s) Gross Area ( 3,465 FT.)  BIDASK LADRILLO LLC	)	
<ul> <li>This application must be <u>completed in full</u> and submitted with all documents to be placed on a Board or Committee's agenda.</li> <li>The applicant is responsible for obtain-</li> </ul>	Units/rooms (# of units) Proposed Non-Residential Uses Open Space (% and SQ.FT.) Parking (# of spaces) Height (# of stories) Gross Floor Area (SQ. FT)  Name of Current Property Owner Address of Property Owner: 2501 S	# UNITS: 1 #Rooms 5  S.F.  Required %: 45.69 (Area: 2,922 S.F.  PARK. SPACES: (# 5  (# STORIES) 2 ( 30 FT.  Lot(s) Gross Area ( 3,465 FT.)  **BIDASK LADRILLO LLC  OCEAN DR STE 105, HOLLYWOOD, FL 33019	)	
<ul> <li>This application must be <u>completed in full</u> and submitted with all documents to be placed on a Board or Committee's agenda.</li> <li>The applicant is responsible for obtaining the appropriate checklist for each type</li> </ul>	Units/rooms (# of units) Proposed Non-Residential Uses Open Space (% and SQ.FT.) Parking (# of spaces) Height (# of stories) Gross Floor Area (SQ. FT)  Name of Current Property Owner Address of Property Owner: 2501 S	# UNITS: 1 #Rooms 5  S.F.  Required %: 45.69 (Area: 2,922 S.F.  PARK. SPACES: (# 5  (# STORIES) 2 ( 30 FT.  Lot(s) Gross Area ( 3,465 FT.)  BIDASK LADRILLO LLC	)	
<ul> <li>This application must be <u>completed in full</u> and submitted with all documents to be placed on a Board or Committee's agenda.</li> <li>The applicant is responsible for obtaining the appropriate checklist for each type of application.</li> <li>Applicant(s) or their authorized legal agent</li> </ul>	Units/rooms (# of units) Proposed Non-Residential Uses Open Space (% and SQ.FT.) Parking (# of spaces) Height (# of stories) Gross Floor Area (SQ. FT)  Name of Current Property Owner Address of Property Owner: 2501 S	# UNITS: 1 #Rooms 5  S.F.  Required %: 45.69 (Area: 2,922 S.F.  PARK. SPACES: (# 5  (# STORIES) 2 ( 30 FT.  Lot(s) Gross Area ( 3,465 FT.)  **BIDASK LADRILLO LLC  OCEAN DR STE 105, HOLLYWOOD, FL 33019	)	
<ul> <li>This application must be <u>completed in full</u> and submitted with all documents to be placed on a Board or Committee's agenda.</li> <li>The applicant is responsible for obtaining the appropriate checklist for each type of application.</li> <li>Applicant(s) or their</li> </ul>	Units/rooms (# of units)  Proposed Non-Residential Uses  Open Space (% and SQ.FT.)  Parking (# of spaces)  Height (# of stories)  Gross Floor Area (SQ. FT)  Name of Current Property Owner  Address of Property Owner: 2501 S  Telephone: (786) 262-7546 Em	# UNITS: 1 #Rooms 5 S.F.  Required %: 45.69 (Area: 2,922 S.F.)  PARK. SPACES: (# 5	)	
<ul> <li>This application must be <u>completed in full</u> and submitted with all documents to be placed on a Board or Committee's agenda.</li> <li>The applicant is responsible for obtaining the appropriate checklist for each type of application.</li> <li>Applicant(s) or their authorized legal agent must be present at all</li> </ul>	Units/rooms (# of units)  Proposed Non-Residential Uses Open Space (% and SQ.FT.)  Parking (# of spaces)  Height (# of stories)  Gross Floor Area (SQ. FT)  Name of Current Property Owner: 2501 S  Telephone: (786) 262-7546 Em	# UNITS: 1 #Rooms 5  S.F.  Required %: 45.69 (Area: 2,922 S.F.  PARK. SPACES: (# 5  (# STORIES) 2 ( 30 FT.  Lot(s) Gross Area ( 3,465 FT.)  T: BIDASK LADRILLO LLC  OCEAN DR STE 105, HOLLYWOOD, FL 33019  mail Address: oscar@lobainc.com  Consultant  Representative Tenant ARBOR IS., FL 33154 Telephone: (786) 218-3072	)	
<ul> <li>This application must be <u>completed in full</u> and submitted with all documents to be placed on a Board or Committee's agenda.</li> <li>The applicant is responsible for obtaining the appropriate checklist for each type of application.</li> <li>Applicant(s) or their authorized legal agent must be present at all Board or Committee</li> </ul>	Units/rooms (# of units)  Proposed Non-Residential Uses Open Space (% and SQ.FT.)  Parking (# of spaces)  Height (# of stories)  Gross Floor Area (SQ. FT)  Name of Current Property Owner: 2501 S  Telephone: (786) 262-7546 Em  Applicant YOANN ANDREU  Address: 1025 92ND ST, #701, BAY HA  Email Address: yoann@andreustudio.og  Email Address #2:	# UNITS: 1 #Rooms 5  S.F.  Required %: 45.69 (Area: 2,922 S.F.  PARK. SPACES: (# 5  (# STORIES) 2 ( 30 FT.  Lot(s) Gross Area ( 3,465 FT.)  T: BIDASK LADRILLO LLC  OCEAN DR STE 105, HOLLYWOOD, FL 33019  mail Address: oscar@lobainc.com  Consultant  Representative Tenant  ARBOR IS., FL 33154 Telephone: (786) 218-3072	)	
<ul> <li>This application must be <u>completed in full</u> and submitted with all documents to be placed on a Board or Committee's agenda.</li> <li>The applicant is responsible for obtaining the appropriate checklist for each type of application.</li> <li>Applicant(s) or their authorized legal agent must be present at all Board or Committee</li> </ul>	Units/rooms (# of units)  Proposed Non-Residential Uses Open Space (% and SQ.FT.)  Parking (# of spaces)  Height (# of stories)  Gross Floor Area (SQ. FT)  Name of Current Property Owner: 2501 S Telephone: (786) 262-7546 Em  Applicant YOANN ANDREU  Address: 1025 92ND ST, #701, BAY H/Email Address: yoann@andreustudio.ce Email Address #2:	# UNITS: 1 #Rooms 5 S.F.  Required %: 45.69 (Area: 2,922 S.F.)  PARK. SPACES: (# 5 S.F.)  (# STORIES) 2 ( 30 FT.)  Lot(s) Gross Area ( 3,465 S.F.)  **BIDASK LADRILLO LLC  OCEAN DR STE 105, HOLLYWOOD, FL 33019  nail Address: oscar@lobainc.com  Consultant  Representative Tenant ARBOR IS., FL 33154 Telephone: (786) 218-3072  com  s there an option to purchase the Property? Yes No	)	
<ul> <li>This application must be <u>completed in full</u> and submitted with all documents to be placed on a Board or Committee's agenda.</li> <li>The applicant is responsible for obtaining the appropriate checklist for each type of application.</li> <li>Applicant(s) or their authorized legal agent must be present at all Board or Committee</li> </ul>	Units/rooms (# of units)  Proposed Non-Residential Uses Open Space (% and SQ.FT.)  Parking (# of spaces)  Height (# of stories)  Gross Floor Area (SQ. FT)  Name of Current Property Owner: 2501 S  Telephone: (786) 262-7546 Em  Applicant YOANN ANDREU  Address: 1025 92ND ST, #701, BAY HA  Email Address: yoann@andreustudio.og  Email Address #2:	# UNITS: 1 #Rooms 5 S.F.  Required %: 45.69 (Area: 2,922 S.F.)  PARK. SPACES: (# 5	)	

MEETING DATES

E-mail Address:



#### **GENERAL APPLICATION**

#### **CERTIFICATION OF COMPLIANCE WITH APPLICABLE REGULATIONS**

The applicant/owner(s) signature certifies that he/she has been made aware of the criteria, regulations and guidelines applicable to the request. This information can be obtained in Room 315 of City Hall or on our website at www.hollywoodfl.org. The owner(s) further certifies that when required by applicable law, including but not limited to the City's Zoning and Land Development Regulations, they will post the site with a sign provided by the Office of Planning and Development Services. The owner(s) will photograph the sign the day of posting and submit photographs to the Office of Planning and Development Services as required by applicable law. Failure to post the sign will result in violation of State and Municipal Notification Requirements and Laws.

(I)(We) certify that (I) (we) understand and will comply with the provisions and regulations of the City's Zoning and Land Development Regulations, Design Guidelines, Design Guidelines for Historic Properties and City's Comprehensive Plan as they apply to this project. (I)(We) further certify that the above statements and drawings made on any paper or plans submitted herewith are true to the best of (my)(our) knowledge. (I)(We) understand that the application and attachments become part of the official public records of the City and are not returnable.

Signature of Current Owner: Christian Rene Gardel	Date: 05/17/2024
Christian Rene Gardel PRINT NAME:	Date: 05/17/2024
Signature of Consultant/Representative: YOANN ANDREU	Date: <u>5/14/2024</u>
PRINT NAME:	Date:
Signature of Tenant:	Date:
PRINT NAME:	Date:
Current Owner Power of Attorney	
I am the current owner of the described real property and that I am aware of to my property, which is hereby made to be my legal representative before the Committee) relative to all matters concerning this application.	de by me or I am hereby authorizing
05/17/2024 Sworn to and subscribed before me	
Bruce Toledo Commission # HH 284846 Notary Public - State of Florida My Commission Expires Sep 09, 2026	ignature of Current Owner
My Commission Expires:  9-26  (Check One)Personally known to me; ORPro	rint Name  oduced Identification Passport
9-26	



## Department of Development Services Division of Planning and Urban Design



tel: 954.921.3471 fax: 954.921.3347

October 29, 2024

Leonard Robinson Rev Tr Robinson

RE: Address Designation - Folio No. 5142-14-02-4271

To whom it may concern:

The City of Hollywood will designate the below address for the parcel described as Lot 26, Block 72, subdivision Hollywood Lakes, according to the plat thereof as recorded in Plat Book 1 Page 32 of the Public Records of Broward County, Florida. The address is as follows:

FROM: Vacant

TO: 834 Polk Street


We will amend City of Hollywood records to reflect this change and will notify the below listed entities. You are required to provide a copy to your USPS regional address management office. Furthermore, we encourage you to furnish a copy to any utility service provider with connection to your property (e.g.: FPL, Teco Peoples Gas Company, and any relevant cable or internet service provider).

Sincerely,

Laura Gomez Planner II


Cc via e-mail: Broward County

City of Hollywood Internal Departments



#### OCATION SKETCH

SCALE: NTS





JOB No. 24-03824L26 CLIENT: BIDASK LADRILLO LLC
PROPERTY ADDRESS POLK ST HOLLYWOOD FL 33019 FOLIO: 514214024271
LEGAL DESCRIPTION: (FURNISHED BY CLIENT)
LOT 26, BLOCK 72
SUBDIVISIONHOLLYWOOD LAKES
ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK $\_1$ AT PAGE $32$
OF THE PUBLIC RECORDS OFBROWARD COUNTY, FLORIDA.
SUBJECT TO ALL RESTRICTIONS, RESERVATIONS, EASEMENTS AND RIGHT-OF-WAY OF RECORD, UNDERGROUND ENCROACHMENTS IF ANY, NOT LOCATED.
CURVEYOR'S NOTES

#### SURVEYOR'S NOTES:

- 1-) IF SHOWN, BEARINGS AND ANGLES ARE REFEREED TO SAID PLAT IN LEGAL DESCRIPTION.
  2-) THE RELATIVE CLOSURE IN THE FIELD MEASURED BOUNDARY IS BETTER THAN: 1 FOOT IN 7,500 FEET; LINEAR (SUBURBAN).
  3\_) A TITLE REPORT WAS NOT PROVIDED FOR THIS SURVEY. THEREFORE, THERE MAY BE RESTRICTIONS ON THIS PARCEL THAT ARE NOT SHOWN THAT MAY BE FOUND IN THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA. NO EXPRESSED OR IMPLIED DETERMINATION OF TITLE OR OWNERSHIP TO THE LAND DESCRIBED IS MADE.
  4-) THERE MAY BE UNDERGROUND UTILITY LOCATIONS AND SUBSURFACE FEATURES WITHIN THE PARCEL THAT ARE NOT SHOWN. THERE IS NO VISIBLE SURFACE OR OVERHEAD ENCROCACHMENT, OTHER THAN SHOWN ON THIS SURVEY.

- IS NO VISIBLE SURFACE OR OVERHEAD ENCROACHMENT, OTHER THAN SHOWN ON THIS SURVEY.

  5-) IT IS A VIOLATION OF RULE 5J-17 OF THE FLORIDA ADMINISTRATIVE CODE TO ALTER THIS SURVEY DRAWING WITHOUT THE PRIOR WRITTEN CONSENT OF THE SURVEYOR.

  6-) INFORMATION OF TREE IF PROVIDED: DIAMETER (Ø), HEIGHT (H), CANOPY SHADE (CS). ALL NAMES ARE NOTED TO SURVEYORS ABILITY. SURVEYOR IS NOT AN ARBORIST AND CANNOT PROVIDE SCIENTIFIC NAMES OF TREE AND OR PLANTS.

  7-) SURVEYOR DOES NOT DETERMINE OWNERSHIP OF FENCE, ONLY EXISTING LOCATION IS REPRESENTED.

  8-) FLOOD ZONE DETERMINATION MUST BE CONFIRMED BY AUTHORIZED OFFICIAL PRIOR TO CONSTRUCTION AND/OR DESIGN.

  9-) ELEVATION INFORMATION: (IF APPLICABLE): THESE ELEVATIONS WERE MEASURED USING SURVEY- GRADE GLOBAL POSITION SYSTEM EQUIPMENT, THAT UTILIZES THE F.D.O.T. PERMANENT REFERENCE NETWORK AS ITS HIGH ACCURACY REFERENCE NETWORK (H.A.R.N)

#### **ELEVATION INFORMATION:**

BASED ON THE FLOOD INSURANCE RATE MAP OF THE FEDERAL EMERGENCY MANAGEMENT AGENCY DATED OR REVISED ON 08-18-14 THE HEREIN DESCRIBED PROPERTY IS SITUATED WITHIN ZONE \_ BASE FLOOD ELEVATION  $\underline{5.0}$  COMMUNITY  $\underline{125113}$  PANEL NUMBER  $\underline{-0588}$  SUFFIX . ELEVATIONS(WHEN SHOWN) REFER TO N.A.V.D. 1988 DATUM, HWY A-1-A COUNTY BENCHMARK USED #1915 ELEVATIONS 1.67' FEET B.M. LOCATION \_ SR 820

#### **CERTIFIED TO:**

BIDASK LADRILLO LLC



LEONARDO MAQUEIRA, P.S.M CERTIFICATE No.L.S.-6992 STATE OF FLORIDA

"NOT VALID WITHOUT THE SIGNATURE, DATE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER, UNLESS DIGITALLY SIGNED WITH SIGNATURE & CERTIFICATE"




PAGE 2 OF 2 NOT VALID WITHOUT PAGE 1 OF 2

JOB No. <u>24-03824L26</u>

SCALE: 1'' = 20'

### SURVE



#### LEGEND AND ABBREVIATIONS

0.00 = ELEVATION FOUND NAIL ELEVATION
DRWY. = DRIVEWAY
U.P. = UTILITY POLE
B.O.B. = BASIS OF BEARINGS
A/C = AIR CONDITIONING PAD
A = ARC DISTANCE
BLDG. = BUILDING = POINT OF COMMEN-CEMENT P.O.C. = POINT OF COMMEN-CEMEN'
F.D.H. = FOUND DRILL HOLE
P.T. = POINT OF TANCENCY
E.N.C. = ENCROACHMENT
F.H. = FIRE HYDRANT
F.I.P. = FOUND IRON PIPE
F.I.R. = FOUND REBAR
I.F.E. = LOWEST FLOOR ELEVATION
I.P. = LIGHT POLE
(M) = MEASURED
(R) = RECORD
(R & M) = RECORD & MEASURED

BLDG. = BUILDING
C.B. = CATCH BASIN
C.B.S. = CONCRETE BLOCK STRUCTURE
CH. = CHORD DISTANCE
CL. = CLEAR
C/L = CENTER LINE
CONC. = CONCRETE

E.M. = ELECTRIC METER
P.I. = POINT OF INTERSECTION
P.R.C = POINT OF REVERSE CURVE
P.C. = POINT OF CURVATURE
F.N.D. = FOUND NAIL/DISK
P.C.C. = POINT OF COMPOUND CURVE
M/L = MONUMENT LINE
N.G.V.D. = NATIONAL GEODETIC VERTICAL DATUM
O.E. = OVERHEAD ELECTRIC LINE
P.B. = PLAT BOOK
P.C.P. = PERMANENT CONTROL POINT
P.G. = PAGE
P.O.B. = POINT OF BEGINNING
P/L = PROPERTY LINE
N.T.S. = NOT TO SCALE

= CONCRETE FOUNDATION  $\Delta$  = CENTRAL ANGLE

-//— = WOOD FENCE

-X— = CHAIN LINK FENCE -X- = CHAIN LINK FENCE

IZZZZ = C.B.S. WALL

B/C = BLOCK CORNER

R = RADIUS

RAD. = RADIAL

RES. = RESIDENCE

R/W = RIGHT OF WAY

SEC. = SECTION

S.I.P. = SET IRON PIPE

STY = STORY

SWK = SIDEWALK

UE. = UTILITY EASEMENT

OVERHEAD ELECTRIC UTILITY CONC. POLE WATER METER

#### **BELLE COAST GROUP, Inc.**

2475 NE 135th Street, North Miami, FL 33181 Phone: (786) 218-3072 <a href="https://www.bellecoast.com">www.bellecoast.com</a>

License #AR102136

#### CERTIFICATE OF APPROPRIATENESS FOR DESIGN

The applicant is proposing the construction of a new two-story single-family residence located at 834 Polk Street in the Single Family Residential District (RS-6).

According to information from the Broward County Property Appraiser, the subject property is a vacant lot and does not contain any existing structures.

The proposed design consists of a two-story modern subtropical residence totaling approximately 3,500 square feet of air-conditioned space, featuring layered horizontal planes, a landscaped courtyard, a pool and deck, and integrated outdoor living areas. Vehicular access is provided from both the front street and the rear alleyway in compliance with design guidelines.

The proposed residence conforms to all current zoning, floodplain, and life-safety regulations, and is designed to promote architectural harmony within the Lakes Area District while introducing a refined subtropical modern aesthetic consistent with Belle Coast's design standards.

#### DECISIONS ON CERTIFICATES OF APPROPRIATENESS FOR DESIGN

A decision on an application for a Certificate of Appropriateness for Design for **new building construction** shall be based on evaluation of the compatibility of the physical alteration or improvement with and adherence to the **criteria for designation listed in Section 5.6.F** of the City of Hollywood Zoning and Land Development Regulations.

#### CONSISTENCY WITH THE COMPREHENSIVE PLAN

The proposed new residence supports the goals of the Comprehensive Plan by promoting contextual residential development consistent with the Low Residential land use designation.

The project enhances the architectural quality of the neighborhood and contributes to the continued **revitalization of the Lakes Area District** through compatible scale, material integrity, and environmental responsiveness.

#### CONSISTENCY WITH THE CITY-WIDE MASTER PLAN

The proposed project aligns with the City-wide Master Plan by encouraging **high-quality** residential design, sustainability, and context-sensitive construction.

The home's site orientation, fenestration, and landscape integration promote natural ventilation, daylighting, and a **pedestrian-friendly streetscape** consistent with the district's character.

## CONSISTENCY WITH THE LAKES AREA MULTIPLE RESOURCE LISTING DISTRICT NEIGHBORHOOD PLAN

The design for 834 Polk Street supports the Lakes Area's mission to maintain its **eclectic yet cohesive architectural identity**.

The project introduces a **subtropical modern residence** that emphasizes **horizontal planes**, **screened terraces**, **and material honesty**—principles aligned with the neighborhood's contemporary evolution.

## MANDATORY CRITERIA: INTEGRITY OF LOCATION, DESIGN, SETTING, MATERIALS, WORKMANSHIP, AND ASSOCIATION

**Criteria: Integrity of Location** 

#### Analysis:

The integrity of the location remains intact as the lot is currently vacant. The proposed residence meets all zoning and flood elevation standards, ensuring compliance with the City of Hollywood's design and safety requirements.

The structure's siting and setbacks are proportionate to adjacent homes, maintaining the street rhythm and massing consistent with the surrounding context.

Finding: Consistent

Criteria: Design

#### Analysis:

The proposed design employs a refined subtropical modern vocabulary that features clean massing, light-filtering elements, recessed planes, and sculptural roof forms.

The home's design is compatible with other new modern residences within the Lakes District while maintaining its own distinct architectural expression through proportion, rhythm, and spatial composition.

The project's horizontal emphasis and material articulation enhance the architectural integrity of the block without imitating historical styles.

Finding: Consistent

**Criteria: Setting** 

#### Analysis:

The proposed home preserves the district's open front yard pattern and integrates lush subtropical landscaping.

The massing transitions with setback upper levels, shaded terraces, and cantilevered overhangs that soften the facade and mitigate verticality.

This composition reinforces the low-density residential character of the neighborhood while enhancing its architectural sophistication.

Finding: Consistent

**Criteria: Materials** 

#### **Analysis:**

Primary materials include smooth stucco, architectural concrete, and aluminum-framed window systems.

Secondary materials such as natural wood soffits, stone pavers, and permeable grass block driveways reinforce the subtropical design intent and meet sustainability objectives.

The proposed design incorporates 40% green space at grade level, with energy-efficient glazing, solar preparation, and low-impact landscape materials.

Finding: Consistent

#### Criteria: Workmanship

#### **Analysis:**

Construction will be performed by licensed and insured contractors in accordance with the Florida Building Code and the City of Hollywood inspection standards.

The project's workmanship will meet or exceed the minimum quality requirements for residential construction, ensuring longevity, safety, and architectural fidelity.

Finding: Consistent

**Criteria: Association** 

#### Analysis:

The proposed residence maintains an architectural relationship with the broader Lakes Area District through scale, massing, and material continuity.

The project's modern design language complements existing neighboring homes and contributes positively to the area's evolving architectural narrative.

The balanced horizontal rhythm, proportional facade, and tropical landscaping reinforce the district's distinctive coastal identity.

Finding: Consistent

#### CONCLUSION

The proposed new residence at 834 Polk Street satisfies all criteria for a Certificate of Appropriateness for Design under the City of Hollywood's Historic Preservation Ordinance. The project demonstrates contextual compatibility, architectural integrity, and compliance with applicable zoning and design standards.

**Recommendation:** Approval of Certificate of Appropriateness for Design.

# HOLLYWOOD RESIDENCE

834 POLK ST, HOLLYWOOD, FL 33019

FOLIO: 514214024271, HOLLYWOOD LAKES SECTION 1-32 B LOT 26 BLK 72



## **PROJECT TEAM**

DESIGNER
BELLE COAST GROUP, Inc.
Yoann Andreu
1025 92nd St #701
Bay Harbor Islands, FL 33154
andreu@bellecoast.com
(786) 218-3072

#### ARCHITECT OF RECORD

lytkinedennis@gmail.com 16 Monroe St #J0D3 New York, NY 10002 (347) 830-5763 License #AR102136

#### CIVIL ENGINEER

Catarina Engineering, LLC Enelise Michaels 6330 N Andrews Ave #271 Fort Lauderdale, FL 33309 emichaels@catarinaengineering.com (561) 929-0876 License #84162

#### LANDSCAPE ARCHITECT

Flora Landscape Architecture, Inc. Shaylin Castillo 11431 Northwest 21st Street Pembroke Pines, FL 33026 ShayC@floraladesign.com (786) 660-1097 License #LA6667593

## **DRAWING INDEX**


COVER SHEET + PROJECT INFORMATION SP-1 SITE PLAN AND SITE DATA SP-2 **NEIGHBORS PHOTOGRAPHY** SP-3 STREET PROFILE VIEW SP-3.1 STREET VIEW SP-4 SUBJECT PROPERTY A-101 GARAGE FLOOR PLAN A-102 GROUND FLOOR PLAN A-103 SECOND FLOOR PLAN A-104 **ROOF PLAN** A-301 NORTH ELEVATIONS A-302 WEST ELEVATION A-303 EAST ELEVATION A-304 SOUTH ELEVATION A-401 SECTION VIEWS A-402 SECTION VIEW A-501 RENDERINGS A-502 RENDERINGS A-503 MATERIAL SCHEDULES A-504 MID-CENTURY MODERN INSPIRATIONS CIVIL C-1 EROSION CONTROL PLAN ENGINEERING PLAN & SECTIONS C-2 C-3 CONSTRUCTION NOTES & DETAILS C-4 CONSTRUCTION NOTES & DETAILS LANDSCAPE TD-1 TREE DESPOSITION PLAN PROPOSED LANDSCAPE PLAN L-2 TYPICAL LANDSCAPE DETAILS L-3 COLORED LANDSCAPE PLAN

ARCHITECTURAL

## **LOCATION MAP**



## AERIAL



└── SITE

# BELLE COAST LIFESTYLE PROPERTIES

THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC. THE USE OF THIS INFORMATION IS RESTRICTED TO AUTHORIZED PARTIES ONLY. FULL OR PARTIAL REPRODUCTION OF THIS MATERIALS REQUIRES WRITTEN CONSENT OF ITS OWNER AND SHOULD BE RETURNED WHEN REQUESTED.

BELLE COAST GROUP, Inc.

1025 92nd St #701 Bay Harbor Islands, FL 33154 andreu@bellecoast.com (786) 218-3072

PROJECT: 834 POLK ST HOLLYWOOD, FL 33019

FOLIO NUMBER: 514214024271


11/15/2

DATE:
DRAFTED BY:
SCALE:

CONSULTANTS:

COVER SHEET +
PROJECT
INFORMATION

T-1



## GREEN BUILDING PRACTICES FROM CITY OF HOLLYWOOD ORDINANCE #0-2015-06

- 1. RADIANT BARRIER ROOF SEALOFLEX COOL ROOF - REFLECTO WHITE. WALLS - AL-FOIL
- REFLECTIVE
  2. WINDOWS AND GLAZING LOW E, TINTED DOUBLE
- GLAZING- U FACTOR 0.56, SHGC 0.25
- 3. DOORS INSULATED AND FIRE RATED
  4. ENERGY STAR ROOFING SEALOFLEX COOL
- 4. ENERGY STAR ROOFING SEAL ROOF REFLECTO WHITE.
- 5.PROGRAMMABLE THERMOSTATS
- 6. OCCUPANCY SENSORS
- 7. DUAL FLUSH TOILETS
- 8. 80% OF PLANT MATERIAL NATIVE
- 9. ENERGY EFFICIENT OUTDOOR LIGHTING
- 10. INSULATED PIPING
- 11. RECYCLING AREA12. ENERGY STAR APPLIANCES
- 13. ONE LOW FLOW SHOWERHEAD
- 14. ENERGY EFFICIENT OUTDOOR LIGHTING
- 15. ENERY EFFICIENCY 10% BETTER THAN
- STANDARD ESTABLISHED BY ASHRAE.
- 16. MERV 8 AC FLITERS

SITE LIGHTING LEVELS SHALL NOT EXCEED 0.5 FC AT THE PROPERTY LINE ADJACENT TO RESIDENTIALLY ZONED OR RESIDENTIALLY USED AREAS.

SITE LIGHTING NOTE:

SITE LIGITING NOTE.

SITE LIGHTING LEVELS SHALL NOT EXCEED 0.5 FC AT THE PROPERTY LINE ADJACENT TO RESIDENTIALLY ZONE OR RESIDENTIALLY USED AREAS.

PER NFPA 1, 12.3.2\* A QUALITY ASSURANCE PROGRAM FOR THE INSTALLATION OF DEVICES

AND SYSTEMS INSTALLED TO PROTECT PENETRATION AND JOINTS SHALL BE PREPARED

AND MONITORED BY THE REGISTERED DESIGN PROFESSIONAL RESPONSIBLE FOR DESIGN.
INSPECTIONS OF FIRE STOP SYSTEMS AND FIRE-RESISTIVE

JOINT SYSTEMS SHALL
BE IN ACCORDANCE WITH 12.3.2.1 AND 12.3.2.1.

NFPA 1(2015 EDITOR) CHAPTER 11.10 REQUIERS THAT MINIMUM RADIO

SIGNAL STRENGTH FROM FIRE DEPARTMENT COMMUNICATIONS BE MAINTANED AT A

LEVEL DETERMINED BY THE AHJ FROM ALL NEW AND EXISTING BUILDINGS INCLUDING

COMPLYNG WITH NFPAT2 (2013 EDITOR) BDA SYSTEM MAY BE REQUIERED

A PRE-HEAT MAP PLAN, CONCEPTUAL DRAWINGS AND CUT SHEETS WILL BE REQUIRED TO BE SUBMITTED WITH THE MAIN SET OF ARCHITECTURAL DRAWINGS FOR THE BDA

ALL CHANGES

SYSTEM

TO THE DESIGN WILL REQUIRE PLANING REVIEW AND MAY BE SUBJECT TO BOARD APPROVAL.

#### FEMA NOTE:

THE NATIONAL FLOOD INSURANCE PROGRAM IS IN THE PROCESS OF ISSUING NEW FLOOD MAPS. AT TIME OF BUILDING PERMIT THE FEMA BASE FLOOD ELEVATION SHOULD BE CHECKED

TO ENSURE IT IS STILL COMPLIANT.

ALL MECHANICAL EQUIPMENT SHALL BE SCREENED FROM PUBLIC VIEW.

## NOTE:

BUILDING TO COMPLY WITH CHAPTER 108 REGARDING ALL MARINE TURTLE PROTECTION

ALL SIGNAGE TO COMPLY WITH THE REQUIREMENTS
OF THE CITY OF HOLLYWOOD ZONING AND LAND DEVELOPMENT
CODE BASED ON THE MC-1 ZONING DISTRICT. SEPARATE PERMIT
ARE REQUIRED FOR EACH SIGN. ALL SIGNS, WHICH ARE ELECTRICALLY
ILLUMINATED, SHALL REQUIRE A SEPARATE
ELECTRICAL PERMIT AND INSPECTION.

NOTE: PRIOR TO POURING THE FIRST FLOOR TIE BEAM A SPOT SURVEY OF THE FINISHED FLOOR ELEVATION MUST BE SUBMITTED TO THE BUILDING DEPT.

FEMA NOTE: THE NATIONAL FLOOD INSURANCE PROGRAM IS IN THE PROCESS OF ISSUING NEW FLOOD MAPS
. AT TIME OF BUILDING PERMIT THE FEMA BASE FLOOD ELEVATION SHOULD BE CHECKED TO ENSURE IT IS STILL COMPLIANT.

#### FEMA NOTE:

THE NATIONAL FLOOD INSURANCE PROGRAM IS IN THE PROCESS OF ISSUING NEW FLOOD MAPS.AT THE TIME OF BUILDING PERMIT THE FEMABASE FLOOD ELEVATION SHOULD BE CHECKED TO ENSURE IT IS STILL COMPLAINT

TWO WAY RADIO COMPLIANCE: BUILDING WILL BE IN COMPLIANCE WITH N.F.P.A. 1, 11.10 AND BROWARD COUNTY CODE AMENDMENT 118.2 FOR TWO WAY RADIO COMMUNICATION.

NOTE: TRASH AND RECYCLE BIN TO BE INDIVIDUAL PER UNIT

ALL SIGNAGE TO COMPLY WITH THE REQUIREMENTS OF THE CITY OF HOLLYOOD ZONING AND LAND DEVELOPMENT CODE BASED ON THE HOLLYWOOD LAKES SECTION 1-32 B LOT 12.13 BLK 74 RS-6 ZONING DISTRICT

PROPERTY ADDRESS

834 POLK STREET HOLLYWOOD, FL 33019

FOLIO

# 514214024271

**LEGAL DESCRIPTION** 

SITE INFORMATION	EXISTING	PROPOSED
ZONING	RS-6	RS-6
SUB-DISTRICT	N/A	N/A
BUILDING USE	VACANT LOT	SINGLE FAMILY HOME
LAND USE DESIGNATION	RESIDENTIAL	RESIDENTIAL
COUNTY USE DESIGNATION	RESIDENTIAL	RESIDENTIAL
NET LOT AREA	6,395 SQFT- 0.146 ACRES	6,395 SQFT- 0.146 ACRE
	6,395 SQFT- 0.146 ACRES	6,395 SQFT- 0.146 ACRE
BASE FLOOD ZONE	AE - 8'-0" NAVD	
BUILDING INTENSITY	ALLOWED	<u>PROVIDED</u>
FAR	N/A	N/A
A/C AREA	1000 SF	3465.65 SF
BUILDING FOOTPRINT	N/A	2912.00 SF
PROPOSED DWELLING	1	1
NUMBER OF FLOORS	2	2
BUILDING HEIGHT	30'-0"	26'-2 1/2"
PARKING CALCULATION	REQUIRED	PROVIDED
PARKING SPACE	5	5
SETBACKS:	REQUIRED	PROVIDED
FRONT (NORTH)	25'-0"	25'-0"
REAR (SOUTH)	19.17'	19.17'
EAST SIDE 1ST FLOOR	6'-0"	7'-6"
EAST SIDE 2ND FLOOR	7'-6"	7'-6"
WEST SIDE 1ST FLOOR	6'-0"	6'-0"
WEST SIDE 2ND FLOOR	7'-6"	7'-6"
<u>LANDSCAPE</u>	REQUIRED	PROVIDED
IMPERVIOUS AREA BUILDING FOOTPRINT, WALKWAYS & DRIVEWAYS	N/A	3584.08 SF (56.04%)
PERVIOUS AREA LANDSCAPE AREAS	2238.25 SF (40%)	3426.00 SF (53.57%)
FRONT LANDSCAPE AREA	250.00 SF (20%)	923.00 SF (73.84%)
BUILDING AREA	REQUIRED	PROVIDED
FIRST FLOOR (A/C AREA)	N/A	1,578.87 SF
SECOND FLOOR (A/C AREA)	N/A	1,923.12 SF
TOTAL (A/C AREA)		3501.99 SF

BELLE COAST
LIFESTYLE PROPERTIES

THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC. THE USE OF THIS INFORMATION IS RESTRICTED TO AUTHORIZED PARTIES ONLY. FULL OR PARTIA REPRODUCTION OF THIS MATERIALS REQUIRES WRITTEN CONSENT OF ITS OWNER AND SHOULD BE RETURNED WHEN REQUESTED.

BELLE COAST GROUP, Inc.

1025 92nd St #701
Bay Harbor Islands, FL 33154
andreu@bellecoast.com
(786) 218-3072

PROJECT:

834 POLK ST
HOLLYWOOD, FL 33019

FOLIO NUMBER: 514214024271

11/15/2024

DATE:
DRAFTED BY:
SCALE:

CONSULTANTS:

DATE:

SITE PLAN AND SITE DATA

SP-1



826 S NORTH LAKE DR, HOLLYWOOD, FL 33019



3 830 S NORTH LAKE DR, HOLLYWOOD, FL 33019






7 816 S NORTH LAKE DR, HOLLYWOOD, FL 33019 NTS



828 S NORTH LAKE DR, HOLLYWOOD, FL 33019




4 822 S NORTH LAKE DR, HOLLYWOOD, FL 33019



6 818 S NORTH LAKE DR, HOLLYWOOD, FL 33019
NTS



8 814 S NORTH LAKE DR, HOLLYWOOD, FL 33019
NTS



#### BELLE COAST LIFESTYLE PROPERTIES

THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC. THE USE OF THIS INFORMATION IS RESTRICTED TO AUTHORIZED PARTIES ONLY. FULL OR PARTIAL REPRODUCTION OF THIS MATERIALS REQUIRES WRITTEN CONSENT OF ITS OWNER AND SHOULD BE RETURNED WHEN REQUESTED.

## BELLE COAST GROUP, Inc.

1025 92nd St #701 Bay Harbor Islands, FL 33154 andreu@bellecoast.com (786) 218-3072

## PROJECT: 834 POLK ST HOLLYWOOD, FL 33019

FOLIO NUMBER: 514214024271

REVISION

11/15/2024

## CONSULTANTS:

NEIGHBORS PHOTOGRAPHY

SP-2



STREET PROFILE



BELLE COAST LIFESTYLE PROPERTIES

THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC. THE USE OF THIS INFORMATION IS RESTRICTED TO AUTHORIZED PARTIES ONLY. FULL OR PARTIAL REPRODUCTION OF THIS MATERIALS REQUIRES WRITTEN CONSENT OF ITS OWNER AND SHOULD BE RETURNED WHEN REQUESTED.

BELLE COAST GROUP, Inc.

1025 92nd St #701 Bay Harbor Islands, FL 33154 andreu@bellecoast.com (786) 218-3072

834 POLK ST HOLLYWOOD, FL 33019


FOLIO NUMBER: 514214024271

11/15/2024

REVISION DRAFTED BY: SCALE:

CONSULTANTS:

**SOUTH-EAST - RENDER SOUTH-WEST - RENDER** 





824 POLK STREET 834 POLK STREET 826 POLK STREET

STREET VIEW ALONG POLK STREET

BELLE COAST LIFESTYLE PROPERTIES

THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC. THE USE OF THIS INFORMATION IS RESTRICTED TO AUTHORIZED PARTIES ONLY. FULL OR PARTIAL REPRODUCTION OF THIS MATERIALS REQUIRES WRITTEN CONSENT OF ITS OWNER AND SHOULD BE RETURNED WHEN REQUESTED.

BELLE COAST GROUP, Inc.

1025 92nd St #701 Bay Harbor Islands, FL 33154 andreu@bellecoast.com (786) 218-3072

PROJECT: 834 POLK ST HOLLYWOOD, FL 33019

FOLIO NUMBER: 514214024271

11/15/2024

REVISION

DRAFTED BY:

CONSULTANTS:









BELLE COAST
LIFESTYLE PROPERTIES

THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC. THE USE OF THIS INFORMATION IS RESTRICTED TO AUTHORIZED PARTIES ONLY. FULL OR PARTIAL REPRODUCTION OF THIS MATERIALS REQUIRES WRITTEN CONSENT OF ITS OWNER AND SHOULD BE RETURNED WHEN REQUESTED.

BELLE COAST GROUP, Inc.

1025 92nd St #701 Bay Harbor Islands, FL 33154 andreu@bellecoast.com (786) 218-3072

PROJECT: 834 POLK ST HOLLYWOOD, FL 33019

FOLIO NUMBER: 514214024271

REVISION

DATE:


11/15/2024


CONSULTANTS


DRAFTED BY:


UBJECT PROPERT

SP-4









BELLE COAST LIFESTYLE PROPERTIES

THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC.
THE USE OF THIS INFORMATION IS RESTRICTED
TO AUTHORIZED PARTIES ONLY. FULL OR PARTIAL
REPRODUCTION OF THIS MATERIALS REQUIRES
WRITTEN CONSENT OF ITS OWNER AND SHOULD
BE RETURNED WHEN REQUESTED.

BELLE COAST GROUP, Inc.

1025 92nd St #701 Bay Harbor Islands, FL 33154 andreu@bellecoast.com (786) 218-3072

PROJECT: 834 POLK ST HOLLYWOOD, FL 33019

FOLIO NUMBER: 514214024271

11/15/2024

REVISION DRAFTED BY:

CONSULTANTS:



THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC. THE USE OF THIS INFORMATION IS RESTRICTED TO AUTHORIZED PARTIES ONLY. FULL OR PARTIAL REPRODUCTION OF THIS MATERIALS REQUIRES WRITTEN CONSENT OF ITS OWNER AND SHOULD BE RETURNED WHEN REQUESTED.

BELLE COAST GROUP, Inc.

1025 92nd St #701
Bay Harbor Islands, FL 33154
andreu@bellecoast.com
(786) 218-3072

PROJECT: 834 POLK ST HOLLYWOOD, FL 33019

FOLIO NUMBER: 514214024271

DATE:

DATE:

DRAFTED BY:

11/15/2024

CONSULTANTS:

SCALE:

NORTH ELEVATIONS

A-301



THE DRAWINGS AND INFORMATION CONTAINED THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC. THE USE OF THIS INFORMATION IS RESTRICTED TO AUTHORIZED PARTIES ONLY. FULL OR PARTIAL REPRODUCTION OF THIS MATERIALS REQUIRES WRITTEN CONSENT OF ITS OWNER AND SHOULD BE RETURNED WHEN REQUESTED.


BELLE COAST GROUP, Inc. 1025 92nd St #701 Bay Harbor Islands, FL 33154 andreu@bellecoast.com (786) 218-3072

FOLIO NUMBER: 514214024271

11/15/2024

REVISION DRAFTED BY:

CONSULTANTS:





THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC. THE USE OF THIS INFORMATION IS RESTRICTED TO AUTHORIZED PARTIES ONLY. FULL OR PARTIAL REPRODUCTION OF THIS MATERIALS REQUIRES WRITTEN CONSENT OF ITS OWNER AND SHOULD BE RETURNED WHEN REQUESTED.

BELLE COAST GROUP, Inc.

1025 92nd St #701
Bay Harbor Islands, FL 33154
andreu@bellecoast.com
(786) 218-3072

PROJECT: 834 POLK ST HOLLYWOOD, FL 33019

FOLIO NUMBER: 514214024271


11/15/2024

DATE:
DRAFTED BY:

CONSULTANTS:

EAST ELEVATION

A-303



BELLE COAST
LIFESTYLE PROPERTIES

THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC. THE USE OF THIS INFORMATION IS RESTRICTED TO AUTHORIZED PARTIES ONLY. FULL OR PARTIAL REPRODUCTION OF THIS MATERIALS REQUIRES WRITTEN CONSENT OF ITS OWNER AND SHOULD BE RETURNED WHEN REQUESTED.

BELLE COAST GROUP, Inc.

1025 92nd St #701
Bay Harbor Islands, FL 33154
andreu@bellecoast.com
(786) 218-3072

PROJECT: 834 POLK ST HOLLYWOOD, FL 33019

FOLIO NUMBER: 514214024271

DATE:

DATE:

DRAFTED BY:


11/15/2024


CONSULTANTS:

SCALE:

SOUTH ELEVATION

A-304





THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC. THE USE OF THIS INFORMATION IS RESTRICTED TO AUTHORIZED PARTIES ONLY. FULL OR PARTIAL REPRODUCTION OF THIS MATERIALS REQUIRES WRITTEN CONSENT OF ITS OWNER AND SHOULD BE RETURNED WHEN REQUESTED.

BELLE COAST GROUP, Inc.

1025 92nd St #701
Bay Harbor Islands, FL 33154
andreu@bellecoast.com
(786) 218-3072

PROJECT: 834 POLK ST

HOLLYWOOD, FL 33019

FOLIO NUMBER: 514214024271

DATE: 11/15/2024

DATE:

DRAFTED BY:


CONSULTANTS:


SCALE:

SECTION VIEWS

A-401









THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC. THE USE OF THIS INFORMATION IS RESTRICTED TO AUTHORIZED PARTIES ONLY. FULL OR PARTIAL REPRODUCTION OF THIS MATERIALS REQUIRES WRITTEN CONSENT OF ITS OWNER AND SHOULD BE RETURNED WHEN REQUESTED.

BELLE COAST GROUP, Inc.

1025 92nd St #701 Bay Harbor Islands, FL 33154 andreu@bellecoast.com (786) 218-3072

PROJECT: 834 POLK ST HOLLYWOOD, FL 33019

FOLIO NUMBER: 514214024271

ATE:

REVISION

DATE:

DRAFTED BY:

11/15/2024

RENDERINGS

A-501







THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC. THE USE OF THIS INFORMATION IS RESTRICTED TO AUTHORIZED PARTIES ONLY. FULL OR PARTIAL REPRODUCTION OF THIS MATERIALS REQUIRES WRITTEN CONSENT OF ITS OWNER AND SHOULD BE RETURNED WHEN REQUESTED.

BELLE COAST GROUP, Inc.

1025 92nd St #701 Bay Harbor Islands, FL 33154 andreu@bellecoast.com (786) 218-3072

PROJECT: 834 POLK ST HOLLYWOOD, FL 33019

FOLIO NUMBER: 514214024271

DATE:

11/15/2024

REVISION DATE:

DRAFTED BY:

ENDERINGS

A-502











BELLE COAST LIFESTYLE PROPERTIES

THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC. THE USE OF THIS INFORMATION IS RESTRICTED TO AUTHORIZED PARTIES ONLY. FULL OR PARTIAL REPRODUCTION OF THIS MATERIALS REQUIRES WRITTEN CONSENT OF ITS OWNER AND SHOULD BE RETURNED WHEN REQUESTED.

BELLE COAST GROUP, Inc.

1025 92nd St #701 Bay Harbor Islands, FL 33154 andreu@bellecoast.com (786) 218-3072

PROJECT: 834 POLK ST HOLLYWOOD, FL 33019

FOLIO NUMBER: 514214024271

REVISION DRAFTED BY:

11/15/2024

CONSULTANTS:

MATERIAL SCHEDULES

A-503 **01** WHITE STUCCO 03 - BLACK ALUMINIUM 05 - CLEAR IMPACT GLASS 02 - BEIGE TRAVERTINE PORCELAIN **06** - PAVERS DRIVEWAY **04** - GREY IMPACT GLASS



## NOTE:

- Flat Roof: The clean, flat roof reflects Mid-Century Modern's emphasis on simplicity and straight lines, giving the building a sleek, low-profile look.
- Angled Concrete Columns: The bold, angled concrete columns add a sculptural and dynamic element, inspired by Mid-Century Modern's use of strong geometric forms.
- Large Black-Framed Windows: Expansive glass windows with black frames emphasize clean, linear aesthetics and create a sharp contrast, enhancing the modern look while connecting indoor and outdoor spaces—a key Mid-Century Modern principle.
- Neutral Tones & Travertine Stone Accents: The use of travertine stone introduces natural warmth and texture, aligning with Mid-Century Modern's preference for organic materials that integrate harmoniously with the surroundings.

This concept reinterprets Mid-Century Modern's distinct style, combining bold, innovative architecture with materials and details that respect the district's historic character.



BELLE COAST

THE DRAWINGS AND INFORMATION CONTAINED ARE PROPERTY OF BELLE COAST GROUP, INC. THE USE OF THIS INFORMATION IS RESTRICTED TO AUTHORIZED PARTIES ONLY, FULL OR PARTIAL REPRODUCTION OF THIS MATERIALS REQUIRES WRITTEN CONSENT OF ITS OWNER AND SHOULD BE RETURNED WHEN REQUESTED.

BELLE COAST GROUP, Inc.

1025 92nd St #701 Bay Harbor Islands, FL 33154 andreu@bellecoast.com (786) 218-3072

PROJECT: 834 POLK ST HOLLYWOOD, FL 33019

FOLIO NUMBER: 514214024271

DATE:

11/15/2024

REVISION

DATE:

DRAFTED BY:


CONSULTANTS:

MODERN INSPIRATIONS

A-504

DRAWN BY:

B.C



#### **EROSION CONTROL NOTES**

- 1. THE CONTRACTOR SHALL INSTALL TEMPORARY AND MAINTAIN EROSION CONTROL AND SEDIMENTATION CONTROL MEASURES IN ACCORDANCE WITH THE STANDARDS FOR SOIL EROSION AND SEDIMENT CONTROL IN FLORIDA
- 2. MAINTENANCE MEASURES SHALL BE APPLIED AS NEEDED DURING THE ENTIRE CONSTRUCTION CYCLE. AFTER EACH RAINFALL, A VISUAL INSPECTION SHALL BE MADE OF ALL INSTALLED TEMPORARY EROSION CONTROL MEASURES AND REPAIRS SHALL BE CONDUCTED TO ENSURE THEIR CONTINUING FUNCTION AS DESIGNED.
- 3. CATCH BASIN, INLETS AND STORM SEWER MANHOLES STRUCTURES WITHIN SITE WILL BE PROTECTED DURING FILLING OPERATIONS FROM SEDIMENT RUNOFF AND DEBRIS BY PLACING A FILTER FABRIC MATERIAL IN THE FRAME AND GRATE/MANHOLE COVER. PREVENTIVE METHODS MUST BE UTILIZED AROUND THESE STRUCTURES (DURING FILLING OPERATIONS) BY GRADING TO DRAIN AWAY FROM STRUCTURES AND ANY OTHER METHODS APPROVED BY THE COUNTY ENGINEER OR DESIGN ENGINEER.
- 4. THE CONTRACTOR SHALL INSTALL A TYPE 3 SILT FENCE (24" MIN.) AS PER FL GUIDELINES.
- THE CONTRACTOR SHALL INSTALL A TEMPORARY SOIL TRACKING PREVENTION DEVICE AS PER FL GUIDELINES. THE CONTRACTOR SHALL TAKE MEASURES TO ENSURE THE CLEANUP OF SEDIMENT THAT HAVE BEEN TRACKED BY VEHICLES OR HAVE BEEN TRANSPORTED BY WIND OR STORMWATER ABOUT THE SITE OR ONTO NEARBY ROADWAYS. STABILIZED CONSTRUCTION ENTRANCES AND CONSTRUCTION ROADS, IF APPROPRIATE, SHALL BE IMPLEMENTED IN ORDER TO REDUCE OFFSITE
- 6. THE CONTRACTOR WILL BE RESPONSIBLE FOR ACQUIRING A VALID NPDES PERMIT, UNLESS SUCH PERMIT IS DETERMINED TO BE NON-APPLICABLE BY REGULATORY AGENCY WITH JURISDICTION.

#### Florida Erosion and Sediment Control Inspector's Manual




Plate 4.03a Temporary Gravel Construction Entrance Source: Erosion Draw

#### Florida Erosion and Sediment Control Inspector's Manual




Plate 4.06d Installing a Filter Fabric Silt Fence Source: HydroDynamics, Inc.

#### Chapter 4 - Best Management Practices for Erosion and Sediment Control




Plate 4.06e Silt Fence Source: Erosion Draw

#### Florida Erosion and Sediment Control Inspector's Manual




Plate 4.08o Curb Inlet Sediment Barrier

Source: Erosion Draw

ENGINEERING

Fort Lauderdale, FL (561) 929-0876 emichaels@catarinaengineering.com

ENELISE L. MICHAELS, P.E. FLORIDA LICENSE # 84162

This item has been digitally signed and sealed by Enelise L. Michaels, P.E., on the date above. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Client:

BELLE COAST

Project Name and Address:

## **CUSTOM HOME**

834 POLK ST LOT 26

CITY OF HOLLYWOOD

**BROWARD COUNTY** 

Rev.	Date	Description
$\triangle$	CITY COMMENTS	10/31/2024

**EROSION CONTROL PLAN** 

Sheet Title:

**CONSTRUCTION DRAWINGS** 


08/08/2 **AS NOTE** Scale: Drawn by:

Designed/ Approved by: Project Number:

Sheet Number:

C-1

24-026-03



BY NPDES REGULATIONS.

SSUED: MAY 2023

APPROVED: JG

EG

RAWN:

2. ALL CONSTRUCTION AND MATERIALS SHALL CONFORM TO APPLICABLE STANDARDS AND SPECIFICATIONS OF THE CITY OF HOLLYWOOD DEPARTMENT OF DEVELOPMENT SERVICES. ENGINEERING, TRANSPORTATION & MOBILITY DIVISION, AND ALL OTHER LOCAL, STATE AND NATIONAL CODES, WHERE APPLICABLE

3. LOCATIONS, ELEVATIONS, SIZES, MATERIALS, ALIGNMENTS, AND DIMENSIONS OF EXISTING FACILITIES, UTILITIES AND OTHER FEATURES ARE SHOWN ACCORDING TO THE BEST INFORMATION AVAILABLE AT THE TIME OF THE PREPARATION OF THESE PLANS; AND DO NOT PURPORT TO BE ABSOLUTELY CORRECT. ALSO. THERE MAY HAVE BEEN OTHER IMPROVEMENTS, UTILITIES, ETC., WITHIN THE PROJECT AREA WHICH WERE CONSTRUCTED AFTER THE PREPARATION OF THESE PLANS AND/OR THE ORIGINAL SITE SURVEY. THE CONTRACTOR SHALL VERIFY THE LOCATIONS, ELEVATIONS, AND OTHER FEATURES AFFECTING HIS/HER WORK PRIOR TO CONSTRUCTION, AND NOTIFY THE ENGINEER IMMEDIATELY WHEN CONFLICT BETWEEN DRAWINGS AND ACTUAL CONDITIONS ARE DISCOVERED. THE ENGINEER ASSUMES NO RESPONSIBILITY FOR ANY FACILITIES SHOWN OR NOT SHOWN ON THE PLANS. THE CONTRACTOR SHALL WORK AS NEEDED TO AVOID CONFLICT WITH EXISTING UTILITIES (NO ADDITIONAL COST SHALL BE PAID FOR THIS WORK). EXISTING UTILITIES SHALL BE MAINTAINED IN SERVICE DURING CONSTRUCTION UNLESS OTHERWISE APPROVED BY THE RESPECTIVE UTILITY

4. THE CONTRACTOR IS REQUIRED TO OBTAIN ALL APPLICABLE CONSTRUCTION AND ENVIRONMENTAL PERMITS PRIOR TO THE START OF CONSTRUCTION.

5. THE CONTRACTOR SHALL NOTIFY PUBLIC UTILITIES AT LEAST 48 HOURS PRIOR TO BEGINNING CONSTRUCTION.

6. PRIOR TO THE COMMENCEMENT OF CONSTRUCTION AND INSTALLATION OF THE PROPOSED IMPROVEMENTS, IT IS THE CONTRACTOR'S RESPONSIBILITY TO OBTAIN ANY OTHER AGENCY SHOP DRAWING APPROVAL, IF REQUIRED.

7. ELEVATIONS SHALL BE IN FEET AND REFERENCED TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88).

8. CITY OF HOLLYWOOD SHALL NOT PROVIDE STAGING/STORAGE AREA. CONTRACTOR SHALL SECURE

STAGING/STORAGE AREA AS NECESSARY FOR CONSTRUCTION WORK. 9. CONTRACTOR SHALL HAUL AWAY EXCESSIVE STOCKPILE OF SOIL FOR DISPOSAL EVERY DAY. NO

STOCKPILE SOIL IS ALLOWED TO BE LEFT ON THE CONSTRUCTION SITE OVER NIGHT. 10. CONTRACTOR SHALL CLEAN/SWEEP THE ROAD AT LEAST ONCE A DAY OR AS REQUIRED BY THE

ENGINEER. 11. CONTRACTOR SHALL PROTECT CATCH BASINS WITHIN/ADJACENT TO THE CONSTRUCTION SITE AS REQUIRED

12. CITY OF HOLLYWOOD HAS A NOISE ORDINANCE (CHAPTER 100) WHICH PROHIBITS EXCAVATION AND CONSTRUCTION BEFORE 8:00 A.M. AND AFTER 6:00 P.M., MONDAY THROUGH SATURDAY AND ALL DAY SUNDAY. 13. SUITABLE EXCAVATED MATERIAL SHALL BE USED IN FILL AREAS. NO SEPARATE PAY ITEM FOR THIS WORK, INCLUDE COST IN OTHER ITEMS.

14. THE CONTRACTOR SHALL REPLACE ALL PAVING, STABILIZING EARTH, DRIVEWAYS, PARKING LOTS, SIDEWALKS, ETC. TO SATISFY THE INSTALLATION OF THE PROPOSED IMPROVEMENTS WITH THE SAME TYPE OF MATERIAL THAT WAS REMOVED DURING CONSTRUCTION.

15. THE CONTRACTOR SHALL NOT ENCROACH INTO PRIVATE PROPERTY WITH PERSONNEL, MATERIAL OR EQUIPMENT. IN CASE WORK ON PRIVATE PROPERTY IS NEEDED, A CITY OF HOLLYWOOD "RIGHT OF ENTRY" FORM MUST BE SIGNED BY PROPERTY OWNER AND THE DIRECTOR OF DEVELOPMENT SERVICES. THE CONTRACTOR IS RESPONSIBLE TO MAINTAIN ACCESS AT ALL TIMES TO PRIVATE HOMES/BUSINESSES.

16. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DAMAGE, REMOVAL OR MODIFICATION, CAUSED TO ANY IRRIGATION SYSTEM (PRIVATE OR PUBLIC) ACCIDENTALLY OR PURPOSELY. THE CONTRACTOR SHALL REPLACE ANY DAMAGED, REMOVED OR MODIFIED IRRIGATION PIPES, SPRINKLER HEADS OR OTHER PERTINENT APPURTENANCES TO MATCH OR EXCEED EXISTING CONDITIONS AT NO ADDITIONAL COST TO THE CITY.

DEPARTMENT OF DEVELOPMENT SERVICES

ENGINEERING, TRANSPORTATION & MOBILITY DIVISION

GENERAL NOTES (1 OF 2)

REVISED:

DRAWING NO .:

17. MAIL BOXES, FENCES OR OTHER PRIVATE PROPERTY DAMAGED DURING THE CONSTRUCTION OF THE PROPOSED IMPROVEMENTS SHALL BE REPLACED TO MATCH OR EXCEED EXISTING CONDITION.

18. CONTRACTOR SHALL PROVIDE MAINTENANCE OF TRAFFIC IN ACCORDANCE WITH FDOT STANDARD PLANS INDEX, LATEST EDITION, AND CITY OF HOLLYWOOD DEPARTMENT OF DEVELOPMENT SERVICES STANDARDS.

19. NO TREES ARE TO BE REMOVED OR RELOCATED WITHOUT PRIOR APPROVAL FROM THE CITY ENGINEER. 20. THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING THE NECESSARY TREE REMOVAL OR RELOCATION PERMITS FROM THE CITY OF HOLLYWOOD BUILDING DEPARTMENT FOR TREES LOCATED IN THE PUBLIC RIGHT

21. IT IS THE INTENT OF THESE PLANS TO BE IN ACCORDANCE WITH APPLICABLE CODES AND AUTHORITIES HAVING JURISDICTION. ANY DISCREPANCIES BETWEEN THESE PLANS AND APPLICABLE REGULATORY STANDARDS/REQUIREMENTS SHALL BE IMMEDIATELY BROUGHT TO THE ATTENTION OF CITY ENGINEER.

22. THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING THE INTEGRITY OF AND MAKING THE REPAIRS TO EXISTING PAVEMENT, SIDEWALKS, PIPES, CONDUITS, CURBS, CABLES, ETC., WHETHER OR NOT SHOWN ON THE PLANS DAMAGED AS A RESULT OF THE CONTRACTORS OPERATIONS AND/OR THOSE OF HIS SUBCONTRACTORS, AND SHALL RESTORE THEM PROMPTLY AT NO ADDITIONAL EXPENSE TO THE OWNER. CONTRACTOR SHALL REPORT ANY DAMAGE TO SIDEWALK, DRIVEWAY, ETC., PRIOR TO BEGINNING WORK IN ANY

23. WHERE NEW PAVEMENT MEETS EXISTING, CONNECTION SHALL BE MADE IN A NEAT STRAIGHT LINE AND FLUSH WITH EXISTING PAVEMENT TO MATCH EXISTING CONDITIONS.

24. UNDER NO CIRCUMSTANCES SHALL THE CONTRACTOR LEAVE EXCAVATED TRENCHES, OR PARTS OF, EXPOSED OR OPENED AT THE END OF THE WORKING DAY, WEEKENDS, HOLIDAYS OR OTHER TIMES, WHEN THE CONTRACTOR IS NOT WORKING, UNLESS OTHERWISE DIRECTED. ALL TRENCHES SHALL BE COVERED, FIRMLY SECURED AND MARKED ACCORDINGLY FOR PEDESTRIAN/VEHICULAR TRAFFIC.

25. ALL EXCAVATED MATERIAL REMOVED FROM THIS PROJECT SHALL BE DISPOSED OF OFF THE PROPERTY BY THE CONTRACTOR AT THE CONTRACTOR'S EXPENSE.

26. ALL RAMPS, SIDEWALK CURB RAMPS, AND, ACCESSIBLE ROUTES SHALL BE ADA COMPLIANT AND SHALL BE IN ACCORDANCE WITH FDOT STANDARD PLANS INDEX, LATEST EDITION.

28. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROVISION, INSTALLATION AND MAINTENANCE OF ALL TRAFFIC CONTROL AND SAFETY DEVICES, IN ACCORDANCE WITH SPECIFICATIONS OF THE LATEST REVISION OF FDOT DESIGN STANDARDS. IN ADDITION. THE CONTRACTOR IS RESPONSIBLE FOR THE RESETTING OF ALL TRAFFIC CONTROL AND INFORMATION SIGNAGE REMOVED DURING THE CONSTRUCTION PERIOD.

27. ALL GRASSED AREAS AFFECTED BY CONSTRUCTION SHALL BE RE-SODDED.

SSUED: MAY 2023

APPROVED: JG

EG

DRAWN:

29. EXCAVATED OR OTHER MATERIAL STORED ADJACENT TO OR PARTIALLY UPON A ROADWAY PAVEMENT SHALL BE ADEQUATELY MARKED FOR TRAFFIC SAFETY AT ALL TIMES.

30. TEMPORARY PATCH MATERIAL MUST BE ON THE JOB SITE WHENEVER PAVEMENT IS CUT, OR THE CITY'S INSPECTOR WILL SHUT THE JOB DOWN.

31. CONTRACTOR MUST PROVIDE FLASHER ARROW SIGNAL FOR ANY LANE THAT IS CLOSED OR DIVERTED. 32. THE CITY PREFERS THAT IT'S OWN POLICE OFFICERS PROVIDE TRAFFIC CONTROL TO ENSURE SAFE AND EFFICIENT INTERSECTION OPERATIONS IS MAINTAINED THROUGHOUT THE DURATION OF CONSTRUCTION. THEREFORE, PLEASE CONTACT MR. JANEL DIXON TO ARRANGE FOR A DETAIL TO PROVIDE THIS SERVICE. HE MAY BE REACHED AT 954-967-4500 OR VIA EMAIL AT jdixon@hollywoodfl.org.

33. CONTRACTOR TO RESTORE PAVEMENT TO ORIGINAL CONDITION AS REQUIRED, REFER TO BCTED, PAVING MARKINGS AND SIGNS DETAILS PLAN, LATEST EDITION. 34. THE CONTRACTOR SHALL GIVE AT LEAST 48 HOURS NOTICE TO UTILITY COMPANIES TO PROVIDE FOR THE

LOCATION OF EXISTING UNDERGROUND UTILITIES IN ADVANCE OF CONSTRUCTION. CONTACT UTILITIES NOTIFICATION CENTER AT 811 OR 1-800-432-4770 (SUNSHINE ONE-CALL OF FLORIDA).


DEPARTMENT OF DEVELOPMENT SERVICES

ENGINEERING, TRANSPORTATION & MOBILITY DIVISION

GENERAL NOTES (2 OF 2)

REVISED:

DRAWING NO.:



(A) SUITABLE SUBGRADE (SEE NOTE No. 1) B LIMEROCK BASE COMPACTED TO A MIN. OF 98% OF MAX. DENSITY AS DETERMINED BY AASHTO T-180 MINIMUM THICKNESS REQUIRED: " IN THE PUBLIC RIGHT OF WAY

4" ON PRIVATE PROPERTY © SAND BEDDING COURSE, 2" TYPICAL. (D) CONCRETE SEGMENTAL PAVING UNITS (E) JOINT-FILLING SAND

SSUED: MAY 2023

APPROVED: JG

EG

1-1/2" ASPHALT SURFACE OVER -

DRAWN:

F 3,000PSI CONCRETE © CONTINUOUS EXPOSED EDGE RESTRAINT REQUIRED IN THE PUBLIC RIGHT-OF-WAY

DEPARTMENT OF DEVELOPMENT SERVICES

ENGINEERING, TRANSPORTATION & MOBILITY DIVISION

CONCRETE PAVERS DETAIL


LIGHT TRAFFIC AND DOMESTIC USE ONLY. HEAVIER TRAFFIC OR UNSUITABLE SOIL CONDITIONS REQUIRE SPECIAL PAVEMENT STRUCTURE AND THICKNESS 2. SURFACE DRAINAGE: RECOMMENDED MINIMUM GRADE OF 2% TO SWALE PERVIOUS AREA. THIS IS A NON-STANDARD TYPE OF DRIVEWAY CONSTRUCTION AND AN AFFIDAVIT IS REQUIRED FROM THE OWNER FOR WORK IN PUBLIC RIGHT-OF-WAY OR

REVISED:


RAWING NO.

RAWN:


PPROVED: JG



<u>PLAN</u>



SECTION A-A



1. ALL SIDEWALK CONSTRUCTION SHALL BE IN STRICT ACCORDANCE WITH THE ADA STANDARDS. 2. LIGHT BROOM FINISH PERPENDICULAR TO THE DIRECTION OF THE SIDEWALK.


3. ALL SIDEWALKS CROSS SLOPES SHALL BE 1:48 (2% MAX.); AND, RUNNING SLOPES 1:20 MAX. DEPARTMENT OF DEVELOPMENT SERVICES SSUED: MAY 2023 REVISED: ENGINEERING, TRANSPORTATION & MOBILITY DIVISION

SIDEWALK CONSTRUCTION DETAILS (1 OF 3)

PROPOSED WIDENING

PROPOSED BASE

- PROPOSED PAVEMENT



ENGINEERING

Fort Lauderdale, FL

(561) 929-0876

emichaels@catarinaengineering.com

ENELISE L. MICHAELS, P.E.

FLORIDA LICENSE # 84162

This item has been digitally signed

and sealed by Enelise L. Michaels,

P.E., on the date above.

Printed copies of this document are

not considered signed and sealed

DRAWING NO.:

Project Name and Address:

## **CUSTOM HOME**

834 POLK ST

CITY OF HOLLYWOOD

**BROWARD COUNTY** 

Rev.	Date	Description
$\triangle$	CITY COMMENTS	10/31/2024

Sheet Title:

CONSTRUCTION NOTES AND **DETAILS** 

## **CONSTRUCTION DRAWINGS**


Date:	08/08/24
Scale:	AS NOTED
Drawn by:	EM
Designed/ Approved by:	EM
Project Number:	24-026-03

Sheet Number:

C-3

EXISTING ASPHALT — — EXISTING ASPHALT OR CONCRETE DRIVEWAY OR CONCRETE APRON NEW ASPHALT/CONCRET MAX. SLOPE OF 1:20 To MAX. SLOPE OF 1:6 TO MEET EXISTING MEET EXISTING 6" THICK (TYP.) 1: 48 (2% MAX.) SLOPE COMPACTED SAWCUT · LIMEROCK BASE FOR ASPHALT. COMPACTED DRIVEWAY FILL FOR CONCRETE

SECTION C-C



DEPARTMENT OF DEVELOPMENT SERVICES ENGINEERING, TRANSPORTATION & MOBILITY DIVISION DRAWING NO.: SIDEWALK CONSTRUCTION DETAILS (2 OF 3)


TYPE 'A' JOINT EXISTING SIDEWALK STREET <u>PLAN</u> 1/4"R — TABLE OF SIDEWALK JOINTS LOCATION -1/2" PREMOLDED P.C. & P.T. OF CURVES; EXPANSION JOINT MATERIAL AND NEW SIDEWALKS: WHERE SIDEWALK ABUTS CONCRETE CURBS, DRIVEWAYS AND SIMILAR TYPE 'A' TYPE 'B' SIDEWALK JOINTS 5' CENTER TO CENTER ON SIDEWALKS.


NOTES:


. CONCRETE SHALL BE CLASS 1 WITH MINIMUM COMPRESSIVE STRENGTH OF 3,000 PSI AT 28 DAYS. USE OF FIBER REINFORCED CEMENT IS PROHIBITED. SIDEWALK LONGITUDINAL AND CROSS SLOPES SHALL MEET ADA STANDARDS.

SIDEWALK CURB RAMPS SHALL BE PROVIDED AT ALL DESIGNATED PEDESTRIAN CROSSING AT INTERSECTIONS PER FDOT STANDARD PLANS INDEX NO. 522-002. 5. THE VERTICAL DEVIATION OF THE COVER/LID OF A GIVEN UTILITY BOX/STRUCTURE SHALL NOT BE MORE THAN


A ¼" DIFFERENCE IN HEIGHT/ELEVATION OF THE FINISHED SIDEWALK SURFACE. 6. 4" THICK MINIMUM (TYP.); 6" THICK AT DRIVEWAYS, EXTENDED TWO FEET ON BOTH SIDES BEYOND THE DRIVE












WHEN USED ON HIGH SIDE OF ROADWAYS, THE
CROSS SLOPE OF THE GUTTER SHALL MATCH
THE CROSS SLOPE OF THE ADJACENT PAVEMENT.
THE THICKNESS OF THE LIP SHALL BE 6",
UNLESS OTHERWISE SHOWN ON PLANS.

AUD.	ISSU
	DRAV
7	APPI
<b>17</b>	APP

	DRAWN:
77	APPROVI

ENGINEERING, TRANSPORTATION & MOBILITY DIVISION	\\L\
SAWCUT DETAIL	DRAWI



SIDEWALK WITH CURB

PPROVED:

DEPARTMENT OF DEVELOPMENT SERVICES ENGINEERING, TRANSPORTATION & MOBILITY DIVISION RAWN: SIDEWALK CONSTRUCTION DETAILS (3 OF 3) APPROVED:

DRAWN: PPROVED: JG

SSUED: MAY 202

ENGINEERING, TRANSPORTATION & MOBILITY DIVISION CURB AND GUTTER DETAILS

DEPARTMENT OF DEVELOPMENT SERVICES RAWING NO.:


REVISED:


EXISTING ROADWAY

SAWCUT A NEAT, STRAIGHT LINE (PARALLEL OR PERPENDICULAR TO RUN OF ROAD) —

EXISTING PAVEMENT -

DEPARTMENT OF DEVELOPMENT SERVICES REVISED:







ENGINEERING

Fort Lauderdale, FL (561) 929-0876 emichaels@catarinaengineering.com

> ENELISE L. MICHAELS, P.E. FLORIDA LICENSE # 84162

This item has been digitally signed and sealed by Enelise L. Michaels, P.E., on the date above. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Client:

BELLE COAST

Project Name and Address:

**CUSTOM HOME** 

834 POLK ST LOT 26

CITY OF HOLLYWOOD

**BROWARD COUNTY** 

Rev.	Date	Description
A	CITY COMMENTS	10/31/2024

Sheet Title:

CONSTRUCTION **NOTES AND DETAILS** 

CONSTRUCTION DRAWINGS

08/08/24 AS NOTED Scale: Drawn by: Designed/ Approved by:

Project Number:


Sheet Number:

C-3.1

24-026-03

## **FLEXIBLE PAVEMENT RESTORATION NOTES:**

- 1. THE ABOVE DETAILS APPLY ONLY TO ASPHALT PAVEMENT RESTORATION OVER UTILITY TRENCHES CUT WITHIN CITY OF HOLLYWOOD RIGHTS-OF-WAY. FOR PAVEMENT RESTORATION WITHIN BROWARD COUNTY OR FDOT RIGHTS-OF-WAY REFER TO THE CORRESPONDING DETAILS FOR THOSE AGENCIES.
- LIMEROCK BASE MATERIAL SHALL HAVE A MINIMUM L.B.R. OF 100 AND A MINIMUM CARBONATE CONTENT OF 70%. REPLACED BASE MATERIAL OVER TRENCH SHALL BE A MINIMUM OF 12" THICK".
- 3. LIMEROCK BASE MATERIAL SHALL BE PLACED IN 12" MAXIMUM (LOOSE MEASUREMENT) THICKNESS LAYERS WITH EACH LAYER THOROUGHLY ROLLED OR TAMPED AND COMPACTED TO 100% OF MAXIMUM DENSITY, PER AASHTO T-180, PRIOR TO THE PLACEMENT OF THE SUCCEEDING LAYERS.
- 4. STABILIZED SUBGRADE MATERIAL SHALL BE GRANULAR AND SHALL HAVE A MINIMUM L.B.R. OF 40.
- BACKFILL SHALL BE PLACED AND COMPACTED IN ACCORDANCE WITH THE PIPE LAYING CONDITION TYPICAL SECTIONS IN DETAILS G-02 AND G-03, AND THE SPECIFICATIONS, BUT TESTING WILL BEGIN 12" ABOVE THE INSTALLED FACILITY.
- 6. ALL EDGES AND JOINTS OF EXISTING ASPHALT PAVEMENT SHALL BE SAW CUT TO STRAIGHT LINES, PARALLEL TO OR PERPENDICULAR TO THE ROADWAY, PRIOR TO THE RESURFACING.
- RESURFACING MATERIAL SHALL BE FDOT SUPERPAVE, AND SHALL BE APPLIED A MINIMUM OF TWO INCH IN THICKNESS.
- 8. MILL AND BUTT JOINT TO EXISTING PAVEMENT.
- 9. IF THE TRENCH IS FILLED TEMPORARILY, IT SHALL BE COVERED WITH A 2" ASPHALTIC CONCRETE PATCH



DEPARTMENT OF PUBLIC UTILITIES STANDARD DETAIL

FLEXIBLE PAVEMENT RESTORATION


FOR TRENCHES CUT PERPENDICULAR

AND PARALLEL TO THE ROADWAY

EVISED: 11/06/20

AWING NO.

G-12.1



NO GALVANIZED PIPE OR FITTINGS ALLOWED

DEPARTMENT OF PUBLIC UTILITIES STANDARD DETAIL

TYPICAL 5/8", 1", 1-1/2" AND

2" METER INSTALLATION

#### **WATER METER SERVICE NOTES:**


- 1. SUCCESSIVE TAPS INTO THE WATER MAIN SHALL BE SPACED NOT LESS THAN 18" ON CENTER.
- P.E. TUBING SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF AWWA STANDARD C901. "POLYETHYLENE (PE) PRESSURE PIPE AND TUBING, 1/2 IN. (13mm) THROUGH 3 IN. (76 mm), FOR
- MINIMUM SERVICE PIPE DIAMETER SHALL BE 1" FOR SINGLE OR DUAL %" OR SINGLE 1" DIAMETER METERS.
- 4. MINIMUM SERVICE PIPE DIAMETER SHALL BE 2" FOR SINGLE OR DUAL  $1-\frac{1}{2}$ " OR SINGLE 2" DIAMETER METERS.
- FOR METER DIAMETERS LARGER THAN 2", THE MINIMUM SERVICE PIPE DIAMETER SHALL BE THE SAME AS THE METER DIAMETER.
- APPROVED COPPER TUBING MAY BE USED AT THE CITY'S DISCRETION
- 7. FOR NEW METER INSTALLATIONS, ALL SADDLES, VALVES, PIPING, FITTINGS, CURB STOPS, METER VALVES, METER COUPLINGS, METER VAULTS AND COVERS SHALL BE FURNISHED AND INSTALLED BY THE CONTRACTOR. THE WATER METERS WILL BE PROVIDED AND INSTALLED BY THE CITY OF HOLLYWOOD (NEW ACCOUNTS).
- 8. FOR METER RELOCATIONS, ALL SADDLES, VALVES, PIPING, FITTINGS, CURB STOPS, METER VALVES, METER COUPLINGS, METER VAULTS AND COVERS SHALL BE FURNISHED AND INSTALLED BY THE CONTRACTOR. THE EXISTING WATER METER TO BE RELOCATED AND INSTALLED BY CONTRACTOR.
- FOR EXISTING METERS ABUTTING THE RIGHT-OF-WAY THAT ARE BEING DISCONNECTED FROM EXISTING MAINS AND RECONNECTED TO NEW MAINS, THE CONTRACTOR SHALL:
  - a. CUT AND PLUG THE EXISTING SERVICE LINE AT THE MAIN AND AT THE METER, AND REMOVE THE EXISTING BALL VALVE CURB STOP.
  - b. FURNISH AND INSTALL SERVICE SADDLE, CORPORATION STOP OR SERVICE VALVE AND VALVE BOX, PIPING AND FITTINGS UP TO AND INCLUDING THE BALL VALVE CURB STOP.
- 12. THE ELEVATION AT THE TOP OF THE METER BOX SHALL MATCH THE ELEVATION OF THE BACK OF SIDEWALK, WHENEVER PRACTICAL.
- 13. AS PART OF THE SERVICE INSTALLATION, THE CONTRACTOR SHALL RESTORE THE RIGHT-OF-WAY TO MATCH EXISTING CONDITIONS, INCLUDING ROADWAY PAVEMENT, PAVEMENT MARKINGS AND RPMs, CONCRETE CURBS, SIDEWALKS, RAMPS (INCLUDING DETECTABLE WARNING SURFACE), SODDING, AND ALL OTHER IMPROVEMENTS REMOVED OR DAMAGED DURING THE SERVICE INSTALLATION.

DEPARTMENT OF PUBLIC UTILITIES STANDARD DETAIL

WATER METER SERVICE NOTES FOR

5/8" THROUGH 2" METERS

14. FOR UNPAVED AREAS, THE MINIMUM GROUND COVER ACCEPTED BY THE CITY IS SODDING.




DEPARTMENT OF PUBLIC UTILITIES STANDARD DETAIL


TYPICAL 2-INCH HDPE WATER SERVICE FOR


SINGLE/DUAL 5/8" TO 1" METERS, AND ANY

SINGLE 1-1/2" TO 2" METERS



- 4. IF EXISTING CONCRETE METER BOX IS IN ACCEPTABLE CONDITION (AS DETERMINED BY ECSD) IT MAY BE RE-USED. 5. IF EXISTING BACKFLOW PREVENTER IS DETERMINED TO BE IN ACCEPTABLE CONDITION IT MAY BE RE-USED PROVIDED IT IS RE-CERTIFIED.
- 5. ALL PRIVATE SERVICE LINE INSTALLATIONS SHALL COMPLY WITH THE LATEST REVISION OF THE FLORIDA BUILDING CODE.
- . ALL FITTINGS TO BE BRASS.
- DEPARTMENT OF PUBLIC UTILITIES STANDARD DETAI VISED: 02/14/20 EVISED: 11/06/20 ΓΥΡΙCAL WATER SERVICE FRΟΜ METER TO STRUCTURE FOR 5/8" W-10 THROUGH 2" METERS






**ELEVATION** 

SINGLE SERVICE CONNECTIONS SHALL USE 6" PIPE AND FITTINGS. USE RISER CONNECTIONS WHERE INVERT OF SEWER IS GREATER THAN 7'-0" DEEP.

WHERE BELL OF WYE AND SPIGOT OF EXISTING MAIN ARE NOT COMPATIBLE, USE A SECOND FLEXIBLE COUPLING.



ENGINEERING

Fort Lauderdale, FL (561) 929-0876 emichaels@catarinaengineering.com

ENELISE L. MICHAELS. P.E.

FLORIDA LICENSE # 84162

This item has been digitally signed and sealed by Enelise L. Michaels, P.E., on the date above. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Client

VISED: 11/06/2

W-07

RAWING NO.

Project Name and Address:

**CUSTOM HOME** 

834 POLK ST LOT 26

CITY OF HOLLYWOOD

**BROWARD COUNTY** 

Rev.	Date	Description
Â	CITY COMMENTS	10/31/2024
Shee	t Title·	

Sheet Litle:

CONSTRUCTION NOTES AND **DETAILS** 

**CONSTRUCTION DRAWINGS** 

Date: 08/08/2 **AS NOTE** Scale: Drawn by: Designed/ Approved by: 24-026-03 Project Number:

WYE BRANCH CONNECTION

DEPARTMENT OF PUBLIC UTILITIES STANDARD DETAI AWING NO.

VISED: 11/06/20

DRAWN:

AWING NO.

SINGLE SERVICE CONNECTION


**SEWER SERVICE CONNECTION AND** CLEANOUT AT PROPERTY LINE

DEPARTMENT OF PUBLIC UTILITIES STANDARD DETAIL

S-12

RAWING NO.

Sheet Number:



## TREE DISPOSITION PLAN - LOT 02


Scale: 1" = 8'-0"


## SYMBOL LEGEND

~TREE PROTTECTION \( \)

Tree to Remain

Tree to Remove





NOTES:

1. BARRICADE CIRCLE TO BE CENTERED ON TREE TRUNK(S). FOR GROUPS OF TREES, PLACE BARRICADES BETWEEN TREES AND CONSTRUCTION ACTIVITY.

2. TREE PROTECTION BARRICADES SHALL BE LOCATED TO PROTECT EXISTING, RELOCATED AND NEW TREES IN CONSTRUCTION AREAS. THE PROTECTIVE BARRIER SHALL BE PLACED AROUND THE TREE AT A DISTANCE 6 FEET FROM THE TREE TRUNK OR AT THE CANOPY DRIP LINE, WHICHEVER IS GREATER OR AS SHOWN ON LANDSCAPE PLAN.

TOP VIEW

AU A	ISSUED:	MAY 2023	DEPARTMENT OF DEVELOPMENT SERVICES ENGINEERING, TRANSPORTATION & MOBILITY DIVISION	REVISED: -
	DRAWN:	EG		DRAWING NO.: 1
	APPROVE	D: JG	TREE PROTECTION DETAIL	L-08 \

	TREE SURVEY CHART								
TREE #	SCIENTIFIC NAME	COMMON NAME	DBH (INCHES)	CT HEIGHT (FEET)	CANOPY (FEET)	TREE PROTECTION ZONE (TPZ)	DISPOSITION	CONDITION	NOTES
1	Roystonea regia	Royal Palm	24"	25'	10'		REMOVE	GOOD	IN CONFLICT WITH PROPOSED DRIVEWAY
2	Roystonea regia	Royal Palm	24	30'	15'	15'	REMAIN	GOOD	
3	Roystonea regia	Royal Palm	24	35'	15'	15'	REMOVE	GOOD	
4	Roystonea regia	Royal Palm	24	50'	15'	15'	REMOVE	GOOD	

## MITIGATION REQUIRED: 0" TREE DBH REMOVED, 3 PALMS REMOVED = 0" DBH AND (3) 8' CLEAR TRUNK PALMS

MITIGATION BREAKDOWN	REQ.	PROV.
TREE DBH REPLACEMENT: No trees will be removed therefore there is no DBH needed towards mitigation.	0" DBH	
PALM REPLACEMENT: We are using (8) 8' C.T. towards mitigation.	3 PALMS	3 PALMS

- PROTECTION AREA SHALL BE KEPT UP AT ALL TIMES DURING THE CONSTRUCTION PHASE.
- 2. NO ENCROACHMENT OR CONSTRUCTION DEBRIS SHALL BE ALLOWED IN THE PROTECTION ZONE.
- 3. ZONE SHALL EXTEND TO THE TREE CANOPY DRIPLINE.
- $^{\circ}$  4. KEEP IN PLACE ALL TREE PROTECTION BARRIERS UNTIL THE PROJECT IS COMPLETED.

+ DESIGN SHAYC@FLORALADESIGN.COM THE DESIGN AND DRAWINGS HEREIN ARE THE INTELLECTUAL PROPERTY OF THIS LANDSCAPE ARCHITECT AND ARE PROTECTED


UNDER THE COPYRIGHT PROTECTION ACT



Sheet Description: TREE DISPOSITION PLAN

05.14.2023

Project Number: 2024-15



LANDSCAPE PLAN - LOT 02 NORTH

Scale: 1" = 8'-0"

PROPOSED LANDSCAPING WILL NOT OBSTRUCT ONSITE DRAINAGE OF RETENTION SWALES ALONG PROPERTY LINES

LANDSCAPE LIST

REQ. 6 9	PROV. 6*** 9**
6	6***
6	6***
6	6***
6	6***
9	9**
1	1**
7	7**
5	5+**
25	25+
20	05
103	103+
	7 5 25 20 103

\*Property is within a Historic Preservation District, proposed landscaping comply's with the Historic Preservation Board review requirements.

\*\*EXISTING TREES AND PALMS TO COUNT TOWARDS REQUIREMENTS

\*\*\*9 PALMS COUNTING TOWARDS LOT TREES WHERE 3 PALMS = 1 TREE

No substitutions without the approval of Hollywood's Landscape Plan Reviewer

Plant material will not be planted into root balls of trees and palms

MITIGATION REQUIREMENTS: REQUIRED DBH TO MITIGATE: 0" REQUIRED PALMS TO MITIGATE: 1

PROVIDED DBH: 0" PROVIDED PALMS: 1

		TREES	
SYMBOL	QUAN.	PROPOSED MATERIAL	DESCRIPTION
⊘ <sub>MF</sub>	2	*Myrcianthis fragrans	10' HT. X 4' SPR., 2" DBH
	3	SIMPSON'S STOPPER	SINGLE TRUNK, STD.
33	17	*Thrinax radiata	8' C.T., SINGLE
WTR	17	FLORIDA THATCH PALM	
	3	Ptychosperma elegans 'double'	18' O.A. HT., DOUBLE
PE	3	DOUBLE ALEXANDER PALMS	
		SHRUBS AND GROUNDCO\	/ERS
SYMBOL	QUAN.	PROPOSED MATERIAL	DESCRIPTION
CECO	128	*Conocarpus erectus 'serecius'	24" HT. X 24" SPR. / 24" O.C.
CES2		SILVER BUTTONWOOD	
СМ	31	Carissa macrocarpa	10" HT. X 10" SPR. / 15" O.C.
Civi	31	DWARF NATAL PLUM	
FM	8	Ficus microcarpa	24" HT. X 24" SPR. / 24" O.C.
ı ıvı o	0	GREEN ISLAND FICUS	
РВ	20	Philodendron 'Burle Marx'	24" HT. X 24" SPR. / 36" O.C.
1 0	20	BURLE MARX PHILODENDRON	
PR	8	Philodendron 'Rojo Congo'	24" HT. X 24" SPR. / 36" O.C.
1 17		CONGO RED PHILODENDRON	
SN	5	Strelitzia nicolai	10' O.A. HT. X 5' SPR.
	J	GIANT BIRD OF PARADISE	FULL INTACT FOLIAGE
LAWN	As	Stenotaphrum secundatum 'Floratam'	SOLID EVEN SOD
	Required	ST. AUGUSTINE GRASS	OCLID EVEIT COD

08.12.2024

Lic. # LA6667593

Sheet Description:

PROPOSED LANDSCAPE PLAN

Project Number: 2024-15

L-1

LANDSCAPE
ARCHITECTURE
+ DESIGN

SHAYC@FLORALADESIGN.COM
786-660-1097


2024 FLORA LANDSCAPE ARCHITECTURE
THE DESIGN AND DRAWINGS HEREIN ARE THE
INTELLECTUAL PROPERTY OF THIS
LANDSCAPE ARCHITECT AND ARE PROTECTED
UNDER THE COPYRIGHT PROTECTION ACT

LOT 26: NO ADDRESS


		=
•		
Seal:		
	Digitally	
	signed by	


Shaylin Castillo


Date: 2024.11.18




LARGE TREE PLANTING DETAIL










STRAIGHT TRUNK PALM PLANTING DETAIL





SMALL TREE PLANTING DETAIL





## **PLANTING NOTES:**

- -All plant material is to be Florida Number 1 or better pursuant to the Florida Department of Agriculture's Grades and Standards for Nursery Plants.
- --No Cypress mulch is to be used on site. Provide Eucalyptus or Melaleuca mulch in a 3" consistent layer in all planting beds.
- -Planting plans shall take precedence over plant list in case of discrepancies.
- -No changes are to be made without the prior consent of the Landscape Architect and Owner. Additions and or deletions to the plant material must be approved by the project engineer.
- -Landscape Contractor is responsible for providing their own square footage takeoffs and field verification for 100% sod coverage for all areas specified.
- All landscape areas are to be provided with automatic sprinkler system which provide 100% coverage, and 50% overlap.
- All trees in lawn areas are to receive a 24" diameter mulched saucer at the base of the trunk.
- Trees are to be planted within parking islands after soil is brought up to grade. Deeply set root balls are not acceptable.
- Planting soil for topsoil and backfill shall be 50/50 mix, nematode free. Planting soil for annual beds to be comprised of 50% Canadian peat moss, 25% salt free coarse sand and 25% Aerolite.
- Tree and shrub pits will be supplemented with "Agriform Pells", 21 gram size with a 20-10-5 analysis, or substitute application accepted by Landscape Architect. Deliver in manufacturer's standard containers showing weight, analysis and name of manufacturer.
- All landscaping shall be warranted for 1 year after final inspection.
- -No landscape substitutions shall be made without the City of Hollywood approval.
- -No tree removal or planting allowed until subpermits are fully approved by city.

## SOD NOTES:

-Sod is to be grade "A" weed free.

-All areas marked "LAWN" shall be solid sodded with St. Augustine 'Floratam' solid sod. See limit on plan. All areas marked 'Bahia Grass' shall be solid sodded with Paspalum.

-Provide a 2" deep blanket of planting soil as described in planting notes this sheet. Prior to planting, remove stones, sticks, etc. from the sub soil surface. Excavate existing non-conforming soil as required so that the finish grade of sod is flush with adjacent pavement or top of curb as well as adjacent sod in the case of sod patching.

-Place sod on moistened soil, with edges tightly butted, in staggered rows at right angles to slopes.

-Keep edge of sod bed a minimum of 18" away from groundcover beds and 24" away from edge of shrub beds and 36" away from trees, measured from center of plant.

-Sod Shall be watered immediatley after installation to uniformily wet the soil to at least 2" below the bottom of the sod strips.

-Excavate and remove excess soil so top of sod is flush with top of curb or adjacent pavement or adjacent existing sod.

#### **GENERAL NOTES:**

-The Landscape Contractor is to locate and verify all underground and overhead utilities prior to beginning work. Contact proper utility companies and / or General Contractor prior to digging for field verification. The Owner and the Landscape Architect shall not be responsible for any damages to utility or irrigation lines (see Roadway Plans for more utility notes).

-Landscape Contractor is to verify all current drawings and check for discrepancies and bring to the attention of the Landscape Architect prior to commencing with the work.

-All unattended and unplanted tree pits are to be properly barricaded and flagged during installation.

-All planting plans are issued as directives for site layout. Any deviations, site changes, etcetera are to be brought to the attention of the Landscape Architect for clarification prior to installation.



OT 26: NO ADDRESS

Seal:	Digitally signed by Shaylin Castillo Date: 2024.11.18

2) HPB Comments 11.04.2024 SC

14:24:53 -05'00' Lic. # LA6667593 Sheet Description:


> TYPICAL LANDSCAPE DETAILS

Release Date: 08.12.2024

Project Number: 2024-15

**Drawing Number:** 

L-2



LANDSCAPE PLAN - LOT 02 NORTH

Scale: 1" = 8'-0"

LEGEND

PAVER DRIVEWAY

4 POOL


2 SINGLE FAMILY RESIDENCE 5 RESIDENCE ACCESS


ODECK
ODECK

PROPOSED LANDSCAPING WILL NOT OBSTRUCT ONSITE DRAINAGE OF RETENTION SWALES ALONG PROPERTY LINES



9





Sheet Description: COLOR LANDSCAPE PLAN

08.12.2024

2024-15