PLANNING DIVISION




2600 Hollywood Boulevard Room 315 Hollywood, FL 33022 File No. (internal use only):_

GENERAL APPLICATION

Highlywood FLORIDA
Tel: (954) 921-3471
Fax: (954) 921-3347
This application must be completed in full and submitted with all documents to be placed on a Board or Committee's agenda.
The applicant is responsible for obtaining the appropriate checklist for each type of application.
Applicant(s) or their authorized legal agent must be present at all Board or Committee meetings.
At least one set of the submitted plans for each application must be signed and sealed (i.e. Architect or Engineer).
Documents and forms can be accessed on the City's website at
http://www.hollywoodfl.org/Do cumentCenter/Home/View/21
OF S

APPLICATION TYPE (CHECK ONE):	
☐ Technical Advisory Committee	Historic Preservation Board
☐ City Commission	☐ Planning and Development Board
Date of Application: 10/25/23	
Location Address: 1030 S Southlake Driv	e
Lot(s): 22, 23 Block(s): 1-32	
Folio Number(s): 514214 02 0930	
Zoning Classification:	Land Use Classification: LRES
Existing Property Use:	Sq Ft/Number of Units:
	() Yes (X) No If yes, attach a copy of violation.
Has this property been presented to the City Number(s) and Resolution(s):	before? If yes, check al that apply and provide File
☐ Economic Roundtable ☐ Technical Adv	visory Committee
Explanation of Request: Existing Structure	Demo/New Home Condtruction
Number of units/rooms: 1	Sq Ft: 5,000
Value of Improvement:1,000,000	Estimated Date of Completion: July 2025
Will Project be Phased? () Yes (X)No	If Phased, Estimated Completion of Each Phase
Name of Comment Description Hoppy &	Posa Logo
Name of Current Property Owner: Henry &	
Address of Property Owner: 1254 Madison Telephone: 954-495-5986 Fax:	Email Address: Henry@themojitobar.con
Name of Consultant/Representative/Tenant (Line Con Vivien Robotis/VR Villas
Address: 1122 Polk Street	Telephone: 954-394-3926
	vrobotis@yahoo.com
	n option to purchase the Property? Yes () No ()
If Yes, Attach Copy of the Contract.	First to Parollado allo i Topolty: 165 () 140 ()
List Anyone Else Who Should Receive Notice	of the Hearing: Mark Budd, Architect
	Idress: 221 S Federal Hwy Suite #4
PO Box 2463, Ft Laud, FI 33301	Email Address: marktbudd@gmail.com

PLANNING DIVISION



2600 Hollywood Boulevard Room 315 Hollywood, FL 33022 File No. (internal use only):____

GENERAL APPLICATION

CERTIFICATION OF COMPLIANCE WITH APPLICABLE REGULATIONS

The applicant/owner(s) signature certifies that he/she has been made aware of the criteria, regulations and guidelines applicable to the request. This information can be obtained in Room 315 of City Hall or on our website at www.hollywoodfl.org. The owner(s) further certifies that when required by applicable law, including but not limited to the City's Zoning and Land Development Regulations, they will post the site with a sign provided by the Office of Planning and Development Services. The owner(s) will photograph the sign the day of posting and submit photographs to the Office of Planning and Development Services as required by applicable law. Failure to post the sign will result in violation of State and Municipal Notification Requirements and Laws.

(I)(We) certify that (I) (we) understand and will comply with the provisions and regulations of the City's Zoning and Land Development Regulations, Design Guidelines, Design Guidelines for Historic Properties and City's Comprehensive Plan as they apply to this project. (I)(We) further certify that the above statements and drawings made on any paper or plans submitted herewith are true to the best of (my)(our) knowledge. (I)(We) understand that the application and attachments become part of the official public records of the City and are not returnable.

Signature of Current Owner:	Date: 10/25/23
PRINT NAME: Henry Leace	Date:
Signature of Consultant/Representative:	Date:
PRINT NAME: Vivien Robotis	Date:
Signature of Tenant:	Date: 10/25/23
PRINT NAME:	Date:
Current Owner Power of Attorney	
I am the current owner of the described real property and that I am aware of the period of the property, which is hereby my property and that I am aware of the property and th	Signature of Current Owner
	Henry Leace
Notary Public State of Florida	Print Name
My Commission Expires:(Check One)Personally known to me; OR F	roduced Identification



Mark Thomas Budd, Architect

224 Commercial Blvd., Suite #302 Lauderdale by the Sea, Florida 33308 954-798-6570

October 20, 2023

To: City of Hollywood

Historical Preservation Board

Re: Application for a Certificate of Appropriateness to the Historic Preservation Board for the

Leace Residence

1030 S. Southlake Drive Hollywood, Florida

Legal Description:

Lots 22 & 23, less and except the South 30 thereof, Block 54, Hollywood Lakes Section, according to the map or plat thereof as recorded in Plat Book 1, Page 32, public records of Broward County, Florida. Together with all that parcel of land described and bounded as follows: being a part of Madison Street and a part of Block 77, Hollywood Lakes Section bounded on the South by the North line of Lots 22 and 23, Block 54 of said subdivision, on the East by the East line of Lot 22, Block 54, extended northerly and on the west by the west line of Lot 23, Block 54, extended northerly as shown on the plat of Hollywood Lakes section recorded in Plat Book 1, page 32, of the Public Records of Broward County, Florida, being all that parcel of land laying north of lots 22 and 23, of the public records of Broward County, Florida, being all that parcel of land lying north of lots 22 and 23, block 54, Hollywood Lakes Section extending to the South lake in said subdivision. Hollywood Lakes Section, Plat Book 1, Page 32, Broward County, Florida

To whom it may concern,

The scope of the proposed work for this project is the demolition of an existing Residence and the construction of a new two-story Single Family Residence along with site improvements which include new driveway, swimming pool and landscaping.

Please contact this office should there be any questions regarding this matter.

Sincerely,

Mark Thomas Budd, Architect Fla. Reg. #AR-9549 Permit #_____ Date: 12-6-23

1030 S. SOUTHLAKE DRIVE

LOT COVERAGE INFORMATION

If you are the applicant for a building permit for a SINGLE FAMILY RESIDENCE, please be aware that the following information is needed in order to process your request for any additions or accessory structures, including pools, decks, and the like:

1	13,399	_ SQUARE FEET OF YOUR LOT (length x width)
2	5,401	_ SQUARE FEET OF YOUR HOUSE
3	-0-	SQUARE FEET OF ALL EXISTING IMPERVIOUS SURFACES (e.g. Driveways, walkways, decks, pools, storage sheds, etc.)
4	MA	_ SQUARE FEET OF THE ADDITION, AND OR
5	6,484	SQUARE FEET OF THE PROPOSED ACCESSORY STRUCTURES, DRIVEWAYS, PAVEMENT, DECKS, ETC.
6	11,994	TOTAL SQUARE FEET OF THE IMPERVIOUS AREA ON YOUR LOT (Add Nos. 2 + 3+ 4+ 5)
7	51%	PERCENTAGE OF IMPERVIOUS LOT COVERAGE (Divide No.6 by No. 1)



Mark Thomas Budd, Architect

224 Commercial Blvd., Suite #302 Lauderdale by the Sea, Florida 33308 954-798-6570

October 20, 2023

To: City of Hollywood

Historical Preservation Board

Re: Application for a Certificate of Appropriateness to the Historic Preservation Board for the

Leace Residence 1030 S. Southlake Drive Hollywood, Florida

To whom it may concern,

Based on the guideline criteria for design listed in 5.6.D.3 of the City of Hollywood Zoning and Land Development Regulations, the points of analysis of the proposed project are as follows:

Citywide Master Plan:

The proposed development will revitalize and promote stability of the neighborhood per Policy 2-46. The proposed development will enhance the residential neighborhood per Policy CW-15.

Consistency with the Comprehensive Plan:

The primary goal of the land use element is to enhance and improve the residential community while allowing the land owner to maximize the use of their property.

Hollywood Lakes Neighborhood Plan:

The proposed development will not impact the adjacent properties and will preserve the general Character of the Historic District by eliminating the encroachment of negative residential uses.

Integrity of Location:

The proposed residence will conform to zoning district setbacks.

Design:

The modern style design is compatible with, in size, proportion, materials, texture and colors of the surrounding area.

Setting:

The proposed development complies with the City's Zoning setback regulations.

Materials:

Materials uses in the new design, which include stucco & natural stone are totally compatible with residences in the surrounding area.

Workmanship:

There is no imitation or incompatibility of style. The proposed design can blend and fit into the neighborhood.

Association:

The proposed design provides an attractive look to the property and the elevation design and massing will continue to be consistent with the surrounding buildings and district character.

It is our professional opinion that this new modern style design will adhere to the Citywide Master Plan, the Comprehensive Plan, and the Hollywood Lakes Neighborhood Plan.

Please contact this office should there be any questions regarding this matter.

Sincerely,

Mark Thomas Budd, Architect Fla. Reg. #AR-9549



CITY OF HOLLYWOOD PLANNING & ZONING DEPARTMENT

2600 Hollywood Blvd. Hollywood, FL 33020

RE: SFR STRUCTURAL EVALUATION

Residential Single-Family Residence 1030 S Southlake Dr. Hollywood, FL 33019

Folio: 5142 14 02 0930

October 10, 2023 Total Pages: 45

This report is prepared for the specific scope of evaluating the current building condition for major addition/renovation scope and the impact on the existing building's structural system. The descriptions that follow are our determinations from visual field observations performed on October 4 & 5th 2023. The methodology for this investigation was primarily visual and aided by measuring the building components observed. We find that the information obtained through this method is sufficient to conclude the findings mentioned. At this time, we do not require any additional investigations such as soil testing or any destructive type of investigations in order to conclude our findings.

Although there are hidden conditions of this project that have not been explored and are not identified such as the complete attic spaces, this does not hinder the principal conclusion stated in this report.

Existing Building Construction and Descriptions:

- The building is a one-story structure with approximately 2,790 SF living area, 600 SF Garage and 105 SF Wood deck according to BCPA information.
- The building was constructed in 1951 with an apparent renovation in 1962.
- The single-family residence construction system is concrete grade beam and structural concrete slab on deep foundation piles with concrete tie columns and 8" CMU reinforced masonry walls, concrete tie beams.
- The floor slab is on grade without a crawl space or sub-floor ventilation.
- The roof system is hip style hand framed 2"x6" wood joists spaced at 16" o/c with T & G roof sheathing and tile roofing.
- The interiors and ceiling finishes are GWB/Plaster finish throughout.
- The main building finish floor elevation is 4.43' NAVD '88 according to the finish floor elevation certificate (copy provided).
- The lower finish floor level at the garage is 3.16' NAVD '88.
- The front open covered porch is under the main roof area.
- The existing original windows and doors are not considered for this report.



- The exterior concrete paver driveway, rear wood deck patio, concrete sea wall or other site improvements are not considered for this report.
- Ground and grade conditions appear to be stable.
- There is a wood gazebo structure at the rear yard also.

Our inspection findings are as follows:

- The building roof shows to be stable in nature with tile roofing of approximately 28 years old (Permit B9504980).
- The existing CMU walls appear well maintained and having horizontal fine cracks at the base of the block wall to slab joint.
- The building finish floor is approximately 30" below FEMA base floor elevation of AE-7 (see finish floor elevation attached and Firmette).
- The electrical system has components that are below the flood elevation.
- Other building components such as the likely original cast iron sanitary plumbing or HVAC systems are not included in this report.

Client's continued building use considerations:

- The client desires a major renovation with an increase of size that will be determined to be FBC 7TH Edition, 2020 Alteration Level III classification and a substantial improvement condition having a construction cost greater than 50% of the current building value.
- The finish floor will be required to be raised from the 4.43' to min. of 8.0' NAVD '88 to satisfy the FEMA B.F.E. +1.0'.
- This property is also waterfront having the north property-line fronting South Southlake and is of concern for water intrusion, or other event and it is the client's desire to protect the property from any potential flood hazards.
- Maintaining any portions of this existing building are counterproductive when it is
 determined that the floor elevation must be raised and include: causing the headers
 of the doors and windows as well as the window sills to become non-compliant,
 slab/piles foundation will be potentially overloaded with the additional elevated floor
 solution, etc.
- The other existing building components, such as the electrical, plumbing and mechanical also impact the cost of the project.

Financial Considerations and concerns:

The re-construction and major renovation that would be an alternative method to a new construction according to the historical district considerations applied to this project are the basis for this financial consideration as described below.

The features of this property at this time are such that a renovation or major reconstruction will have challenges that cannot be solved. Such features include:



- Limited grade-beams and piling capacities at the time of built as well as aging.
- Low finish floor elevation (30" below required Flood Elev.)
- Low interior ceilings/floor structure heights (8'-0")

Should these challenges be attempted to be solved, the methods used are to such extreme conditions that it may prove to be unreconcilable in nature due to the following code considerations:

- FBC and FBC Existing Building Code provisions for Alteration Level III
- FEMA Flood Elevation and flood proofing
- ASCE 07-16 wind loads and structural requirements

In addition to these items mentioned above, the age and conditions of the major structural components of the building place them past their functional and operational lifespan, therefore, a continuation of their function with a major increase in loading and higher structural load requirements prove to be an unreasonable proposition. In conclusion, the financial costs related to the above-mentioned construction considerations are such that they are upwards of normal construction procedures and methods to the extent that much higher costs are to be expected should this path be attempted. It would be my determination that any contractor and design firm would incur greater costs in comparison to conventional new construction. Without further analysis or specific studies, further conclusions or specific conclusions are not able to be made at this time.

As a matter of clarification, it is my conclusion at this time and to the best fo my knowledge and professional belief that the code requirements required for this property may not be able to be satisfied for a major renovation or rebuilding effort, in addition to the financial aspects mentioned.

Our conclusions at this time:

- Our conclusion at this time is that the current structural and building condition are
 not of any major concern and are not the evident and primary contributing factors
 to the outcome of the building improvements determination. Of the major concerns
 related to the building's determination is the existing finish floor elevation not being
 sufficient to provide the protection for the up-coming major renovation and
 impedes the FBC requirements for the investment for the building including
 increase in size, etc. that is necessary in order to obtain the full use and enjoyment
 of this property having 23,300 Sf lot size.
- The desired building increase in size (>200%) with the required 16" raising of the finish floor elevation is considered to be a substantial improvement condition.
 Compliance with alteration level III where all conditions of the buildings will be required to meet the complete FBC 7th Edition code requirements. I therefore find



that the rehabilitation efforts of this residential property is not feasible considering the above mentioned details.

- It is also considered to be a relevant statement that the insurability and property value can only be secured at this time by providing a higher finish floor that is not possible with the building that is currently in-place.
- Therefore, a new building construction project will benefit the client and achieve full
 use and enjoyment of this SFR property with increase in size and additional building
 features securing the future insurability and property value.

If after reading this report you have any questions, please contact me at your earliest convenience. I would be glad to clarify or provide any additional information as much as I am able to.

Sincerely,

VENKATESAN M. BALAKRISHNAN, P.E.

FL. REG. No: 63107

Encl.: Annex "A" - Inspection Images

Annex "B" - BCPA Info

Annex "C" - Survey and Elevation Certificate

Annex "D" - Building Permit Records

ANNEX "A"

INSPECTION IMAGES





STREET FRONT VIEW





FRONT ENTRY VIEW



FRONT COURTYARD AREA VIEW



ENTRY AREA



REAR OF HOUSE VIEW





REAR DECK AREA



LAKEFRONT VIEW





INSIDE FRONT ENTRY VIEW




KITCHEN AND DINING VIEW





LIVING TO KITCHEN AREA VIEW



GARAGE VIEW





GARAGE TO LAUNDRY VIEW



MASTER BEDROOM





HALLWAY VIEW



BATHROOM VIEW





ELECTRIC SERVICE AT GARAGE AREA



MEECH. EQUIP AT GRADE AND SERVICE EQUIP. VIEW





MAIN ELECT. PANEL



SUB-PANEL





ATTIC AREA ABOVE LIVING AREA VIEW



ATTIC AREA ABOVE GARAGE VIEW





HVAC EQUIP.



HVAC AT GRADE VIEW



ANNEX "B"

BCPA Info



05 R

Site Address	1030 S SOUTHLAKE DRIVE, HOLLYWOOD FL 33019	ID#	5142 14 02 093
Property Owner	LEACE, HENRY	Millage	0513
	LEACE, ROSA	Use	01-01
Mailing Address	1254 MADISON ST HOLLYWOOD FL 33019		l.
Abbr Legal Description	HOLLYWOOD LAKES SECTION 1-32 B LOTS 22,23,LESS S 3(LYING N OF LOTS 22 & 23, BET SAME & LAKE BLK 54	FOR ST,1	TR OF LAND

The just values displayed below were set in compliance with Sec. 193.011, Fla. Stat., and include a

1110 je									uired by Sec.			iuue a	
* 2023 valu	ues are cons	idered	"work	ing va	i <mark>lues</mark> p <i>e</i> n	y aresembje	et nte v	zhange					
Year	Land		Building / Improvement			Just / Market Value		Assessed / SOH Value		Tax			
2023*	\$884,480	\neg	\$1	,469,0	020	\$2,35	3,50	0	\$2,353,50	00			
2022	\$884,480		\$1	,068,	180	\$1,95	2,66	0	\$1,922,84	10	\$40,4	434.43	
2021	\$884,480	Ť	\$	863,5	60	\$1,74	18,04	0	\$1,748,04	10	\$36,	835.14	
Î		202	3* Ex	empti	ons and	Taxable V	alues	by Ta	xing Authorit	y			
				(County	Sch	iool l	Board	Munio	ipal	Inc	lepend	lent
Just Value	Э		İ	\$2,3	53,500		\$2,35	3,500	\$2,353	,500	\$	2,353,5	500
Portability	/				0			0		0			0
Assessed	/SOH 23			\$2,3	53,500		\$2,35	3,500	\$2,353	,500	\$	2,353,5	500
Homestea	ld 100%			\$	25,000		\$2	5,000	\$25	\$25,000		\$25,000	
Add. Hom	estead			\$	25,000			0		5,000		\$25,0	000
Wid/Vet/D	is				0			0		0			0
Senior					0			0		0			0
Exempt Ty	уре		0				0		0			0	
Taxable			\$2,303,500 \$2,328,500 \$2,303,500			,500	\$	2,303,	500				
		Sale	s His	tory					Land	Calcul	ations		
Date	Туре		Price	•	Book	/Page or C	IN	Price		actor	Ту	/pe	
5/11/2023	3 WD-Q	\$2,	725,0	00	1	18855257		\$	37.80	2	3,399	SI	F
4/10/2003	3 WD	\$7	758,00	00	34	1996 / 899							
1/22/2002	2 PRD	\$4	175,00	00	32	929 / 1066							
		1						Ad	j. Bldg. S.F. (Card,	Sketch)	314	42
	Units/Beds/Baths				1/3	3/2							
									Eff./Act. Ye	ar Buil	t: 1962/1	951	
					Spe	cial Assess	men	ts					
Fire	Fire Garb Light Drain Impr Safe Storm Clean Misc												

Parcel ID Number	Calculation Num
514214020930	1 🗸

Use Code
01 - Single family

No. Bedrooms	No. Baths	No. Units	No. Stories	No. Buildings
3	2	1	1	1

Foundation	Exterior	Roof Type	Roof Material
PILING	C.B. STUCCO	HIP OR GABLE	TILE, BARREL

Interior	Floors	Plumbing	Electric
DRYWALL/PLASTR	WOOD, HARD	GOOD/TILE RES	GOOD RES CA

Ceiling Heights	Quality Of Construction	Current Condition of Structure	Construction Class
8' - 9'	Average	Average	Masonry


Extra Features
Paver driveway
Patios, Floors - Wood

Permit No.	Permit Type	Permit Type Est. Cost		CO Date

There may be permits for the subject property which are not listed.


Please <u>contact</u> the city's building department or <u>click here</u> to search for permits associated with this property.

Sketch: 514214020930 Building: 1 of 1



Code	Description			
(1.0)	One Story			
G_1/2	Garage			
P_1/2	Porch			
WOODDK	Wood Deck			

Code	Description	Area	Factor	Adj Area	Stories	Stories Under Air	Under Air Area
(1.0)	One Story	2,790	1.00	2,790	1	1	2,790
G_1/2	Garage	600	0.50	300	1	0	0
P_1/2	Porch	105	0.50	53	1	0	0
WOODDK	Wood Deck	224	0.00	0	0	0	0
Total				3,143			2,790




North View




East View



S View



West View






ANNEX "C"

Survey and Finish Floor Elevation Certificate





POINTS OF INTEREST:

CROSSES LOT LINE; DOCK AND BOAT LIFT ARE LOCATED BEYOND LOT LINES.

MAP OF BOUNDARY SURVEY

Property Address:

1030 S SOUTHLAKE DR HOLLYWOOD, FL 33019



6175 NW 153rd St # 401, Miami Lakes, FL 33014 www.OnlineLandSurveyors.Com SURVEYOR'S CERTIFICATION: I HEREBY CERTIFY THAT THIS "BOUNDARY SURVEY" IS A TRUE AND CORRECT REPRESENTATION OF A SURVEY PREPARED UNDER MY DIRECTION. THIS COMPLIES WITH THE MINIMUM TECHNICAL STANDARDS, AS SET FORTH BY THE STATE OF FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPER IN CHAPTER 5J-17.051, FLORIDA ADMINISTRATIVE CODE PURSUANT TO SECTION 43, 027, FLORIDA STATUTES. STATE OF FOR THE FIRM **SIGNED** GUILLERMO A. CUERREPOOR

NOT VALID WITHOUT AN AUTHENTIC ELECTRONIC SIGNATURE AND AUTHENTICATED ELECTRONIC SEAL AND/OR THIS MAP IS NOT VALID WITHOUT THE SIGNATURE AND ORIGINAL RAISED SEAL OF A LICENSE SURVEYOR AND MAPPER.

STATE OF FLORIDA

P.S.M. No. 6453



LOCATION MAP N.T.S.

FLOOD INFORMATION:

Community Number: CITY OF HOLLYWOOD 125113

PROPERTY FRONT VIEW

Panel Number: 12011C0569H

Suffix:

Base Flood Elevation: 7.0

8/18/2014 Date of Firm Index: Flood Zone: ΑE

Date of Survey: 4/27/2023

CERTIFIED TO:

HENRY LEACE TRI COUNTY FLORIDA TITLE COMPANY OLD REPUBLIC NATIONAL TITLE INSURANCE COMPANY ATTORNEYS TITLE FUND SERVICES, LLC ITS SUCCESSORS AND/OR ASSIGNS AS THEIR INTEREST MAY APPEAR.

8

LB#

LEGAL DESCRIPTION:

PROPERTY LINE

Please see the last page for long Legal Description.

Surveyor's Legend

STRUCTURE CONC. BLOCK WALL CHAIN-LINK or WIRE FENCE WOOD FENCE IRON FENCE - EASEMENT - CENTER LINE WOOD DECK CONCRETE BRICK/TILE APPROXIMATE EDGE OF WATER COVERED AREA

TREE P.P.
 □ C.B.
 C.U.E.
 I.E./E.E. POWER POLE UTILITY EASEMENT
FOUND IRON PIPE/ REBAR
PIN AS NOTED ON PLAT FND. OR F LICENSE # - BUSINESS LICENSE # - SURVEYOR LS# CALC CALCULATED POINT SET SET MONUMENT CONTROL POINT CONTROL POINT
CONCRETE MONUMENT
ELEVATION
POINT OF TANGENCY
POINT OF CURVATURE
PERMANENT REFERENCE MONUMENT
POINT OF COMPOUND CURVATURE
POINT OF REVERSE CURVATURE
POINT OF BEGINNING
POINT OF COMMENCEMENT
PERMANENT CONTROL P.C.C. P.R.M. P.C.C. P.R.C. P.C.P. PERMANENT CONTROL POINT FIELD MEASURED PLATTED MEASURMENT CALCULATED

LAKE OF LANDSCAPE MAINT, ESMT. ROOF OVERHANG EASEMENT POOL PUMP PLANTER OR PROPERTY LINE IDENTIFICATION BLOCK CORNER BEARING REFERENCE B.R. △ CENTRAL ANGLE or DELTA RECORD OR RADIUS RADIAL R RAD. RADIAL
NON RADIAL
TYPICAL
IRON ROD
IRON PIPE
NAIL & DISK
PARKER-KALON NAIL
DRILL HOLE
WEI I. WELL FIRE HYDRANT @ M.H. MAN HOLE OVERHEAD LINES O.H. TRANSFORMER CATV CABLE TV. RISER WATER METER POOL EQUIPMENT CONCRETE

L.B.E. TEL. U.P. E.U.B. SEP. T. D.F. AC CSW DRIVE SCR. GAR. ENCL. N.T.S. F.F.E. T.O.B. T.O.B.
E.O.W.
OR E.O.P.
C.V.G.
B.S.L.
S.T.L.
Q P.U.E.

EASEMENT DRAINAGE EASEMENT LANDSCAPE BUFFER ESMT.
LIMITED ACCESS EASEMENT
TELEPHONE FACILITIES TELEPHONE FACILITIES
UTILITY POLE
ELECTRIC UTILITY BOX
SEPTIC TANK
DRAIN-FIELD
AIR CONDITIONER
CONC SIDEWALK
DRIVEWAY DRIVEWAY SCREENED AREA GARAGE ENCLOSURE NOT TO SCALE FINISHED FLOOR ELEVATION TOP OF BANK TOP OF BANK
EDGE OF WATER
EDGE OF PAVEMENT
CONCRETE VALLEY GUTTER
BUILDING SETBACK LINE
SURVEY TIE LINE
CENTER LINE
RIGHT OF WAY
PUBLIC UTILITY EASEMENT
CANAL MAINTENANCE EASEMENT
ANCHOR ESMT / ACCESS ESMT

GENERAL NOTES:

- LEGAL DESCRIPTION PROVIDED BY OTHERS.

 EXAMINATION OF THE ABSTRACT OF TITLE WILL HAVE TO BE MADE TO

 DETERMINE RECORDED INSTRUMENTS, IF ANY, AFFECTING PROPERTY.

 THE LANDS SHOWN HEREON WERE NOT ABSTRACTED FOR EASEMENT OR

 OTHER RECORDED ENCUMBERANCES NOT SHOWN ON THE PLAT.

 THE PURPOSE OF THIS SURVEY IS FOR USE IN OBTAINING TITLE INSURANCE

 AND FINANCING AND SHOULD NOT BE USED FOR CONSTRUCTION, PERMITTING

 DESIGN, OR ANY OTHER PURPOSE WITHOUT THE WRITTEN CONSENT OF

 ONLINE LAND SURVEYORS INC.
- UNDERGROUND PORTIONS OF FOOTINGS, FOUNDATIONS OR OTHER IMPROVEMENTS WERE NOT LOCATED.
 ONLY VISIBLE AND ABOVE GROUND ENCROACHMENTS LOCATED.

- FENCE OWNERSHIP NOT DETERMINED. WALL TIES ARE TO THE FACE OF THE WALL. BEARINGS ARE BASE ON AN ASSUMED MERIDIAN.
- BOUNDARY SURVEY MEANS A DRAWING AND/OR GRAPHIC REPRESENTATION OF THE SURVEY WORK PERFORMED IN THE FIELD, COULD BE DRAWN AT A SHOWN SCALE AND/OR NOT TO SCALE.
- NO IDENTIFICATION FOUND ON PROPERTY CORNERS UNI ESS NOTED
- NOT VALID UNLESS SEALED WITH THE SIGNING SURVEYORS EMBOSSED SEAL OR ELECTRONIC SEAL.
- DIMENSIONS SHOWN ARE PER PLAT AND MEASURED IN THE FIELD UNLESS 13)
- OTHERWISE SHOWN.
 ELEVATIONS IF SHOWN ARE BASED UPON N.G.V.D. 1929 UNLESS OTHERWISE NOTED.
- THIS IS A BOUNDARY SURVEY UNLESS OTHERWISE NOTED. THIS BOUNDARY SURVEY HAS BEEN PREPARED FOR THE EXCLUSIVE USE OF THE ENTITIES NAMED HEREON; THE CERTIFICATIONS DO NOT EXTEND TO ANY UNNAMED PARTIES
- UNIVAMED FATTIES.
 THE EXISTENCE OF ADDITIONAL RECORDED OR UNRECORDED INSTRUMENTS,
 EASEMENTS AND /OR RESOLUTIONS NOT AVAILABLE TO SURVEYOR MAY EXIST
 AND ARE NOT DEPICTED IN THIS SKETCH.

Florida Land **Title Association** Affiliate Member rage Handling Conies: 1 © Collate

Printing to Scale:

- Select "None" from Page Scaling
- Deselect "Auto-Rotate and Center"
- Select "Choose paper source by PDF page size

FIELD WORK:	4/25/2023
DRAWN BY:	C.S.
CHECKED BY:	G.A.G.
FINAL REVISION:	04/27/2023
COMPLETED:	4/27/2023
SCALE:	1" = 40'
SURVEY CODE:	O-98132





6175 NW 153rd St # 401 Miami Lakes, FL 33014 Phone: (305) 910-0123 Fax: (305) 675-0999 www. On line Land Surveyors. Com

Page Scaling: 1 None

2 Auto-Rotate and Center

3 ✓ Choose paper source by PDF page size

LEGAL DESCRIPTION:	
LOTS 22 AND 23 , TOGETHER WITH THAT PARCEL OF LAN AND EXCEPT THE SOUTH 30 FEET THEREOF, BLOCK 54, MAP OR PLAT THEREOF, AS RECORDED IN PLAT BOOK 1 COUNTY, FLORIDA.	HOLLYWOOD LAKES SECTION, ACCORDING TO THE
SURVEYOR'S CERTIFICATION: I HEREBY CERTIFY THAT THIS "BOUNDARY SURVEY" IS A TRUE	
SURVEYOR'S CERTIFICATION: I HEREBY CERTIFY THAT THIS "BOUNDARY SURVEY" IS A TRUE AND CORRECT REPRESENTATION OF A SURVEY PREPARED UNDER MY DIRECTION. THIS COMPLIES WITH THE MINIMOMATECHNOLOGY. STANDARDS, AS SET FORTH BY THE STATE OF FLORIDA BOARD OF PROFESSIONAL SURVEY OF AND MAPPER IN CHAPTER 5J-17.051, FLORIDA ADMINISTRATIVE CODE PURSUANT TO SECTION 4X2.027, FLORIDA STATUTES. No. 6453	nlineLand SURVEYORS, INC.
STATE OF GUILLERMO A. GUERRERO P.S.M. No. 6453 STATE OF FLORIDA NOT VALID WITHOUT AN AUTHENTIC ELECTRONIC SIGNATURE AND AUTHENTICATED ELECTRONIC SEAL AND/OR THIS MAP IS NOT VALID WITHOUT THE SIGNATURE AND ORIGINAL RAISED SEAL OF A LICENSE SURVEYOR AND MAPPER.	6175 NW 153rd St # 401 Miami Lakes, FL 33014 Phone: (305) 910-0123 Fax: (305) 675-0999 LB #: 7904 www.OnlineLandSurveyors.Com

Accepted By:

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION						ANCE COMPANY USE		
A1. Building Owner's Name						oer:		
HENRY LEACE								
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.					Company N	AIC Number:		
1030 S SOUTHLAKE DR								
City State ZIP Code HOLLYWOOD FLORIDA 33019								
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Folio #:5142 14 02 0930								
A4. Building Use (e.g., Re	A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential							
A5. Latitude/Longitude:	A5. Latitude/Longitude: Lat. N 26°0'26.18" Long. W 80°7'35.41" Horizontal Datum: NAD 1927 📉 NAD 1983							
A6. Attach at least 2 phot	ographs of the building if the	e Certific	ate is being u	sed to obtain flood	l insurance.			
A7. Building Diagram Nun	nber <u>1B</u>							
A8. For a building with a	crawlspace or enclosure(s):							
a) Square footage of	crawlspace or enclosure(s)		N/A	sq ft				
b) Number of perman	ent flood openings in the cra	awlspace	e or enclosure	e(s) within 1.0 foot	abo∨e adjacent gra	ide N/A		
c) Total net area of flo	ood openings in A8.bN	I/A	sq in					
d) Engineered flood o	openings? Yes X N	10						
A9. For a building with an	attached garage:							
a) Square footage of	attached garage 400		sq ft					
b) Number of perman	ent flood openings in the att	tached g	arage within	1.0 foot above adja	acent grade	0		
c) Total net area of flo	ood openings in A9.b	0	sq	in		 *		
d) Engineered flood o	5 5 5 S							
a,goo.ouoou o	,pogo:	.0						
	SECTION B - FLOOD I	INSURA	NCE RATE	MAP (FIRM) INF	ORMATION			
B1. NFIP Community Nam	ne & Community Number		B2. County	Name		B3. State		
CITY OF HOLLYWOOD	125113		BROWARD	COUNTY		FLORIDA		
B4. Map/Panel B5. S Number	Buffix B6. FIRM Index Date	Effe	M Panel ective/	B8. Flood Zone(s)	B9. Base Flood E (Zone AO, use	B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth)		
12011C0569H H	Revised Date							
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:								
FIS Profile X FIRM Community Determined Other/Source: N/A								
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 🕅 NAVD 1988 🔲 Other/Source:								
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? 🔲 Yes 💢 No								
Designation Date: N/A ☐ CBRS ☐ OPA								

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information fro	om Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.	O. Route and Box No.	Policy Number:
1030 S SOUTHLAKE DR		
City State	ZIP Code	Company NAIC Number
HOLLYWOOD, FL 33019		6
SECTION C – BUILDING ELEVATION INFO	RMATION (SURVEY R	EQUIRED)
C1. Building elevations are based on: Construction Drawings*	Building Under Constr	uction* Finished Construction
*A new Elevation Certificate will be required when construction of the	e building is complete.	-
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V Complete Items C2.a–h below according to the building diagram spe	ecified in Item A7. In Puer	
Benchmark Utilized: 1915 Vertical I	Datum: NAVD 1988	
Indicate elevation datum used for the elevations in items a) through	h) below.	
☐ NGVD 1929 🔀 NAVD 1988 ☐ Other/Source: N/A		
Datum used for building elevations must be the same as that used for	or the BFE.	Check the measurement used.
a) Top of bottom floor (including basement, crawlspace, or enclosur	e floor)4.43	feet meters
b) Top of the next higher floor	N/A	X feet ☐ meters
c) Bottom of the lowest horizontal structural member (V Zones only)	N/A	∑ feet ☐ meters
d) Attached garage (top of slab)	3.15	☐ ☐ meters
e) Lowest elevation of machinery or equipment servicing the buildin (Describe type of equipment and location in Comments)	g 3.16	☐ meters
f) Lowest adjacent (finished) grade next to building (LAG)	2.96	X feet ☐ meters
g) Highest adjacent (finished) grade next to building (HAG)	3.10	
h) Lowest adjacent grade at lowest elevation of deck or stairs, inclu	ding N/A	
structural support		
SECTION D – SURVEYOR, ENGINEER, O	R ARCHITECT CERTIF	FICATION
This certification is to be signed and sealed by a land surveyor, engineer I certify that the information on this Certificate represents my best efforts statement may be punishable by fine or imprisonment under 18 U.S. Coo	to interpret the data availa	y law to certify elevation information. able. I understand that any false
Were latitude and longitude in Section A provided by a licensed land sur	/eyor? ☐ Yes ☐ No	Check here if attachments.
Certifier's Name License Numb	er	Clien
Guillermo A. Guerrero 6453		G. A. GUERRERO CERTIFICATE
Title		T CERT CALVE *
PROFESSIONAL SURVEYOR & MAPPER		No. 6453
Company Name		$\exists \sqcap \mathcal{L} \vdash \mathcal{D} \sqcap \Gamma$
Online Land Surveyors Inc.		Jay ann
Address		TATE OF S
6175 NW 153rd Street STE 401	ZID Code	J STATE OF
City State	ZIP Code	FRED SURVEYOR
Miami Lakes FL	33014	
Signature Date 4/27/2023	Telephone (305) 910-0	
Copy all pages of this Elevation Certificate and all attachments for (1) comm	unity official, (2) insurance	agent/company, and (3) building owner.
Comments (including type of equipment and location, per C2(e), if application	able)	
LATITUDE LONGTITUDE PER GOOGLE, ATTACHMENTS = BUILDING PICTURI C2(E) DENOTES TO AIR CONDITIONER PAD		
NOTE: THIS ELEVATION CERTIFICATE IS ONLY VALID FOR THE PERSON OR FOR FLOOD INSURANCE PURPOSES ONLY. THE INFORMATION ON THIS CE PLANNING.		

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding	j information from Se	ection A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or 1030 S SOUTHLAKE DR	r Bldg. No.) or P.O. Ro	ute and Box No.	Policy Number:
City Sta HOLLYWOOD, FL 33019	te ZIF	^o Code	Company NAIC Number
SECTION E – BUILDING ELEV FOR ZONE A	ATION INFORMATION AND ZONE A (W		T REQUIRED)
For Zones AO and A (without BFE), complete Items E1–E complete Sections A, B,and C. For Items E1–E4, use natuenter meters.	ural grade, if a∨ailable.	Check the measu	rement used. In Puerto Rico only,
E1. Provide elevation information for the following and ch the highest adjacent grade (HAG) and the lowest adja a) Top of bottom floor (including basement,		xes to show wheth	ner the elevation is above or below
crawlspace, or enclosure) is b) Top of bottom floor (including basement,		∑ feet ☐ met	estable de 3 - Marie describendes o trais () - Marie de des Profesiones de la traisie
crawlspace, or enclosure) is		feet met	
E2. For Building Diagrams 6–9 with permanent flood ope the next higher floor (elevation C2.b in the diagrams) of the building is	nings provided in Sect	ion Altems 8 and/	<u> </u>
E3. Attached garage (top of slab) is	}	X feet ☐ met	ers above or below the HAG.
E4. Top of platform of machinery and/or equipment servicing the building is		X feet ☐ met	ers above or below the HAG.
E5. Zone AO only: If no flood depth number is available, floodplain management ordinance? Yes N	is the top of the bottom Io 🔲 Unknown. Th	n floor elevated in a ne local official mus	accordance with the community's st certify this information in Section G.
SECTION F – PROPERTY OWNE	R (OR OWNER'S REF	RESENTATIVE)	CERTIFICATION
The property owner or owner's authorized representative community-issued BFE) or Zone AO must sign here. The	who completes Section statements in Sections	ns A, B, and E for a S A, B, and E are c	Zone A (without a FEMA-issued or orrect to the best of my knowledge.
Property Owner or Owner's Authorized Representative's N	Vame		
Address	City		State ZIP Code
Signature	Date		Telephone
Comments			
			Check here if attachments.

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corr		The state of the s	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, St 1030 S SOUTHLAKE DR	uite, and/or Bldg. No.) or	P.O. Route and Box No	Policy Number:
City HOLLYWOOD, FL 33019	State	ZIP Code	Company NAIC Number
SECTION	ON G - COMMUNITY IN	FORMATION (OPTION	AL)
The local official who is authorized by law or or Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, en	Certificate. Complete the	e community's floodplair e applicable item(s) and	management ordinance can complete sign below. Check the measurement
			ed and sealed by a licensed surveyor, te the source and date of the elevation
G2. A community official completed Sect or Zone AO.	ion E for a building locate	ed in Zone A (without a l	FEMA-issued or community-issued BFE)
G3. The following information (Items G4-	-G10) is provided for com	munity floodplain mana	gement purposes.
G4. Permit Number	G5. Date Permit Issue	d	66. Date Certificate of Compliance/Occupancy Issued
G7. This permit has been issued for:	☐ New Construction ☐ S	Substantial Improvemen	t
G8. Elevation of as-built lowest floor (including of the building:	g basement)	🛛	feet meters Datum
G9. BFE or (in Zone AO) depth of flooding at	the building site:		feet meters Datum
G10. Community's design flood elevation:			feet meters Datum
Local Official's Name	8	Title	
Community Name	8	Telephone	
Signature	3	Date	
Comments (including type of equipment and lo	cation, per C2(e), if applic	cable)	
			Check here if attachments.

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.

1030 S SOUTHLAKE DR

City State ZIP Code Company NAIC Number

HOLLYWOOD, FL 33019

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption Front View Clear Photo One



Photo Two

Rear View

Clear Photo Two

Photo Two Caption

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2022

MPORTANT: In these spaces, copy th	e corresponding informat	ion from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1030 S SOUTHLAKE DR		Policy Number:	
City HOLLYWOOD, FL 33019	State	ZIP Code	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption

Left View

Clear Photo Three



Photo Four Caption

Right View

Clear Photo Four



ANNEX "D"

Building Permit Records

Permit Search Results

Search > Properties located at/on/near '...1030 s southlake...'

9 permits were found for 1030 S SOUTHLAKE DR

View	Process #	Permit #	<u>Description</u>	<u>Appl.</u> Date	<u>Permit</u> <u>Date</u>
<u>Details</u>	59388	P0301538	GAS PIPING	11/19/2003	12/3/2003
<u>Details</u>	58409	P0301473	GAS PIPING	11/4/2003	11/18/2003
<u>Details</u>		E0002786	ELECTRICAL WORK		8/4/2000
<u>Details</u>		B9608164	DRIVEWAY		11/18/1996
<u>Details</u>		P9600615	LAWN SPRINKLER EXCL PUMP AND WELL		4/17/1996
<u>Details</u>		E9601259	ELECTRICAL WORK		4/17/1996
<u>Details</u>		B9505356	REPAIRS-STRUCTURAL		9/29/1995
<u>Details</u>		B9504980	RE-ROOF(COMBINATION OF TYPES)		9/13/1995
<u>Details</u>		м9200386	A/C - CENTRAL - REPLACEMENT	_	4/7/1992

Now Sparch	Dormit	B		C	
New Search	Permit	Reviews	<u>Inspections</u>	Contractor	

Permit Details

Process #: 59388	Permit #: P0301538	Master Permit: P0301538
	Status: Closed	
	<u>List All Subpermits</u>	

Site Information		
Address: 1030 S SOUTHLAKE D	DR .	Folio#: 514214020930
Sub-division: HOLLYWOOD LAKES SECTION		Value: \$1,430.00
Lot: 22	Block: 54	Sq Ft: 0

Permit Information		
		Application Date: 11/19/03
	Application Type: GAS PIPING	Permit Date: 12/03/03
	Job Name: COVINO	CO/CC Date:
	Film Number: 0308259	Total Fees: \$54.30

Applicant / Contact Information	
Name: E H WHITSON CO INC Address: 423 S 21 AVE HOLLYWOOD, FL	

Property Owner Information
Name: O'CALLAHAN,SUSAN
Address: 525 N BROADWAY SUITE 101 WHITE PLAINS NY 10603

Contractor Information
Name: E H WHITSON CO INC (Permits + Details)
Address: 423 S 21 AVE HOLLYWOOD, FL

Register for E-Mail Notifications

To receive automatic e-mail notifications about plan review and inspection updates for this process/permit number, enter your email address below. Notifications are sent within one hour of a plan review or inspection update.

E-mail notifications are not available for this permit.

New Search	<u>Permit</u>	<u>Reviews</u>	<u>Inspections</u>	<u>Contractor</u>	

Permit Details

Process #: 58409 Permit #: P0301473		Master Permit: P0301473
Status: Closed		
<u>List All Subpermits</u>		

Site Information		
Address: 1030 S SOUTHLAKE DR		Folio#: 514214020930
Sub-division: HOLLYWOOD LAKES SECTION		Value: \$400.00
Lot: 22	Block: 54	Sq Ft: 0

Permit Information		
		Application Date: 11/04/03
	Application Type: GAS PIPING	Permit Date: 11/18/03
	Job Name: COVING	CO/CC Date:
	Film Number: 0400614	Total Fees: \$45.35

Applicant / Contact Information	
	Name: TECO PEOPLES GAS
	Address: 15779 W DIXIE HWY N MIAMI BEACH, FL

Property Owner Information	
Name: O'CALLAHAN,SUSAN	
Address: 525 N BROADWAY SUITE 101 WHITE PLAINS NY 10603	

Contractor Information	
Name: TECO PEOPLES GAS (Permits + Details)	
Address: 15779 W DIXIE HWY N MIAMI BEACH, FL	

Register for E-Mail Notifications

To receive automatic e-mail notifications about plan review and inspection updates for this process/permit number, enter your email address below. Notifications are sent within one hour of a plan review or inspection update.

E-mail notifications are not available for this permit.

New Search	<u>Permit</u>	<u>Reviews</u>	<u>Inspections</u>	<u>Contractor</u>	

Permit Details

Process #: Permit #: E0002786		Master Permit: E0002786
Status: Closed		
<u>List All Subpermits</u>		

	Site Information		
Address: 1030 S SOUTHLAKE DR		R	Folio#: 514214020930
Sub-division: HOLLYWOOD LAKES SECTION		ES SECTION	Value: \$875.00
	Lot: 22	Block: 54	Sq Ft: 0

Permit Information		
	Application Date: 00/00/00	
Application Type: ELECTRICAL WORK	Permit Date: 08/04/00	
Job Name: SPRAGUE	CO/CC Date:	
Film Number: 0043573	Total Fees: \$35.35	

Applicant / Contact Information	
Name: LEWIS STEVEN CURTIS	
Address: 20341 NE 30TH AVE., #108 AVENTURA, FL	

Property Owner Information	
Name: SPRAGUE,E S & EDITH C EST Address:	

Contractor Information	
Name: LEWIS STEVEN CUR Address: 20341 NE 30TH A	\

Register for E-Mail Notifications

To receive automatic e-mail notifications about plan review and inspection updates for this process/permit number, enter your email address below. Notifications are sent within one hour of a plan review or inspection update.

E-mail notifications are not available for this permit.

New Search	<u>Permit</u>	Reviews	<u>Inspections</u>	<u>Contractor</u>

Permit Details

Process #:	Permit #: B9608164	Master Permit: B9608164
Status: Closed		
<u>List All Subpermits</u>		

Site Information

Address: 1030 S SOUTH LAKE DR Folio#: 514214020930

Sub-division: HOLLYWOOD LAKES SECTION Value: \$17,000.00

Lot: 22 Block: 54 Sq Ft: 0

Permit Information

Application Date: 00/00/00

Application Type: DRIVEWAY

Job Name: SPRAGUE,E S & EDITH C EST

Film Number: 9610023

Application Date: 00/00/00

Permit Date: 11/18/96

CO/CC Date:

Total Fees: \$280.95

Applicant / Contact Information

Name: MASTER BRICK PAVERS

Address: PO BOX 7195 LAKE WORTH, FL

Property Owner Information

Name: SPRAGUE,E S & EDITH C EST

Address:

Contractor Information

Name: MASTER BRICK PAVERS (Permits + Details)

Address: PO BOX 7195 LAKE WORTH, FL

Register for E-Mail Notifications

To receive automatic e-mail notifications about plan review and inspection updates for this process/permit number, enter your email address below. Notifications are sent within one hour of a plan review or inspection update.

E-mail notifications are not available for this permit.

New Search	<u>Permit</u>	<u>Reviews</u>	<u>Inspections</u>	<u>Contractor</u>	

Permit Details

Process #:	Permit #: P9600615	Master Permit: P9600615
Status: Closed		
<u>List All Subpermits</u>		

 Site Information

 Address: 1030 S SOUTH LAKE DR
 Folio#: 514214020930

 Sub-division: HOLLYWOOD LAKES SECTION
 Value: \$2,740.00

 Lot: 22
 Block: 54
 Sq Ft: 0

Permit Information

Application Type: LAWN SPRINKLER EXCL PUMP AND WELL
Job Name: SPRAGUE,E S & EDITH C
Film Number: 9603279

Application Date: 00/00/00
Permit Date: 04/17/96
CO/CC Date:
Total Fees: \$62.15

Applicant / Contact Information

Name: BOBS WATERWORKS

Address: 7580 LINCOLN STREET HOLLYWOOD, FL

Property Owner Information

Name: SPRAGUE,E S & EDITH C

Address:

Contractor Information

Name: BOBS WATERWORKS (Permits + Details)

Address: 7580 LINCOLN STREET HOLLYWOOD, FL

Register for E-Mail Notifications

To receive automatic e-mail notifications about plan review and inspection updates for this process/permit number, enter your email address below. Notifications are sent within one hour of a plan review or inspection update.

E-mail notifications are not available for this permit.

New Search	<u>Permit</u>	<u>Reviews</u>	<u>Inspections</u>	<u>Contractor</u>	

Permit Details

Process #:	Permit #: E9601259	Master Permit: P9600615
Status: Closed		
Show Master Permit		

Site Information		
Address: 1030 S SOUTH LAKE	E DR	Folio#: 514214020930
Sub-division: HOLLYWOOD LAKES SECTION		Value: \$100.00
Lot: 22	Block: 54	Sq Ft: 0

Permit Information		
		Application Date: 00/00/00
	Application Type: ELECTRICAL WORK	Permit Date: 04/17/96
	Job Name: SPRAGUE,E S & EDITH C	CO/CC Date:
	Film Number: 9603279	Total Fees: \$35.35

Applicant	/ Contact Information
Name: ALS	S ELECTRIC
Address: 4	4132 S.W. 52ND ST DANIA, FL

Property Owi	ner Information
Name: SPRAG	SUE,E S & EDITH C
Address:	

Contractor Information	
Name: ALS ELECTRIC (<u>Permits + Details</u>) Address: 4132 S.W. 52ND ST DANIA, FL	

Register for E-Mail Notifications

To receive automatic e-mail notifications about plan review and inspection updates for this process/permit number, enter your email address below. Notifications are sent within one hour of a plan review or inspection update.

E-mail notifications are not available for this permit.

New Search	<u>Permit</u>	Reviews	<u>Inspections</u>	<u>Contractor</u>	

Permit Details

Process #:	Master Permit: B9505356			
Status: Closed				
<u>List All Subpermits</u>				

Site Information

Address: 1030 S SOUTH LAKE DR Folio#: 514214020930

Sub-division: HOLLYWOOD LAKES SECTION Value: \$9,000.00

Lot: 22 Block: 54 Sq Ft: 0

Permit Information

Application Date: 00/00/00

Application Type: REPAIRS-STRUCTURAL
Job Name: SPRAGUE,E S & EDITH C
Film Number: 9510880

Application Date: 00/00/00
Permit Date: 09/29/95
CO/CC Date:
Total Fees: \$158.15

Applicant / Contact Information

Name: BILL COOPER INC

Address: 3505 FIELD RD FT LAUDERDALE, FL

Property Owner Information

Name: SPRAGUE,E S & EDITH C

Address:

Contractor Information

Name: BILL COOPER INC (Permits + Details)

Address: 3505 FIELD RD FT LAUDERDALE, FL

Register for E-Mail Notifications

To receive automatic e-mail notifications about plan review and inspection updates for this process/permit number, enter your email address below. Notifications are sent within one hour of a plan review or inspection update.

E-mail notifications are not available for this permit.

New Search	<u>Permit</u>	<u>Reviews</u>	<u>Inspections</u>	<u>Contractor</u>	

Permit Details

Process #:	Master Permit: M9200386			
Status: Closed				
<u>List All Subpermits</u>				

Site Information

Address: 1030 S SOUTH LAKE DR Folio#: 514214020930

Sub-division: HOLLYWOOD LAKES SECTION Value: \$5,988.00

Lot: 22 Block: 54 Sq Ft: 0

Permit Information

Application Date: 00/00/00

Application Type: A/C - CENTRAL - REPLACEMENT

Job Name: SPRAGUE,E S & EDITH C

Film Number: F923399

Application Date: 00/00/00

Permit Date: 04/07/92

CO/CC Date:

Total Fees: \$106.92

Applicant / Contact Information

Name: E H WHITSON COMPANY

Address: 423 S 21 ST AVENUE HOLLYWOOD, FL

Property Owner Information

Name: SPRAGUE,E S & EDITH C

Address:

Contractor Information

Name: E H WHITSON COMPANY (Permits + Details)
Address: 423 S 21 ST AVENUE HOLLYWOOD, FL

Register for E-Mail Notifications

To receive automatic e-mail notifications about plan review and inspection updates for this process/permit number, enter your email address below. Notifications are sent within one hour of a plan review or inspection update.

E-mail notifications are not available for this permit.




1038 S. Southlake Drive



1021 S. Southlake Dive

Subject Property: 1030 S. Southlake Drive














LEACE RESIDENCE 1030 S. SOUTHLAKE DRIVE HOLLYWOOD, FLORIDA

DRAWING INDEX:

COVER SHEET SURVEY

SURVEY

1 SITE PLAN

FIRST FLOOR PLAN

-3 SECOND FLOOR PLAN

4 EXTERIOR ELEVATIONS

4-5 Exterior Elevations

STREET PROFILE / ELEVATIONS

-7 ROOF PLAN

PRELIMINARY DRAINAGE PLAN


TOF FLAMENT AND ARTHURS SEAL

 1 G. #AR-9549 DEL ODUCED WITHOUT SITE CONTRACTOR SISCREPANCIES PRIOR TO

33308
FLA. REG. ARCHITECTURE AND SHALL NOT BE REPRODUCED BLE FOR THE FULLEST LEGAL RECONRSE. THE WAITING OF ANY DISCREPTED.

4 COMMERCIAL BLVD.
UDERDALE BY THE SEA, FLORIDA 3
54) 761–3698
ER DRAWINGS ARE THE PROPERTY OF MARK THOMAS BUDD, ARC
TEN PERMISSION FROM A PRINCIPAL OF THE FIRM OR BE LIABLI

ACE RESIDENCE Ø 6. SOUTHLAKE DRIVE ILYWOOD, FLORIDA



OATE: 10-24-23 REVISIONS: 12-7-23

SHEET



MAP OF BOUNDARY SURVEY

DATE OF FIELD WORK 10/12/2023

PROPERTY ADDRESS: 1030 S SOUTHLAKE DRIVE HOLLYWOOD, FL 33019

F.N.D.

E.F. 0.2'W

REMAINDER OF

BLOCK 77

(NOT INCLUDED)

-REMAINDER OF

MADISON STREET

(NOT INCLUDED)

ID?

NORTH ASSUMED BEARING BASIS

CERTIFIED TO: HENRY LEACE **ROSA LEACE**

(TYP.)

-STEPS

6.30

DRIVEWAY

PORTION OF

LOT 23

BLOCK 54

REMAINDER OF LOT 23 BLOCK 54

50.0'(P)

30.00'(D)

PUBLIC R/W

SOUTHLAKE DRIVE

16.72

STORY #1030 FLOOR EL. = 4.7' GARAGE EL.=3.4'

21.72

*

GATE

100.00'(D)

BOAT LIFT

100.0

8.79

RR.

G.M.

G.W.H.

93′(D)

ကွ

Ñ

9.75

 $\overset{\text{\tiny N}}{\cup}$

& ×

PORTION OF LOT 24 BLOCK 54

(NOT INCLUDED)

350.00'(D)

PORTION OF LOT 24

BLOCK 54

(NOT INCLUDED)

-NEW R/W LINE

L AVENUE AVENUE(PER-PLAT)

50.0'(P)

L A K E

(SOUTH LAKE - TIDAL WATERS)

BLOCK 76(PER PLAT)

PORTION OF

BLOCK 77

SEAWALL

LEGAL DESCRIPTION (FROM BROWARD COUNTY RECORDS INSTRUMENT# 118855257):

C.N.A.

35

PORTION OF 28

20.50°

20.50

MADISON STREET

(PER-PLAT)

27.99

50.0'(P)

17.72

PORTION OF

LOT 22

BLOCK 54

100.00'(D)

LOT S BLOCK

[₄+: 50.0'(P

(PER-PLAT)

(NOT INCL

15'

OVERED

E.F. 0.1'E

REMAINDER OF

BLOCK 77

(NOT INCLUDED)

REMAINDER OF-

MADISON STREET

(NOT INCLUDED)

.c. 0.2'W

PORTION OF LOT 21

BLOCK 54

(NOT INCLUDED)

PORTION OF LOT 21 BLOCK 54

(NOT INCLUDED)

ALL THAT CERTAIN LOT, PARCEL OR TRACT OF LAND, SITUATE AND LYING IN THE CITY OF HOLLYWOOD, COUNTY OF BROWARD, STATE OF FLORIDA, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

LOTS 22 AND 23, LESS AND EXCEPT THE SOUTH 30 THEREOF, BLOCK 54, HOLLYWOOD LAKES SECTION, ACCORDING TO THE MAP OR PLAT THEREOF AS RECORDED IN PLAT BOOK 1, PAGE 32, PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA, TOGETHER WITH ALL THAT PARCEL OF LAND DESCRIBED AND BOUNDED AS FOLLOWS: BEING A PART OF MADISON STREET AND A PART OF BLOCK 77, HOLLYWOOD LAKES SECTION BOUNDED ON THE SOUTH BY THE NORTH LINE OF LOTS 22 AND 23, BLOCK 54 OF SAID SUBDIVISION, ON THE NORTH BY BLOCK 76, HOLLYWOOD LAKES SECTION, OTHERWISE DESCRIBED AS SOUTH LAKE OF SAID SUBDIVISION, ON THE EAST BY THE EAST LINE OF LOT 22, BLOCK 54, EXTENDED NORTHERLY AND ON THE WEST BY THE WEST LINE OF LOT 23, BLOCK 54, EXTENDED NORTHERLY AS SHOWN ON THE PLAT OF HOLLYWOOD LAKES SECTION RECORDED IN PLAT BOOK 1, PAGE 32, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA, BEING ALL THAT PARCEL OF LAND LYING NORTH OF LOTS 22 AND 23, BLOCK 54, HOLLYWOOD LAKES SECTION EXTENDING TO THE SOUTH LAKE IN SAID SUBDIVISION.

NATIONAL FLOOD INSURANCE PROGRAM INFORMATION:

CITY OF HOLLYWOOD 125113 MAP/PANEL NUMBER 12011C0569H INDEX DATE 8/18/14 PANEL EFFECTIVE DATE 8/18/14 FLOOD ZONE "AE / VE" BASE FLOOD ELEVATION "7 / 8"

ELEVATION NOTES: ELEVATIONS SHOWN HEREON ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988, AND REFERENCED INTO THE FLORIDA DEPARTMENT OF TRANSPORTATION GLOBAL POSITIONING SYSTEM CONTROL NETWORK FOR A 6 MINUTE CYCLE

SPOT ELEVATION = .**

LEGEND AND ABBREVIATIONS

A/C = AIR CONDITIONERASPH. = ASPHALT C/L = CENTER LINEC.N.A. = CORNER NOT ACCESSIBLE C.O. = CLEAN OUT $(D_{-} = DEED OR RESULT OF DEED$ E.F. = END FENCEE.H.H. = ELECTRIC HAND HOLE EL. = ELEVATIONE.M. = ELECTRIC METER F.C. = FENCE CORNERF.I.P. = FOUND IRON PIPE F.I.R. = FOUND IRON ROD F.N.D. = FOUND NAIL AND DISC G.M. = GAS METERG.W.H. = GAS WATER HEATERID? = IDENTIFICATION ILLEGIBLE IRR. = IRRIGATION EQUIPMENT

L.P. = LIGHT POLE M.H. = MAN HOLEO/L = ON-LINE(P) = PLATP.B. = PLAT BOOK PG. = PAGEPL. = PLANTER

R/W = RIGHT-OF-WAYS.I.R. = SET 5/8" IRON ROD LB7689 S.N.D. = SET NAIL AND DISC LB7689 TELE. = TELECOMMUNICATIONS UTILITY TYP. = TYPICALU.E. = UTILITY EASEMENT W.M. = WATER METER W.U.P. = WOOD UTILITY POLEW.V.R. = WATER VALVE RISER

ASPHALT BRICK CONCRETE WALL OR COLUMN STRUCTURE CHAIN LINK FENCE = -xROOFED OR OVERHANG = ------OVERHEAD WIRE IRON OR ALUMINUM FENCE

TREE NOTES: THE TREES AND INFORMATION ABOUT SUCH TREES, ARE LABELED HEREON TO THE BEST KNOWLEDGE OF THE SURVEYOR SHOWN

WOOD FENCE =

TREE INFORMATION TABLE

TREE # WIDTH TREE TYPE HEIGHT

HEREON, THE SURVEYOR IS NOT A LANDSCAPE ARCHITECT, BOTANIST, OR ARBORIST AND INFORMATION ABOUT SUCH TREES SHOULD BE VERIFIED BY A QUALIFIED INDIVIDUAL TREE INFORMATION TABLE TREE # WIDTH TREE TYPE HEIGHT 2' ARECA PALM 10-15' 2 4" ROBELLINI PALM 5-8' 2 4" ROBELLINI PALM 8-10 2 4" ROBELLINI PALM 8-10' 2 4" ROBELLINI PALM 8-10 14" ALEXANDER PALM CLUSTER 10-15 4" ALEXANDER PALM 15-20 2 15" ROYAL PALM 30-35' 2 10" SAW PALMETTO 2' 10' 3' ARECA PALM CLUSTER 15-20 ARECA PALM CLUSTER 15-20 12 ARECA PALM CLUSTER 15-20' 13 3 4" ROBELLINI PALM 7-10 14 3 4" ROBELLINI PALM 10' 15 2 4" ALEXANDER PALM 15-20' 3 4-6" XMAS PALM 15-20 17 3 4" XMAS PALM 10-15 18 3 4" XMAS PALM 10-15' 19 3 4" XMAS PALM 10-15' 20 ARECA PALM CLUSTER 15-20 ARECA PALM CLUSTER 10-15' 22 ARECA PALM CLUSTER 10-15' ARECA PALM CLUSTER 15-20 24 4" ALEXANDER PALM 15-20 25 4 4" XMAS PALM 5-10' 4" ALEXANDER PALM 10-15' 27 4" ALEXANDER PALM 25-30 28 ARECA PALM CLUSTER 20-25 ARECA PALM CLUSTER 15-20' 5 4" ALEXANDER PALM 8" COCONUT PALM 10-15' 32 8" COCONUT PALM 10-15' 8" COCONUT PALM 15-20' 8" COCONUT PALM 25-30' 35 8" FOXTAIL PALM 15-20' 8" FOXTAIL PALM 20-25 10" COCONUT PALM 20-25 38 10" COCONUT PALM 20-25' 39 10" COCONUT PALM 20-25 10" FOXTAIL PALM 20-25' 10" FOXTAIL PALM 20-25' 10" FOXTAIL PALM 25-30' 14" DATE PALM 15-20' 14" ROYAL PALM 30-35' 45 14" SILVER PALM 10-15' 15" ROYAL PALM 30-35'

15" ROYAL PALM 30-35'

TREE #	WIDTH TREE TYPE HEIGHT
48	42" MALELUCA 30-35'
49	24" CANARY ISLAND DATE PALM 25-30'
50	8" CHINESE FAN PALM 10-15'
51	8" CHINESE FAN PALM 15-20'
52	8" CHINESE FAN PALM 15-20'
53	10" CHINESE FAN PALM 10-15'
54	18" ARECA PALM CLUSTER 6-10'
55	18" ARECA PALM CLUSTER 6-10'
56	18" ARECA PALM CLUSTER 10-15'
57	18" ARECA PALM CLUSTER 10-15'
58	8" FOXTAIL PALM 20-25'
59	10" FOXTAIL PALM 25-30'
60	10" FOXTAIL PALM 25-30'
61	10" FOXTAIL PALM 25-30'
62	10" FOXTAIL PALM 25-30'
63	10" FOXTAIL PALM 25-30'
64	8" QUEEN PALM 10-15'
65	8" QUEEN PALM 10-15'
66	10" QUEEN PALM 10-15'
67	10" QUEEN PALM 10-15'
68	4" ROBELLINI PALM 6-8'
69	4" ROBELLINI PALM 8-10'
70	4" ROBELLINI PALM 10'
71	4" ALEXANDER PALM 15-20'
72	12" ROYAL PALM 15-20'
73	4" ALEXANDER PALM 15-20'
74	12" ROYAL PALM 25-30'
75	12" ROYAL PALM 30-35'
76	4" ALEXANDER PALM 15-20'
77	12" ROYAL PALM 30-35'
78	14" ROYAL PALM 35-40'
79	15" ROYAL PALM 35-40'
80	10" SAW PALMETTO 4-8'
81	16" ROYAL PALM 30-35'
82	16" ROYAL PALM 30-35'
83	18" ROYAL PALM 35-40'
84	18" ROYAL PALM 35-40'
85	16" ROYAL PALM 30-35'
86	16" ROYAL PALM 30-35'
87	10" SAW PALMETTO 4-8'
88	16" ROYAL PALM 30-35'
89	8" SAW PALMETTO 6-8'


NOTES:
1)THIS IS A COPYRIGHT DOCUMENT CONTAINING PROPRIETARY INFORMATION AND IS NOT WARRANTIED BY THE SIGNING SURVEYOR WHEN COPIED BY OTHERS.
2)UNLESS OTHERWISE SHOWN HEREON RECORD AND MEASURED CALLS ARE IN SUBSTANTIAL AGREEMENT, MEASUREMENTS SHOWN HEREON ARE ROUNDED TO THE NEAREST 0.05'
3)LANDS SHOWN HEREON WERE NOT ABSTRACTED FOR EASEMENTS OR OTHER RECORDED ENCUMBRANCES NOT ON THE PLAT AND THE SAME, IF ANY MAY NOT BE SHOWN ON THIS SKETCH
4)FENCE OWNERSHIP IS NOT DETERMINED BY UNDERSIGNED, FENCE TIES ARE TAKEN TO THE CENTER OF THE FENCE, FENCE LINES MAY MEANDER ALONG PROPERTY LINES, FENCE LINES MAY BE SHOWN EXAGGERATED TO BETTER ILLUSTRATE WERE THEY ARE LOCATED
5)SUBSURFACE FOUNDATION FEATURES WERE NOT LOCATED FOR THIS SURVEY (5)SUBSURFACE UTILITY FEATURES WERE NOT LOCATED FOR THIS SURVEY NOT NO SCALE AND ARE SHOWN THIS WAY FOR ILLUSTRATIVE PURPOSES 8)THIS IS NOT A VALID SURVEY WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL (UNLESS DIGITALLY SIGNED) OF A FLORIDA LICENSED SURVEYOR AND MAPPER 9)UNLESS OTHERWISE SHOWN HEREON FOUND MONUMENTATION HAS NO IDENTIFICATION AND ANY CORNER LABELED AS NOT ACCESSIBLE IS DUE TO FENCING OR LANDSCAPING 10) THIS SURVEY MEETS OR EXCEEDS THE ACCURACY STANDARDS IN CHAPTER 5J-17 OF THE FLORIDA ADMINISTRATIVE CODE- SUBURBAN 1' IN 7,500' 11)THIS SURVEY HAS BEEN PREPARED FOR THE EXCLUSIVE USE AS AN AID IN OBTAINING TITLE INSURANCE FOR THE CERTIFIED HEREON, NO OTHER WARRANTIES ARE HEREBY EXTENDED OR GRANTED

PRINTING ELECTRONICALLY IN ORDER FOR THIS DOCUMENT TO BE VIEWED CORRECTLY IT MUST BE PRINTED ON A 18"x24" (ARCH C) SIZE PAPER AND WITH NO SCALING, FITTING TO PAGE, OR CUSTOM SIZE OPTIONS. PRINTING THIS SHEET NOT TO SCALE IS ONLY FOR VISUAL AID PURPOSES. THE SIGNING SURVEYOR TAKES NO LIABILITY IN INFORMATION OBTAINED FROM ITS USE IN SUCH MANOR.



WEB: WWW.JJSURVEYING.COM





IG. #AR-9549 NATION THE CONTRACTOR TO THE CONTRA

EA, FLORIDA 33308

FLA. REG. #ARMARK THOMAS BUDD, ARCHITECTURE AND SHALL NOT BE REPRODUCED WITH

MARK THOMAS BUDD,

224 COMMERCIAL BLVD.

LAUDERDALE BY THE SEA, FLORIDA 33308

(954) 761–3698


THESE DRAWINGS ARE THE PROPERTY OF MARK THOMAS BUDD, ARCHITECTUI WRITTEN PERMISSION A PRINCIPAL OF THE FIRM ON BE LIABLE FOR THE SHALL VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS AND NOTIFY THIS SHALL VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS AND NOTIFY THIS SHALL VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS TAKE PRECEDENCE, DO


EACE RESIDENCE 30 S. SOUTHLAKE DRIVE DLLYWOOD, FLORIDA

DATE: 10-24-23 REVISIONS:

SHEET

OF 6





MARK THOMAS BUDD, ARCHITECTURE 224 COMMERCIAL BLVD.
LAUDERDALE BY THE SEA, FLORIDA 33308
FLA. REG. #AR-954
(954) 761-3698

LEACE RESIDENCE 1030 8, SOUTHLAKE DRIVE HOLLYWOOD, FLORIDA

ATE: 12-1-23

DATE: 12-1-23 REVISIONS: 12-7-23

SHEET

ARCHITECTURE THOMAS BUDD, ERCIAL BLVD.

E BY THE SEA, FLORIDA 33308

<u>DATE</u>: 1∅-24-23 <u>REVISIONS</u>: 12-7-23


MPACT ALUMINUM DOOR OR WINDOW - DARK BRINZE FRAME


SMOOTH STUCCO

ALUM. GARAGE DOOR W/ WOOD FAUX FINISH

ALUM. & GLASS RAILING

(G) WOOD FINISH ALUM. TUBES





REAR / NORTH ELEVATION



MARK THOMAS BUDD, ARCHITECTURE

224 COMMERCIAL BLVD.

LAUDERDALE BY THE SEA, FLORIDA 33308

FLA. REG. #AR-9549

WRITEN PERMISSION FROM A PRINCIPAL OF THE FIRM OF BE LIABLE FOR THE FULLEST LEGAL RECOURSE. THE CONTRACTOR SHALL NOT BE EXECUTION OF THE WORTH. DIMENSIONS TAKE PRECEDENCE, DO NOT SCALE DRAWINGS.


LEACE RESIDENC 1030 S. SOUTHLAKE DRIVE HOLLYWOOD, FLORIDA

TE: 10-24-23 VISIONS: 12-7-23

SHEET

=

OF 7



ARCHITECTURE THOMAS BUDD, ERCIAL BLVD.

DATE: 10-24-23 REVISIONS:

SHEET

STREET PROFILE / ELEVATION

S. SOUTHLAKE DRIVE VIEW

1/8"=1'-0"


DIGITAL SIGNATURE

308
FLA. REG. #AR-954
FICTURE AND SHALL NOT BE REPRODUCED WITHOUT
OR THE FULLEST LEGAL RECOURSE. THE CONTRACTOR

TKK I HOIMAS BUUD, AK COMMERCIAL BLVD. ERDALE BY THE SEA, FLORIDA 33308 761–3698

EACE RESIDENCE 330 S. SOUTHLAKE DRIVE 40LLYWOOD, FLORIDA

ATE: 10-24-23 EVISIONS: 12-7-23




MARK THOMAS BUDD, ARCHITECTURE TAURE SEA, FLORIDA 33308


THESE DRAWINGS ARE THE PROPERTY OF MARK THOMAS BUDD, ARCHITECTURE AND SHALL NOT BE REPRODUCED WITHOUT WRITTEN PERMISSION FROM A PRINCIPAL OF THE FIRM OR BE LIABLE FOR THE FULLEST LEGAL RECOURSE. THE CONTRACTOR SHALL VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS AND NOTIFY THIS OFFICE IN WRITTEN OF ANY DISCREPANCIES PRIOR THE EXECUTION OF THE WORK. WRITTEN DIMENSIONS TAKE PRECEDENCE, DO NOT SCALE DRAWINGS.

DATE: 10-24-23 REVISIONS: 12-7-23





- Roof: Flat roof/Tiles painted in gray
- Walls: Stucco & wood looking composite cladding
- Entry way steps: Concrete look tile
- Driveway pavers: Concrete slabs with turf
- Main Entrance Door:
- Garage Doors: Tinted mirror look hurricane proof garage doors.



d-essentials inc.

Wood looking composite for accent walls and pergolas.



Concrete slabs with turf at Driveway






Light accent color

Pediment SW 7634

Dark accent color

Less Brown SW 6040



• Pergola: Composite wood

• Paint colors: Light accent color: SW7634 Pediment

Dark accent color: SW6040 Less Brown

Balcony railing: Hurricane proof Tempered clear glass







Façade tile: Cement Block Gray



Black Aluminum Window frames




Opacity impact glass for Garage Doors



Live plants wall at Pool area






DIGITAL SIGNATURE

DATE: 10-24-23

SHEET



Single Family Districts (RS)	Required	Provided
Perimeter Landscape One 12' street tree per 50 linear feet or portion thereof, of street frontage of property wherein said improvements are proposed.	2 Trees (100' / 50')	4 Trees (See Plant Schedule)
Open Space A minimum of 20% of the required front yard area shall be landscaped pervious open space. All pervious areas are to be sodded or landscaped with living plant material such as ground cover and/or shrubs. One tree per 1,250 sq. ft. (including any fraction) of front yard area. Minimum Tree Sizes Shade trees: 2" DBH/ 12' height. Palm trees: 8' of GW or CT.	2 Trees (2,257 SF)	3 Trees (See Plant Schedule)
Native Requirements A minimum of 60% of required trees and 50% of required shrubs must be native species.	3 Trees	7 Trees

Landscape Notes:

- Alternative plant species for required landscape may be permitted subject to review and approval by the City of Hollywood Planning Department prior to installation.
- All prohibited exotic or invasive species shall be removed from the entire site prior to the issuance of a Certificate of Occupancy.
- All required landscaping shall be installed prior to the issuance of a Certificate of Occupancy.
- No Cypress Mulch is to be used on site. Eucalyptus or Melaleuca Mulch is to be used in a 3" consistent layer in all planting beds.
- Enhanced landscaping beyond minimum requirements will conform to all applicable sections of the City of Hollywood Landscape Manual.
- This plan has been designed to meet the tree planting requirements contained within the FPL document entitled 'Plant the Right Tree in the Right Place' and City of Hollywood Landscape Manual.
- For existing or proposed utilities, no tree shall be planted where it could, at mature height conflict with overhead power lines.
- Tree species shall be selected as to minimize conflicts with existing or proposed utilities.
- See engineer's plans for all underground & overhead utilities and field locate all prior to installation; contact Landscape Designer/Owner regarding any conflicts.
- All site drainage by others.
- Landscape adjacent to vehicular traffic to be maintained to preserve sight line visibility.
- -Tree Relocation Note: Do not relocate without obtaining permit from the City of Hollywood. Existing tree(s) to be relocated require root pruning by a qualified professional prior to relocation. If the tree(s) does not survive after relocation and is dead or in poor health at time of final inspection, mitigation will be required through payment into the tree preservation fund, equal to \$350 per every 2" tree mitigation owed.
- -Irrigation Note: Per Article 9: 9.4(4): Irrigation. All landscaped areas shall receive 100% coverage by means of an automatic sprinkler system designed and constructed in accordance with the City of Hollywood Code of Ordinances, the Florida Building Code, State Law, and the regulations of the South Florida Water Management District. Failure to maintain or disconnection of the irrigation system shall be a violation of these regulations.


			_						
	a	24	C	0	2	0		11	
T-20	a		J		1	6	u	u	-


CODE	QTY	BOTANICAL NAME	COMMON NAME	SIZE	NATIVE	
	ON TREES				/1	A.
RR-M	8	Roystonea regia	Royal Palm	FG, 10' GW, SGL, SP, MATCHING	Yes	
VM-M	5	Veitchia montgomeryana	Montgomery Palm	FG, 12' GW, HVY, NO SCARS, FF, SP	No	
CODE TRE	EES					
CO	3	Cordia sebestena	Orange Geiger Tree	FG, 12` HT, 2" DBH MIN, STD, SP	Yes	
PALM TRE	EES					
AM3	2	Adonidia merrillii	Christmas Palm Triple	FG, 8' OA, TRP, SP	No	
CYR2	1	Cyrtostachys renda	Red Sealing Wax Palm	15G, 6'-8' HT, ML, SP	No	
RHE	6	Rhapis excelsa	Lady Palm	15G, 5" HT X 3" SPR, ML, SP	No	
RELOCAT	ED & EXIST	ING TREES				
BN-R	1	Bismarckia nobilis `Silver`	Bismark Palm	Relocated on Site	No	
CNR	5	Cocos nucifera `Green Malayan`	Relocated Coconut Palm	Relocated on Site	No	
DL-E	2	Dypsis lutescens	Areca Palm		No	
	1			Existing to Remain		
PS-E	1	Phoenix sylevestris	Sylvester Date Palm	Existing to Remain	No	
PE-E	2	Ptychosperma elegans	Alexander Palm	Existing to Remain	No	
PE-R	6	Ptychosperma elegans	Relocated Alexander Palm	Relocated on Site	No	
RR-E	5	Roystonea regia	Existing Royal Palm	Existing to Remain	Yes	
STREET T	REES					
CD-S	4	Coccoloba diversifolia	Pigeon Plum	FG, 12` HT, 2" DBH MIN, STD, SP	Yes	
SHRUBS						
AEB	6	Aechmea spp. 'Blue Tango'	Blue Tango Bromeliad	10" POT, 2' OA, F from bullis	No	
AGN	5	Agave angustifolia	Caribbean Century Plant	15G, 3'-4' OA, SP	No	
AGA2	5			3G, 24" OA, SP	No	
	ວ ດ	Agave attenuata	Soft Tip Agave			
ALI	2	Alcantarea imperialis	Imperial Bromeliad	7G, 36" OA, F, SP, AS	No	
ALC	1	Alcantarea odorata	Giant Silver Bromeliad	7G, 36" OA, F, SP, AS	No	
AMB	4	Alocasia macrorrhiza 'Borneo Giant'	Giant Elephant Ear	15G, 4'-6' HT, F, SP	No	
AOC	17	Alocasia odora 'California'	Dwarf Elephant Ear	3G, 24" OA, SP	No	
ALP	7	Alpinia purpurata	Red Ginger	15G, 6` HT x 3` SPR, F, SP	No	
ALZ	8	Alpinia zerumbet 'Variegata'	Variegated Shell Ginger	3G, 24" HT, 3PP, F	No	
BOA	34	Begonia odorata `Alba`	Giant White Angel Begonia	3G, 24" OA, F,	No	
CLE	9	Clerodendrum paniculatum	Pagoda Flower	3G, 24" OA, F,	No	
CER	36	Conocarpus erectus	Green Buttonwood	3G, 24" OA, F	Yes	
DIO	1	Dioon edule	Mexican Cycad	15G, 36" OA, SP	No	
DMB2	1	Dracaena marginata 'Tricolor'	Tricolor Dracaena	CG, 8' OA, STUMP, CH, SP	No	
HEL	28	Heliconia psittacorum 'Andromeda'	Parrot Beak Heliconia	3G, 24" OA, F,	No	
HER	3	Heliconia rostrata	Lobster Claw Heliconia	7G, 4' HT x 3' SPR, FTB	No	
IXC	25	Ixora coccinea `Nora Grant`	Red Ixora		No	
				3G, 24" OA, F,		
NBN	83	Neoregelia x `Bossa Nova`	Bossa Nova Bromeliad	6" POT, F	No	
OPJ	38	Ophiopogon japonicus	Mondo Grass	1G, 12" OA, F	No	
PHC	7	Philodendron 'Rojo Congo'	Red Congo Philodendron	3G, 24" OA, F, 30" OC	No	
PHX	47	Philodendron 'Xanadu'	Xanadu Philodendron	3G, 24" OA, F, 30" OC	No	
POM	167	Podocarpus macrophyllus	Podocarpus	7G, 4` HT, FTB	No	
VL	28	Vriesea ospinae `Gruberi`	Vriesea Bromeliad	9" POT, 24" OA, SP	No	
CODE	QTY	BOTANICAL NAME	COMMON NAME	SIZE	NATIVE	SPACING
GROUND	COVERS					
CAR	64	Carissa macrocarpa 'Emerald Blanket'	Emerald Blanket Carissa	3G, 12" OA, F, @	No	18" o.c.
	171	Liriope muscari `Big Blue`	Big Blue Liriope	1G, 12" OA, F, SP	No	18" o.c.
LIMB	1.76	Elliope Illusodii Dig Dide	PIA PINO FILIOPO	10, 12 OA, 1, 01	110	10 0.0.
LMB PBM	175	Philodendron x 'Burle Marx'	Burle Marx Philodendron	1G, 12" OA, F,	No	12" o.c.




0 <u>0</u> B

	Revisio	ns
Date	Init.	Description
10.26.23	DC	Initial Submittal
11.28.23	DC	Revised per Comments
12.12.23	DC	Revised per Comments









30-35"

16"

30-35

6-8'

Remove

Remove


Royal Palm


Saw Palmetto

Remove

A total of (65) Palm Trees to be removed. (13) Palms (1:1) and & (3) Trees (1:3) planted onsite to satisfy replacement of (22) Palms. Remaining mitigation to be satisfied through a Payment Contribution to the City Tree Fund. \$350 owed per 2" DBH / Palm. (43) x (\$350) = Total Payment Owed: \$15,050.

*Note: All replacement trees minimum of twelve (12) feet in height when planted on private property and twelve (12) feet when planted on swales and commercial properties. Palms minimum 8' clear trunk.





TOP VIEW

TREE PROTECTION BARRICADE

NOTES:

1. BARRICADE CIRCLE TO BE CENTERED ON TREE TRUNK(S). FOR GROUPS OF TREES,
PLACE BARRICADES BETWEEN TREES AND CONSTRUCTION ACTIVITY.

2. TREE PROTECTION BARRICADES SHALL BE LOCATED TO PROTECT EXISTING, RELOCATED, AND NEW TREES IN CONSTRUCTION AREAS. THE PRTECTIVE BARRIER SHALL BE PLACED AROUND THE TREE AT A DISTANCE 6 FEET FROM THE TREE TRUNK OR AT THE CANOPY DRIP LINE, WHICHEVER IS GREATER OR AS SHOWN ON LANDSCAPE PLAN.

3. SEE LANDSCAPE PLAN FOR FENCE ALIGNMENT.

 NO PRUNING SHALL BE PERFORMED EXCEPT BY APPROVED ARBORIST.
 NO EQUIPMENT SHALL OPERATE INSIDE THE PROTECTIVE FENCING INCLUDING DURING FENCE INSTALLATION AND REMOVAL.

	Project Team
	Landscape Architect:
ΥP	LANDSCAPE ARCHITECTURAL SERVICES, LLC Brandon White Owner 772-834-1357 brandon@las-fl.com Paul Goulas Owner 772-631-8400 paul@las-fl.com 1708 SE Joy Haven Street Port St. Lucie, Fl. 34983
	Architect:
	MARK THOMAS BUDD, ARCHITECT 221 S. Federal Highway, Suite #4 Ft. Lauderdale, Florida 33301 (954) 798-6570


Leace Residence

- 1		Revisio	ns
	Date	Init.	Description
4	10.26.23	DC	Initial Submittal
1	11.28.23	DC	Revised per Comments
<u>^2</u>	12.12.23	DC	Revised per Comments



Drawn By: Checked By:	DC PG	\
Municipal Project		
Scale:		
SCALE: 1	"= 10'	
0 5' 10	' 2	0
10	2	





88

89

Roystonea regia

Serenoa repens

Denotes tree exempt from mitigation, invasive exotic

Remain

Remain

Relocate

46

Roystonea regia

Royal Palm

Remove

10-15'

15-20

30-35

10-15'

Dypsis lutescens

43

44

Phoenix sylvestris

Roystonea regia

Bismarckia nobilis

Areca Palm

Sylvester Date Palm

Royal Palm

Bismarck Palm





Coconut Palm























Alexander Palm















esidence Bismark Palm

- [Revisio	ns
	Date	Init.	Description
	10.26.23	DC	Initial Submittal
1	11.28.23	DC	Revised per Comments
2	12.12.23	DC	Revised per Comments

Project Team

Landscape Architect:

Brandon White | Owner 772-834-1357 | brandon@las-fl.com Paul Goulas | Owner 772-631-8400 | paul@las-fl.com 1708 SE Joy Haven Street Port St. Lucie, Fl. 34983

MARK THOMAS BUDD, ARCHITECT 221 S. Federal Highway, Suite #4 Ft. Lauderdale, Florida 33301 (954) 798-6570

Photos

LANDSCAPE ARCHITECTURAL SERVICES, LLC



Checked By: Municipal Project Scale:	PG :
Scale:	:
SCALE: 1	






Leace Residence

Photos

Revisions				
Date	Init.	Description		
10.26.23	DC	Initial Submittal		
11.28.23	DC	Revised per Comments		
12.12.23	DC	Revised per Comments		





LS-4

- 1.01 SCOPE: A. The landscape contract includes the supplying and planting of all trees, shrubs, vines, and ground cover together with all necessary labor, equipment, tools and materials needed for the successful completion, execution and maintenance of the landscape plans.
- 1.02 AGENCY STANDARDS: A. Grades and standards of plant materials to be used shall be true to name, size, condition and graded Florida #1 or better as stated in: Grades and Standards of Florida Plant Materials published by the State of Florida Department of Agriculture, Tallahassee, Florida.

1.03 SITE EXAMINATION:

- A. The Landscape Contractor shall personally examine the site and fully acquaint him/herself with all of the existing conditions in order that no mis-understanding may afterwards arise as to the character or extent of the work to be performed, and additionally, in order to acquaint him/herself with all precautions to be taken in order to avoid injury to property or persons. No additional compensation will be granted because of any unusual difficulties which may be encountered in the execution or maintenance of any portion of the work.
- 1.04 ERRORS AND OMISSIONS:
- A. The plant list is a part of the drawings and is furnished as a convenience. The plant list indicates the name, size and quantities of specific plant materials as called for and is located on the drawings. The Landscape Contractor is responsible for his/her own quantity count, and any discrepancy between drawings and plant list shall be considered as correct on the drawings.
- B. The Landscape Contractor shall not take advantage of errors or omissions in the specifications or contract drawings. Full instruction will be given if such errors are discovered. Upon the discovery of any discrepancies in, or omissions from the drawings or documents, or should the Landscape Contractor be in doubt as to their meaning, the Landscape Architect shall be notified and will determine the actions necessary to each query.
- C. If plans and specifications are found to disagree after the contract is awarded, the Landscape Architect shall be the judge as to which was intended.
- 1.05 EXECUTION OF THE WORK:
- A. The Landscape Contractor shall have his labor crews controlled and directed by a Foreman well versed in plant materials, planting methods, reading blueprints, and coordination between job and nursery in order to execute installation correctly and in a timely manner.
- B. The Landscape Contractor shall provide a competent English-speaking Foreman on the project at all times, who shall be fully authorized as the Contractor's agent on the work. The Superintendent shall be capable of reading and thoroughly understanding the Plans, Specifications and other Contract Documents. If the Superintendent is deemed incompetent by the Landscape Architect, he (the superintendent) shall be immediately replaced.
- C. The Landscape Contractor shall be available for any meetings with the Owner and/or Landscape Architect during implementation of the job. Any additional work or changes required as a result of failure to communicate with the Owner or Landscape Architect during implementation will be the responsibility of the Landscape Contractor.
- 1.06 PROTECTION OF PUBLIC AND PROPERTY:
- A. The Landscape Contractor shall protect all materials and work against injury from any cause and shall provide and maintain all necessary safeguards for the protection of the public. He shall be held responsible for any damage or injury to persons or property which may occur as a result of his fault or negligence in the execution of the work, i.e. damage to underground pipes or cables.
- 1.07 CHANGES AND EXTRAS:
- A. The Contractor shall not start work on any changes or "extras" in the project until a written agreement setting forth the adjusted prices has been executed by the Owner and the Contractor. Any work performed on changes or "extras" prior to execution of a written agreement may or may not be compensated for by the Owner at his discretion.
- 1.08 GUARANTEE: A. The Landscape Contractor shall furnish a written guarantee warranting all materials, workmanship
- and plant materials, except sod, for a period of ONE (1) YEAR from the time of completion and acceptance by the Landscape Architect and Owner. Sod shall be guaranteed to 90 calendar days after acceptance by the Landscape Architect and Owner. All plant material shall be alive and in satisfactory condition and growth for each specific kind of plant at the end of the guarantee period. The guranteeing of plant material shall be construed to mean complete and immediate replacement with plant material of the same variety, type, size, quality and grade as that of the originally specified material. During the guarantee period it shall be the Landscape Contractor's responsibility to immediately replace any dead or unhealthy material as determined by the Landscape Architect. The guarantee will be null and void if plant material is damaged by lightning, hurricane force winds, or any other acts of God, as well as vandalism or lack of proper maintenance.
- B. At the end of the specified guarantee period, any plant required under this contract that is dead or not in satisfactory condition, as determined by the Landscape Architect, shall be replaced. The Landscape Contractor shall be responsible for the full replacement cost of plant materials for the first replacement and share subsequent replacement (s) costs equally with the Owner, should the replacement plant fail to survive.

1.09 CARE AND MAINTENANCE:

- A. The Landscape Contractor shall be responsible for the care and maintenance of all plant materials and irrigation when applicable until final acceptance by the Owner or Landscape Architect.
- B. The Owner agrees to execute the instructions for such care and maintenance.
- A. It shall be the responsibility of the Landscape Contractor to protect all persons from injury and to avoid property damage. Adequate warning devices shall be placed and maintained during the progress of the work
- B. It shall be the contractor's responsibility to conform to all local, state, and federal safety laws and codes including the Federal Occupational Safety And Health Act (O.S.H.A.) .

1.11 CONTRACTOR QUALIFICATION:

- A. The Owner may require the apparent contractor (s) to qualify him/herself to be a responsible entity by furnishing any or all of the following documentary data: A financial statement showing assets and liabilities of the company current to date.
- A listing of not less than (3) completed projects of similar scope and nature. Permanent name and address of place of business. The number of regular employees of the organization and length of time the organization has been in business under the present name.

1.12 INSURANCE AND BONDING:

- A. The contractor (s) shall submit proof of insurance for this job for the time period that the work is done. The minimum amount of insurance shall be \$300,000.00 per person and \$300,000.00 per aggregate or as required by owner and agreed to in the contract. The successful bidder shall be required to have this coverage in effect before beginning work on the site.
- B. The Owner shall have the right to require the Contractor to furnish bonds covering faithful performance of the Contract and payment obligations arising thereunder as stipulated in bidding requirements or specifically required in the Contract Documents on the date of execution of the Contract.
- 1.13 PERMITS AND CERTIFICATES: A. All contractors shall secure and pay for all permits and certificates required for his/her

PART 2: MATERIALS

- 2.01 PLANT MATERIALS: A. A complete list of plants is shown on the drawings, including a schedule of
- quantities, sizes, and such other requirements deemed necessary. In the event discrepancies occur, the specifications on the drawings shall govern. B. Substitutions: Substitutions of plant materials or changes in size or spacing of materials will be permitted ONLY upon written authorization by the Owner or the Landscape
- Architect. If plant material is not of sufficient size to meet applicable codes, a letter of variance from the appropriate agency must be obtained by the Contractor prior to issuance of any change order. If material of smaller size is to be accepted, the quantity of material shall be increased, at no additional cost to the Owner, to meet the intent of the drawings. All plant materials shall have a habit of growth that is normal for the species and shall be healthy,
- vigorous and equal to or exceed the measurements specified in the plant list, which are the minimum acceptable sizes. Plants shall be measured before pruning with branches in normal position. Any necessary pruning shall be done at the time of planting. D. All plant materials shall be nursery grown, unless otherwise noted, Florida #1 or better and shall
- comply with all required inspections, grading standards and plant regulations as set forth by the Florida Department of Agriculture's Grades and Standards for Nursery Plants, most current addition and Grades and Standards for Nursery Plants, most current addition.
- E. Plants that do not have the normal balance of height and spread typical for the respective plant shall not be acceptable
- The Landscape Contractor shall install each plant to display its best side. Adjustments may be required if plants are not installed properly and/or approved by the Landscape Architect at no additional cost to owner.

- 2.02 INSPECTION
- A. The Landscape Architect and Owner may inspect trees and shrubs at place of growth or at site before planting, for compliance with requirements for genus, species, variety, size and quality. The Landscape Architect and Owner retain the right to further inspect trees and shrubs for size and condition of balls and root systems, insects, injuries and latent defects, and to reject unsatisfactory or defective material at any time during progress of work. Rejected plant materials shall be immediately removed from project site.
- 2.03 PROTECTION OF PLANT MATERIALS:
- A. Balled and burlapped plants (B & B) shall be dug with firm natural balls of earth of sufficient diameter and depth to encompass the fibrous and feeding root system necessary for full recovery of the plant. Balls shall be firmly wrapped with burlap similar materials and bound with cord, rope, or wire mesh. All collected plants shall be balled and burlapped.
- B. Plants with broken, damaged or insufficient rootballs will be rejected.
- C. All plant material shall be protected from possible bark injury or breakage of branches. All plants transported by open trucks shall be adequately covered to prevent windburn, drying or
- D. Plants which cannot be planted immediately on delivery to the site shall be covered with moist soil, mulch or other protection from the drying of wind and sun. All plants shall be watered as necessary by the Landscape Contractor until planted
- 2.04 STORAGE: A. All plant materials shall be stored on the site in designated areas, specified by the
- B. No plant material shall be stored longer than seventy-two (72) hours unless approved by by Landscape Architect and/or owner.
- C. The Landscape Architect reserves the right to reject any plant materials not in conformance with these specifications.
- D. All rejected material shall be immediately removed from the site and replaced with
- 2.05 PROTECTION DURING PLANTING:

acceptable material at no cost to the Owner.

Landscape Architect or Owner's agent.

A. Trees moved by winch or crane shall be thoroughly protected from chain marks, girdling or bark slippage by means of burlap, wood battens or other approved methods. Battens shall NOT be attached to the tree with nails.

2.06 PLANTING SOIL:

- A. Planting soil for all plantings shall consist of existing native soil and shall be free of debris, roots, clay, stones, plants or other foreign materials which might be a hindrance to planting operations or be detrimental to good growth.
- A. Commercial fertilizer shall comply with the state fertilizer laws. Nitrogen shall not be less than 40% from organic source. Inorganic chemical nitrogen shall not be derived from the sodium form of nitrate. Fertilizers shall be delivered to the site in unopened original containers, each bearing the manufacturer's guaranteed analysis. Any fertilizer that becomes caked or otherwise damaged
- B. Thoroughly mixed 3 lbs. of commercial fertilizer

to each cubic yard of planting soil.

C. Tabletized fertilizer shall be Agriform planting tablets 20-10-5 formula, 21 gram or equal. All trees and shrubs shall be fertilized with tabletized fertilizer as follows. While backfilling plant holes, fertilizer tablets shall be equally spaced and placed adjacent to the ball mid-way in depth in accordance with the following rates:

> 1 gallon container 1 tablet 3 gallon container 2 tablets 5 gallon container 3 tablets 5 tablets

Large tubs, wire baskets, grow bags, and balled and burlapped material shall have 1 tablet for each 1/2 inch of trunk diameter (measured 3 feet from ground) or for each foot of height or spread of The Landscape Architect reserves the right to inspect and review the application of fertilizer.

- 2.08 MULCH:
- A. Mulch material shall be clean, dry, free of weeds, seeds and pests, moistened at the time of application to prevent wind displacement. Cypress &/or Red mulch is prohibited
- B. All trees and shrub beds shall receive 3" mulch immediately after planting and thoroughly watered.
- or as required by local jusidiction. Apply 2" max on tree & palm rootballs, keep away from tree & palm trunks PART 3: EXECUTION
- A. The Landscape Contractor shall exercise care in digging and other work so as not to damage existing work, including overhead wires, underground pipes and cables and the pipes and hydrant of watering systems. Should such overhead or underground obstructions be encountered which interfere with planting, the Owner shall be consulted and contractor will adjust the location of plants to clear such obstruction. The Contractor shall be responsible for the immediate repair of any damage
- 3.02 GRADING:
- A. Grading for drainage, swales, etc. to within 4 inches of the finished grade to be provided by others.
- B. It shall be the responsibility of the Landscape Contractor to provide the final grading during the course of landscape installation so as to bring sod and planting areas to their proper elevations in relation to walks, paving, drain structures, and other site conditions. The site grading plan must be checked prior to installation of sod to insure that drainage and other conditions will NOT be modified.

3.03 PLANTING:

- A. Planting shall take place during favorable weather conditions.
- The Contractor shall call for utility locates and ascertain the location of all utilities and easements so proper precautions can be taken not to damage or encroach on them
- C. Tree Planting shall be located where it is shown on the plan. No planting holes shall be dug until the proposed locations have been staked on the ground by the Contractor.
- D. Excavation of holes shall extend to the required subgrades as specified on the planting diagrams located in the planting plans. Plant pits shall be circular in outline and shall have a profile which conforms to the aforementioned "Tree and Shrub Planting Diagrams".
- A representative number of planting pits (a minimum of one in every 25 feet throughout the entire site) shall be tested for proper drainage. See Landscape Plan for complete testing methods and requirements.
- Planting pits shall be excavated to the following dimensions and refilled with a mixture of (1/2) planting soil (1/2) existing native soil]; 1 Gallon material (1 gal.): 12" x 12" x 12" min.
- 3 Gallon material (3 gal.): 20" x 20" x 18" min. Lerio material (7 gal.): 30" x 30" x 24" min.
- Field grown material and trees: 1-1/2 times width of ball and depth of ball plus 12" min.
- No planting or laying of sod shall be initiated until the area has been cleaned of existing sod or other plant materials, rough grass, weeds, debris, stones etc. and the ground has been brought to an even grade, with positive drainage away from buildings and towards drain inlets and swales and approved by Landscape Architect or owner's rep.
- Each plant shall be planted in an individual hole as specified for trees, shrubs, and vines. 1. All plants shall be set to ultimate finished grade. No filling will be permitted around trunks or stems. All ropes, wire, stakes, etc., shall be removed from sides and top of the ball and removed from hole before filling in.
- J. All flagging ribbon shall be removed from trees and shrubs before planting.
- K. Excess excavation (fill) from all holes shall be removed from the site, at no additional expense to
- L. All palms shall be backfilled with sand, thoroughly washed in during planting operations and with a shallow saucer depression left at the soil line for future waterings. Saucer areas shall be topdressed two (2") inches deep with topsoil raked and left in a neat, clean manner.
- 3.04 PRUNING:
- A. Remove dead and broken branches from all plant material. Prune to retain typical growth habit of individual plants with as much height and spread as possible in a manner which will preserve the plant's natural character
- Make all cuts with sharp instruments flush with trunk or adjacent branch, in such a manner as to insure elimination of stubs. Cuts made at right angles to line of growth will not be permitted.
- C. Trees shall not be poled or topped.
- Remove all trimmings from site.

- 3.05 GUYING:
- A. All trees over six (6') feet in height shall, immediately after setting to proper grade, be guyed with
- B. Wires shall not come in direct contact with the tree but shall be covered with an approved protection device
- D. Stake & Brace all treess larger than 12' oa. See detail.
- E. Turnbuckles for guying trees shall be galvanized or cadmium plated and shall be of adequate size and strength to properly maintain tight guy wires.
- 3.06 WATER:
- plant materials shall be the responsibility of the Landscape Contractor until final acceptance by the
- B. See General Notes of Landscape Plan for water source.

- B. It shall be the responsibility of the Landscape Contractor to fine grade all landscape areas, eliminating all bumps, depressions, sticks, stones, and other debris.
- C. The sod shall be firm, tough texture, having a compacted growth of grass with good root development. It shall contain no noxious weeds, or any other objectionable vegetation, fungus, insects, or disease. The soil embedded in the sod shall be good clean earth, free from
- E. 6-6-6 fertilizer with all trace elements is to be applied at the rate of 40 lbs, per 1,000 sq. ft. prior
- F. Solid sod shall be laid with closely abutting, staggered joints with a tamped or rolled, even surface.
- G. The finished level of all sod areas after settlement shall be one (1") inch below the top of abutting
- H. If in the opinion of the Landscape Architect, top dressing is necessary after rolling, clean yellow
- A. The Landscape Contractor shall remove all vegetation and rocks larger than (1") in
- B. Application: Argentine Bahia Grass seed 200 Pounds per acre mixed with common hulled Bermuda seed - 30 lbs. per acre. All other seed mixtures shall be applied per the
- C. Roll immediately after seeding with a minimum 500 pound roller, then apply straw mulch at the rate of 2,500 pounds per acre.
- A. The contractor shall at all times keep the premises free from accumulations of waste materials or rubbish caused by his employees or work. He shall leave all paved areas "broom clean" when
- 3.10 MAINTENANCE:
- planting has been accepted by the Owner or Landscape Architect. Maintenance shall include watering, weeding, removal of dead materials, resetting plants to proper grades or upright positions, spraying, restoration of planting saucer and/or any other necessary
- B. Proper protection to lawn areas shall be provided and any damage resulting from planting operations shall be repaired promptly.
- C. Replacement of plants during the maintenance period shall be the responsibility of the Contractor, excluding vandalism or damage on the part of others, lighting, or hurricane force winds, until final
- E. Trees or other plant material which fall or are blown over during the maintenance period will be reset by the Contractor at no additional expense to the Owner, the only exception being hurricane
- provisions expressed or implied in the Drawings and in the Specifications, including the complete removal of all trash, debris, soil or other waste created by the Landscape Contractor.
- all planting and at the request of the Landscape Contractor. C. All plant material shall be alive and in good growing condition for each specified kind of plant at the time of acceptance. The rating of each plant according to Florida Grades and Standards shall


be equal to or better than that called for on the plans and in these Specifications at the time of final

inspection and acceptance. D. After inspection, the Landscape Contractor will be notified by the Owner of the acceptance of all plant material and workmanship, exclusive of the possible replacement of plants subject to

- PRIOR TO PLANTING ALL PLANTING PITS SELECTED FOR TESTING
- SHALL BE TESTED IN THE FOLLOWING MANNER

PLANTING PIT AND DRAINAGE CHANNEL

- B. FILL PLANTING PIT WITH TWELVE INCHES (12") OF WATER. IF THE WATER LEVEL DROPS FOUR (4") OR MORE WITHIN FOUR (4) HOURS, THE DRAINAGE IS SUFFICIENT AND A DRAINAGE CHANNEL IS NOT REQUIRED IF THE WATER LEVEL DROPS LESS THAN FOUR INCHES (4") WITHIN THE
- C. WHERE REQUIRED, THE DRAINAGE CHANNEL MUST EXTEND DOWN THROUGH THE
- D. ALL MATERIAL REMOVED FROM THE DRAINAGE CHANNEL SHALL BE DISCARDED. E. WHEN BACKFILLING PLANTING PITS WITH PLANTING MIXTURE, CARE MUST BE TAKEN TO KEEP THE CONSISTENCY OF THE SOIL MIX THE SAME THROUGHOUT THE



SPECIAL APPLICATIONS ROOT BARRIER DETAIL


- three sets of two strands, No. 12 gauge malleable galvanized iron, in tripod fashion. See Detail.
- at all contact points. Wires shall be fastened in such a manner as to avoid pulling crotches apart.
- Stakes shall be 2" x 2" lumber of sufficient length to satisfactorily support each tree.
- A. Each plant or tree shall be thoroughly watered in after planting. Watering of all newly installed
- 3.07 SOD:
- A. The Landscape Contractor shall sod all areas indicated on the drawings.

- D. Before being cut and lifted, the sod shall have been mowed at least three times with a lawn mower, with the final mowing not more than seven days before the sod is cut. The sod shall be carefully cut into uniform dimensions.
- walks, paving and wood borders to allow for building turf.
- sand will be evenly applied over the entire surface and thoroughly washed in.
- diameter from areas to be seeded, scarify the area, then apply fertilizer at a rate of 500 lbs. per acre.
- manufacturer's instructions.
- D. Apply fertilizer at the rate of 150 lbs. per acre 45-60 days after seeding.
- 3.09 CLEANING UP:
- completed with his work.
- A. Maintenance shall begin immediately after each plant is installed and shall continue until all
- D. In the event that weeds or other undesirable vegetation become prevalent, it shall be the Contractor's responsibility to remove them.
- 3.11 COMPLETION, INSPECTION AND ACCEPTANCE: A. Completion of the work shall mean the full and exact compliance and conformity with the
- B. Inspection of work to determine completion of contract, exclusive of the possible replacement of plants, will be made by the Owner and/or Landscape Architect at the conclusion of


- DRAINAGE TESTING/DRAINAGE CHANNEL REQUIREMENTS
- A. DIG EACH PLANTING PIT TO THE MINIMUM SPECIFIED SIZE,
- FOUR (4) HOUR PERIOD, A DRAINAGE CHANNEL IS REQUIRED.
- NON POROUS SOIL AND INTO POROUS SOIL. (SEE DETAIL)

1- ROOT BARRIER SHALL BE "DEEPROOT UB-24 OR APPROVED EQUAL.

2- ROOT BARRIER SHALL BE INSTALLED PER MANUFACTURER'S SPECIFICATIONS AND RECOMMENDATIONS



PALM PLANTING - ANGLE STAKE



DRAINAGE TESTING/DRAINAGE CHANNEL REQUIREMENTS.

DRAINAGE TESTING DETAIL

PRIOR TO PLANTING, ALL PLANTING PITS SELECTED FOR TESTING SHALL BE TESTED IN THE FOLLOWING MANNER.

PRAINAGE CHANNEL IS REQUIRED.

1"X4" STRINGER-

(5) 2x4x16" WOOD BATTENS.

BATTENS IN PLACE DURING

SECURE BATTENS W/ (2) 3/4" HIGH

PLANTING PROJECT. DO NOT NAIL

RELATION TO THE HEIGHT OF THE

BATTENS TO TRUNK. HEIGHT OF

BATTENS SHALL BE LOCATED IN

TREE FOR ADEQUATE BRACING.

STEEL BANDS

BRACING DETAIL

TOPSOIL -

ROOTBALL

6" DIA. DRAINAGE DETAIL

CARBON STEEL BANDS TO HOLD

A. DIG EACH PLANTING PIT TO THE MINIMUM SPECIFIED SIZE FILL PLANTING PIT WITH TWELVE INCHES (12") OF WATER. II THE WATER LEVEL DROPS FOUR (4") OR MORE WITHIN FOUR (4) HOURS, THE DRAINAGE IS SUFFICIENT AND A DRAINAGE CHANNEL IS NOT REQUIRED. IF THE WATER LEVEL DROPS LESS

THAN FOUR INCHES (4") WITHIN THE FOUR (4) HOUR PERIOD, A

SECTION

TOP VIEW

BARRICADE CIRCLE TO BE CENTERED ON TREE TRUNK(S). FOR GROUPS OF TREES,

RELOCATED, AND NEW TREES IN CONSTRUCTION AREAS. THE PRTECTIVE BARRIER

PLACE BARRICADES BETWEEN TREES AND CONSTRUCTION ACTIVITY.

NO PRUNING SHALL BE PERFORMED EXCEPT BY APPROVED ARBORIST. NO EQUIPMENT SHALL OPERATE INSIDE THE PROTECTIVE FENCING INCLUDING

TREE PROTECTION BARRICADES SHALL BE LOCATED TO PROTECT EXISTING,

SHALL BE PLACED AROUND THE TREE AT A DISTANCE 6 FEET FROM THE TREE TRUNK OR AT THE CANOPY DRIP LINE, WHICHEVER IS GREATER OR AS SHOWN ON

TREE PROTECTION BARRICADE

3. SEE LANDSCAPE PLAN FOR FENCE ALIGNMENT,

DURING FENCE INSTALLATION AND REMOVAL.

LANDSCAPE PLAN.


STAPLES OR NAILS

2' MINIMUM


EXIST. UNDISTURBED

1"X4" STRINGER


- WHERE REQUIRED, THE DRAINAGE CHANNEL MUST EXTEND DOWN THROUGH THE NON POROUS SOIL AND INTO POROUS SOIL. (SEE DETAIL)
- D. ALL MATERIAL REMOVED FROM THE DRAINAGE CHANNEL SHALL BE DISCARDED WHEN BACKFILLING PLANTING PITS WITH NATIVE TOPSOIL CARE MUST BE TAKEN TO KEEP THE CONSISTENCY OF THE SOIL MIX THE SAME THROUGHOUT THE PLANTING PIT AND



2 x BALL DIA TREE PLANTING & STAKING



SHRUB PLANTING NOT TO SCALE



GROUNDCOVER PLANTING DETAIL

Project Team Landscape Architect: LANDSCAPE ARCHITECTURAL SERVICES, LLC Brandon White | Owner 772-834-1357 | brandon@las-fl.com Paul Goulas | Owner 772-631-8400 | paul@las-fl.com 1708 SE Joy Haven Street Port St. Lucie, Fl. 34983 Architect: MARK THOMAS BUDD. ARCHITECT 221 S. Federal Highway, Suite #4 Ft. Lauderdale, Florida 33301 (954) 798-6570

> 0 30 O O S O B

0


O

 \overline{o}

(1)

Q

Revisions Initial 10.26.23 DC Submittal 11.28.23 DC Comments Revised per 12.12.23 DC Comments



DC Drawn By: PG Checked By: Municipal Project: Scale: NORTH SCALE: 1" = NTS

