

SECTION 00300
PROPOSAL

TO THE MAYOR AND COMMISSIONERS
CITY OF HOLLYWOOD, FLORIDA

SUBMITTED 05/06/2024

Dear Mayor and Commissioners:

The undersigned, as BIDDER, hereby declares that the only person or persons interested in the Proposal as principal or principals is or are named herein and that no other person than herein mentioned has any interest in this Proposal or in the Contract to be entered into; that this Proposal is made without connection with any other person, company or parties making a Bid or Proposal; and that it is in all respects fair and in good faith without collusion or fraud.

The BIDDER further declares that he has examined the site of the Work and informed himself fully in regard to all conditions pertaining to the place where the Work is to be done; that he has examined the Drawings and Specifications for the Work and contractual documents relative thereto, including the Notice to Bidders, Instructions to Bidders, Proposal Bid Form, Form of Bid Bond, Form of Contract and Form of Performance Bond, General, Supplementary and Technical Specifications, Addenda, Drawings, Exhibit A, and has read all of the Provisions furnished prior to the opening of bids; and that he has satisfied himself relative to the work to be performed.

The undersigned BIDDER has not divulged to, discussed or compared his bid with other bidders and has not colluded with any other BIDDER of parties to this bid whatever.

If this Proposal is accepted, the undersigned BIDDER proposes and agrees to enter into and execute the Contract with the City of Hollywood, Florida, in the form of Contract specified; of which this Proposal, Instructions to Bidders, General Specifications, Supplementary Conditions and Drawings shall be made a part for the performance of Work described therein; to furnish the necessary bond equal to one hundred (100) percent of the total Contract base bid, the said bond being in the form of a Cash Bond or Surety Bond prepared on the applicable approved bond form furnished by the CITY; to furnish all necessary materials, equipment, machinery, tools, apparatus, transportation, supervision, labor and all means necessary to construct and complete the work specified in the Proposal and Contract and called for in the Drawings and in the manner specified; to commence Work on the effective date established in the "Notice to Proceed" from the ENGINEER; and to substantially complete all Contract Work for within 365 days with final completion within 395 days, and stated in the "Notice to Proceed" or pay liquidated damages for each calendar day in excess thereof, or such actual and consequential damages as may result therefrom, and to abide by the City of Hollywood Ordinance.

The BIDDER acknowledges receipt of the following addenda:

No. _____	Dated _____
No. _____	Dated _____
No. _____	Dated _____

And the undersigned agrees that in case of failure on his part to execute the said Contract and the Bond within ten (10) days after being presented with the prescribed Contract forms, the check or Bid Bond accompanying his bid, and the money payable thereon, shall be paid into the funds of the City of Hollywood, Florida, otherwise, the check or Bid Bond accompanying this Proposal shall be returned to the undersigned.

Attached hereto is a certified check on the

N/A Bank of _____

or approved Bid Bond for the sum of

10% Dollars (\$) according to the conditions under the Instructions to Bidders and provisions therein.

NOTE: If a Bidder is a corporation, the legal name of the corporation shall be set forth below, together with signature(s) of the officer or officers authorized to sign Contracts on behalf of the corporation and corporate seal; if Bidder is a partnership, the true name of the firm shall be set forth below with the signature(s) of the partner or partners authorized to sign Contracts in behalf of the partnership; and if the Bidder is an individual, his signature shall be placed below; if a partnership, the names of the general partners.

WHEN THE BIDDER IS AN INDIVIDUAL:

(Signature of Individual)

(Printed Name of Individual)

(Address)

WHEN THE BIDDER IS A SOLE PROPRIETORSHIP OR OPERATES UNDER A TRADE NAME:

(Name of Firm)

(Address)

(Signature of Individual) (SEAL)

WHEN THE BIDDER IS A PARTNERSHIP:

(Name of Firm) A Partnership

(Address)

By: _____
(SEAL)
(Partner)

Name and Address of all Partners:

WHEN THE BIDDER IS A JOINT VENTURE:

(Correct Name of Corporation)

By: _____
(SEAL)
(Address)

(Official Title)



As Joint Venture
(Corporate Seal)

Organized under the laws of the State of Florida, and authorized by the law to make this bid and perform all Work and furnish materials and equipment required under the Contract Documents.

WHEN THE BIDDER IS A CORPORATION:

The Stout Group, LLC
(Correct Name of Corporation)

By: _____
(SEAL)



Manager _____
(Official Title)

10850 NW 138th St. Bay No. 3, Hialeah Gardens, FL 33018
(Address of Corporation)

Organized under the laws of the State of Florida, and authorized by the law to make this bid and perform all Work and furnish materials and equipment required under the Contract Documents.

CERTIFIED COPY OF RESOLUTION OF
BOARD OF DIRECTORS

The Stout Group, LLC
(Name of Corporation)

RESOLVED that Jose M. Sanchez
(Person Authorized to Sign)

Manager _____ of The Stout Group, LLC
(Title) (Name of Corporation)

be authorized to sign and submit the Bid or Proposal of this corporation for the following project:

CITY OF HOLLYWOOD

443944-1 Beverly Park Various Locations
Bid No.: IFB-192-24-WV

The foregoing is a true and correct copy of the Resolution adopted by

The Stout Group, LLC at a meeting of its Board of
(Name of Corporation)

Directors held on the 6 day of May, 20 24.

By: _____

Title: Manager

(SEAL)

The above Resolution MUST BE COMPLETED if the Bidder is a Corporation.

- END OF SECTION -

9. Name three (3) individuals or corporations for which you have performed work and to which you refer:

See Attached

10. List the following information concerning all contracts on hand as of the date of submission of this proposal (in case of co-venture, list the information for all co-ventures).

Name of Project	City	Total Contract Value	Contracted Date of Completion	% Completion to Date
-----------------	------	----------------------	-------------------------------	----------------------

See Attached

(Continue list on inset sheet, if necessary)

11. What equipment do you own that is available for the work?

See Attached

12. What equipment will you purchase for the proposed work?

N/A

NOTE:

If requested by CITY, the Bidder shall furnish a notarized financial statement, references and other information, sufficiently comprehensive to permit an appraisal of its current financial condition

LIST OF SUBCONTRACTORS

The Bidder shall list below the name and address of each Subcontractor who will perform work under this Contract in excess of one-half percent of the total bid price, and shall also list the portion of the work which will be done by such Subcontractor. After the opening of Proposals, changes or substitutions will be allowed with written approval of the City of Hollywood. Subcontractors must be properly licensed and hold a valid Hollywood Certificate of Competency.

	Work to be Performed	Subcontractor's Name / Address
1.	TBD _____	_____
	_____	_____
2.	_____	_____
	_____	_____
3.	_____	_____
	_____	_____
4.	_____	_____
	_____	_____
5.	_____	_____
	_____	_____
6.	_____	_____
	_____	_____
7.	_____	_____
	_____	_____
8.	_____	_____
	_____	_____
9.	_____	_____
	_____	_____
10.	_____	_____
	_____	_____

NOTE: Attach additional sheets if required.

SECTION 00495
TRENCH SAFETY
FORM- IF REQUIRED

This form must be completed and signed by the Bidder.

Failure to complete this form may result in the bid being declared non-responsive.

Bidder acknowledges that the Florida Trench Safety Act, Section 553.60 et. seq., which became effective October 1, 1990, shall be in effect during the period of construction of the project. The Bidder by signing and submitting the bid is, in writing, assuring that it will perform any trench excavation in accordance with applicable trench safety standards. The Bidder further identifies the following separate item of cost of compliance with the applicable trench safety standards as well as the method of compliance:


Method of Compliance

Cost

Total \$ N/A

Bidder acknowledges that this cost is included in the applicable items of the Proposal and in the Grand Total Bid Price. Failure to complete the above will result in the bid being declared non-responsive.

The Bidder is, and the Owner and Engineer are not, responsible to review or assess Bidder's safety precautions, programs or costs, or the means, methods, techniques or technique adequacy, reasonableness of cost, sequences or procedures of any safety precaution, program or cost, including but not limited to, compliance with any and all requirements of Florida Statute Section 553.60 et. seq. cited as the "Trench Safety Act". Bidder is, and the owner and Engineer are not, responsible to determine if any safety related standards apply to the project, including but not limited to, the "Trench Safety Act".



Witness Signature

Francis S. Varela

Witness Printed Name

4580 NW 21 Ave. Miami, FL 33142

Witness Address

05/16/24

Date



Contractor's Signature

Jose M. Sanchez III

Printed Name

Manager

Title

5/16/24

Date

- END OF SECTION-

JOSE M. SANCHEZ III, P.E.

Jose M Sanchez III, better known as Joey, since young age started working at his father's company Horizon Contractors, Inc. His hard work has allowed him to promote his way up from the unofficial ranks of unskilled laborer, skilled laborer, heavy equipment operator, surveyor's rod man, surveyor party chief, foreman and superintendent. He has performed every field job within the Engineering Contracting genre.

From 2000 to 2012, he worked his way up from the official positions of Assistant Project Manager, Project Manager, Project Engineer and Vice President. During this time, not only did he move up the ranks within his father's company, but he also completed his curriculum in FIU and graduated with a Bachelor of Science in Civil Engineering (2003).

Once Joey received his degree from FIU, he did not stop there. He then obtained the following licensures:

- Florida Professional Engineering License (PE)
- Florida Certified General Contractor License (CGC)
- Florida Certified Underground Contractors License (CUC)
- Florida Certified Home Inspector License
- Miami Dade County Engineering Contractors License
- Broward County Engineering Contractors License.

Along with these licensures, Joey has obtained many State Contracting Certifications allowing him to perform various specialized scopes within state projects.

In the Spring of 2012, The Stout Group was created. Joey has been the Managing Member/ Chief Estimator/Sr. Project Manager. Joey has a vast knowledge of all aspects of underground and highway projects.

EXPERTISE

Over 25 years of experience in the following types of projects:

- | | |
|--------------------------------|-----------------------------------|
| ▪ Water/Sewer Installation | ▪ Drainage Installation |
| ▪ Watermain Installation | ▪ Bridge Deck and Pilling Install |
| ▪ Force Main/ Pump Stations | ▪ Structural Work |
| ▪ Highway Construction | ▪ Asphalt and Concrete Paving |
| ▪ Street Lighting Construction | ▪ Signalization Construction |

Joey has worked on many of projects from beginning to end.
Please see attached a list of other sample projects relative to this bid.



Experience

To Whom It May Concern,

Please find below completed projects within the last three (3) years, in which The Stout Group, LLC with Jose Maria Sanchez III (Joey)) as the Project Manager, provided Florida cities, counties or other Florida governmental agencies similar services.

A. COMPLETED PROJECTS

1. Florida Department of Transportation – T6524 - SR 969/Milam Dairy Rd./NW 72 Ave.
 - a. Owner Name: Florida Department of Transportation
Contact Person: Francisco Lledo – Construction Project Manager
Phone Number: 305-619-7144
Email Address: Francisco.lledo@dot.state.fl.us
 - b. Narrative:
 - c. Contract amount: \$711,881.95
 - d. Completion Date: 6/15/2022

2. Miami Dade County – 422003-17-003 – Rickenbacker Causeway, Green Bike Lanes Segment A – Phase I
 - a. Owner Name: Miami Dade County
Contact Person: Lin Li P.E
Phone Number: 786-268-5283
Email Address: lin.li@miamidade.gov
 - b. Narrative:

On the aforementioned project, The Stout Group, LLC performed various scopes within the project limits. The scopes performed were modification of bike lanes with green coating painted bike lanes, milling and resurfacing, pavement, thermoplastic, pavement markings and reflective markers.
 - c. Contract Amount: \$2,138,892.50
 - d. Completion Date: 10/29/2021

3. City of Miami Gardens – ITB # 18-19-011 – 203rd Street Outfall Modification
 - a. Owner Name: City of Miami Gardens
Contact Person: Leslie Pettit P.E.
Phone Number: 954-325-8487
Email Address: lpettit@miamigardens-fl.gov
 - b. Narrative:
On the aforementioned project, The Stout Group, LLC performed various scopes within the project limits. The scopes performed were installation of new pipes and structures, replacement and installation of draining ditches, excavation and backfill restoration to level grade.
 - c. Contract Amount: \$486,918.15
 - d. Completion Date: 08/31/2021

4. Miami Dade County – Miami Dade WASD Central District WWTP
 - a. Owner Name: Miami Dade County. Dynalectric Company
Contact Person: Ron Taylor
Project Address:
 - b. Narrative:
The Stout Group, LLC performed various scopes within the project limits. The scopes performed were installed precast structures of different sizes, performed multiple duct bank of different measurements, excavation, restoration.
 - c. Contract amount: \$244,929.00.
 - d. Completion Date: 06/05/2021

5. City of Hollywood – Project No 19-11044 – City-Wide Miscellaneous Drainage Improvements
 - a. Owner Name: City of Hollywood – Public Utilities
Contact Person: Raul Wainer – Project Manager
Phone Number: 954-921-3930
Email Address: rwainer@hollywoodfl.org
 - b. Narrative:
On the aforementioned project, The Stout Group, LLC is performing various scopes within the project limits of City of Hollywood. The scopes included Drainage, roadway restoration, concrete curb and gutter, concrete sidewalks, landscaping, regrade swale, milling and resurfacing.
 - c. Contract Amount: \$730,737.00
 - d. Completion Date: 05/03/2021

6. Florida Department of Transportation – T4534 – Rock Island Rd
 - a. Owner Name: Florida Department of Transportation
Contact Person: Alejandro Pina – S.E.T. Project Administrator
Phone Number: 954-958-7629
Email Address: alejandro.pina@dot.state.fl.us
 - b. Narrative:
On the aforementioned project, The Stout Group, LLC is performing various scopes within the project limits of Rock Island Rd. The scopes included roadway widening, concrete curb and gutter, concrete sidewalks, landscaping, milling, and resurfacing, and striping.
 - c. Contract Amount: \$1,247,199.00
 - d. Completion Date: 03/19/2021

7. Florida Department of Transportation – T6450 – Campbell Dr – Horizon Contractors, Inc.
 - a. Owner Name: Florida Department of Transportation
Contact Person: Bernon Artola – Project Administrator
Phone Number: 786-367-4674
Email Address: bartola@cgasolutions.com
 - b. Narrative:
On the aforementioned project, The Stout Group, LLC performed various scopes within the project limits of Campbell Drive. The scopes self-performed included the removal and replacement of a live lift station, removal and replacement of a live sanitary sewer and the installation of drainage.
 - c. Contract Amount: \$16,300,000.00
 - d. Completion Date: 03/23/2021


8. Florida Department of Transportation – T4509 – Hollywood Blvd
 - a. Owner Name: Florida department of Transportation
Contact Person: Mackendy Philippi – Construction Project Administrator II
Phone Number: 954-958-7693
Email Address: mackendy.philippi@dot.state.fl.us
 - b. Narrative:
On the aforementioned project, The Stout Group, LLC self-performed various scopes of work including drainage and water main installation along the project corridor, roadway restoration, concrete curb and gutter, concrete sidewalks, regrade swale, milling and resurfacing and striping.
 - c. Contract Amount: \$3,049,774.59
 - d. Completion Date: 12/03/2020



THE STOUT GROUP, LLC.

9. Florida Department of Transportation – T6401 – Biscayne Blvd Roadway Improvements
 - a. Owner Name: Florida Department of Transportation
Contact Person: Jonathan Fundora – Construction Senior Project Manager
Phone Number: 305-962-3653
Email Address: jonathan.fundora@dot.state.fl.us
 - b. Narrative:

On the aforementioned project, The Stout Group, LLC performed various scopes within the project limits of Biscayne Blvd. The scopes self-performed included were major drainage upgrades along the project corridor, water main upgrades, and sewer main upgrades. The sewer main upgrades included bypassing sewer mains. Full reconstruction of the roadway, concrete curb and gutter, concrete sidewalks, paver sidewalks, lighting upgrades, full intersection signalization installation, pedestrian signalization upgrades, milling and resurfacing, striping, and guardrail installation.
 - c. Contract Amount: \$5,700,000.00
 - d. Completion Date: 05/03/2019



ONGOING Contracts

To Whom It May Concern:

Please find below (5) contracts in which The Stout Group, LLC is working:

1. Florida Department of Transportation – T4563 - SW 40TH AVE - FROM STIRLING RD TO GRIFFIN RD – Castillo Engineering, Inc.
Contact Person: Andres Diaz – Project Administrator
Telephone Number: 786-877-8572
Email Address: adiaz@castilloeng.com
Contract amount: \$3,377,160.33
Completion Date: Ongoing Project
2. Florida Department of Transportation – E6L97 – District-Wide Drainage Push Button Contract
Contact Person: Lazaro Mesa
Telephone Number: 305-401-1438
Email Address: Lazaro.mesa@dot.state.us
Contract amount: \$1,000,000.00
Completion: Ongoing Project
3. City of Sunny Isles Beach – 2022-7741 – Utility Undergrounding for Golden Shores
Contact Person: Paul Abott
Telephone Number: 305-773-6255
Email Address: ptgbhtl@aol.com
Contract amount: \$5,858,477.87
Completion: Ongoing Project
4. City of Miami Beach – 2021-12-ME – Rehabilitation of 20-inch North and South Water Mains Along the MacArthur Causeway Bridge
Contact Person: Matthew LePera
Telephone Number: 305-673-7000
Email Address: matthewlepera@miamibeachfl.gov
Contract amount: \$4,968,953.00
Completion: Ongoing Project
5. Florida Department of Transportation – E4V27 – Sheet Pile Wall on A1A
Contact Person: Rashmi Potdar
Telephone Number: 954-850-0856
Email Address: rpotdar@cegroupfl.com
Contract amount: \$2,398,227.38
Completion: Ongoing Project

UNDERGROUND | SITEWORK | EARTHWORKS | PAVING

10850 NW 138th Street, Bay #3 - Hialeah Gardens, FL 33018 - O: 786.452.1481 - F: 305.397.2311

Sample Projects (Completed)

Project Number: 001

Project Name: I-595 to Turnpike Northbound Ramp – T7 Ramp
Owner: Florida Department of Transportation

Contractor: Maytin Engineering Corp.
Contact: Roly Maytin, PE
Address: 13900 NW 112th Ave
Hialeah Gardens, FL 33018
Phone: 305-827-4545
Fax: 305-827-4547

Completed: March 2014
Contract Amount: \$495,000

Contract Scope:

- Excavation 3500 CY
- Embankment 18,000 CY
- Limerock (Finish Grade) 12,000 SY
- Solid Pipe (Various Diameters) 750 LF
- Drainage Structure 10 EA
- Asphalt
 - Traffic Level D (PG 76-22) 420 TN
 - FC-9.5 80 TN

Project Number: 002

Project Name: Phase VI – Storm Water Improvements
Owner: Village of El Portal

Contractor: Horizon Contractors, Inc.
Contact: Xavier Salvat, PE
Address: 8175 West 32nd Ave – Suite 2
Hialeah, FL 33018
Phone: 305-828-2050
Fax: 305-820-0905

Completed: April 2014
Contract Amount: \$35,000

Contract Scope:

- Solid Pipe (Various Diameters) 190 LF
 - Drainage Structure 2 EA
 - Asphalt
 - Traffic Level C 40 TN
-

Project Number: 003

Project Name: T6207 - SR-5 – Overseas Highway (MM 93 – 97)
Owner: Village of El Portal

Contractor: Horizon Contractors, Inc.
Contact: Xavier Salvat, PE
Address: 8175 West 32nd Ave – Suite 2
Hialeah, FL 33018
Phone: 305-828-2050
Fax: 305-820-0905

Completed: May 2014
Contract Amount: \$29,000
Contract Scope:

- Finish Grade 17,695 SY

Project Number: 004

Project Name: E6H34 - SR-5 – Overseas Highway (MM 85 – 84)
Owner: Florida Department of Transportation

Contractor: Horizon Contractors, Inc.
Contact: Xavier Salvat, PE
Address: 8175 West 32nd Ave – Suite 2
Hialeah, FL 33018
Phone: 305-828-2050
Fax: 305-820-0905

Completed: March 2015
Contract Amount: \$650,000
Contract Scope:

- Solid Pipe (Various Diameters) 1900 LF
- French Drain 24" 680 LF
- Drainage Structures 18 EA

Project Number: 005

Project Name: The Bond – Duct Bank
Owner: 1080 Brickell Development

Contractor: ION Electric, LLC
Contact: Jack Higgins
Address: 2001 N. Andrews Avenue
Pompano Beach, FL 33069
Phone: 954-434-7432
Fax: 954-857-6687

Completed: August 2014
Contract Amount: \$20,000
Contract Scope:

Address: 10850 NW 138th Street – Bay 3
Hialeah Gardens, FL 33018
Phone: 305-216-8406
Fax: 305-397-2311

Completed: April 2015
Contract Amount: \$154,744
Contract Scope:

- Sidewalk 80 SY
- Curb and Gutter 123 LF
- Asphalt
 - FC-9.5 (PG76-22) (ARB) 153 TN

Project Number: 009

Project Name: PAMM Footing Installation
Owner: Perez Art Museum Miami (PAMM)

Contractor: The Stout Group, LLC (Prime)
Contact: Joey Sanchez, PE
Address: 10850 NW 138th Street – Bay 3
Hialeah Gardens, FL 33018
Phone: 305-216-8406
Fax: 305-397-2311

Completed: January 2015
Contract Amount: \$29,200
Contract Scope:

- Class I – Structural Concrete 50 CY

Project Number: 010

Project Name: Building 6 – Asphalt Improvements
Owner: Broward Community College

Contractor: Thornton Construction Company
Contact: Frank Gunn
Address: 4300 Biscayne Blvd #207
Miami, FL 33137
Phone: 305-649-1995
Fax: 305-649-1295

Completed: January 2015
Contract Amount: \$237,750
Contract Scope:

- Asphalt
 - Traffic Level C – 9.6 60 TN
-

Project Number: 012

Project Name:	T4386 – SRA1A / Ocean Drive		
Owner:	Florida Department of Transportation		
Contractor:	ION Electric		
Contact:	Jack Higgins		
Address:	2001 N. Andrews Avenue Pompano Beach, FL 33069		
Phone:	954-434-7432		
Fax:	954-857-6687		
Completed:	July 2015		
Contract Amount:	\$51,200		
Contract Scope:	<ul style="list-style-type: none">▪ Structural Concrete (Pile Caps) 40 CY		

Project Number: 013

Project Name:	E6J26 – R0 – Districtwide Asphalt Maintenance		
Owner:	Florida Department of Transportation		
Contractor:	The Stout Group, LLC (Prime)		
Contact:	Joey Sanchez, PE		
Address:	10850 NW 138 th Street – Bay 3 Hialeah Gardens, FL 33018		
Phone:	305-216-8406		
Fax:	305-397-2311		
Completed:	December 2015		
Contract Amount:	\$250,000		
Contract Scope:	<ul style="list-style-type: none">▪ Asphalt<ul style="list-style-type: none">○ FC-12.5 (PG76-22) 625 TN		

Project Number: 014

Project Name:	Saxony Beach Walk		
Owner:	The Saxony Development		
Contractor:	ValleyCrest Landscape Development		
Contact:	Ariel Caballero		
Address:	4155 East Mowry Drive Homestead, FL 33033		
Phone:	305-258-8011		
Fax:	305-258-0809		
Completed:	August 2015		
Contract Amount:	\$295,000		
Contract Scope:	<ul style="list-style-type: none">▪ Demolition 1 LS▪ Limerock (Finish Grade) 2,722 SY		

Project Number: 015

Project Name: T6393 – Krome Ave (450+00 – 499+00)

Owner: Florida Department of Transportation

Contractor: Horizon Contractors, Inc.

Contact: Xavier Salvat, PE

Address: 8175 West 32nd Ave
Hialeah, FL 33018

Phone: 305-345-7816

Fax: 305-820-0905

Completed: Scheduled for December 2016

Contract Amount: \$2,655,311

Contract Scope:

▪ Clearing and Grubbing	1	LS
▪ Regular Excavation	3,805	CY
▪ Subsoil Excavation	52,475	CY
▪ Embankment	133,077	CY
▪ Prepared Soil Layer	60,978	SY
▪ Optional Base, Base Group 02	7,622	SY
▪ Optional Base, Base Group 10	26,133	SY

Project Number: 016

Project Name: Opalocka Airport Interior Service Road

Owner: Miami Dade Airport Department

Contractor: Horizon Contractors, Inc.

Contact: Xavier Salvat, PE

Address: 8175 West 32nd Ave
Hialeah, FL 33018

Phone: 305-345-7816

Fax: 305-820-0905

Completed: January 2016

Contract Amount: \$960,555

Contract Scope:

▪ Clearing and Grubbing	17	ACRE
▪ Demolition of Bituminous Pavement	1,600	SY
▪ On-Site Excavation	30,500	CY
▪ Proof Rolling	34,700	SY
▪ 12" Thick Stabilization Subgrade	29,471	SY
▪ 9" Thick Limerock Base Course	33,300	SY
▪ 24" RCP Class V (Cross Drain)	430	LF
▪ 24" Mitered End Section	14	EA
▪ Swale Grading	48,000	SY
▪ Canal Bank Stabilization	3,000	SY

Project Number: 017

Project Name: Tamiami Canal Bridge Replacement
Owner: Miami Dade County Public Works and Waste Management

Contractor: Archer Western
Contact: Dhaval Gandhi
Address: 3201 NW 24th Street Road
Miami, FL 33142
Phone: 786-804-6252

Completed: Scheduled to Complete February 2018

Contract Amount: \$ 932,749

Contract Scope:

▪ F&I PERMANENT SAMPLE POINTS	2.0	EA
▪ CONNECT TO EXISTING WM (20.0 - 49.9")	1.0	EA
▪ ARV ASSEMBLIES	2.0	EA
▪ F&I POLYETHYLENE ENCASEMENT	200.0	LF
▪ F&I TAPPING SLEEVE (20.0 - 49.9")	1.0	EA
▪ S&D FIRE HYDRANT ASSEMBLIES	2.0	EA
▪ S&D DIP (6 - 7.9") VALVE & FITTINGS	70.0	LF
▪ S&D DIP (8 - 9.9") VALVE & FITTINGS	120.0	LF
▪ FURINSH DIP (20 - 49.9") & FITTINGS	200.0	LF
▪ FURNISH MJ RSGV (20.0 - 49.9")	1.0	EA
▪ INSTALL FIRE HYDRANT ASSEMBLIES	2.0	EA
▪ INSTALL DIP (6 - 7.9") VALVE & FITTINGS	70.0	LF
▪ INSTALL DIP (8 - 9.9") VALVE & FITTINGS	120.0	LF
▪ INSTALL DIP (20 - 49.9") & FITTINGS	200.0	LF
▪ INSTALL MJ RSGV (20.0 - 49.9")	1.0	EA
▪ INLETS (CURB)(TYPE P-1) <10'	1.0	EA
▪ INLETS (CURB)(TYPE P-5) <10'	3.0	EA
▪ INLETS (CURB)(TYPE P-5) >10'	3.0	EA
▪ INLETS (CURB)(TYPE F) <10'	4.0	EA
▪ MANHOLES (TYPE P-7)(PARTIAL)	4.0	EA
▪ MANHOLES, P-8, <10'	1.0	EA
▪ MANHOLES, P-8, >10'	3.0	EA
▪ MANHOLES, J-8, <10'	1.0	EA
▪ MANHOLES, J-8, >10'	1.0	EA
▪ ADJUST MANHOLE	4.0	EA
▪ ADJUST MANHOLE (UTILITIES)	3.0	EA
▪ ADJUST VALVE BOX (MDC ONLY)	9.0	EA
▪ PIPE CULVERT - 18"	364.0	LF
▪ PIPE CULVERT - 24"	216.0	LF
▪ PIPE CULVERT - 24" (ELLIPTICAL\OTHER)	19.0	LF

▪ FRENCH DRAIN 24"	647.0	LF
▪ REMOVAL OF EXISTING PAVEMENT	100.0	SY
▪ REGULAR EXCAVATION	1,100.0	CY
▪ SUBSOIL EXCAVATION	3,597.0	CY
▪ CHANNEL EXCAVATION	4,408.0	CY
▪ EMBANKMENT	7,026.5	CY
▪ REINFORCEMENT GRID	2,083.0	SY
▪ TYPE "B" STABILIZATION (12" THICK)	6,419.0	SY
▪ OPTIONAL BASE, BASE GROUP 06	6,484.0	SY
▪ TURNOUT CONSTRUCTION	440.0	SY
▪ SP ASPHALTIC CONCRETE (TRAFFIC C)	17.4	TN

Project Number: 018

Project Name: T6396 – Krome Ave (54+21 – 109+00)

Owner: Florida Department of Transportation

Contractor: Horizon Contractors, Inc.

Contact: Xavier Salvat, PE

Address: 8175 West 32nd Ave
Hialeah, FL 33018

Phone: 305-345-7816

Fax: 305-820-0905

Completed: Scheduled for December 2016

Contract Amount: \$3,489,368

Contract Scope:

▪ Clearing and Grubbing	1	LS
▪ Regular Excavation	3,837	CY
▪ Subsoil Excavation	73,025	CY
▪ Embankment	174,449	CY
▪ Type B Stabilization	54,596	SY
▪ Prepared Soil Layer	69,630	SY
▪ Optional Base, Base Group 02	9,131	SY
▪ Optional Base, Base Group 10	30,018	SY

Project Number: 019

Project Name: Miscellaneous Drainage Repairs

Owner: Interstate Screw Corp.

Owner: Interstate Screw Corp.

Contact: Dominick Menendez

Address: 475 West 18th Street
Hialeah, FL 33010

Phone: 305-888-8700

Fax: 305-888-7081

Completed: Scheduled for December 2016

Contract Amount: \$4,375.00

Contract Scope:

- Miscellaneous Drainage Repairs 1 LS

Project Number: 020

Project Name: Shenandoah Middle School Renovation

Owner: Miami Dade County Public Schools

Contractor: Thornton Construction Company, Inc.

Contact: Dan Sheehy

Address: 4300 Biscayne Blvd

Suite 207

Miami, FL 33137

Phone: 305-649-1995

Fax: 305-649-1295

Completed: April 2016

Contract Amount: \$11,500.00

Contract Scope:

- Limerock Base 1 LS
- Superpave - Traffic Level C – 9.5 1 LS

Project Number: 021

Project Name: Emergency Asphalt Repair at the Downtown Mover (TPSS)

Owner: Miami Dade Transit

Contact: Nury Perez

Address: 6601 NW 72nd Ave

Miami, FL 33166

Phone: 305-884-7578

Fax: 305-884-7538

Completed: January 2016

Contract Amount: \$9,850.00

Contract Scope:

- Asphalt Repair 1 LS

Project Number: 023

Project Name: Drainage Improvements Project Multiple Sites

Owner: Miami Dade County Public Works Department

Contact: Felipe Monteagudo

Address: 111 NW 1st Street

Suite 1410

Miami, FL 33128

Phone: 305-323-8192

Completed: Anticipated Completion June 2017

Contract Amount: \$1,504,737.12

Contract Scope:

▪ BARRICADES	18600	ED
▪ ADVANCE WARNING ARROW PANEL	1050.0	ED
▪ Sediment Barrier	600.0	LF
▪ Inlet Protection System	91.0	EA
▪ CLEARING AND GRUBBING	1.0	LS
▪ RE-GRADE EXISTING SWALE	140.0	SY
▪ FLOWABLE FILL	28.0	CY
▪ BACKFILL EXISTING TRENCH WITH SELECT FILL	278.0	CY
▪ MILLING - 1" Depth	4878.0	SY
▪ ROADWAY PAVEMENT RESTORATION	2524.0	SY
▪ INLET PAVEMENT	393.0	SY
▪ Hot Mix Asphalt, Traffic C, SP-9.5	555.0	TN
▪ Driveway Pavement-Asphalt	100.0	SY
▪ Driveway Pavement-Concrete	20.0	SY
▪ CLASS I CONCRETE	30.0	CY
▪ SWALE INLET TYPE D-3 (36" Dia.)	37.0	EA
▪ SWALE INLET TYPE D-3 (36"X36")	17.0	EA
▪ SWALE INLET TYPE D-1 (17" X 27") (< 10' Deep)	14.0	EA
▪ SWALE INLET TYPE P-10M	14.0	EA
▪ SWALE INLET TYPE J-10	1.0	EA
▪ POLLUTION RETARDANT BAFFLE	3.0	EA
▪ MANHOLE (Type P-7T)	30.0	EA
▪ CORE AND TIE TO EXIST. DRAINAGE	9.0	EA
▪ MODIFY STRUCTURE-	17.0	EA
▪ DESILT PIPE (0 TO 48")	1000.0	LF
▪ Desilting Drainage Structure	12.0	EA
▪ Pipe Culvert 15" Diameter (Round)	1541.0	LF
▪ Pipe Culvert 18" Diameter (Round)	410.0	LF
▪ French Drain (18" diameter pipe, 10 ft bls)	3445.0	LF
▪ French Drain (18" diameter pipe, 15 ft bls)	380.0	LF
▪ French Drain (18" diameter pipe, 20 ft. BLS)	550.0	LF
▪ CONCRETE SIDEWALK [4" THICK,]	463.0	SY
▪ CONCRETE SIDEWALK (6" Thick)	110.0	SY
▪ DETECTABLE SURFACE	94.0	SF
▪ RIP RAP (SAND CEMENT)	17.0	CY
▪ SODDING-St Augustine	12520.0	SY
▪ REFLECTIVE PAVEMENT MARKERS	25.0	EA
▪ THERMOPLASTIC (White) (Solid) (12")	54.0	LF
▪ THERMOPLASTIC (White) (Solid) (24")	200.0	LF
▪ THERMOPLASTIC (Yellow) (Solid) (6")	450.0	LF

Project Number: 024

Project Name: Joseph Caleb Center New Parking Garage
Owner: Miami Dade County

Contractor: ABC Construction, Inc.

Contact: Jorge Gonzalez

Address: 7215 NW 7th Street
Miami, FL 33126

Phone: 305-663-0322

Fax: 305-267-2403

Completed: April 2017

Contract Amount: \$196,514.26

Contract Scope:

- | | | |
|---|------|----|
| ▪ Milling Existing Asphalt (1" AVG) | 7505 | SY |
| ▪ Superpave - Traffic Level C – 9.5 | 489 | TN |
| ▪ Friction Course - Traffic Level C – 9.5 | 396 | TN |
-

Project Number: 025

Project Name: SR 953 – Lejeune Rd from Almeria Ave to Majorca Ave
Owner: Florida Department of Transportation

Contractor: The Stout Group, LLC (Prime)

Contact: Joey Sanchez, PE

Address: 10850 NW 138th Street – Bay 3
Hialeah Gardens, FL 33018

Phone: 305-216-8406

Fax: 305-397-2311

Completed: April 2017

Contract Amount: \$1,155,672.82

Contract Scope:

- | | | |
|---|------|----|
| ▪ MOBILIZATION | 1 | LS |
| ▪ MAINTENANCE OF TRAFFIC | 1 | LS |
| ▪ TRAFFIC CONTROL OFFICER | 456 | MH |
| ▪ WORK ZONE SIGN | 6650 | ED |
| ▪ BARRIER WALL, TEMPORARY, F&I, CONCRETE | 185 | LF |
| ▪ CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | 5900 | ED |
| ▪ CHANNELIZING DEVICE, TYPE III, 6' | 570 | ED |
| ▪ ARROW BOARD / ADVANCE WARNING ARROW PANEL | 440 | ED |
| ▪ TEMPORARY RETROREFLECTIVE PAVEMENT MARKER | 194 | EA |
| ▪ PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | 388 | ED |
| ▪ TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION | 180 | ED |
| ▪ TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION | 180 | ED |

▪ INLET PROTECTION SYSTEM	19	EA
▪ LITTER REMOVAL	7.08	AC
▪ MOWING	1.8	AC
▪ MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING	1	LS
▪ MONITOR EXISTING STRUCTURES- VIBRATION MONITORING	1	LS
▪ CLEARING & GRUBBING 43349215201	1	LS
▪ DELIVERY OF SALVAGEABLE MATERIAL TO FDOT 43349215201	1	LS
▪ REGULAR EXCAVATION (3-R PROJECTS ONLY) 43349215201	1	LS
▪ TYPE B STABILIZATION	532	SY
▪ PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"	604	SY
▪ OPTIONAL BASE, BASE GROUP 11	478	SY
▪ MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	4398	SY
▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC C	52.6	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22, ARB	402.4	TN
▪ INLETS, CURB, TYPE 9, <10'	2	EA
▪ INLETS, GUTTER, TYPE S, <10'	1	EA
▪ MANHOLES, P-7, <10'	1	EA
▪ MANHOLE, ADJUST	10	EA
▪ PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	49	LF
▪ FRENCH DRAIN, 24"	120	LF
▪ CONCRETE CURB & GUTTER, TYPE F	880	LF
▪ CONCRETE CURB, TYPE D	616	LF
▪ CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	395	SY
▪ CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	36	SY
▪ DETECTABLE WARNINGS	116	SF
▪ PERFORMANCE TURF, SOD	427	SY
▪ IRRIGATION SYSTEM REPAIRS 43349215201	1	LS
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	0.324	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	0.077	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	540	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	187	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	190	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	0.015	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	0.013	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	10	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	27	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	0.585	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	28	LF

▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	0.026	GM
▪ SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	18	AS
▪ SINGLE POST SIGN, RELOCATE	1	AS
▪ SINGLE POST SIGN, REMOVE	11	AS
▪ SIGN PANEL, RELOCATE, UP TO 12 SF	8	EA
▪ DELINEATOR, FLEXIBLE HIGH PERFORMANCE 48"	15	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	38	SF
▪ PAINTED PAVEMENT MARKINGS, FINAL SURFACE 43349215201	1	LS
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	540	LF
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	187	LF
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	190	LF
▪ THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	0.013	GM
▪ THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	3	EA
▪ THERMOPLASTIC, STANDARD, WHITE, ARROW	22	EA
▪ THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	28	LF
▪ THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	0.026	GM
▪ THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	7	EA
▪ THERMOPLASTIC, PREFORMED, WHITE, ARROWS	5	EA
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	0.324	GM
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	0.077	GM
▪ THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	0.015	GM
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	0.585	GM
▪ THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS	20	SF
▪ CONDUIT, FURNISH & INSTALL, OPEN TRENCH	458	LF
▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	354	LF
▪ PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	12	EA
▪ LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <	646	LF
▪ LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	4765	LF
▪ LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	6914	LF
▪ LUMINAIRE, RELOCATE	30	EA
▪ LUMINAIRE, REMOVE	60	EA
▪ POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL	4	EA
▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	1178	LF
▪ SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	1	PI
▪ SIGNAL CABLE, REMOVE- INTERSECTION	1	PI
▪ PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	31	EA

▪ ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	1	AS
▪ ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND	1	AS
▪ ELECTRICAL SERVICE WIRE, REMOVE	195	LF
▪ PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	1	EA
▪ PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL-PEDESTAL/SERVICE POLE	1	EA
▪ ALUMINUM SIGNALS POLE, PEDESTAL	4	EA
▪ ALUMINUM SIGNALS POLE, REMOVE	2	EA
▪ STEEL MAST ARM,F&I, WIND SPEED-150,SINGLE ARM, W/O LUMINAIRE-36	2	EA
▪ MAST ARM,F&I, WIND SPEED-150,SINGLE ARM,W/O LUMINAIRE-46	2	EA
▪ MAST ARM, REMOVE SHALLOW FOUNDATION, BOLT ON ATTACHMENT	4	EA
▪ TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	3	AS
▪ TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY	5	AS
▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	4	AS
▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	2	AS
▪ LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	6	EA
▪ LOOP ASSEMBLY- F&I, TYPE A	8	AS
▪ PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	4	EA
▪ TRAFFIC CONTROLLER ASSEMBLY, F&I, 170	1	AS
▪ TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	1	AS
▪ SYSTEM AUXILIARIES, F&I, MODEM	1	EA
▪ INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	4	EA
▪ LANDSCAPE COMPLETE- SMALL PLANTS 43349215201	1	LS
▪ LANDSCAPE COMPLETE- LARGE PLANTS 43349215201	1	LS
▪ VALVE BOXES, ADJUST	7	EA

Project Number: 026

Project Name:	Miami Dade Countywide Drainage Pushbutton
Owner:	Florida Department of Transportation
<hr/>	
Contractor:	The Stout Group, LLC (Prime)
Contact:	Joey Sanchez, PE
Address:	10850 NW 138 th Street – Bay 3 Hialeah Gardens, FL 33018
Phone:	305-216-8406
Fax:	305-397-2311
<hr/>	
Completed:	December 2018

Contract Amount: \$848,713.00

Contract Scope:

▪ COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	50	CY
▪ TRAFFIC CONTROL OFFICER	300	MH
▪ WORK ZONE SIGN	5000	ED
▪ BUSINESS SIGN	20	EA
▪ BARRIER WALL, TEMPORARY, F&I, CONCRETE	500	LF
▪ BARRIER WALL, TEMPORARY, F&I, TYPE K	500	LF
▪ CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	6000	ED
▪ CHANNELIZING DEVICE, TYPE III, 6'	1025	ED
▪ CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	50	ED
▪ ARROW BOARD / ADVANCE WARNING ARROW PANEL	275	ED
▪ TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	50	EA
▪ TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	5	LO
▪ PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	100	ED
▪ PAVEMENT MARKING REMOVABLE TAPE, WHITE OR BLACK,SOLID	1163	LF
▪ PAVEMENT MARKING REMOVABLE TAPE, YELLOW, SOLID	1513	LF
▪ SEDIMENT BARRIER	400	LF
▪ FLOATING TURBIDITY BARRIER	250	LF
▪ INLET PROTECTION SYSTEM	40	EA
▪ LITTER REMOVAL	1	AC
▪ MOWING	1	AC
▪ REMOVAL OF EXISTING CONCRETE PAVEMENT	200	SY
▪ REGULAR EXCAVATION	300	CY
▪ BORROW EXCAVATION, TRUCK MEASURE	600	CY
▪ LATERAL DITCH EXCAVATION	350	CY
▪ SUBSOIL EXCAVATION	200	CY
▪ EMBANKMENT	600	CY
▪ FLOWABLE FILL	100	CY
▪ EXCAVATION FOR STRUCTURES Excavation for Structures and Pipes	200	CY
▪ TYPE B STABILIZATION	150	SY
▪ OPTIONAL BASE, BASE GROUP 04	10	SY
▪ OPTIONAL BASE, BASE GROUP 09	1500	SY
▪ OPTIONAL BASE, BASE GROUP 11	1500	SY
▪ OPTIONAL BASE, BASE GROUP 13	250	SY
▪ MILLING EXIST ASPH PAVT, 1 AVG DEPTH	4000	SY
▪ MILLING EXIST ASPH PAVT, 1 1/2 AVG DEPTH	300	SY
▪ MILLING EXIST ASPH PAVT, 1 3/4 AVG DEPTH	300	SY
▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC C	150	TN
▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC D	20	TN

▪ SUPERPAVE ASPH CONC, TRAFFIC C, PG76-22, PMA	60	TN
▪ ASPHALT CONCRETE FRICTION COURSE, FC-5, PG 76-22, ARB	40	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22, PMA	1	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22, PMA	5	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC D, FC-12.5, PG 76-22, PMA	5	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-9.5, PG 76-22, ARB	160	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-12.5, PG 76-22, ARB	40	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22, ARB	160	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22, ARB	20	TN
▪ MISCELLANEOUS ASPHALT PAVEMENT	20	TN
▪ CONCRETE CLASS II, CULVERTS	50	CY
▪ CONCRETE CLASS IV, CULVERTS	30	CY
▪ CONC CLASS IV, RETAINING WALLS	30	CY
▪ REINFORCING STEEL- RETAINING WALL	350	LB
▪ REINFORCING STEEL- MISCELLANEOUS	1000	LB
▪ INLETS, CURB, TYPE P-1, <10'	2	EA
▪ INLETS, CURB, TYPE P-5, <10'	6	EA
▪ INLETS, CURB, TYPE P-5, >10'	2	EA
▪ INLETS, CURB, TYPE P-5, PARTIAL	2	EA
▪ INLETS, CURB, TYPE P-5, MODIFY	2	EA
▪ INLETS, CURB, TYPE P-6, <10'	6	EA
▪ INLETS, CURB, TYPE P-6, >10'	1	EA
▪ INLETS, CURB, TYPE P-6, PARTIAL	2	EA
▪ INLETS, CURB, TYPE P-6, MODIFY	2	EA
▪ INLETS, CURB, TYPE J-5, <10'	2	EA
▪ INLETS, CURB, TYPE J-5, >10'	1	EA
▪ INLETS, CURB, TYPE J-6, <10'	2	EA
▪ INLETS, CURB, TYPE J-6, >10'	2	EA
▪ INLETS, DT BOT, TYPE C, <10'	1	EA
▪ INLETS, DT BOT, TYPE C, JBOT, <10'	2	EA
▪ INLETS, DT BOT, TYPE C, JBOT, >10'	1	EA
▪ INLETS, DT BOT, TYPE D, <10'	4	EA
▪ INLETS, DT BOT, TYPE D, >10'	2	EA
▪ INLETS, DITCH BOTTOM, TYPE F, PARTIAL	2	EA
▪ INLETS, DITCH BOTTOM, TYPE G, <10'	2	EA
▪ INLETS, DITCH BOTTOM, TYPE G, >10'	1	EA
▪ INLETS, DITCH BOTTOM, TYPE G, J BOT, <10'	2	EA

▪ INLETS, DITCH BOTTOM, TYPE G, J BOT, >10'	1	EA
▪ INLETS, GUTTER, TYPE V, <10'	4	EA
▪ INLETS, GUTTER, TYPE V, >10'	2	EA
▪ INLETS, GUTTER, TYPE V, J BOT, <10'	2	EA
▪ INLETS, GUTTER, TYPE V, J BOTTOM, >10'	2	EA
▪ MANHOLES, P-7, <10'	2	EA
▪ MANHOLES, P-7, >10'	4	EA
▪ MANHOLES, P-7, PARTIAL	2	EA
▪ MANHOLES, J-7, <10'	4	EA
▪ MANHOLES, J-7, >10'	2	EA
▪ MANHOLES, J-7, PARTIAL	2	EA
▪ INLETS, ADJUST	10	EA
▪ MANHOLE, ADJUST	10	EA
▪ VALVE BOXES, ADJUST	5	EA
▪ DRAINAGE STRUCTURES, MISCELLANEOUS, ADJUST	5	EA
▪ REPLACE GRATE	10	EA
▪ DESILTING PIPE, 0 - 24 Desilt in the Wet	273	LF
▪ DESILTING PIPE, 25 - 36 Desilt in Dry Condition	750	LF
▪ DESILTING PIPE, 37 - 48 Desilt in Dry Condition	400	LF
▪ DESILTING PIPE, 49 - 60 Desilt in the Wet	159	LF
▪ DESILTING PIPE, 61 OR GREATER Desilt in the Wet	400	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15S/CD	100	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18S/CD	500	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24S/CD	200	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 30S/CD	200	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 36S/CD	200	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 42S/CD	100	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 48S/CD	100	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 54S/CD	100	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 60S/CD	100	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 15S/CD	50	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18S/CD	50	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24S/CD	50	LF
▪ U-ENDWALL, STD 261, 1:4 SLOPE, 18PIPE	4	EA
▪ PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE	20	CY
▪ TRENCH DRAIN, STANDARD	150	LF
▪ FRENCH DRAIN, 24	400	LF
▪ FRENCH DRAIN, 36	100	LF
▪ PIPE HANDRAIL - GUIDERAIL, STEEL	150	LF
▪ PIPE HANDRAIL - GUIDERAIL, ALUMINUM	150	LF
▪ CONCRETE CURB & GUTTER, TYPE F	600	LF

▪ CONCRETE CURB, TYPE D	100	LF
▪ VALLEY GUTTER- CONCRETE	100	LF
▪ SHOULDER CONCRETE BARRIER WALL, RIGID RETAINING	20	LF
▪ CONCRETE SIDEWALK AND DRIVEWAYS, 4 THICK	150	SY
▪ CONCRETE SIDEWALK AND DRIVEWAYS, 6 THICK	50	SY
▪ CONCRETE DITCH PAVEMENT, NON REINFORCED, 4	10	SY
▪ CONCRETE DITCH PAVEMENT, 4, REINFORCED	50	SY
▪ PAVERS, ARCHITECTURAL, SIDEWALK	150	SY
▪ DETECTABLE WARNINGS	8	SF
▪ GUARDRAIL -ROADWAY	100	LF
▪ SPECIAL GUARDRAIL POST	5	EA
▪ GUARDRAIL REMOVAL	100	LF
▪ FENCING, TYPE B, 5.1-6.0', STANDARD	200	LF
▪ FENCING, TYPE B, 5.1-6.0, RESET EXISTING	50	LF
▪ PERFORMANCE TURF	1000	SY
▪ PERFORMANCE TURF, SOD	1000	SY
▪ SINGLE POST SIGN, RELOCATE	5	AS
▪ SINGLE POST SIGN, REMOVE	5	AS
▪ MULTI- POST SIGN, F&I GROUND MOUNT, RELOCATE	5	AS
▪ MULTI- POST SIGN, REMOVE	5	AS
▪ OBJECT MARKER, TYPE 1 TWO # 04	5	EA
▪ RETRO-REFLECTIVE PAVEMENT MARKERS	100	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6	0.1	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8	0.1	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12	400	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18	600	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24	100	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6 WIDE	0.1	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6	0.2	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	2	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	5	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6	0.1	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18	20	LF

▪ PAINTED PAVEMENT MARKINGS, STANDARD, BLUE, SOLID FOR PARKING LOT- ACCESSIBLE MARKINGS, 6	50	LF
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 12 FOR CROSSWALK AND ROUNDABOUT	600	LF
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 18 FOR DIAGONALS AND CHEVRONS	400	LF
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 24 FOR STOP LINE AND CROSSWALK	50	LF
▪ THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6	0.1	GM
▪ THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	5	EA
▪ THERMOPLASTIC, STANDARD, WHITE, ARROW	5	EA
▪ THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18 FOR DIAGONAL OR CHEVRON	100	LF
▪ THERMOPLASTIC, STANDARD, BLUE, SOLID,6	100	LF
▪ THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8	0.1	GM
▪ THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8	0.1	GM
▪ THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6,10-30 SKIP OR 3-9 LANE DROP	0.1	GM
▪ THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS	50	SF
▪ LIGHT POLE COMPLETE, REMOVE	5	EA
▪ LUMINAIRE, REMOVE	5	EA
▪ CONDUIT, FURNISH & INSTALL, OPEN TRENCH	100	LF
▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	50	LF
▪ PULL & SPLICE BOX, F&I, 13 x 24 COVER SIZE	5	EA
▪ ALUMINUM SIGNALS POLE, PEDESTAL	5	EA
▪ ALUMINUM SIGNALS POLE, REMOVE	2	EA
▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	5	AS
▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	5	AS
▪ LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	5	EA
▪ LOOP ASSEMBLY- F&I, TYPE A	5	AS
▪ PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	10	EA
▪ TRAFFIC CONTROLLER ASSEMBLY, MODIFY	1	AS

Project Number: 027

Project Name: Bay Shore One Project – 1100 100th Street – Bay Harbor Island, FL
Owner: Thornton Construction

Contractor: Thornton Construction
Contact: Anthony Pasqualone
Address: 4300 Biscayne Blvd – Suite 207
Miami, FL 33137
Phone: 305-649-1995
Fax: 305-649-1295

Completed: December 2016

Contract Amount: \$34,841.25

Contract Scope:

▪ MOBILIZATION	1	LS
▪ SITE CLEARING & GRUBBING	0.45	ACRE
▪ SILT FENCE	560	LF
▪ SUBSOIL EXCAVATION	1185	CY
▪ EARTH RAMP	1	LS
▪ LIMEROCK BASE	1	LS

Project Number: 028

Project Name: CT A – Relocation of Onsite Utilities and Drainage

Owner: Port of Miami

Contractor: Central Florida Equipment Rentals, Inc. (Prime)

Contact: Ana Depriest

Address: 9030 NW 97th Terrace
Medley, FL 33178

Phone: 305-345-9039

Fax: 305-887-7804

Completed: June 2017

Contract Amount: \$1,413,688.89

Contract Scope:

▪ UTILITIES		
▪ MOBILIZATION	1	LS
▪ 12 DIP WATER MAIN (L&E)	1	LS
▪ 6 DIP WATER MAIN (L&E)	1	LS
▪ FIRE HYDRANT w/ 6 GV & 4 BOLLARDS(L&E)	1	LS
▪ 12 BENDS (L&E)	1	LS
▪ 12 x 6 TEES (L&E)	1	LS
▪ 12 GATE VALVES	1	LS
▪ SANITARY SEWER MANHOLE	1	LS
▪ SANITARY SEWER CAPS	1	LS
▪ ASPHALT DEMO / RESTORATION	1	LS
▪ DRAINAGE		
▪ MOBILIZATION	1	LS
▪ CURB INLET TYPE 5, 6	1	LS

▪ MEDIAN BARRIER INLET, TYPE 3	1	LS
▪ CATCH BASIN	1	LS
▪ DRAINAGE MANHOLE	1	LS
▪ ADJUST MANHOLES	1	LS
▪ PIPE CULVERT OPTIONAL MATERIAL, 18	1	LS
▪ PIPE CULVERT OPTIONAL MATERIAL, 24	1	LS
▪ FRENCH DRAIN, 24	1	LS
▪ SPECIAL STRUCTURE, TWO CHAMBERED (6'x9.5'x9.5')	1	LS
▪ ASPHALT DEMO / RESTORATION	1	LS

Project Number: 029

Project Name: Kendall Town Center (SW 96th Street and SW 157th Ave)
 Owner: Howard Hughes Corp.

Contractor: Brightview Landscape Development
 Contact: Ariel Caballero
 Address: 4155 East Mowry Dr.
 Homestead, FL 33033
 Phone: 305-986-2249

Completed: February 2017
 Contract Amount: \$107,422.20

Contract Scope:

▪ MOBILIZATION	1.00	LS
▪ CLEARING AND GRUBBING	1.00	LS
▪ SURVEYING	1.00	LS
▪ EXCAVATION (4 AVERAGE DEPTH)	215.00	CY
▪ STABILIZED SUBGRADE	1250.00	SY
▪ SOD GRADING (5' EACH SIDE OF SIDEWALK)	2084.00	SY
▪ CONC. SIDEWALK (4 THK w/ 6X6 W2.9/W2.9 WWM)	1250.00	SY
▪ BENCH PADS (5' x 8')	4.00	EA
▪ SIDEWALK RAMP	1.00	LS
▪ GRADING	1.00	LS

Project Number: 030

Project Name: Ballpark of the Palm Beaches
 Owner: Palm Beach County

Contractor: Brightview Landscape Development
 Contact: Ariel Caballero
 Address: 4155 East Mowry Dr.
 Homestead, FL 33033
 Phone: 305-986-2249

Completed: January 2017

Contract Amount: \$214,397.29

Contract Scope:

▪ 4in THICK SIDEWALK w/ WELDED WIRE MESH	73976.00	SF
▪ LOADING DOCK (2 DOCKS - 6500 SF TOTAL)	1.00	LS
▪ FLUSH REINFORCED HEADER CURB	718.00	LF
▪ BATTING CAGE TUNNEL SLAB	7890.00	SF
▪ PUMP RENTAL - 2 DAILY RATE	2.00	DA
▪ PUMP RENTAL - 2 DAILY RATE	7.00	DA
▪ FLUSH REINFORCED HEADER CURB	705.00	LF
▪ 6in THICK SIDEWALK w/ WELDED WIRE MESH (COLOR)	2970.00	SF
▪ 8in THICK SIDEWALK w/ #4 O.C.E.W (COLOR)	1430.00	SF

Project Number: 031

Project Name: SR – 823 NW 57th Ave
Owner: Florida Department of Transportation

Contractor: Central Florida Equipment Rentals, Inc. (Prime)
Contact: Ana Depriest
Address: 9030 NW 97th Terrace
Medley, FL 33178
Phone: 305-345-9039
Fax: 305-887-7804

Completed: February 2017
Contract Amount: \$11,912.00
Contract Scope:

▪ FINISH GRADE WORK	1	LS
---------------------	---	----

Project Number: 032

Project Name: SR 874 Project
Owner: MDX – Miami Dade Expressway Authority

Contractor: The de Moya Group
Contact: Fabricio Cedillo
Address: 14600 SW 136th Street
Miami, FL 33186
Phone: 305-987-4097
Fax: 305-255-1935

Completed: December 2018
Contract Amount: \$584,780.45
Contract Scope:

▪ MOBILIZATION	1.0	LS
▪ CLEARING AND GRUBBING	1.0	LS

▪ C&G - CONTROL STRUCTURE	1.0	EA
▪ C&G - DITCH BOTTOM INLET	10.0	EA
▪ C&G - ENDWALL	1.0	EA
▪ C&G - MANHOLE	2.0	EA
▪ C&G - FRENCH DRAIN 36	310.0	LF
▪ C&G - PIPE	210.0	LF
▪ CONCRETE CLASS I - ENDWALLS	1.00	EA
▪ INLETS, DT BOT, TYPE B, <10'	5.0	EA
▪ INLETS, DT BOT, TYPE D, MODIFY	2.0	EA
▪ INLETS, DT BOT, TYPE E, <10'	6.0	EA
▪ INLETS, DT BOT, TYPE E, PARTIAL	2.0	EA
▪ INLETS, BARRIER WALL, <10'	8.0	EA
▪ INLETS, BARRIER WALL, >10'	1.0	EA
▪ INLETS, BARRIER WALL, J BOT, <10'	3.0	EA
▪ INLETS, BARRIER WALL, J BOT, >10'	2.0	EA
▪ MANHOLES, P-7, <10'	6.0	EA
▪ MANHOLES, TYPE 7, PARTIAL	2.0	EA
▪ MANHOLES, J-7, <10'	1.0	EA
▪ MANHOLES, J-7, >10'	2.0	EA
▪ PIPE CULV, OPT MATL, ROUND, 18S/CD	1,379.0	LF
▪ PIPE CULV, OPT MATL, ROUND, 18S/CD	144.0	LF
▪ PIPE CULV, OPT MATL, ROUND, 24S/CD	793.0	LF
▪ PIPE CULV, OPT MATL, ROUND, 30S/CD	28.0	LF
▪ PIPE CULV, OPT MATL, ROUND, 36S/CD	20.0	LF
▪ FRENCH DRAIN, 24	1,006.0	LF
▪ 18 RCP CLASS IV	15.0	LF
▪ 18 RCP CLASS V	34.0	LF
▪ CLEAN\VIDEO PIPE (NEW PIPE ONLY)	2,269.0	LF
▪ CLEAN STRUCTURES	40.0	EA
▪ MOBILIZATION 24961435201	1.0	LS
▪ TEMP PAVEMENT (SUBGRADE & 6 BASE)	1.0	SY
▪ PULVERIZE EXISTING ASPHALT (4 MAX DEPTH)	16,685.0	SY
▪ REGULAR EXCAVATION	5,887.0	CY
▪ EMBANKMENT	4,885.0	CY
▪ TYPE B STABILIZATION	41,101.0	SY
▪ OPTIONAL BASE, BASE GROUP 06	41,101.0	SY
▪ CURB TYPE E, GRADING ONLY	727.0	LF
▪ CONC CURB & GUTR, F (4 LRB PAD & GRADING ONLY)	18,447.0	LF
▪ VALLEY GUTTER, 2' GRADING ONLY	2,021.0	LF
▪ TRAF SEP CONC, IV, 6' W (GRADING ONLY)	1.0	LF
▪ MED CONC BARRIER WALL (GRADING ONLY)	1.0	LF
▪ SIDEWALK 4 (GRADING ONLY)	8,998.0	SY
▪ SIDEWALK 6 (GRADING ONLY)	2,565.0	SY

- GUARDRAIL ?ROADWAY (GRADING ONLY) 1.0 LF
- FENCE B, 6' STANDARD (GRADING ONLY) 1.0 LF
- PERFORMANCE TURF,SOD, (GRADING ONLY) 5,406.0 SY

Project Number: 033

Project Name:	Turnpike (HEFT) from Eureka Drive to Killian Parkway		
Owner:	Florida Department of Transportation		
Contractor:	The de Moya Group		
Contact:	Fabricio Cedillo		
Address:	14600 SW 136 th Street Miami, FL 33186		
Phone:	305-987-4097		
Fax:	305-255-1935		
Completed:	April 2017		
Contract Amount:	\$17,241.00		
Contract Scope:			
	▪ RIPRAP, SAND CEMENT	20	CY

Project Number: 035

Project Name:	West 31 st Street and West 32 nd Street from West 12 th Ave to West 12 th Ave to West 9 th Avenue; West 11 th Avenue and West 9 th Avenue from West 30 th Street to West 33 rd Street		
Owner:	City of Hialeah		
Contractor:	Horizon Contractors, Inc.		
Contact:	Jose M Sanchez		
Address:	8175 West 32 nd Ave – Bay 2 Hialeah, FL 33018		
Phone:	305-216-8403		
Fax:	305-820-0905		
Completed:	July 2017		
Contract Amount:	\$580,593.75		
Contract Scope:			
	▪ CONCRETE CURB AND GUTTER TYPE F	11,777.0	LF
	▪ CONCRETE CURB TYPE D	1,650.0	LF
	▪ CONCRETE VALLEY GUTTER (2')	1,177.0	LF
	▪ CONCRETE SIDEWALK (4 THICK)	5,416.0	SY
	▪ CONCRETE SIDEWALK (6 THICK)	6,267.0	SY

Project Number: 036

Project Name: SR 5 (SE 2nd Ave) and SR 5 (US 1/Biscayne Blvd)
Owner: Florida Department of Transportation

Contractor: The Stout Group, LLC (Prime)
Contact: Joey Sanchez, PE
Address: 10850 NW 138th Street – Bay 3
Hialeah Gardens, FL 33018
Phone: 305-216-8406
Fax: 305-397-2311

Completed: December 2018

Contract Amount: \$3,499,047.23

Contract Scope:

▪ MOBILIZATION 41247375201	1	LS
▪ MOBILIZATION 41247375202	1	LS
▪ MOBILIZATION 41247395201	1	LS
▪ MAINTENANCE OF TRAFFIC 41247375201	1	LS
▪ MAINTENANCE OF TRAFFIC 41247375202	1	LS
▪ MAINTENANCE OF TRAFFIC 41247395201	1	LS
▪ SPECIAL DETOUR 1 41247395201	1	LS
▪ COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	38	CY
▪ TRAFFIC CONTROL OFFICER	374	HR
▪ WORK ZONE SIGN	13446	ED
▪ BARRIER WALL, TEMPORARY, F&I, TYPE K	2166	LF
▪ BARRIER WALL, TEMPORARY, RELOCATE, TYPE K	2500	LF
▪ CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	32492	ED
▪ CHANNELIZING DEVICE, TYPE III, 6'	6042	ED
▪ CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	34100	ED
▪ ARROW BOARD / ADVANCE WARNING ARROW PANEL	1638	ED
▪ TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	246	EA
▪ TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	32	LO
▪ PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	1160	ED
▪ TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	1680	ED
▪ TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	1680	ED
▪ INLET PROTECTION SYSTEM	30	EA
▪ LITTER REMOVAL	33.97	AC
▪ MOWING	0.18	AC
▪ MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING 41247375202	1	LS
▪ MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING 41247395201	1	LS

▪ MONITOR EXISTING STRUCTURES- VIBRATION MONITORING 41247395201	1	LS
▪ CLEARING & GRUBBING 41247375202	1	LS
▪ CLEARING & GRUBBING 41247395201	1	LS
▪ REMOVAL OF EXISTING CONCRETE PAVEMENT	322	SY
▪ DELIVERY OF SALVAGEABLE MATERIAL TO FDOT 41247375202	1	LS
▪ DELIVERY OF SALVAGEABLE MATERIAL TO FDOT 41247395201	1	LS
▪ REGULAR EXCAVATION	1061	CY
▪ EMBANKMENT	10	CY
▪ TYPE B STABILIZATION	2389	SY
▪ PREPARED SOIL LAYER, FINISH SOIL LAYER, 6	149	SY
▪ REWORKING LIMEROCK BASE, 6	2177	SY
▪ OPTIONAL BASE, BASE GROUP 10	2211	SY
▪ ASPHALT TREATED PERMEABLE BASE	20	CY
▪ MILLING EXIST ASPH PAVT, 2 AVG DEPTH	6210	SY
▪ MILLING EXIST ASPH PAVT, 2 1/2 AVG DEPTH	7456	SY
▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC C	1402	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22	876.2	TN
▪ MISCELLANEOUS ASPHALT PAVEMENT	4.5	TN
▪ PLAIN CEMENT CONCRETE PAVEMENT, 10	178	SY
▪ PLAIN CEMENT CONCRETE PAVEMENT, 12	4	SY
▪ REINFORCED CEMENT CONCRETE PAVEMENT, 6	8	SY
▪ CONCRETE CLASS II, CULVERTS	1	CY
▪ CONC CLASS IV, BULKHEAD	6.3	CY
▪ REINFORCING STEEL- MISCELLANEOUS	308	LB
▪ REINFORCING STEEL- BULKHEAD	274	LB
▪ INLETS, CURB, TYPE 9, <10'	6	EA
▪ INLETS, CURB, TYPE 9, J BOT, >10'	1	EA
▪ INLETS, CURB, TYPE 9, PARTIAL	1	EA
▪ INLETS, CURB, TYPE 9, MODIFY	2	EA
▪ INLETS, CURB. TYPE P-3, >10'	1	EA
▪ INLETS, CURB, TYPE P-5, <10'	1	EA
▪ INLETS, CURB, TYPE P-5, >10'	2	EA
▪ INLETS, CURB, TYPE P-6, <10'	3	EA
▪ INLETS, CURB, TYPE P-6, >10'	4	EA
▪ INLETS, CURB, TYPE J-6, <10'	1	EA
▪ INLETS, CURB, TYPE J-6, >10'	1	EA
▪ MANHOLES, P-7, >10'	5	EA
▪ MANHOLES, P-8, <10'	1	EA
▪ MANHOLES, J-7, <10'	2	EA
▪ MANHOLES, J-7, >10'	6	EA
▪ MANHOLES, J-8, PARTIAL	1	EA

▪ DRAINAGE MANHOLES, PROJECT 412473-9-52-02, J-7 6' x 10' WITH ADDITIONAL RISER AND WALL	1	EA
▪ DRAINAGE MANHOLES, PROJECT 412473-9-52-02, J-7 5' x 8.5' WITH ADDITIONAL RISER AND WALL	1	EA
▪ MANHOLE, ADJUST	1	EA
▪ MODIFY EXISTING DRAINAGE STRUCTURE	1	EA
▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 12S/CD	24	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15S/CD	24	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18S/CD	327	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24S/CD	804	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 30S/CD	119	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 42S/CD	9	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 48S/CD	47	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 15S/CD	37	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18S/CD	22	LF
▪ PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 30S/CD	143	LF
▪ FLAP GATES, 0-24	1	EA
▪ FLAP GATES, 37-48	1	EA
▪ FLAP GATES, 49-60	1	EA
▪ TRENCH DRAIN, STANDARD	181	LF
▪ SHEET PILING STEEL, F&I PERMANENT	561	SF
▪ CONCRETE CURB & GUTTER, TYPE F	1805	LF
▪ CONCRETE CURB, TYPE D	36	LF
▪ CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	119	SY
▪ CONCRETE SIDEWALK AND DRIVEWAYS, 4 THICK	709	SY
▪ CONCRETE SIDEWALK AND DRIVEWAYS, 6 THICK	427	SY
▪ PAVERS, ARCHITECTURAL, SIDEWALK	654	SY
▪ DETECTABLE WARNINGS	450	SF
▪ GUARDRAIL -ROADWAY, GENERAL TL-3	119	LF
▪ GUARDRAIL REMOVAL	124	LF
▪ GUARDRAIL END ANCHORAGE ASSEMBLY/END TREATMENT- PARALLEL	1	EA
▪ CRASH CUSHION	2	EA
▪ PERFORMANCE TURF, SOD	60	SY
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6	2.058	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8	0.291	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12	1745	LF

▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18	360	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24	1078	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6 WIDE	0.483	GM
▪ PAINTED PAVEMENT MARKING, STANDARD, WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12 WIDE,	0.018	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6	0.188	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	17	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	38	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6	0.995	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8	0.166	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18	507	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6	0.032	GM
▪ POLLUTION CONTROL STRUCTURE WITH BAFFLE AND FILTER, 6' DIAMETER, PROJECT 412473-9-52-02	1	EA
▪ POLLUTION CONTROL STRUCTURE WITH BAFFLE AND FILTER, 8' DIAMETER, PROJECT 412473-9-52-02	1	EA
▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247375201	1	LS
▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247375202	1	LS
▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247395201	1	LS
▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247395202	1	LS
▪ SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	43	AS
▪ SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	1	AS
▪ SINGLE POST SIGN, RELOCATE	2	AS
▪ SINGLE POST SIGN, REMOVE	17	AS
▪ MULTI- POST SIGN, REMOVE	1	AS
▪ SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF	4	EA
▪ SIGN PANEL, INSTALL, UP TO 12 SF	1	EA
▪ SIGN PANEL, REMOVE, UP TO 12 SF	2	EA
▪ SIGN PANEL, REMOVE, 101-200 SF	3	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	7	SF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	10	SF

▪ PAINTED PAVEMENT MARKINGS, FINAL SURFACE 41247375201	1	LS
▪ PAINTED PAVEMENT MARKINGS, FINAL SURFACE 41247395201	1	LS
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 8 FOR INTERCHANGE AND URBAN ISLAND	0.104	GM
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 12 FOR CROSSWALK AND ROUNDABOUT	775	LF
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 18 FOR DIAGONALS AND CHEVRONS	360	LF
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 24 FOR STOP LINE AND CROSSWALK	389	LF
▪ THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6	0.173	GM
▪ THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	9	EA
▪ THERMOPLASTIC, STANDARD, WHITE, ARROW	35	EA
▪ THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18 FOR DIAGONAL OR CHEVRON	492	LF
▪ THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6	0.002	GM
▪ THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12 FOR CROSSWALK	777	LF
▪ THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24 FOR CROSSWALK	1286	LF
▪ THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	9	EA
▪ THERMOPLASTIC, PREFORMED, WHITE, ARROW	3	EA
▪ THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	5	EA
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6	1.402	GM
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8	0.187	GM
▪ THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6,10-30 SKIP OR 3-9 LANE DROP	0.483	GM
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	0.018	GM
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6	0.42	GM
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8	0.141	GM
▪ CONDUIT, FURNISH & INSTALL, OPEN TRENCH	293	LF
▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	450	LF
▪ PULL & SPLICE BOX, F&I, 13 x 24 COVER SIZE	7	EA
▪ LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	3002	LF
▪ LIGHT POLE COMPLETE, F&I, WIND SPEED 150, POLE - 40'	1	EA

Sample Projects (Completed)

Project Number: 001

Project Name: I-595 to Turnpike Northbound Ramp – T7 Ramp
Owner: Florida Department of Transportation

Contractor: Maytin Engineering Corp.
Contact: Roly Maytin, PE
Address: 13900 NW 112th Ave
Hialeah Gardens, FL 33018
Phone: 305-827-4545
Fax: 305-827-4547

Completed: March 2014

Contract Amount: \$495,000

Contract Scope:

- Excavation 3500 CY
- Embankment 18,000 CY
- Limerock (Finish Grade) 12,000 SY
- Solid Pipe (Various Diameters) 750 LF
- Drainage Structure 10 EA
- Asphalt
 - Traffic Level D (PG 76-22) 420 TN
 - FC-9.5 80 TN

Project Number: 002

Project Name: Phase VI – Storm Water Improvements
Owner: Village of El Portal

Contractor: Horizon Contractors, Inc.
Contact: Xavier Salvat, PE
Address: 8175 West 32nd Ave – Suite 2
Hialeah, FL 33018
Phone: 305-828-2050
Fax: 305-820-0905

Completed: April 2014

Contract Amount: \$35,000

Contract Scope:

- Solid Pipe (Various Diameters) 190 LF
 - Drainage Structure 2 EA
 - Asphalt
 - Traffic Level C 40 TN
-

Project Number: 003

Project Name: T6207 - SR-5 – Overseas Highway (MM 93 – 97)
Owner: Village of El Portal

Contractor: Horizon Contractors, Inc.
Contact: Xavier Salvat, PE
Address: 8175 West 32nd Ave – Suite 2
Hialeah, FL 33018
Phone: 305-828-2050
Fax: 305-820-0905

Completed: May 2014
Contract Amount: \$29,000
Contract Scope:

- Finish Grade 17,695 SY

Project Number: 004

Project Name: E6H34 - SR-5 – Overseas Highway (MM 85 – 84)
Owner: Florida Department of Transportation

Contractor: Horizon Contractors, Inc.
Contact: Xavier Salvat, PE
Address: 8175 West 32nd Ave – Suite 2
Hialeah, FL 33018
Phone: 305-828-2050
Fax: 305-820-0905

Completed: March 2015
Contract Amount: \$650,000
Contract Scope:

- Solid Pipe (Various Diameters) 1900 LF
- French Drain 24" 680 LF
- Drainage Structures 18 EA

Project Number: 005

Project Name: The Bond – Duct Bank
Owner: 1080 Brickell Development

Contractor: ION Electric, LLC
Contact: Jack Higgins
Address: 2001 N. Andrews Avenue
Pompano Beach, FL 33069
Phone: 954-434-7432
Fax: 954-857-6687

Completed: August 2014
Contract Amount: \$20,000
Contract Scope:

Address: 10850 NW 138th Street – Bay 3
Hialeah Gardens, FL 33018
Phone: 305-216-8406
Fax: 305-397-2311

Completed: April 2015
Contract Amount: \$154,744
Contract Scope:

- Sidewalk 80 SY
- Curb and Gutter 123 LF
- Asphalt
 - FC-9.5 (PG76-22) (ARB) 153 TN

Project Number: 009

Project Name: PAMM Footing Installation
Owner: Perez Art Museum Miami (PAMM)

Contractor: The Stout Group, LLC (Prime)
Contact: Joey Sanchez, PE
Address: 10850 NW 138th Street – Bay 3
Hialeah Gardens, FL 33018
Phone: 305-216-8406
Fax: 305-397-2311

Completed: January 2015
Contract Amount: \$29,200
Contract Scope:

- Class I – Structural Concrete 50 CY

Project Number: 010

Project Name: Building 6 – Asphalt Improvements
Owner: Broward Community College

Contractor: Thornton Construction Company
Contact: Frank Gunn
Address: 4300 Biscayne Blvd #207
Miami, FL 33137
Phone: 305-649-1995
Fax: 305-649-1295

Completed: January 2015
Contract Amount: \$237,750
Contract Scope:

- Asphalt
 - Traffic Level C – 9.6 60 TN
-

Project Number: 012

Project Name:	T4386 – SRA1A / Ocean Drive		
Owner:	Florida Department of Transportation		
Contractor:	ION Electric		
Contact:	Jack Higgins		
Address:	2001 N. Andrews Avenue Pompano Beach, FL 33069		
Phone:	954-434-7432		
Fax:	954-857-6687		
Completed:	July 2015		
Contract Amount:	\$51,200		
Contract Scope:	▪ Structural Concrete (Pile Caps) 40 CY		

Project Number: 013

Project Name:	E6J26 – R0 – Districtwide Asphalt Maintenance		
Owner:	Florida Department of Transportation		
Contractor:	The Stout Group, LLC (Prime)		
Contact:	Joey Sanchez, PE		
Address:	10850 NW 138 th Street – Bay 3 Hialeah Gardens, FL 33018		
Phone:	305-216-8406		
Fax:	305-397-2311		
Completed:	December 2015		
Contract Amount:	\$250,000		
Contract Scope:	▪ Asphalt ○ FC-12.5 (PG76-22) 625 TN		

Project Number: 014

Project Name:	Saxony Beach Walk		
Owner:	The Saxony Development		
Contractor:	ValleyCrest Landscape Development		
Contact:	Ariel Caballero		
Address:	4155 East Mowry Drive Homestead, FL 33033		
Phone:	305-258-8011		
Fax:	305-258-0809		
Completed:	August 2015		
Contract Amount:	\$295,000		
Contract Scope:	▪ Demolition 1 LS ▪ Limerock (Finish Grade) 2,722 SY		

Project Number: 015

Project Name: T6393 – Krome Ave (450+00 – 499+00)

Owner: Florida Department of Transportation

Contractor: Horizon Contractors, Inc.

Contact: Xavier Salvat, PE

Address: 8175 West 32nd Ave
Hialeah, FL 33018

Phone: 305-345-7816

Fax: 305-820-0905

Completed: Scheduled for December 2016

Contract Amount: \$2,655,311

Contract Scope:

▪ Clearing and Grubbing	1	LS
▪ Regular Excavation	3,805	CY
▪ Subsoil Excavation	52,475	CY
▪ Embankment	133,077	CY
▪ Prepared Soil Layer	60,978	SY
▪ Optional Base, Base Group 02	7,622	SY
▪ Optional Base, Base Group 10	26,133	SY

Project Number: 016

Project Name: Opalocka Airport Interior Service Road

Owner: Miami Dade Airport Department

Contractor: Horizon Contractors, Inc.

Contact: Xavier Salvat, PE

Address: 8175 West 32nd Ave
Hialeah, FL 33018

Phone: 305-345-7816

Fax: 305-820-0905

Completed: January 2016

Contract Amount: \$960,555

Contract Scope:

▪ Clearing and Grubbing	17	ACRE
▪ Demolition of Bituminous Pavement	1,600	SY
▪ On-Site Excavation	30,500	CY
▪ Proof Rolling	34,700	SY
▪ 12" Thick Stabilization Subgrade	29,471	SY
▪ 9" Thick Limerock Base Course	33,300	SY
▪ 24" RCP Class V (Cross Drain)	430	LF
▪ 24" Mitered End Section	14	EA
▪ Swale Grading	48,000	SY
▪ Canal Bank Stabilization	3,000	SY

Project Number: 017

Project Name: Tamiami Canal Bridge Replacement
Owner: Miami Dade County Public Works and Waste Management

Contractor: Archer Western
Contact: Dhaval Gandhi
Address: 3201 NW 24th Street Road
Miami, FL 33142
Phone: 786-804-6252

Completed: Scheduled to Complete February 2018

Contract Amount: \$ 932,749

Contract Scope:

▪ F&I PERMANENT SAMPLE POINTS	2.0	EA
▪ CONNECT TO EXISTING WM (20.0 - 49.9")	1.0	EA
▪ ARV ASSEMBLIES	2.0	EA
▪ F&I POLYETHYLENE ENCASEMENT	200.0	LF
▪ F&I TAPPING SLEEVE (20.0 - 49.9")	1.0	EA
▪ S&D FIRE HYDRANT ASSEMBLIES	2.0	EA
▪ S&D DIP (6 - 7.9") VALVE & FITTINGS	70.0	LF
▪ S&D DIP (8 - 9.9") VALVE & FITTINGS	120.0	LF
▪ FURINSH DIP (20 - 49.9") & FITTINGS	200.0	LF
▪ FURNISH MJ RSGV (20.0 - 49.9")	1.0	EA
▪ INSTALL FIRE HYDRANT ASSEMBLIES	2.0	EA
▪ INSTALL DIP (6 - 7.9") VALVE & FITTINGS	70.0	LF
▪ INSTALL DIP (8 - 9.9") VALVE & FITTINGS	120.0	LF
▪ INSTALL DIP (20 - 49.9") & FITTINGS	200.0	LF
▪ INSTALL MJ RSGV (20.0 - 49.9")	1.0	EA
▪ INLETS (CURB)(TYPE P-1) <10'	1.0	EA
▪ INLETS (CURB)(TYPE P-5) <10'	3.0	EA
▪ INLETS (CURB)(TYPE P-5) >10'	3.0	EA
▪ INLETS (CURB)(TYPE F) <10'	4.0	EA
▪ MANHOLES (TYPE P-7)(PARTIAL)	4.0	EA
▪ MANHOLES, P-8, <10'	1.0	EA
▪ MANHOLES, P-8, >10'	3.0	EA
▪ MANHOLES, J-8, <10'	1.0	EA
▪ MANHOLES, J-8, >10'	1.0	EA
▪ ADJUST MANHOLE	4.0	EA
▪ ADJUST MANHOLE (UTILITIES)	3.0	EA
▪ ADJUST VALVE BOX (MDC ONLY)	9.0	EA
▪ PIPE CULVERT - 18"	364.0	LF
▪ PIPE CULVERT - 24"	216.0	LF
▪ PIPE CULVERT - 24" (ELLIPTICAL\OTHER)	19.0	LF

▪ FRENCH DRAIN 24"	647.0	LF
▪ REMOVAL OF EXISTING PAVEMENT	100.0	SY
▪ REGULAR EXCAVATION	1,100.0	CY
▪ SUBSOIL EXCAVATION	3,597.0	CY
▪ CHANNEL EXCAVATION	4,408.0	CY
▪ EMBANKMENT	7,026.5	CY
▪ REINFORCEMENT GRID	2,083.0	SY
▪ TYPE "B" STABILIZATION (12" THICK)	6,419.0	SY
▪ OPTIONAL BASE, BASE GROUP 06	6,484.0	SY
▪ TURNOUT CONSTRUCTION	440.0	SY
▪ SP ASPHALTIC CONCRETE (TRAFFIC C)	17.4	TN

Project Number: 018

Project Name: T6396 – Krome Ave (54+21 – 109+00)

Owner: Florida Department of Transportation

Contractor: Horizon Contractors, Inc.

Contact: Xavier Salvat, PE

Address: 8175 West 32nd Ave
Hialeah, FL 33018

Phone: 305-345-7816

Fax: 305-820-0905

Completed: Scheduled for December 2016

Contract Amount: \$3,489,368

Contract Scope:

▪ Clearing and Grubbing	1	LS
▪ Regular Excavation	3,837	CY
▪ Subsoil Excavation	73,025	CY
▪ Embankment	174,449	CY
▪ Type B Stabilization	54,596	SY
▪ Prepared Soil Layer	69,630	SY
▪ Optional Base, Base Group 02	9,131	SY
▪ Optional Base, Base Group 10	30,018	SY

Project Number: 019

Project Name: Miscellaneous Drainage Repairs

Owner: Interstate Screw Corp.

Owner: Interstate Screw Corp.

Contact: Dominick Menendez

Address: 475 West 18th Street
Hialeah, FL 33010

Phone: 305-888-8700

Fax: 305-888-7081

Completed: Scheduled for December 2016

Contract Amount: \$4,375.00

Contract Scope:

- Miscellaneous Drainage Repairs 1 LS

Project Number: 020

Project Name: Shenandoah Middle School Renovation

Owner: Miami Dade County Public Schools

Contractor: Thornton Construction Company, Inc.

Contact: Dan Sheehy

Address: 4300 Biscayne Blvd

Suite 207

Miami, FL 33137

Phone: 305-649-1995

Fax: 305-649-1295

Completed: April 2016

Contract Amount: \$11,500.00

Contract Scope:

- Limerock Base 1 LS
- Superpave - Traffic Level C – 9.5 1 LS

Project Number: 021

Project Name: Emergency Asphalt Repair at the Downtown Mover (TPSS)

Owner: Miami Dade Transit

Contact: Nury Perez

Address: 6601 NW 72nd Ave

Miami, FL 33166

Phone: 305-884-7578

Fax: 305-884-7538

Completed: January 2016

Contract Amount: \$9,850.00

Contract Scope:

- Asphalt Repair 1 LS

Project Number: 023

Project Name: Drainage Improvements Project Multiple Sites

Owner: Miami Dade County Public Works Department

Contact: Felipe Monteagudo

Address: 111 NW 1st Street

Suite 1410

Miami, FL 33128

Phone: 305-323-8192

Completed: Anticipated Completion June 2017

Contract Amount: \$1,504,737.12

Contract Scope:

▪ BARRICADES	18600	ED
▪ ADVANCE WARNING ARROW PANEL	1050.0	ED
▪ Sediment Barrier	600.0	LF
▪ Inlet Protection System	91.0	EA
▪ CLEARING AND GRUBBING	1.0	LS
▪ RE-GRADE EXISTING SWALE	140.0	SY
▪ FLOWABLE FILL	28.0	CY
▪ BACKFILL EXISTING TRENCH WITH SELECT FILL	278.0	CY
▪ MILLING - 1" Depth	4878.0	SY
▪ ROADWAY PAVEMENT RESTORATION	2524.0	SY
▪ INLET PAVEMENT	393.0	SY
▪ Hot Mix Asphalt, Traffic C, SP-9.5	555.0	TN
▪ Driveway Pavement-Asphalt	100.0	SY
▪ Driveway Pavement-Concrete	20.0	SY
▪ CLASS I CONCRETE	30.0	CY
▪ SWALE INLET TYPE D-3 (36" Dia.)	37.0	EA
▪ SWALE INLET TYPE D-3 (36"X36")	17.0	EA
▪ SWALE INLET TYPE D-1 (17" X 27") (< 10' Deep)	14.0	EA
▪ SWALE INLET TYPE P-10M	14.0	EA
▪ SWALE INLET TYPE J-10	1.0	EA
▪ POLLUTION RETARDANT BAFFLE	3.0	EA
▪ MANHOLE (Type P-7T)	30.0	EA
▪ CORE AND TIE TO EXIST. DRAINAGE	9.0	EA
▪ MODIFY STRUCTURE-	17.0	EA
▪ DESILT PIPE (0 TO 48")	1000.0	LF
▪ Desilting Drainage Structure	12.0	EA
▪ Pipe Culvert 15" Diameter (Round)	1541.0	LF
▪ Pipe Culvert 18" Diameter (Round)	410.0	LF
▪ French Drain (18" diameter pipe, 10 ft bls)	3445.0	LF
▪ French Drain (18" diameter pipe, 15 ft bls)	380.0	LF
▪ French Drain (18" diameter pipe, 20 ft. BLS)	550.0	LF
▪ CONCRETE SIDEWALK [4" THICK,]	463.0	SY
▪ CONCRETE SIDEWALK (6" Thick)	110.0	SY
▪ DETECTABLE SURFACE	94.0	SF
▪ RIP RAP (SAND CEMENT)	17.0	CY
▪ SODDING-St Augustine	12520.0	SY
▪ REFLECTIVE PAVEMENT MARKERS	25.0	EA
▪ THERMOPLASTIC (White) (Solid) (12")	54.0	LF
▪ THERMOPLASTIC (White) (Solid) (24")	200.0	LF
▪ THERMOPLASTIC (Yellow) (Solid) (6")	450.0	LF

Project Number: 024

Project Name: Joseph Caleb Center New Parking Garage
Owner: Miami Dade County

Contractor: ABC Construction, Inc.

Contact: Jorge Gonzalez

Address: 7215 NW 7th Street
Miami, FL 33126

Phone: 305-663-0322

Fax: 305-267-2403

Completed: April 2017

Contract Amount: \$196,514.26

Contract Scope:

- | | | |
|---|------|----|
| ▪ Milling Existing Asphalt (1" AVG) | 7505 | SY |
| ▪ Superpave - Traffic Level C – 9.5 | 489 | TN |
| ▪ Friction Course - Traffic Level C – 9.5 | 396 | TN |
-

Project Number: 025

Project Name: SR 953 – Lejeune Rd from Almeria Ave to Majorca Ave
Owner: Florida Department of Transportation

Contractor: The Stout Group, LLC (Prime)

Contact: Joey Sanchez, PE

Address: 10850 NW 138th Street – Bay 3
Hialeah Gardens, FL 33018

Phone: 305-216-8406

Fax: 305-397-2311

Completed: April 2017

Contract Amount: \$1,155,672.82

Contract Scope:

- | | | |
|---|------|----|
| ▪ MOBILIZATION | 1 | LS |
| ▪ MAINTENANCE OF TRAFFIC | 1 | LS |
| ▪ TRAFFIC CONTROL OFFICER | 456 | MH |
| ▪ WORK ZONE SIGN | 6650 | ED |
| ▪ BARRIER WALL, TEMPORARY, F&I, CONCRETE | 185 | LF |
| ▪ CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD | 5900 | ED |
| ▪ CHANNELIZING DEVICE, TYPE III, 6' | 570 | ED |
| ▪ ARROW BOARD / ADVANCE WARNING ARROW PANEL | 440 | ED |
| ▪ TEMPORARY RETROREFLECTIVE PAVEMENT MARKER | 194 | EA |
| ▪ PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY | 388 | ED |
| ▪ TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION | 180 | ED |
| ▪ TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION | 180 | ED |

▪ INLET PROTECTION SYSTEM	19	EA
▪ LITTER REMOVAL	7.08	AC
▪ MOWING	1.8	AC
▪ MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING	1	LS
▪ MONITOR EXISTING STRUCTURES- VIBRATION MONITORING	1	LS
▪ CLEARING & GRUBBING 43349215201	1	LS
▪ DELIVERY OF SALVAGEABLE MATERIAL TO FDOT 43349215201	1	LS
▪ REGULAR EXCAVATION (3-R PROJECTS ONLY) 43349215201	1	LS
▪ TYPE B STABILIZATION	532	SY
▪ PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"	604	SY
▪ OPTIONAL BASE, BASE GROUP 11	478	SY
▪ MILLING EXIST ASPH PAVT, 1 1/2" AVG DEPTH	4398	SY
▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC C	52.6	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22, ARB	402.4	TN
▪ INLETS, CURB, TYPE 9, <10'	2	EA
▪ INLETS, GUTTER, TYPE S, <10'	1	EA
▪ MANHOLES, P-7, <10'	1	EA
▪ MANHOLE, ADJUST	10	EA
▪ PIPE CULVERT, OPTIONAL MATERIAL, ROUND, 18"SD	49	LF
▪ FRENCH DRAIN, 24"	120	LF
▪ CONCRETE CURB & GUTTER, TYPE F	880	LF
▪ CONCRETE CURB, TYPE D	616	LF
▪ CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	395	SY
▪ CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK	36	SY
▪ DETECTABLE WARNINGS	116	SF
▪ PERFORMANCE TURF, SOD	427	SY
▪ IRRIGATION SYSTEM REPAIRS 43349215201	1	LS
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	0.324	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8"	0.077	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	540	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18"	187	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	190	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	0.015	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	0.013	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	10	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	27	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	0.585	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	28	LF

▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6"	0.026	GM
▪ SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	18	AS
▪ SINGLE POST SIGN, RELOCATE	1	AS
▪ SINGLE POST SIGN, REMOVE	11	AS
▪ SIGN PANEL, RELOCATE, UP TO 12 SF	8	EA
▪ DELINEATOR, FLEXIBLE HIGH PERFORMANCE 48"	15	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	38	SF
▪ PAINTED PAVEMENT MARKINGS, FINAL SURFACE 43349215201	1	LS
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	540	LF
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	187	LF
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK	190	LF
▪ THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	0.013	GM
▪ THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	3	EA
▪ THERMOPLASTIC, STANDARD, WHITE, ARROW	22	EA
▪ THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	28	LF
▪ THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	0.026	GM
▪ THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	7	EA
▪ THERMOPLASTIC, PREFORMED, WHITE, ARROWS	5	EA
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	0.324	GM
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	0.077	GM
▪ THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	0.015	GM
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	0.585	GM
▪ THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS	20	SF
▪ CONDUIT, FURNISH & INSTALL, OPEN TRENCH	458	LF
▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	354	LF
▪ PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	12	EA
▪ LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <	646	LF
▪ LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	4765	LF
▪ LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	6914	LF
▪ LUMINAIRE, RELOCATE	30	EA
▪ LUMINAIRE, REMOVE	60	EA
▪ POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL	4	EA
▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	1178	LF
▪ SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	1	PI
▪ SIGNAL CABLE, REMOVE- INTERSECTION	1	PI
▪ PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	31	EA

▪ ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	1	AS
▪ ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND	1	AS
▪ ELECTRICAL SERVICE WIRE, REMOVE	195	LF
▪ PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	1	EA
▪ PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL-PEDESTAL/SERVICE POLE	1	EA
▪ ALUMINUM SIGNALS POLE, PEDESTAL	4	EA
▪ ALUMINUM SIGNALS POLE, REMOVE	2	EA
▪ STEEL MAST ARM,F&I, WIND SPEED-150,SINGLE ARM, W/O LUMINAIRE-36	2	EA
▪ MAST ARM,F&I, WIND SPEED-150,SINGLE ARM,W/O LUMINAIRE-46	2	EA
▪ MAST ARM, REMOVE SHALLOW FOUNDATION, BOLT ON ATTACHMENT	4	EA
▪ TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	3	AS
▪ TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION STRAIGHT, 1 WAY	5	AS
▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	4	AS
▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	2	AS
▪ LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	6	EA
▪ LOOP ASSEMBLY- F&I, TYPE A	8	AS
▪ PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	4	EA
▪ TRAFFIC CONTROLLER ASSEMBLY, F&I, 170	1	AS
▪ TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	1	AS
▪ SYSTEM AUXILIARIES, F&I, MODEM	1	EA
▪ INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	4	EA
▪ LANDSCAPE COMPLETE- SMALL PLANTS 43349215201	1	LS
▪ LANDSCAPE COMPLETE- LARGE PLANTS 43349215201	1	LS
▪ VALVE BOXES, ADJUST	7	EA

Project Number: 026

Project Name:	Miami Dade Countywide Drainage Pushbutton
Owner:	Florida Department of Transportation
<hr/>	
Contractor:	The Stout Group, LLC (Prime)
Contact:	Joey Sanchez, PE
Address:	10850 NW 138 th Street – Bay 3 Hialeah Gardens, FL 33018
Phone:	305-216-8406
Fax:	305-397-2311
<hr/>	
Completed:	December 2018

Contract Amount: \$848,713.00

Contract Scope:

▪ COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	50	CY
▪ TRAFFIC CONTROL OFFICER	300	MH
▪ WORK ZONE SIGN	5000	ED
▪ BUSINESS SIGN	20	EA
▪ BARRIER WALL, TEMPORARY, F&I, CONCRETE	500	LF
▪ BARRIER WALL, TEMPORARY, F&I, TYPE K	500	LF
▪ CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	6000	ED
▪ CHANNELIZING DEVICE, TYPE III, 6'	1025	ED
▪ CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	50	ED
▪ ARROW BOARD / ADVANCE WARNING ARROW PANEL	275	ED
▪ TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	50	EA
▪ TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	5	LO
▪ PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	100	ED
▪ PAVEMENT MARKING REMOVABLE TAPE, WHITE OR BLACK,SOLID	1163	LF
▪ PAVEMENT MARKING REMOVABLE TAPE, YELLOW, SOLID	1513	LF
▪ SEDIMENT BARRIER	400	LF
▪ FLOATING TURBIDITY BARRIER	250	LF
▪ INLET PROTECTION SYSTEM	40	EA
▪ LITTER REMOVAL	1	AC
▪ MOWING	1	AC
▪ REMOVAL OF EXISTING CONCRETE PAVEMENT	200	SY
▪ REGULAR EXCAVATION	300	CY
▪ BORROW EXCAVATION, TRUCK MEASURE	600	CY
▪ LATERAL DITCH EXCAVATION	350	CY
▪ SUBSOIL EXCAVATION	200	CY
▪ EMBANKMENT	600	CY
▪ FLOWABLE FILL	100	CY
▪ EXCAVATION FOR STRUCTURES Excavation for Structures and Pipes	200	CY
▪ TYPE B STABILIZATION	150	SY
▪ OPTIONAL BASE, BASE GROUP 04	10	SY
▪ OPTIONAL BASE, BASE GROUP 09	1500	SY
▪ OPTIONAL BASE, BASE GROUP 11	1500	SY
▪ OPTIONAL BASE, BASE GROUP 13	250	SY
▪ MILLING EXIST ASPH PAVT, 1 AVG DEPTH	4000	SY
▪ MILLING EXIST ASPH PAVT, 1 1/2 AVG DEPTH	300	SY
▪ MILLING EXIST ASPH PAVT, 1 3/4 AVG DEPTH	300	SY
▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC C	150	TN
▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC D	20	TN

▪ SUPERPAVE ASPH CONC, TRAFFIC C, PG76-22, PMA	60	TN
▪ ASPHALT CONCRETE FRICTION COURSE, FC-5, PG 76-22, ARB	40	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22, PMA	1	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22, PMA	5	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC D, FC-12.5, PG 76-22, PMA	5	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-9.5, PG 76-22, ARB	160	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC B, FC-12.5, PG 76-22, ARB	40	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22, ARB	160	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22, ARB	20	TN
▪ MISCELLANEOUS ASPHALT PAVEMENT	20	TN
▪ CONCRETE CLASS II, CULVERTS	50	CY
▪ CONCRETE CLASS IV, CULVERTS	30	CY
▪ CONC CLASS IV, RETAINING WALLS	30	CY
▪ REINFORCING STEEL- RETAINING WALL	350	LB
▪ REINFORCING STEEL- MISCELLANEOUS	1000	LB
▪ INLETS, CURB, TYPE P-1, <10'	2	EA
▪ INLETS, CURB, TYPE P-5, <10'	6	EA
▪ INLETS, CURB, TYPE P-5, >10'	2	EA
▪ INLETS, CURB, TYPE P-5, PARTIAL	2	EA
▪ INLETS, CURB, TYPE P-5, MODIFY	2	EA
▪ INLETS, CURB, TYPE P-6, <10'	6	EA
▪ INLETS, CURB, TYPE P-6, >10'	1	EA
▪ INLETS, CURB, TYPE P-6, PARTIAL	2	EA
▪ INLETS, CURB, TYPE P-6, MODIFY	2	EA
▪ INLETS, CURB, TYPE J-5, <10'	2	EA
▪ INLETS, CURB, TYPE J-5, >10'	1	EA
▪ INLETS, CURB, TYPE J-6, <10'	2	EA
▪ INLETS, CURB, TYPE J-6, >10'	2	EA
▪ INLETS, DT BOT, TYPE C, <10'	1	EA
▪ INLETS, DT BOT, TYPE C, JBOT, <10'	2	EA
▪ INLETS, DT BOT, TYPE C, JBOT, >10'	1	EA
▪ INLETS, DT BOT, TYPE D, <10'	4	EA
▪ INLETS, DT BOT, TYPE D, >10'	2	EA
▪ INLETS, DITCH BOTTOM, TYPE F, PARTIAL	2	EA
▪ INLETS, DITCH BOTTOM, TYPE G, <10'	2	EA
▪ INLETS, DITCH BOTTOM, TYPE G, >10'	1	EA
▪ INLETS, DITCH BOTTOM, TYPE G, J BOT, <10'	2	EA

▪ INLETS, DITCH BOTTOM, TYPE G, J BOT, >10'	1	EA
▪ INLETS, GUTTER, TYPE V, <10'	4	EA
▪ INLETS, GUTTER, TYPE V, >10'	2	EA
▪ INLETS, GUTTER, TYPE V, J BOT, <10'	2	EA
▪ INLETS, GUTTER, TYPE V, J BOTTOM, >10'	2	EA
▪ MANHOLES, P-7, <10'	2	EA
▪ MANHOLES, P-7, >10'	4	EA
▪ MANHOLES, P-7, PARTIAL	2	EA
▪ MANHOLES, J-7, <10'	4	EA
▪ MANHOLES, J-7, >10'	2	EA
▪ MANHOLES, J-7, PARTIAL	2	EA
▪ INLETS, ADJUST	10	EA
▪ MANHOLE, ADJUST	10	EA
▪ VALVE BOXES, ADJUST	5	EA
▪ DRAINAGE STRUCTURES, MISCELLANEOUS, ADJUST	5	EA
▪ REPLACE GRATE	10	EA
▪ DESILTING PIPE, 0 - 24 Desilt in the Wet	273	LF
▪ DESILTING PIPE, 25 - 36 Desilt in Dry Condition	750	LF
▪ DESILTING PIPE, 37 - 48 Desilt in Dry Condition	400	LF
▪ DESILTING PIPE, 49 - 60 Desilt in the Wet	159	LF
▪ DESILTING PIPE, 61 OR GREATER Desilt in the Wet	400	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15S/CD	100	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18S/CD	500	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24S/CD	200	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 30S/CD	200	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 36S/CD	200	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 42S/CD	100	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 48S/CD	100	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 54S/CD	100	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 60S/CD	100	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 15S/CD	50	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18S/CD	50	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER SHAPE-ELIP/ARCH, 24S/CD	50	LF
▪ U-ENDWALL, STD 261, 1:4 SLOPE, 18PIPE	4	EA
▪ PIPE FILLING AND PLUGGING- PLACE OUT OF SERVICE	20	CY
▪ TRENCH DRAIN, STANDARD	150	LF
▪ FRENCH DRAIN, 24	400	LF
▪ FRENCH DRAIN, 36	100	LF
▪ PIPE HANDRAIL - GUIDERAIL, STEEL	150	LF
▪ PIPE HANDRAIL - GUIDERAIL, ALUMINUM	150	LF
▪ CONCRETE CURB & GUTTER, TYPE F	600	LF

▪ CONCRETE CURB, TYPE D	100	LF
▪ VALLEY GUTTER- CONCRETE	100	LF
▪ SHOULDER CONCRETE BARRIER WALL, RIGID RETAINING	20	LF
▪ CONCRETE SIDEWALK AND DRIVEWAYS, 4 THICK	150	SY
▪ CONCRETE SIDEWALK AND DRIVEWAYS, 6 THICK	50	SY
▪ CONCRETE DITCH PAVEMENT, NON REINFORCED, 4	10	SY
▪ CONCRETE DITCH PAVEMENT, 4, REINFORCED	50	SY
▪ PAVERS, ARCHITECTURAL, SIDEWALK	150	SY
▪ DETECTABLE WARNINGS	8	SF
▪ GUARDRAIL -ROADWAY	100	LF
▪ SPECIAL GUARDRAIL POST	5	EA
▪ GUARDRAIL REMOVAL	100	LF
▪ FENCING, TYPE B, 5.1-6.0', STANDARD	200	LF
▪ FENCING, TYPE B, 5.1-6.0, RESET EXISTING	50	LF
▪ PERFORMANCE TURF	1000	SY
▪ PERFORMANCE TURF, SOD	1000	SY
▪ SINGLE POST SIGN, RELOCATE	5	AS
▪ SINGLE POST SIGN, REMOVE	5	AS
▪ MULTI- POST SIGN, F&I GROUND MOUNT, RELOCATE	5	AS
▪ MULTI- POST SIGN, REMOVE	5	AS
▪ OBJECT MARKER, TYPE 1 TWO # 04	5	EA
▪ RETRO-REFLECTIVE PAVEMENT MARKERS	100	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6	0.1	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8	0.1	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12	400	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18	600	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24	100	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6 WIDE	0.1	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6	0.2	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	2	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	5	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6	0.1	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18	20	LF

▪ PAINTED PAVEMENT MARKINGS, STANDARD, BLUE, SOLID FOR PARKING LOT- ACCESSIBLE MARKINGS, 6	50	LF
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 12 FOR CROSSWALK AND ROUNDABOUT	600	LF
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 18 FOR DIAGONALS AND CHEVRONS	400	LF
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 24 FOR STOP LINE AND CROSSWALK	50	LF
▪ THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6	0.1	GM
▪ THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	5	EA
▪ THERMOPLASTIC, STANDARD, WHITE, ARROW	5	EA
▪ THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18 FOR DIAGONAL OR CHEVRON	100	LF
▪ THERMOPLASTIC, STANDARD, BLUE, SOLID,6	100	LF
▪ THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8	0.1	GM
▪ THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES YELLOW, SOLID, 8	0.1	GM
▪ THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6,10-30 SKIP OR 3-9 LANE DROP	0.1	GM
▪ THERMOPLASTIC, REMOVE EXISTING THERMOPLASTIC PAVEMENT MARKINGS	50	SF
▪ LIGHT POLE COMPLETE, REMOVE	5	EA
▪ LUMINAIRE, REMOVE	5	EA
▪ CONDUIT, FURNISH & INSTALL, OPEN TRENCH	100	LF
▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	50	LF
▪ PULL & SPLICE BOX, F&I, 13 x 24 COVER SIZE	5	EA
▪ ALUMINUM SIGNALS POLE, PEDESTAL	5	EA
▪ ALUMINUM SIGNALS POLE, REMOVE	2	EA
▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	5	AS
▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	5	AS
▪ LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	5	EA
▪ LOOP ASSEMBLY- F&I, TYPE A	5	AS
▪ PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	10	EA
▪ TRAFFIC CONTROLLER ASSEMBLY, MODIFY	1	AS

Project Number: 027

Project Name: Bay Shore One Project – 1100 100th Street – Bay Harbor Island, FL
Owner: Thornton Construction

Contractor: Thornton Construction
Contact: Anthony Pasqualone
Address: 4300 Biscayne Blvd – Suite 207
Miami, FL 33137
Phone: 305-649-1995
Fax: 305-649-1295

Completed: December 2016

Contract Amount: \$34,841.25

Contract Scope:

▪ MOBILIZATION	1	LS
▪ SITE CLEARING & GRUBBING	0.45	ACRE
▪ SILT FENCE	560	LF
▪ SUBSOIL EXCAVATION	1185	CY
▪ EARTH RAMP	1	LS
▪ LIMEROCK BASE	1	LS

Project Number: 028

Project Name: CT A – Relocation of Onsite Utilities and Drainage

Owner: Port of Miami

Contractor: Central Florida Equipment Rentals, Inc. (Prime)

Contact: Ana Depriest

Address: 9030 NW 97th Terrace
Medley, FL 33178

Phone: 305-345-9039

Fax: 305-887-7804

Completed: June 2017

Contract Amount: \$1,413,688.89

Contract Scope:

▪ UTILITIES		
▪ MOBILIZATION	1	LS
▪ 12 DIP WATER MAIN (L&E)	1	LS
▪ 6 DIP WATER MAIN (L&E)	1	LS
▪ FIRE HYDRANT w/ 6 GV & 4 BOLLARDS(L&E)	1	LS
▪ 12 BENDS (L&E)	1	LS
▪ 12 x 6 TEES (L&E)	1	LS
▪ 12 GATE VALVES	1	LS
▪ SANITARY SEWER MANHOLE	1	LS
▪ SANITARY SEWER CAPS	1	LS
▪ ASPHALT DEMO / RESTORATION	1	LS
▪ DRAINAGE		
▪ MOBILIZATION	1	LS
▪ CURB INLET TYPE 5, 6	1	LS

▪ MEDIAN BARRIER INLET, TYPE 3	1	LS
▪ CATCH BASIN	1	LS
▪ DRAINAGE MANHOLE	1	LS
▪ ADJUST MANHOLES	1	LS
▪ PIPE CULVERT OPTIONAL MATERIAL, 18	1	LS
▪ PIPE CULVERT OPTIONAL MATERIAL, 24	1	LS
▪ FRENCH DRAIN, 24	1	LS
▪ SPECIAL STRUCTURE, TWO CHAMBERED (6'x9.5'x9.5')	1	LS
▪ ASPHALT DEMO / RESTORATION	1	LS

Project Number: 029

Project Name: Kendall Town Center (SW 96th Street and SW 157th Ave)
 Owner: Howard Hughes Corp.

Contractor: Brightview Landscape Development
 Contact: Ariel Caballero
 Address: 4155 East Mowry Dr.
 Homestead, FL 33033
 Phone: 305-986-2249

Completed: February 2017
 Contract Amount: \$107,422.20

Contract Scope:

▪ MOBILIZATION	1.00	LS
▪ CLEARING AND GRUBBING	1.00	LS
▪ SURVEYING	1.00	LS
▪ EXCAVATION (4 AVERAGE DEPTH)	215.00	CY
▪ STABILIZED SUBGRADE	1250.00	SY
▪ SOD GRADING (5' EACH SIDE OF SIDEWALK)	2084.00	SY
▪ CONC. SIDEWALK (4 THK w/ 6X6 W2.9/W2.9 WWM)	1250.00	SY
▪ BENCH PADS (5' x 8')	4.00	EA
▪ SIDEWALK RAMP	1.00	LS
▪ GRADING	1.00	LS

Project Number: 030

Project Name: Ballpark of the Palm Beaches
 Owner: Palm Beach County

Contractor: Brightview Landscape Development
 Contact: Ariel Caballero
 Address: 4155 East Mowry Dr.
 Homestead, FL 33033
 Phone: 305-986-2249

Completed: January 2017

Contract Amount: \$214,397.29

Contract Scope:

▪ 4in THICK SIDEWALK w/ WELDED WIRE MESH	73976.00	SF
▪ LOADING DOCK (2 DOCKS - 6500 SF TOTAL)	1.00	LS
▪ FLUSH REINFORCED HEADER CURB	718.00	LF
▪ BATTING CAGE TUNNEL SLAB	7890.00	SF
▪ PUMP RENTAL - 2 DAILY RATE	2.00	DA
▪ PUMP RENTAL - 2 DAILY RATE	7.00	DA
▪ FLUSH REINFORCED HEADER CURB	705.00	LF
▪ 6in THICK SIDEWALK w/ WELDED WIRE MESH (COLOR)	2970.00	SF
▪ 8in THICK SIDEWALK w/ #4 O.C.E.W (COLOR)	1430.00	SF

Project Number: 031

Project Name: SR – 823 NW 57th Ave
Owner: Florida Department of Transportation

Contractor: Central Florida Equipment Rentals, Inc. (Prime)
Contact: Ana Depriest
Address: 9030 NW 97th Terrace
Medley, FL 33178
Phone: 305-345-9039
Fax: 305-887-7804

Completed: February 2017
Contract Amount: \$11,912.00
Contract Scope:

▪ FINISH GRADE WORK	1	LS
---------------------	---	----

Project Number: 032

Project Name: SR 874 Project
Owner: MDX – Miami Dade Expressway Authority

Contractor: The de Moya Group
Contact: Fabricio Cedillo
Address: 14600 SW 136th Street
Miami, FL 33186
Phone: 305-987-4097
Fax: 305-255-1935

Completed: December 2018
Contract Amount: \$584,780.45
Contract Scope:

▪ MOBILIZATION	1.0	LS
▪ CLEARING AND GRUBBING	1.0	LS

▪ C&G - CONTROL STRUCTURE	1.0	EA
▪ C&G - DITCH BOTTOM INLET	10.0	EA
▪ C&G - ENDWALL	1.0	EA
▪ C&G - MANHOLE	2.0	EA
▪ C&G - FRENCH DRAIN 36	310.0	LF
▪ C&G - PIPE	210.0	LF
▪ CONCRETE CLASS I - ENDWALLS	1.00	EA
▪ INLETS, DT BOT, TYPE B, <10'	5.0	EA
▪ INLETS, DT BOT, TYPE D, MODIFY	2.0	EA
▪ INLETS, DT BOT, TYPE E, <10'	6.0	EA
▪ INLETS, DT BOT, TYPE E, PARTIAL	2.0	EA
▪ INLETS, BARRIER WALL, <10'	8.0	EA
▪ INLETS, BARRIER WALL, >10'	1.0	EA
▪ INLETS, BARRIER WALL, J BOT, <10'	3.0	EA
▪ INLETS, BARRIER WALL, J BOT, >10'	2.0	EA
▪ MANHOLES, P-7, <10'	6.0	EA
▪ MANHOLES, TYPE 7, PARTIAL	2.0	EA
▪ MANHOLES, J-7, <10'	1.0	EA
▪ MANHOLES, J-7, >10'	2.0	EA
▪ PIPE CULV, OPT MATL, ROUND, 18S/CD	1,379.0	LF
▪ PIPE CULV, OPT MATL, ROUND, 18S/CD	144.0	LF
▪ PIPE CULV, OPT MATL, ROUND, 24S/CD	793.0	LF
▪ PIPE CULV, OPT MATL, ROUND, 30S/CD	28.0	LF
▪ PIPE CULV, OPT MATL, ROUND, 36S/CD	20.0	LF
▪ FRENCH DRAIN, 24	1,006.0	LF
▪ 18 RCP CLASS IV	15.0	LF
▪ 18 RCP CLASS V	34.0	LF
▪ CLEAN\VIDEO PIPE (NEW PIPE ONLY)	2,269.0	LF
▪ CLEAN STRUCTURES	40.0	EA
▪ MOBILIZATION 24961435201	1.0	LS
▪ TEMP PAVEMENT (SUBGRADE & 6 BASE)	1.0	SY
▪ PULVERIZE EXISTING ASPHALT (4 MAX DEPTH)	16,685.0	SY
▪ REGULAR EXCAVATION	5,887.0	CY
▪ EMBANKMENT	4,885.0	CY
▪ TYPE B STABILIZATION	41,101.0	SY
▪ OPTIONAL BASE, BASE GROUP 06	41,101.0	SY
▪ CURB TYPE E, GRADING ONLY	727.0	LF
▪ CONC CURB & GUTR, F (4 LRB PAD & GRADING ONLY)	18,447.0	LF
▪ VALLEY GUTTER, 2' GRADING ONLY	2,021.0	LF
▪ TRAF SEP CONC, IV, 6' W (GRADING ONLY)	1.0	LF
▪ MED CONC BARRIER WALL (GRADING ONLY)	1.0	LF
▪ SIDEWALK 4 (GRADING ONLY)	8,998.0	SY
▪ SIDEWALK 6 (GRADING ONLY)	2,565.0	SY

- GUARDRAIL ?ROADWAY (GRADING ONLY) 1.0 LF
- FENCE B, 6' STANDARD (GRADING ONLY) 1.0 LF
- PERFORMANCE TURF,SOD, (GRADING ONLY) 5,406.0 SY

Project Number: 033

Project Name:	Turnpike (HEFT) from Eureka Drive to Killian Parkway		
Owner:	Florida Department of Transportation		
Contractor:	The de Moya Group		
Contact:	Fabricio Cedillo		
Address:	14600 SW 136 th Street Miami, FL 33186		
Phone:	305-987-4097		
Fax:	305-255-1935		
Completed:	April 2017		
Contract Amount:	\$17,241.00		
Contract Scope:			
	▪ RIPRAP, SAND CEMENT	20	CY

Project Number: 035

Project Name:	West 31 st Street and West 32 nd Street from West 12 th Ave to West 12 th Ave to West 9 th Avenue; West 11 th Avenue and West 9 th Avenue from West 30 th Street to West 33 rd Street		
Owner:	City of Hialeah		
Contractor:	Horizon Contractors, Inc.		
Contact:	Jose M Sanchez		
Address:	8175 West 32 nd Ave – Bay 2 Hialeah, FL 33018		
Phone:	305-216-8403		
Fax:	305-820-0905		
Completed:	July 2017		
Contract Amount:	\$580,593.75		
Contract Scope:			
	▪ CONCRETE CURB AND GUTTER TYPE F	11,777.0	LF
	▪ CONCRETE CURB TYPE D	1,650.0	LF
	▪ CONCRETE VALLEY GUTTER (2')	1,177.0	LF
	▪ CONCRETE SIDEWALK (4 THICK)	5,416.0	SY
	▪ CONCRETE SIDEWALK (6 THICK)	6,267.0	SY

Project Number: 036

Project Name: SR 5 (SE 2nd Ave) and SR 5 (US 1/Biscayne Blvd)
Owner: Florida Department of Transportation

Contractor: The Stout Group, LLC (Prime)
Contact: Joey Sanchez, PE
Address: 10850 NW 138th Street – Bay 3
Hialeah Gardens, FL 33018
Phone: 305-216-8406
Fax: 305-397-2311

Completed: December 2018

Contract Amount: \$3,499,047.23

Contract Scope:

▪ MOBILIZATION 41247375201	1	LS
▪ MOBILIZATION 41247375202	1	LS
▪ MOBILIZATION 41247395201	1	LS
▪ MAINTENANCE OF TRAFFIC 41247375201	1	LS
▪ MAINTENANCE OF TRAFFIC 41247375202	1	LS
▪ MAINTENANCE OF TRAFFIC 41247395201	1	LS
▪ SPECIAL DETOUR 1 41247395201	1	LS
▪ COMMERCIAL MATERIAL FOR TEMPORARY DRIVEWAY MAINTENANCE	38	CY
▪ TRAFFIC CONTROL OFFICER	374	HR
▪ WORK ZONE SIGN	13446	ED
▪ BARRIER WALL, TEMPORARY, F&I, TYPE K	2166	LF
▪ BARRIER WALL, TEMPORARY, RELOCATE, TYPE K	2500	LF
▪ CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	32492	ED
▪ CHANNELIZING DEVICE, TYPE III, 6'	6042	ED
▪ CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	34100	ED
▪ ARROW BOARD / ADVANCE WARNING ARROW PANEL	1638	ED
▪ TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	246	EA
▪ TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	32	LO
▪ PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	1160	ED
▪ TEMPORARY SIGNALIZATION AND MAINTENANCE, INTERSECTION	1680	ED
▪ TEMPORARY TRAFFIC DETECTION AND MAINTENANCE, INTERSECTION	1680	ED
▪ INLET PROTECTION SYSTEM	30	EA
▪ LITTER REMOVAL	33.97	AC
▪ MOWING	0.18	AC
▪ MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING 41247375202	1	LS
▪ MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING 41247395201	1	LS

▪ MONITOR EXISTING STRUCTURES- VIBRATION MONITORING 41247395201	1	LS
▪ CLEARING & GRUBBING 41247375202	1	LS
▪ CLEARING & GRUBBING 41247395201	1	LS
▪ REMOVAL OF EXISTING CONCRETE PAVEMENT	322	SY
▪ DELIVERY OF SALVAGEABLE MATERIAL TO FDOT 41247375202	1	LS
▪ DELIVERY OF SALVAGEABLE MATERIAL TO FDOT 41247395201	1	LS
▪ REGULAR EXCAVATION	1061	CY
▪ EMBANKMENT	10	CY
▪ TYPE B STABILIZATION	2389	SY
▪ PREPARED SOIL LAYER, FINISH SOIL LAYER, 6	149	SY
▪ REWORKING LIMEROCK BASE, 6	2177	SY
▪ OPTIONAL BASE, BASE GROUP 10	2211	SY
▪ ASPHALT TREATED PERMEABLE BASE	20	CY
▪ MILLING EXIST ASPH PAVT, 2 AVG DEPTH	6210	SY
▪ MILLING EXIST ASPH PAVT, 2 1/2 AVG DEPTH	7456	SY
▪ SUPERPAVE ASPHALTIC CONC, TRAFFIC C	1402	TN
▪ ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22	876.2	TN
▪ MISCELLANEOUS ASPHALT PAVEMENT	4.5	TN
▪ PLAIN CEMENT CONCRETE PAVEMENT, 10	178	SY
▪ PLAIN CEMENT CONCRETE PAVEMENT, 12	4	SY
▪ REINFORCED CEMENT CONCRETE PAVEMENT, 6	8	SY
▪ CONCRETE CLASS II, CULVERTS	1	CY
▪ CONC CLASS IV, BULKHEAD	6.3	CY
▪ REINFORCING STEEL- MISCELLANEOUS	308	LB
▪ REINFORCING STEEL- BULKHEAD	274	LB
▪ INLETS, CURB, TYPE 9, <10'	6	EA
▪ INLETS, CURB, TYPE 9, J BOT, >10'	1	EA
▪ INLETS, CURB, TYPE 9, PARTIAL	1	EA
▪ INLETS, CURB, TYPE 9, MODIFY	2	EA
▪ INLETS, CURB. TYPE P-3, >10'	1	EA
▪ INLETS, CURB, TYPE P-5, <10'	1	EA
▪ INLETS, CURB, TYPE P-5, >10'	2	EA
▪ INLETS, CURB, TYPE P-6, <10'	3	EA
▪ INLETS, CURB, TYPE P-6, >10'	4	EA
▪ INLETS, CURB, TYPE J-6, <10'	1	EA
▪ INLETS, CURB, TYPE J-6, >10'	1	EA
▪ MANHOLES, P-7, >10'	5	EA
▪ MANHOLES, P-8, <10'	1	EA
▪ MANHOLES, J-7, <10'	2	EA
▪ MANHOLES, J-7, >10'	6	EA
▪ MANHOLES, J-8, PARTIAL	1	EA

▪ DRAINAGE MANHOLES, PROJECT 412473-9-52-02, J-7 6' x 10' WITH ADDITIONAL RISER AND WALL	1	EA
▪ DRAINAGE MANHOLES, PROJECT 412473-9-52-02, J-7 5' x 8.5' WITH ADDITIONAL RISER AND WALL	1	EA
▪ MANHOLE, ADJUST	1	EA
▪ MODIFY EXISTING DRAINAGE STRUCTURE	1	EA
▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 12S/CD	24	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15S/CD	24	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18S/CD	327	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24S/CD	804	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 30S/CD	119	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 42S/CD	9	LF
▪ PIPE CULVERT, OPT MATERIAL, ROUND, 48S/CD	47	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 15S/CD	37	LF
▪ PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18S/CD	22	LF
▪ PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 30S/CD	143	LF
▪ FLAP GATES, 0-24	1	EA
▪ FLAP GATES, 37-48	1	EA
▪ FLAP GATES, 49-60	1	EA
▪ TRENCH DRAIN, STANDARD	181	LF
▪ SHEET PILING STEEL, F&I PERMANENT	561	SF
▪ CONCRETE CURB & GUTTER, TYPE F	1805	LF
▪ CONCRETE CURB, TYPE D	36	LF
▪ CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	119	SY
▪ CONCRETE SIDEWALK AND DRIVEWAYS, 4 THICK	709	SY
▪ CONCRETE SIDEWALK AND DRIVEWAYS, 6 THICK	427	SY
▪ PAVERS, ARCHITECTURAL, SIDEWALK	654	SY
▪ DETECTABLE WARNINGS	450	SF
▪ GUARDRAIL -ROADWAY, GENERAL TL-3	119	LF
▪ GUARDRAIL REMOVAL	124	LF
▪ GUARDRAIL END ANCHORAGE ASSEMBLY/END TREATMENT- PARALLEL	1	EA
▪ CRASH CUSHION	2	EA
▪ PERFORMANCE TURF, SOD	60	SY
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6	2.058	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8	0.291	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12	1745	LF

▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR DIAGONAL OR CHEVRON, 18	360	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24	1078	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6 WIDE	0.483	GM
▪ PAINTED PAVEMENT MARKING, STANDARD, WHITE, 3'-9' SKIP DROP LINE AND APPROACH TO TOLL PLAZA, 12 WIDE,	0.018	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6	0.188	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE OR SYMBOL	17	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	38	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6	0.995	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR INTERCHANGE AND URBAN ISLAND, 8	0.166	GM
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18	507	LF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, 2-4 DOTTED GUIDELINE/6-10 DOTTED EXTENSION, 6	0.032	GM
▪ POLLUTION CONTROL STRUCTURE WITH BAFFLE AND FILTER, 6' DIAMETER, PROJECT 412473-9-52-02	1	EA
▪ POLLUTION CONTROL STRUCTURE WITH BAFFLE AND FILTER, 8' DIAMETER, PROJECT 412473-9-52-02	1	EA
▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247375201	1	LS
▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247375202	1	LS
▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247395201	1	LS
▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247395202	1	LS
▪ SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	43	AS
▪ SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	1	AS
▪ SINGLE POST SIGN, RELOCATE	2	AS
▪ SINGLE POST SIGN, REMOVE	17	AS
▪ MULTI- POST SIGN, REMOVE	1	AS
▪ SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF	4	EA
▪ SIGN PANEL, INSTALL, UP TO 12 SF	1	EA
▪ SIGN PANEL, REMOVE, UP TO 12 SF	2	EA
▪ SIGN PANEL, REMOVE, 101-200 SF	3	EA
▪ PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ISLAND NOSE	7	SF
▪ PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	10	SF

▪ PAINTED PAVEMENT MARKINGS, FINAL SURFACE 41247375201	1	LS
▪ PAINTED PAVEMENT MARKINGS, FINAL SURFACE 41247395201	1	LS
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 8 FOR INTERCHANGE AND URBAN ISLAND	0.104	GM
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 12 FOR CROSSWALK AND ROUNDABOUT	775	LF
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 18 FOR DIAGONALS AND CHEVRONS	360	LF
▪ THERMOPLASTIC, STANDARD, WHITE, SOLID, 24 FOR STOP LINE AND CROSSWALK	389	LF
▪ THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6	0.173	GM
▪ THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	9	EA
▪ THERMOPLASTIC, STANDARD, WHITE, ARROW	35	EA
▪ THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18 FOR DIAGONAL OR CHEVRON	492	LF
▪ THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6	0.002	GM
▪ THERMOPLASTIC, PREFORMED, WHITE, SOLID, 12 FOR CROSSWALK	777	LF
▪ THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24 FOR CROSSWALK	1286	LF
▪ THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	9	EA
▪ THERMOPLASTIC, PREFORMED, WHITE, ARROW	3	EA
▪ THERMOPLASTIC, PREFORMED, MULTI COLOR ROUTE SHIELD	5	EA
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6	1.402	GM
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8	0.187	GM
▪ THERMOPLASTIC, OTHER SURFACES, WHITE, SKIP, 6,10-30 SKIP OR 3-9 LANE DROP	0.483	GM
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES WHITE, SKIP, 12- APPROACH TO TOLL PLAZA OR 3-9 LANE DROP	0.018	GM
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6	0.42	GM
▪ THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 8	0.141	GM
▪ CONDUIT, FURNISH & INSTALL, OPEN TRENCH	293	LF
▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	450	LF
▪ PULL & SPLICE BOX, F&I, 13 x 24 COVER SIZE	7	EA
▪ LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	3002	LF
▪ LIGHT POLE COMPLETE, F&I, WIND SPEED 150, POLE - 40'	1	EA

▪ LIGHT POLE COMPLETE, REMOVE	2	EA
▪ LOAD CENTER, F&I, SECONDARY VOLTAGE	1	EA
▪ LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, COBRA HEAD	3	EA
▪ LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP	9	EA
▪ POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL	6	EA
▪ LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, ALUMINUM, 30'	5	EA
▪ LIGHT POLE COMPLETE- SPECIAL DESIGN, RELOCATE	1	EA
▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247395203	1	LS
▪ CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	1003	LF
▪ SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	1	PI
▪ SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	1185	LF
▪ SIGNAL CABLE, REMOVE- INTERSECTION	1	PI
▪ PULL & SPLICE BOX, F&I, 13 x 24 COVER SIZE	43	EA
▪ ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	3	AS
▪ ELECTRICAL POWER SERVICE, REMOVE UNDERGROUND	1	AS
▪ ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	370	LF
▪ ELECTRICAL SERVICE WIRE, REMOVE	450	LF
▪ ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	2	EA
▪ ELECTRICAL SERVICE DISCONNECT, REMOVE- POLE OR CABINET TO REMAIN	1	EA
▪ PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	2	EA
▪ ALUMINUM SIGNALS POLE, PEDESTAL	6	EA
▪ ALUMINUM SIGNALS POLE, RELOCATE	1	EA
▪ ALUMINUM SIGNALS POLE, REMOVE	1	EA
▪ MAST ARM, F&I, WIND SPEED-150, DOUBLE ARM, W/O LUMINAIRE, 36-60	1	EA
▪ MAST ARM, REMOVE SHALLOW FOUNDATION, BOLT ON ATTACHMENT	2	EA
▪ TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	8	AS
▪ TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	2	AS
▪ TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN	2	AS
▪ TRAFFIC SIGNAL, RELOCATE- INCLUDES REMOVAL AND REINSTALLATION	2	AS
▪ VEHICULAR SIGNAL AUXILIARIES, REPAIR/REPLACE/RETROFIT- FURNISH & INSTALL, BACKPLATE- BLACK WITH REFLECT BORDER	2	EA
▪ VEHICULAR SIGNAL AUXILLIARIES, FRAME BOX, PROJECT 412473-7-52-02	4	EA

▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	6	AS
▪ PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 2 WAYS	2	AS
▪ PEDESTRIAN SIGNAL, REMOVE PED SIGNAL- POLE/PEDESTAL TO REMAIN	2	AS
▪ LOOP DETECTOR INDUCTIVE, F&I, TYPE 9	2	EA
▪ LOOP ASSEMBLY- F&I, TYPE A	8	AS
▪ PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	7	EA
▪ PEDESTRIAN DETECTOR, RELOCATE	1	EA
▪ PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	5	EA
▪ TRAFFIC CONTROLLER ASSEMBLY, F&I, 170	1	AS
▪ TRAFFIC CONTROLLER ASSEMBLY, MODIFY	5	AS
▪ TRAFFIC CONTROLLER ASSEMBLY, REMOVE CONTROLLER WITH CABINET	1	AS
▪ SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	1	AS
▪ SINGLE POST SIGN, REMOVE	1	AS
▪ SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, UP TO 12 SF	2	EA
▪ SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	9	EA
▪ SIGN PANEL, REMOVE, UP TO 12 SF	5	EA
▪ INTERNALLY ILLUMINATED SIGN, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	2	EA
▪ INTERNALLY ILLUMINATED SIGN, RELOCATE	2	EA
▪ SIGN BEACON, F&I GROUND MOUNT- AC POWERED, TWO BEACONS	1	AS
▪ LANDSCAPE COMPLETE- SMALL PLANTS 41247395201	1	LS
▪ LANDSCAPE COMPLETE- LARGE PLANTS 41247375202	1	LS
▪ LANDSCAPE COMPLETE- LARGE PLANTS 41247395201	1	LS
▪ MANHOLE, ADJUST, UTILITIES	10	EA
▪ VALVE BOXES, ADJUST	26	EA
▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247375601	1	LS
▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247395601	1	LS
▪ INITIAL CONTINGENCY AMOUNT, DO NOT BID 41247395602	1	LS
▪ UTILITY PIPE, F&I, PVC, WATER / SEWER, 5 - 7.9	15	LF
▪ UTILITY PIPE, F&I, PVC, WATER / SEWER, 8 -19.9	273	LF
▪ UTILITY PIPE, F&I, DI/CI, WATER / SEWER, 8 - 19.9	25	LF
▪ UTILITY PIPE,REMOVE & DISPOSE, 8-19.9	295	LF
▪ UTILITY FITTINGS, F&I, DI/CI, ELBOW, 8 - 19.9	4	EA
▪ UTILITY FITTINGS FOR PVC PIPE, FURNISH AND INSTALL, UNION, 10	1	EA

- UTILITY STRUCTURE, BELOW GROUND, F&I, WATER/SEWER, 0 - 80 FT3, 0 - 6'
 1 EA
- UTILITY STRUCTURE, BELOW GROUND, ADJUST/MODIFY 1 EA
- UTILITY STRUCTURE, BELOW GROUND, REMOVE&DISPOSE CONTRACTOR
 TAKES OWNERSHIP 1 EA
- UTILITY FIXTURES, F&I, 8.0-19.9, TAPPING SADDLE/SLEEVE 2 EA
- LIFT STATION, SANITARY SEWER 1 EA



THE STOUT GROUP, LLC.

EQUIPMENT

EQUIP TYPE	MAINT. CODE	EQUIP CODE	YEAR	MAKE	MODEL	SERIAL NUMBER
Air Compressor	51807	AC-001	2006	Sullair	S185	200601110025
Curb Machine	51832	CM-001		Miller Formless	M1000	attachment: PWC00238
Dozer	51850	D-001	2016	Caterpillar	D5K2LGP	KY200678
Dump Truck	51815	DT-001	1995	Mack	CH612	1M1AA19Y2SW007600
Excavator	51833	E-002	2015	Caterpillar	335FLCR	KNE00410
Excavator	51838	E-003	2015	Komatsu	PC490LC-11	KMTPC251KFWA41139
Excavator - MINI	51849	E-004	2014	Caterpillar	308E2CR	FJX00265
Forklift	51822	FL-001		TCM	FG25N2ST	A21F25207
Loader	51816	L-001	2015	Volvo	L70G	L70G-614526
Loader	51820	L-002	2016	Volvo	L70H	L70H622396
Mobile Excavator	51823	ME-001	2002	Gradall	XL3100	*03133315
Paver	51806	PAV-001	2002	Mauldin	1750 C Crawler	1031
Paver	51840	PAV-002	2010	Mauldin	1750C	402J75TJS6Y202402
Paver	51845	PAV-003	2019	Caterpillar	AP555F	AP500278
Pickup	51801	P-001	2005	Ford	F250	1FTSX21555EA58674
Pickup	51802	P-002	2006	Ford	F250	1FDNF20526EA79500
Pickup	51804	P-003	2015	Chevrolet	Silverado 2500	1GC1KWE86FF197455
Pickup	51825	P-004	2009	Chevrolet	3500 HD CREW CAB	1GCJC73689F178382
Pickup	51826	P-005	2013	Chevrolet	3500 HD FLATBED	1GB3CZC88DF179096
Pickup	51827	P-006	2009	Chevrolet	3500 HD FLATBED	1GBJC74659E131545
Pickup	51842	P-007	2020	GMC	SIERRA 1500	1GTU9EET9LZ261845
Roller	51808	R-001	1998	Caterpillar	CB-214C	9XK00876
Roller	51839	R-002	2012	Caterpillar	CB64	CATOCB64PDJM00359
Roller	51841	R-003	2008	Caterpillar	CB22	22000120
Roller	51846	R-004	2012	Caterpillar	CB-434D	CATCB434ECNH01302
Roller	51848	R-005	2014	Caterpillar	CS54B	L4H00434
Skid Steer	51809	SS-001	2015	Caterpillar	272DXHP	ETL00553
Skid Steer	51809	SS-001A	2015	Caterpillar	CATBA118C	CEPILLO
Skid Steer	51842	SS-002	2020	Caterpillar	229D3XE	BX901095
Soil Stabilizer	51835	SOIL-001	1995	CMI	RS425 4x4x4	526147
Street Sweeper	51847	STSW-001	2009	Johnston	Conti Street Sweeper	1J9VM4LF19C172071
Tack Sprayer	51819	T-001	2016	Mauldin	MT300	EQ0050842
Trailer	51803	TR-001	2014	Big Tex	14ET-18	16VEX1829E3055053
Trailer	51810	TR-002	2015	Carolina Trailer	25TN Paver Trailer	1C9DP2827G1804034
Trailer	51812	TR-003	2015	Carry-On Trailer	5X8 G	4YMUL0812FG063202
Trailer	51853	TR-004	2020		Asphalt Straightedge	NOVIN0201311849
Truck	51813	TK-001	2006	Ford	F750 XL Reel Truck	3FRXF75P26V347652
Truck	51814	TK-002	1987	Ford	L8000 FUEL&LUBE Truck	1FDYR82A5HVA21899
Truck	51844	TK-003	2011	Ford	F450 XL Mechanics TK	1FD0X4GT3BEA92211
Truck - MOT / Old STSW	51834	TK-004	2002	Sterling	SC8000	49HAADB52DK27440
Truck - Tack	51852	TT-001	2020	Kenworth	Entyre Centennial	2NKHMM7XXLM420599
Van	51829	V-001	2017	Chevrolet	EXPRESS	1GCWGAFFXH1139095
Van	51830	V-002	2017	Chevrolet	EXPRESS	1GCWGAFF9H1115855
Van	51831	V-003	2018	Honda	ODYSSEY	5FNRL6H9XJB017928
Water Truck	51805	WT-001	2000	Sterling	L8513 - 2250 Gallon	2FWWMJBA0YAF29252
Water Truck	51818	WT-002	1999	Sterling	A9513 - 2000 Gallon	2FWWJWDB1XAB94044



Ron DeSantis, Governor

Melanie S. Griffin, Secretary



STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

CONSTRUCTION INDUSTRY LICENSING BOARD

THE GENERAL CONTRACTOR HEREIN IS CERTIFIED UNDER THE
PROVISIONS OF CHAPTER 489, FLORIDA STATUTES

SANCHEZ, JOSE MARIA III

THE STOUT GROUP, LLC
10850 NW 138TH STREET
BAY #3
HIALEAH GARDENS FL 33018

LICENSE NUMBER: CGC1507974

EXPIRATION DATE: AUGUST 31, 2024

Always verify licenses online at MyFloridaLicense.com



Do not alter this document in any form.

This is your license. It is unlawful for anyone other than the licensee to use this document.



Ron DeSantis, Governor

Melanie S. Griffin, Secretary



**STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION**

CONSTRUCTION INDUSTRY LICENSING BOARD

THE UNDERGROUND UTILITY & EXCAVATION CO HEREIN IS CERTIFIED UNDER THE
PROVISIONS OF CHAPTER 489, FLORIDA STATUTES

SANCHEZ, JOSE MARIA III

THE STOUT GROUP, LLC
10850 NW 138TH STREET
BAY #3
HIALEAH GARDENS FL 33018

LICENSE NUMBER: CUC1224022

EXPIRATION DATE: AUGUST 31, 2024

Always verify licenses online at [MyFloridaLicense.com](https://www.MyFloridaLicense.com)



Do not alter this document in any form.

This is your license. It is unlawful for anyone other than the licensee to use this document.



Ron DeSantis, Governor

Melanie S. Griffin, Secretary



FBPE
FLORIDA BOARD OF
PROFESSIONAL ENGINEERS

STATE OF FLORIDA

BOARD OF PROFESSIONAL ENGINEERS

THE PROFESSIONAL ENGINEER HEREIN IS LICENSED UNDER THE
PROVISIONS OF CHAPTER 471, FLORIDA STATUTES

SANCHEZ, JOSE MARIA III

10850 NW 138 STREET
BAY #3
HIALEAH GARDENS FL 33018

LICENSE NUMBER: PE67764

EXPIRATION DATE: FEBRUARY 28, 2025

Always verify licenses online at MyFloridaLicense.com



Do not alter this document in any form.

This is your license. It is unlawful for anyone other than the licensee to use this document.



Florida Department of Transportation

RON DESANTIS
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

JARED W. PERDUE, P.E.
SECRETARY

April 29, 2023

THE STOUT GROUP LLC
10850 NW 138TH STREET
MIAMI, FLORIDA 33018

RE: CERTIFICATE OF QUALIFICATION

The Department of Transportation has qualified your company for the type of work indicated below.

FDOT APPROVED WORK CLASSES:

DRAINAGE, FENCING, FLEXIBLE PAVING, GRADING, GRASSING, SEEDING AND SODDING, HOT PLANT-MIXED BITUM. COURSES, PAVEMENT MARKING, ROADWAY SIGNING, SIDEWALK, LIFT STATION, SHEET PILING, UNDERGROUND UTILITIES (WATER AND SEWER), UNDERGROUND UTILITIES (ELECTRIC)

Unless notified otherwise, this Certificate of Qualification will expire **6/30/2024**.

In accordance with Section 337.14(4), Florida Statutes, changes to Ability Factor or Maximum Capacity Rating will not take effect until after the expiration of the current certificate of prequalification (if applicable).

In accordance with Section 337.14(1), Florida Statutes, an application for qualification must be filed within (4) months of the ending date of the applicant's audited annual financial statements.

If the company's maximum capacity has been revised, it may be accessed by logging into the Contractor Prequalification Application System via the following link:

[HTTPS://fdotwpl.dot.state.fl.us/ContractorPreQualification](https://fdotwpl.dot.state.fl.us/ContractorPreQualification)

Once logged in, select "View" for the most recently approved application, and then click the "Manage" and "Application Summary" tabs.

The company may apply for a Revised Certificate of Qualification at any time prior to the expiration date of this certificate according to Section 14-22.0041(3), Florida Administrative Code (F.A.C.), by accessing the most recently approved application as shown above and choosing "Update" instead of "View." If certification in additional classes of work is desired, documentation is needed to show that the company has performed such work.

All prequalified contractors are required by Section 14-22.006(3), F.A.C., to certify their work underway monthly in order to adjust maximum bidding capacity to available bidding capacity. You can find the link to this report at the website shown above.

Sincerely,

A handwritten signature in black ink that reads "James E. Taylor II". The signature is written in a cursive style with a large, stylized "A" at the end.

James E. Taylor II, Prequalification Supervisor
Contracts Administration Office

JTII:cg

Local Business Tax Receipt

Miami-Dade County, State of Florida

-THIS IS NOT A BILL - DO NOT PAY

LBT

7126469

BUSINESS NAME/LOCATION

THE STOUT GROUP LLC
10850 NW 138TH ST UNIT 3
HIALEAH GARDENS FL 33018-1162

RECEIPT NO.

RENEWAL
7403751

**EXPIRES
SEPTEMBER 30, 2024**

Must be displayed at place of business
Pursuant to County Code
Chapter 8A - Art. 9 & 10

OWNER

THE STOUT GROUP LLC
JOSE M SANCHEZ III MGR

SEC. TYPE OF BUSINESS

196 SPECIALTY ENGINEERING CONTRACT
CUC1224022

**PAYMENT RECEIVED
BY TAX COLLECTOR**

\$54.00 09/15/2023
INT-23-457825

Worker(s) 13

This Local Business Tax Receipt only confirms payment of the Local Business Tax. The Receipt is not a license, permit, or a certification of the holder's qualifications, to do business. Holder must comply with any governmental or nongovernmental regulatory laws and requirements which apply to the business.

The RECEIPT NO. above must be displayed on all commercial vehicles - Miami-Dade Code Sec 8a-276.

For more information, visit www.miamidade.gov/taxcollector

Local Business Tax Receipt

Miami-Dade County, State of Florida

-THIS IS NOT A BILL - DO NOT PAY

LBT

7126451

BUSINESS NAME/LOCATION

THE STOUT GROUP LLC
10850 NW 138TH ST UNIT 3
HIALEAH GARDENS FL 33018-1162

RECEIPT NO.

RENEWAL
7403744

**EXPIRES
SEPTEMBER 30, 2024**

Must be displayed at place of business
Pursuant to County Code
Chapter 8A - Art. 9 & 10

OWNER

THE STOUT GROUP LLC
JOSE M SANCHEZ III MGR

SEC. TYPE OF BUSINESS

196 GENERAL BUILDING CONTRACTOR
CGC1507974

**PAYMENT RECEIVED
BY TAX COLLECTOR**

\$54.00 09/15/2023
INT-23-457825

Worker(s) 13

This Local Business Tax Receipt only confirms payment of the Local Business Tax. The Receipt is not a license, permit, or a certification of the holder's qualifications, to do business. Holder must comply with any governmental or nongovernmental regulatory laws and requirements which apply to the business.

The RECEIPT NO. above must be displayed on all commercial vehicles - Miami-Dade Code Sec 8a-276.

For more information, visit www.miamidade.gov/taxcollector

Local Business Tax Receipt

Miami-Dade County, State of Florida

-THIS IS NOT A BILL - DO NOT PAY

LBT

7225032

BUSINESS NAME/LOCATION

THE STOUT GROUP LLC
10850 NW 138TH ST UNIT 3
HIALEAH GARDENS FL 33018-1162

RECEIPT NO.

RENEWAL
7509766

**EXPIRES
SEPTEMBER 30, 2024**

Must be displayed at place of business
Pursuant to County Code
Chapter 8A - Art. 9 & 10

OWNER

THE STOUT GROUP LLC
C/O JOSE M SANCHEZ

SEC. TYPE OF BUSINESS

196 GENERAL ENGINEERING CONTRACTOR
E1400317

**PAYMENT RECEIVED
BY TAX COLLECTOR**

\$45.00 09/15/2023
INT-23-457825

Worker(s) 1

This Local Business Tax Receipt only confirms payment of the Local Business Tax. The Receipt is not a license, permit, or a certification of the holder's qualifications, to do business. Holder must comply with any governmental or nongovernmental regulatory laws and requirements which apply to the business.

The RECEIPT NO. above must be displayed on all commercial vehicles - Miami-Dade Code Sec 8a-276.

For more information, visit www.miamidade.gov/taxcollector



[Home](#) | [Product Control](#) | [Contractors](#) | [Building Officials](#) | [Contact us](#) |

[miamidade.gov](#)

Contractor License Information

Contractor Number: E1400317
Contractor name: THE STOUT GROUP LLC
Address: 10850 NW 138TH ST BAY3
City, St, Zip: HIALEAH GARDENS FL 33018
Phone: (786) 452-1481
Other Phone:
Fax: (786) 452-1481
Email: YZULUAGA@THESTOUTGROUP.COM
D/B/A:
Contractor Status: ACTIVE

Class	Category	Category Description	Expiration Date
ENGR	3	PIPE LINE ENG	09/30/2025
ENGR	4	STRUCTURAL ENG	09/30/2025
ENGR	7	PAVING ENGINEERING	09/30/2025
ENGR	9	EXCAU & GRADING ENG	09/30/2025

CONTRACTOR INQUIRY COMPLETE

[BCCO Contractor Inquiry and Complaint Search](#) | [BCCO Home Page](#) | [State License Search Menu](#)

[Home](#) | [About](#) | [Phone Directory](#) | [Privacy](#) | [Disclaimer](#)

© 2001 Miami-Dade County. All rights reserved.



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

07/13/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Gil, Garden, Avetrani Insurance Group 10689 N. Kendall Drive Suite 208 Miami FL 33176		CONTACT NAME: Alain Bencomo PHONE (A/C, No, Ext): (305) 630-4777 E-MAIL ADDRESS: abencomo@ggaig.com		FAX (A/C, No): (305) 279-3022	
INSURED The Stout Group LLC 10850 NW 138TH Street Bay #3 Hialeah Gardens FL 33018		INSURER(S) AFFORDING COVERAGE			NAIC #
		INSURER A: XL Insurance of America			24554
		INSURER B: Greenwich Insurance Company			22322
		INSURER C: Richmond National Insurance Company			17103
		INSURER D: Wesco Insurance Company			25011
		INSURER E: Federal Insurance Co.			20281
		INSURER F:			

COVERAGES

CERTIFICATE NUMBER: CL2352421051

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS		
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY			NGL-1000327-04	07/14/2023	07/14/2024	EACH OCCURRENCE	\$ 1,000,000	
	<input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR	Y					DAMAGE TO RENTED PREMISES (Ea occurrence)	\$ 100,000	
	GEN'L AGGREGATE LIMIT APPLIES PER:						MED EXP (Any one person)	\$ 10,000	
	<input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC						PERSONAL & ADV INJURY	\$ 1,000,000	
OTHER:	GENERAL AGGREGATE			\$ 2,000,000					
B	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY			NBA-1000328-04	07/14/2023	07/14/2024	COMBINED SINGLE LIMIT (Ea accident)	\$ 1,000,000	
	<input checked="" type="checkbox"/> ANY AUTO						BODILY INJURY (Per person)	\$	
	<input type="checkbox"/> OWNED AUTOS ONLY						<input type="checkbox"/> SCHEDULED AUTOS	BODILY INJURY (Per accident)	\$
	<input type="checkbox"/> HIRED AUTOS ONLY						<input type="checkbox"/> NON-OWNED AUTOS ONLY	PROPERTY DAMAGE (Per accident)	\$
<input type="checkbox"/> OTHER:	Medical payments			\$ 5,000					
C	<input checked="" type="checkbox"/> UMBRELLA LIAB			RN-7-0326857	07/14/2022	07/14/2023	EACH OCCURRENCE	\$ 4,000,000	
	<input checked="" type="checkbox"/> EXCESS LIAB	<input checked="" type="checkbox"/> OCCUR	AGGREGATE				\$ 4,000,000		
	<input type="checkbox"/> CLAIMS-MADE	<input type="checkbox"/> CLAIMS-MADE					\$		
D	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY			CPW1001559	07/14/2023	07/14/2024	<input checked="" type="checkbox"/> PER STATUTE	<input type="checkbox"/> OTHER	
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	Y / N	N / A				E.L. EACH ACCIDENT	\$ 1,000,000	
	If yes, describe under DESCRIPTION OF OPERATIONS below	<input checked="" type="checkbox"/> N					E.L. DISEASE - EA EMPLOYEE	\$ 1,000,000	
							E.L. DISEASE - POLICY LIMIT	\$ 1,000,000	
E	Inland Marine			45468715	07/14/2023	07/14/2024	Equipment Limit	\$3,135,885	
							Deductible	\$5,000	

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

City of Hollywood is named Additional Insured with respects to the General Liability and Auto Liability. Umbrella is written on a follow form.

CERTIFICATE HOLDER**CANCELLATION**

City of Hollywood 2600 Hollywood Blvd. Hollywood FL 33021	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE 
---	--

© 1988-2015 ACORD CORPORATION. All rights reserved.

Request for Taxpayer Identification Number and Certification

**Give Form to the
requester. Do not
send to the IRS.**

▶ Go to www.irs.gov/FormW9 for instructions and the latest information.

Print or type. See Specific Instructions on page 3.	<p>1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank. The Stout Group LLC</p> <p>2 Business name/disregarded entity name, if different from above</p>	
	<p>3 Check appropriate box for federal tax classification of the person whose name is entered on line 1. Check only one of the following seven boxes.</p> <p><input type="checkbox"/> Individual/sole proprietor or single-member LLC <input type="checkbox"/> C Corporation <input type="checkbox"/> S Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/estate</p> <p><input checked="" type="checkbox"/> Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) ▶ S</p> <p>Note: Check the appropriate box in the line above for the tax classification of the single-member owner. Do not check LLC if the LLC is classified as a single-member LLC that is disregarded from the owner unless the owner of the LLC is another LLC that is not disregarded from the owner for U.S. federal tax purposes. Otherwise, a single-member LLC that is disregarded from the owner should check the appropriate box for the tax classification of its owner.</p> <p><input type="checkbox"/> Other (see instructions) ▶</p>	<p>4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3):</p> <p>Exempt payee code (if any) _____</p> <p>Exemption from FATCA reporting code (if any) _____</p> <p><small>(Applies to accounts maintained outside the U.S.)</small></p>
	<p>5 Address (number, street, and apt. or suite no.) See instructions. 10850 NW 138 Street Bay 3</p> <p>6 City, state, and ZIP code Hialeah Gardens, FL 33018</p>	<p>7 List account number(s) here (optional)</p> <p>Requester's name and address (optional)</p>

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

Note: If the account is in more than one name, see the instructions for line 1. Also see *What Name and Number To Give the Requester* for guidelines on whose number to enter.

Social security number									
				-			-		
or									
Employer identification number									
4	5	-	5	3	1	2	1	1	9

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign Here	Signature of U.S. person ▶ <i>Jovette Zuluaga</i>	Date ▶ 02-14-2023
------------------	---	-------------------

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to www.irs.gov/FormW9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following.

- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)
- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding, later.

State of Florida

Department of State

I certify from the records of this office that THE STOUT GROUP, LLC is a limited liability company organized under the laws of the State of Florida, filed on May 23, 2012, effective May 18, 2012.

The document number of this limited liability company is L12000069574.

I further certify that said limited liability company has paid all fees due this office through December 31, 2023, that its most recent annual report was filed on January 20, 2023, and that its status is active.

*Given under my hand and the
Great Seal of the State of Florida
at Tallahassee, the Capital, this
the Twentieth day of January,
2023*




Secretary of State

Tracking Number: 1071654107CC

To authenticate this certificate, visit the following site, enter this number, and then follow the instructions displayed.

<https://services.sunbiz.org/Filings/CertificateOfStatus/CertificateAuthentication>