



CITY OF HOLLYWOOD, FLORIDA

PROCUREMENT SERVICES DIVISION

Piggybacking Request Form

(Use for purchase(s) over \$25,000, when piggybacking off other contracts)

2016 MAY 16 AM 12:02

CITY OF HOLLYWOOD
PROCUREMENT SERVICES
DIVISION

Date 3/31/2016

Department/Office Public Utilities

Division/Area SRWWTP

Contract Administrator Coy Mathis

Title Plant Manager

Phone 3288

Email cmathis@hollywoodfl.org

1. Requested Vendor Thompson Pump & Mfg Co., Inc Vendor Number 5949

Address 4620 City Center Dr., Port Orange, FL, USA 32119

Contact Person David Perry

Title Municipal Sales Manager

Phone 386-527-3265

Email dperry@thompsonpump.com

2. Contract title requesting to piggyback? The Florida Sheriffs Association & Florida Association of Counties, SPECIFICATION #71, BID AWARD 15-13-0904

Awarding Agency Florida Sheriffs Association & F.A. of Counties

Contract Expiration Date 09/30/2016

Copy of Contract and Awarding Agency documentation is attached.

Yes No

3. Product/Service being requested (be specific). 6" Silent By-pass Pump 6JSCEN-DJDST-45T-M. Base Model includes: EP250 (auto start/stop control panel with floats/Tachometer/Hourmeter/Engine Safety Shut Down), Battery, Battery Charger, Spare Tire, Hydraulic Brakes, Light package, Trailer, and 24 Month Warranty. Deleted Options: Full Spare Tire, Hydraulic Brakes and Battery Charger. Added Options: Upgrade pump from 6" to 6" vacuum assisted LP with FT4 engine- trailer mounted and Silent Knight, Sound Attenuated Canopy. Final Model: 6JSVE-DIST-4LE2T-MC*.

* Includes trailer mount with electric brakes.

Procurement Service Division use only

Requisition # R 239438
(As Applicable)

Purchase Order # P 217840
(As Applicable)

Blanket Purchase Order # BPO _____
(As Applicable)

4. Detailed description of the products/services function and purpose. A six inch silent pump is used to directly by-pass wastewater pumping stations from influent wet wells to sewer force mains. The pump is used to protect Public Health and Safety and prevent environmental hazards caused by overflowing sewage as a result of wastewater pump station failures. The pump Casing is made of cast iron, 10" diameter dynamically balanced ductile iron impeller, 2.5" run-dry mechanical seal, 6" suction and discharge size, 2300 gpm max flow capacity, 110 ft max head at 2000 rpm, 3" max solid handling.

5. Please explain what process the Department/Office took to verify and/or identify this contract. We contacted the Florida Sheriffs Association Headquarters, located at 2617 Mahan Drive • Tallahassee, FL 32308 1-800-877-2168.

6. Were alternative contracts evaluated to determine that the City is obtaining the most advantageous contract pricing for the required product/service?
 Yes No

Please explain _____

7. Total cost of the requested product/service. \$49,997.00

8. Total estimated annual (fiscal year) cost of requested product/service. _____

Account Number(s) 42.4000.86584.536.005224 _____

9. Is this product/service covered by a warranty? Yes No

If yes, please attach a copy of the warranty details.

10. Would this purchase(s) result in the potential of future purchases for related products/services being restricted to a particular vendor or create a specific vendor as sole source provider for related items?

Yes No

If yes, please describe the related products/services and estimated cost(s.) _____

11. Would this purchase(s) result in any future maintenance costs which are not included in the initial purchase?

Yes No

If yes, please attach a draft maintenance plan which includes cost estimates and funding source(s.) _____

12. Is this a grant related purchase? Yes No

If yes, please provide details (timeline, expiration dates, milestones, special procurement requirements, etc.) _____

Will this require matching funds? Yes No

Procurement Service Division use only

Requisition # R 239438
(As Applicable)

Purchase Order # P 217848
(As Applicable)

Blanket Purchase Oder # BPO _____
(As Applicable)

What is the grant source? _____

What is the grant (dollar) amount? _____

13. Please complete an advanced search of the vendor recommended for award on the Federal Government's Systems for Award Management at www.sam.gov.

Date of Advanced Search _____

Company Name(s) Searched

Search Results

REQUESTING DEPARTMENT RECOMMENDATION

Note: By signing and returning this form, you are verifying and acknowledging that you have reviewed all portions (scope, terms, conditions, pricing, etc.) of the requested contract and recommend its approval based on the contract complying with the City of Hollywood's scope and pricing requirements and to the best of you knowledge the contract does not violate any applicable policy, statute, governing rule or regulation.

Cory Matthea

Contact Person's Signature

4/1/16

Date

[Signature]

Supervisor's Signature

4/15/16

Date

[Signature]

Director's Signature

4/18/16

Date

APPROVAL (Procurement Service Division Use Only)

Verified By:	<i>[Signature]</i>	Date	<i>6/1/16</i>
Approved By:	<i>[Signature]</i>	Date	<i>6/8/2016</i>

Procurement Service Division use only

Requisition # R 239438
(As Applicable)

Purchase Order # P 217848
(As Applicable)

Blanket Purchase Order # BPO _____
(As Applicable)

USER NAME PASSWORD **LOG IN**

[Forgot Username?](#) [Forgot Password?](#)

[Create an Account](#)

Entity Dashboard

[Entity Overview](#)

[Entity Record](#)

[Core Data](#)

[Assertions](#)

[Reps & Certs](#)

[POCs](#)

[Reports](#)

[Service Contract Report](#)

[BioPreferred Report](#)

[Exclusions](#)

[Active Exclusions](#)

[Inactive Exclusions](#)

[Excluded Family Members](#)

[RETURN TO SEARCH](#)

THOMPSON PUMP AND MANUFACTURING COMPANY, INC.

DUNS: 053396529 CAGE Code: 9U118

Status: Active

1496 HERBERT ST

PORT ORANGE, FL, 32129-4136 ,

UNITED STATES

Expiration Date: 08/18/2016

Purpose of Registration: All Awards

Entity Overview

Entity Information

Name: THOMPSON PUMP AND MANUFACTURING COMPANY, INC.

Business Type: Business or Organization

POC Name: Robert Hennessy

Registration Status: Active

Activation Date: 08/19/2015

Expiration Date: 08/18/2016

Exclusions

Active Exclusion Records? No

SAM | System for Award Management 1.0

IBM v1.P.46.20160226-1435

WWW4



Note to all Users: This is a Federal Government computer system. Use of this system constitutes consent to monitoring at all times.



Municipal Sales
4620 City Center Dr., Port Orange, FL, USA 32119
(800) 767-7310 • Fax: (386) 761-0362
dperry@thompsonpump.com

April 6, 2016

Quote # FLR-DP-3301 (REV 4)

City of Hollywood
1621 N. 14th Ave.
Hollywood, FL

Cell: 954-980-0042
E: cmathis@hollywoodfl.org
E: hrodriguez@hollywoodfl.org

RE: FY2015-2016 6" Vacuum-Assisted, High Efficiency By-Pass Pump

Hello Coy/Homero,

Thank you for your interest in Thompson Pump & Manufacturing and the products and the services that we provide. We understand that this pump will be utilized by the City of Hollywood for general by-pass pumping applications at lift stations and repair/maintenance at the WWTP. Please review the attached specification sheet for additional information on performance and design characteristics.

Per your request, we are providing **2015-2016 Florida Sheriffs Association Contract Specification # 71** pricing for Thompson Pump Model 6JSVE-DIST-4LE2T-MC, a 6" Sound Attenuated, Trailer-Mounted, High Efficiency, Vacuum-Assisted By-Pass Pump. This pump incorporates Thompson Pump's OVT-Oil-Less Vacuum Technology priming system which allows the pump to be utilized for by-pass pumping and dewatering.

The net price is derived from our **2015 Florida Sheriffs Association contract Bid Award # 15-13-0904**. This Florida based government contract enables the City of Hollywood to avoid the hassle and expense of purchasing this pump through the public bid process. The FSA contract basically works like a "piggy back" for our equipment. You can order this unit by simply putting our FSA bid award number on your purchase order. Our FSA contract number is: **FSA Bid Award # 15-13-0904**.

Please review the FSA contract award attached.

Should you require further information or have any questions, please contact me at 386-527-3265 or dperry@thompsonpump.com

Sincerely,

David Perry
Thompson Pump & Manufacturing Co., Inc
Municipal Sales Manager - Cell: (386) 527-3265, Email: dperry@thompsonpump.com

Limited Warranty

Warranty – Conditions of Sale

This **LIMITED WARRANTY** is extended only to the original consumer/purchaser of products manufactured by Thompson Pump & Mfg., Co., Inc., P.O. Box 291370, Port Orange, Florida, 32129-1370. Telephone number: 386-767-7310.

Thompson Pump & Mfg., Co., Inc, hereinafter referred to as "Thompson", warrants the products it manufactures to be free of defects in materials and workmanship. The warranty extends only to the original consumer/purchaser, hereinafter referred to as "Consumer", and commences on the date of sale to said Consumer and remains in effect for a period of twenty-four (24) months.

THIS WARRANTY DOES NOT COVER:

- a. Adjustment or replacement of maintenance items and wear parts, such as but not limited to, seals, bearings, lubrication and filters.
- b. Any work performed to correct malfunction caused by misuse, negligence or disregard of Thompson's written instructions concerning installation, operation and maintenance of its products.
- c. Additional service work performed above that which is required to satisfy warranty requirements.
- d. Transportation charges, haul-out, travel time, loss of use, or other consequential charge or damage.
- e. Any damage caused by sand or abrasive materials, chemical deposits, corrosion, hazardous waste or material, acts of God or other outside forces beyond the control of Thompson.
- f. Engines, electric motors and other items not of our manufacture. Warranty on those items, if any, is the warranty of the manufacturer of such items.
- g. Repairs or replacement made without authorization from Thompson or repairs made other than at a service facility designated by Thompson.
- h. Delivery schedules are not covered by any warranty terms, and all dates given are approximate and subject to change without notice.

In the event of any breach of the warranty, the original Consumer must deliver or ship the defective unit or parts, freight prepaid, to the factory or any of the Thompson authorized parts and service centers, providing prior permission is obtained from the factory. Thompson agrees that it will replace or repair (at our option) any such unit or parts where the defect results from a breach of its warranty without charge to the original Consumer, provided said defect occurred within the warranty period. Thompson or the authorized service repair centers will not be responsible for the cost of the units or parts and the shipment of said unit or parts to or from Thompson's plant or service centers.

Thompson's warranty obligation with regard to equipment not of its own manufacture is limited to the warranty actually extended to Thompson by its suppliers. Should a failure of such motor or engine occur during the warranty period, the original Consumer must notify Thompson Pump & Mfg., Co., Inc., Port Orange, Florida and follow the instructions given. **THIS WARRANTY DOES NOT COVER REPAIRS OR REPLACEMENT MADE WITHOUT NOTIFICATION TO THOMPSON PUMP & MFG., CO., INC.**

THIS WARRANTY IS EXPRESSLY IN LIEU OF ANY OTHER EXPRESS OR IMPLIED WARRANTIES INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND OF ANY OTHER OBLIGATION ON THE PART OF THE SELLER. NO AGENT, EMPLOYEE OR REPRESENTATIVE OF THE SELLER HAS ANY AUTHORITY TO BIND THE SELLER TO ANY AFFIRMATIONS, REPRESENTATION OR WARRANTY CONCERNING THE PRODUCT SOLD UNDER THIS WARRANTY. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. IMPLIED WARRANTIES, WHEN APPLICABLE, SHALL COMMENCE UPON THE SAME DATE AS THE EXPRESS WARRANTY ABOVE AND SHALL, EXCEPT FOR WARRANTIES OF TITLE, EXTEND ONLY FOR THE DURATION OF THE WARRANTY.

Some states do not allow limitations on how long the implied warranty lasts, so the above limitations may not apply to you. The only remedy provided to you under an applicable implied warranty or the express warranty shall be the remedy provided under the express warranty, subject to the terms and conditions contained therein.

Thompson Pump & Mfg., Co., Inc., shall not be liable for incidental or consequential loses and damages under the express warranty, any applicable implied warranty or claim for negligence, except to the extent that this limitation is found to be unenforceable under applicable state law.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.


For more information, contact the Thompson Pump Service Department at (800) 767-7310.

Effective: 11/15/02

Oil-less Vacuum Technology Priming System Revolutionary Pumping Innovation.

The groundbreaking Thompson Pump OVT (oil-less vacuum technology) Priming System offers multiple improvements to traditional vacuum priming systems. While both allow a basic pump to prime automatically, the OVT does so more efficiently with less maintenance and faster priming. Maintenance and operating expenses are less because the system is dry running – no recirculating oil is needed– a much improved eco-friendly alternative. In addition, non-contacting rotors eliminate wear which increases longevity and offers no decrease in performance over time. The Thompson OVT has extremely high vacuum even at lower speeds and is tolerant to accidental liquid carryover unlike others.

OVT
OIL-LESS VACUUM TECHNOLOGY



Priming System Benefits:

- Dry Running – No sealing or lubricating oil is needed in the vacuum compression chamber
- Ultra Low Maintenance – Unit only requires servicing at 20,000 hour intervals
- Extremely High Air Handling – Faster priming times - 97cfm
- High Vacuum Capability – Deeper suction lifts - 28.4" Hg
- Efficiency – Low horsepower for high cfm
- Longevity – Low Life Cycle Cost – Non contacting rotors eliminate internal wear
- Air Cooling – No water levels to check and no oil system to maintain
- Rugged – Tolerable to solids, liquids and dust
- Reliability – No decrease in performance over time
- Performance – Maintains vacuum at lower speeds
- Versatility – Can be used on a variety of applications such as sewer bypasses and wellpoint dewatering
- Economical – Operating costs are low because of the maintenance free design and the reduced energy requirement - made possible by the high volumetric efficiency along with a zero friction chamber
- Eco-friendly – No sealing or lubricating oil provides for no oil or smoke pollution
- Guaranteed performance
- Able to be added to any Thompson centrifugal pump





Thompson Pump and Manufacturing Co., Inc.
Nationwide 800-767-7310
International 001-386-767-7310
www.thompsonpump.com

OVT


OIL-LESS VACUUM TECHNOLOGY

Model Specifications

Unit Model	Size (In.)	Maximum* Capacity (GPM)	Maximum* Head (Ft.)
4V	4	650	127
4TSV	4	930	112
4JSVM	4	1,450	175
4JSVC	4	1,450	230
4JSVD	4	1,410	340
6V	6	1,500	102
6TSV	6	1,460	150
6JSVE	6	2,600	195
8V	8	2,600	168
8TSV	8	2,600	160
8JSVE	8	3,200	300
12JSVJ	12	7,800	102
18JSVJ	18	9,000	240
18JSVK	18	11,000	160



Performance vs. Time



Thompson Pump and Manufacturing Co., Inc.
 Nationwide 800-767-7310
 International 001-386-767-7310
www.thompsonpump.com



6" Solids Handling Vacuum-Assisted Pump (Dry Prime)

Model: 6JSVE-DIST-4LE2T-MC



With its heavy-duty cast-iron construction and fast priming capabilities, this solids handling jet pump leads the industry in construction, industrial and mining applications. The Thompson 6JSVE-DIS-4LE2T-MC is designed for high flows to 2300 gpm and heads to 110 feet making it perfect for sewage bypass pumping or general construction dewatering

ENVIROPRIME SYSTEM[®] with OVT




- Thompson's innovative priming system preventing blow-by of sewage, effluent and waste from discharging onto the ground. This system, with Thompson's oil-less vacuum technology (OVT) system, offers 97 SCFM air handling capabilities for quick priming.

Pump End Materials

Pump Casing	Ductile iron with cleanout port available with suction wear ring or wear plate
Impeller	Dynamically balanced, non-clogging, enclosed or semi-open, 65-45-12 ductile iron with rear-equalizing vanes to reduce axial loading and prolong seal and bearing life; Diameter 10"
Mechanical Seal	2.5" run-dry, oil or grease lubricated with Tungsten Carbide rotating and Silicon Carbide stationary seal faces. Single inside mounted, non-pusher type with self-adjusting elastomeric bellows. All other components are 304 stainless steel and viton.
Head	Rugged, back pull out design, heavy-duty class 30 cast iron with tapered bore design
Bearings & Frame	Heavy-duty grease lubricated to carry both axial and radial loads. Frame is heavy-duty class 30 cast-iron
Shaft	High quality 'stress-proof' steel and fitted with a renewable 416 stainless steel sleeve

TECHNICAL SPECIFICATIONS

Suction Size	6" (15.24 cm)	Approximate Dry Weight	TBD
Discharge Size	6" (15.24 cm)	Fuel Tank	100 Gal (378 L)
Maximum Flow Capacity	2300 gpm (522 m ³ /h)	Fuel Consumption @ 1,800 rpm	1.66 GPH (6.28 L/h)
Maximum Head	110 ft (34 m)	Best Efficiency Point	80%
Maximum Solids Handling	3" (7.62 cm)	Maximum Operating Times	Fuel Economy
Maximum Operating Speed	2,000 rpm	60 hours @ 1,800 rpm	0.365 lb/hp-hr@1,800 rpm
Maximum Operating Temp.	200 °F (93.33 °C)	76 hours @ 1,600 rpm	0.368 lb/hp-hr@1,600 rpm
Maximum Operating Pressure	48 psi (328 kPa)	106 hours @ 1,400 rpm	0.375 lb/hp-hr@1,400 rpm



Engine Specification

Engine Model	Isuzu 4LE2T 40 HP @ 1800 rpm	Standard Equipment	Cooled EGR, Wastegate Turbocharger, emission control device, alternator, radiator
Type	EPA Final Tier 4, In-Line, 4-Cycle, Turbocharged, high-pressure common-rail diesel	Automatic Shutdowns	Low lube oil pressure; high water temperature

Specifications and illustrations are subject to revision without notice and without incurring any obligation for previous or subsequent equipment sold. Thompson Pump (ISO 9001:2008) makes no representation regarding the completeness or accuracy of this information and is not liable for any direct or indirect damages arising from or relating to this information or its use. Capacity & Head are shown for comparative purposes. Consult Thompson factory for exact capabilities.



Municipal Sales
 4620 City Center Dr., Port Orange, FL, USA 32119
 (800) 767-7310 • Fax: (386) 761-0362
dperry@thompsonpump.com

**SPECIFICATION #71
 BID AWARD 15-13-0904
 FSA PRICE QUOTE**

Description	Order Codes	Qty	FSA Unit Price	Subtotal
<p>• There are no specified duty points for this quotation</p> <p>6JSCEN-DJDST-45T-M</p> <p>ZONE:</p> <p>BASE PRICE:</p> <p>→ Base Model includes: EP250 (auto start/stop control panel with Floats/Tachometer/Hourmeter/Engine Safety Shut Down), Battery, Battery Charger, Spare Tire, Hydraulic Brakes, Light package, Trailer, and 24 Month Warranty</p> <p>Delete Options:</p> <p>→ Delete Option, Full Spare Tire</p> <p>→ Delete Option, Hydraulic Brakes</p> <p>→ Delete Option, Battery Charger</p> <p>Unspecified Delete Option:</p> <p>→ Additional discount applied for April 2016 stock 6JSVE-</p> <p>→ Base Price Subtotal with Delete Options Included</p> <p>Add Options:</p> <p>→ Upgrade pump from 6" to 6" vacuum assisted LP with FT4 engine- trailer mounted</p> <p>→ Upgrade, Silent Knight, Sound Attenuated Canopy</p> <p>Final Model: 6JSVE-DIST-4LE2T-MC*</p> <p>* Includes trailer mount with electric brakes</p>				
	Vehicle			
	Southern	1	\$37,750.00	
	Spare Tire	1	(\$316.00)	
	Hydraulic Brakes	1	(\$887.00)	
	Battery Charger	1	(\$452.00)	
		1	(\$755.00)	
				\$35,340.00
	6JSVE FT4 10	1	\$6,700.00	\$6,700.00
	6JSCEN SK	1	\$7,957.00	\$7,957.00
		Total		\$49,997.00

* Terms & Conditions *

- DELIVERY FREIGHT: N/C due to proximity of Hollywood, FL to TPM manufacturing facility, and pump to be towed by outside sales representative.
- FOB: PORT ORANGE, FL 32129
- TERMS: NET 30-DAYS (WITH APPROVED CREDIT)
- DELIVERY: 10-12 WEEKS OR SOONER AFTER RECEIPT OF A HARD COPY PURCHASE ORDER.
- PLEASE PROVIDE A TAX EXEMPTION CERTIFICATE AT TIME OF ORDER IF APPLICABLE
- NO PENALTIES OR LIQUIDATED DAMAGES ARE ACCEPTABLE
- CANCELLATION OF THIS ORDER OR RETURN OF THIS UNIT MAY RESULT IN RE-STOCKING FEES
- THIS QUOTE IS VALID FOR 30 DAYS

Robert Lowery

From: Coy Mathis
Sent: Friday, May 20, 2016 11:00 AM
To: Robert Lowery
Cc: Homero Rodriguez; Sarah Scovill; Jennifer Stabile; Paul Bassar; Francois Domond
Subject: FW: City of Hollywood 6JSVE- Final Revision
Attachments: Thompson Pump 6JSVE-10 FSA Sale Quote (4-6-16-FINAL).pdf; 091663_WarrantySheets_24MONTH.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

Categories: Red Category

FYI

From: Dave Perry [<mailto:dperry@thompsonpump.com>]
Sent: Friday, May 20, 2016 10:23 AM
To: Coy Mathis; Homero Rodriguez
Cc: Allan Curry
Subject: FW: City of Hollywood 6JSVE- Final Revision

Coy,

Good morning.

Per our conversation yesterday, the term mobilization (in the email below) was intended to be synonymous with "delivery freight".

The City of Hollywood's NEW Thompson Pump 6JSVE-DIST-4LE2T-MC will be delivered to the City of Hollywood at NO CHARGE. This is stated in the attached quote, under Terms and Conditions.

The total purchase price will be \$49,997.00, and there will NOT be any additional taxes, fees, or other charges. In addition, this total FSA purchase price INCLUDES the attached 2 year limited warranty, and INCLUDES (1) operational training session from our local service center representatives (sales and service).

Please let me know if you need anything else.

Thanks,

David Perry | Thompson Pump & Mfg. Co., Inc.
Municipal Sales Manager
4620 City Center Drive
Port Orange, FL 32129
Office: 386-944-4302
Mobile: 386-527-3265
www.thompsonpump.com

From: Dave Perry
Sent: Wednesday, April 13, 2016 7:00 AM

To: Homero Rodriguez
Subject: RE: City of Hollywood 6JSVE- Final Revision

Homero,

Good morning.

Bearing our last conversation, Thompson Pump is offering the mobilization of the pump to the City of Hollywood at No Charge.

This is listed in the Terms and Conditions.

I will call you later this morning to follow up.

Thanks,

David Perry | Thompson Pump & Mfg. Co., Inc.
Municipal Sales Manager
1496 Herbert Street
Port Orange, FL 32129
Cell: 386-527-3265
Office: 386-944-4203
www.thompsonpump.com

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Homero Rodriguez [<mailto:HRODRIGUEZ@hollywoodfl.org>]
Sent: Tuesday, April 12, 2016 3:07 PM
To: Dave Perry
Subject: RE: City of Hollywood 6JSVE- Final Revision

Good afternoon Dave,

Revising the last proposal, we realize that the freight charges were not included. Could you please make that change?, bearing in mind our previous conversations.

Best regards,

Homero Rodríguez
Chief Mechanic
City of Hollywood, FL
Public Utilities, WWTP
Cell: 954-980-0042
Tel: 954-921-3288
Fax: 954-921-3604

From: Dave Perry [<mailto:dperry@thompsonpump.com>]
Sent: Wednesday, April 06, 2016 2:21 PM
To: Homero Rodriguez
Cc: Pat Kennedy; Allan Curry; Bobby Zitzka
Subject: City of Hollywood 6JSVE- Final Revision

Homero,

Good afternoon.

As discussed, I have attached a revised FSA quote with an additional discount applied, N/C for freight, and N/C for the electric brakes.

Please review, and let me know if you have any additional questions.

Thank you so much for this opportunity, and we look forward to hearing from you soon.

David Perry | Thompson Pump & Mfg. Co., Inc.
Municipal Sales Manager
4620 City Center Drive
Port Orange, FL 32129
Office: 386-944-4302
Mobile: 386-527-3265
www.thompsonpump.com

Homero Rodriguez
Chief Utility Mechanic
City of Hollywood
Public Utilities

P.O. Box 229045
Hollywood, FL 33022-9045
Office: 954-921-3288
E-mail: HRODRIGUEZ@hollywoodfl.org



Notice: Florida has a broad public records law. All correspondence sent to the City of Hollywood via e-mail may be subject to disclosure as a matter of public record.

BID AWARD ANNOUNCEMENT

15-13-0904

Effective Dates:

October 1, 2015– September 30, 2016

**Cab & Chassis Trucks
& Other Fleet Equipment**

***Participating Sheriffs Offices & Local Governmental
Agencies of the State of Florida***

Coordinated By

**The
Florida Sheriffs Association
& Florida Association of Counties**





FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

Name of Dealership	Type of Vehicle	Zone	Base Unit Price
<u>6 INCH MOBILE PUMP PACKAGE (Specification #71)</u>			
Godwin Pumps of America, Inc.	2016 Godwin CD150M	Western	\$37,650.00
Godwin Pumps of America, Inc.	2016 Godwin CD150M	Northern	\$37,650.00
Godwin Pumps of America, Inc.	2016 Godwin CD150M	Central	\$37,650.00
Godwin Pumps of America, Inc.	2016 Godwin CD150M	Southern	\$37,650.00
Thompson Pump & Mfg. Co. Inc.	2016 Thompson 6JSCEN-DJDST-45T-M	Western	\$37,750.00
Thompson Pump & Mfg. Co. Inc.	2016 Thompson 6JSCEN-DJDST-45T-M	Northern	\$37,750.00
Thompson Pump & Mfg. Co. Inc.	2016 Thompson 6JSCEN-DJDST-45T-M	Central	\$37,750.00
Thompson Pump & Mfg. Co. Inc.	2016 Thompson 6JSCEN-DJDST-45T-M	Southern	\$37,750.00
Tradewinds Power Corp	2016 Tradewinds TPK064750	★Western	\$31,850.00
Tradewinds Power Corp	2016 Tradewinds TPK064750	★Northern	\$31,850.00
Tradewinds Power Corp	2016 Tradewinds TPK064750	★Central	\$31,850.00
Tradewinds Power Corp	2016 Tradewinds TPK064750	★Southern	\$31,850.00



FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

6 INCH MOBILE PUMP PACKAGE SPECIFICATION #71

2016 Godwin CD150M

2016 Thompson 6JSCEN-DJDST-45T-M

2016 Tradewinds IPK064750

ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED

INSTRUCTIONS: Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. DESIGN REQUIREMENTS:

- a. Discharge size: 6 inches
- b. Suction size: 6 inches
- c. Capable of 1750 GPM minimum
- d. Capable of 160 ft. Total Dynamic Head (TDH) minimum
- e. Duty Point, Maximum: 1,000 gallons per minute minimum (GPM) at 120 ft. Total Dynamic Head (TDH)
- f. Impeller Diameter: Manufacturer's standard for pump
- g. Operating Speed Maximum: 2,200 RPM
- h. Solids Handling Size, Maximum: 3 inches

2. ENGINE:

- a. Diesel engine, appropriate to pump size at continuous duty.
- b. Emission compliant engine
- c. Industrial grade exhaust muffler and rain cap
- d. Oil and water drain lines with ball valves
- e. Low water level shutdown switch
- f. 12vdc system with battery rack and cables
- g. 12vdc battery charger
- h. 50 gallon minimum fuel tank with low fuel level alarm and shutdown.

3. PUMP:

- a. Check valve
- b. Impellers
- c. Self priming system

4. CONTROLS:

- a. Solid state, microprocessor based pump controls.
- b. Controls shall provide all operating, monitoring and control functions for the pump set.
- c. Controller will also provide 2 fully programmable contacts for input and output signals accordingly.
- d. Controller will provide remote start stop control with adjustable ramp (speed) time control.
- e. UL 508 R and CSA C22.2 No. 14 approved.

5. TRAILER:

- a. The manufacturer shall mount the diesel engine and pump unit with the above 50 gallon subbase tank on a street legal D.O.T. approved trailer. This trailer will be able to be rated for a safe travel at speeds of 60 mpg and not be limited to the following specifications:

- b. Trailer design shall be such that the County/City may easily remove the entire engine, fuel tank and pump from the trailer.
- c. 12vdc electric system
- d. Lunette or military type towing ring with safety chains.
- e. Hydraulic brakes with reverse dump solenoid.
- f. Single point lifting bar.
- g. License plate bracket
- h. Sand shoe type support stands front and rear.
 - i. Torque spring axles to meet load of trailer.
 - j. Full size spare tire.

6. START UP AND COMMISSIONING:

- a. Vendor must coordinate all start up and testing activities with the engineer/owner. After field delivery of the pump and trailer, an authorized factory representative shall perform the initial start up and field testing of the pump and trailer. If conditions permit, a site will be determined where connection will be made by the County/City to test the pump package. If a site cannot be prepared a standard operational test will be performed.
- b. At the same time the start up test is performed, the factory representative will provide all necessary operation, field maintenance and minor repair training as necessary. This will also include safety procedures and hazard assessment.

7. CONDITIONS:

- a. In addition to equipment specified, each pump package shall be equipped with all standard equipment as specified by the manufacturer for this model and shall include but not be limited to the following necessary items:
- b. Initial filling of oil and antifreeze.
- c. During the start up, the authorized factory representative shall record and provide the County/City with the engine and pump serial numbers for the owner records. At this time the warranty will begin.
- d. One complete set of operations and maintenance manuals.
- e. Two (2) year or 1500 hour standard standby pump package warranty. Labor, materials, and travel for the warranty period repair will be paid by manufacturer during normal business hours.



FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

6 INCH MOBILE PUMP PACKAGE SPECIFICATION #71

2016 Thompson 6JSCEN-DJDST-45T-M

The Thompson 6JSCEN-DJDST-45T-M purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and FSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by specification by zone.

ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$37,750.00	\$37,750.00	\$37,750.00	\$37,750.00

While the Florida Sheriffs Association and Florida Association of Counties have attempted to identify and include those equipment items most often requested by participating agencies for full size vehicles, we realize equipment needs and preferences are going to vary from agency to agency. In an effort to incorporate flexibility into our program, we have created specific add/delete options which allow the purchaser to tailor the vehicle to their particular wants or needs.

The following equipment delete and add options and their related cost are provided here to assist you in approximating the total cost of the type vehicle(s) you wish to order through this program. Simply deduct the cost of any of the following equipment items you wish deleted from the base unit cost and/or add the cost of any equipment items you wish added to the base unit cost to determine the approximate cost of the type vehicle(s) you wish to order.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate dealer in your zone when preparing your order. Additional add/delete options other than those listed here may be available through the dealers, however, those listed here must be honored by the dealers in your zone at the stated prices.

VEHICLE:	6JSCEN-DJDST-45T-M			
DEALER:	Thomsom Pump & Mfg. Co. Inc.	Thomsom Pump & Mfg. Co. Inc.	Thomsom Pump & Mfg. Co. Inc.	Thomsom Pump & Mfg. Co. Inc.
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$37,750.00	\$37,750.00	\$37,750.00	\$37,750.00

Order Code	Delete Options	All Zones
N/A ¹	Downgrade to 3" pump	NA ¹
4JSCM ¹	Downgrade to 4" pump <i>Downgrade pump from 6" to 4" - 4JSCM-Trailer Mounted¹</i>	(\$4,235.00) ¹
	Downgrade to non UL fuel tank	NA
	Downgrade to non UL subbase for 3" & 4" pump packages	NA
	Downgrade to non UL subbase for 6" pump package	NA
	Downgrade to non UL subbase for 8", 10" & 12" pump packages	NA
4JSVM ¹	Downgrade pump package - specify <i>Downgrade pump from 6" to 4" vacuum assisted pump with OVT priming system - trailer mounted¹</i>	(\$3,442.00) ¹
	Downgrade pump package - specify	NA
	Downgrade pump package - specify	NA
	Downgrade pump package - specify	NA
	Downgrade pump package - specify	NA
EP250 ¹	Delete remote control <i>Auto start/stop control panel w/ floats for 4" & 6" models¹</i>	(\$2,343.00) ¹
Battery Charger ¹	Delete option - specify <i>Battery Charger¹</i>	(\$452.00) ¹
Spare Tire ¹	Delete option - specify <i>Full spare tire¹</i>	(\$316.00) ¹
Hydraulic Brakes ¹	Delete option - specify <i>Hydraulic brakes¹</i>	(\$887.00) ¹
Light Package ¹	Delete option - specify <i>DOT tail light package¹</i>	(\$279.00) ¹
CP750 ¹	Delete option - specify <i>Auto start/stop control panel for 8", 10" & 12" models¹</i>	(\$3,505.00) ¹
4JSCM Trailer ¹	Delete option - specify <i>Trailer for 4JSCM model¹</i>	(\$1,531.00) ¹
4JSVM Trailer ¹	Delete option - specify <i>Trailer for 4JSVM model¹</i>	(\$1,635.00) ¹
6JSCEN Trailer ¹	Delete option - specify <i>Trailer for 6JSCEN model¹</i>	(\$3,062.00) ¹
6JSVE Trailer ¹	Delete option - specify <i>Trailer for 6JSVE model¹</i>	(\$2,187.00) ¹
8JSCE Trailer ¹	Delete option - specify <i>Trailer for 8JSCE model¹</i>	(\$2,944.00) ¹
10JSCG Trailer ¹	Delete option - specify <i>Trailer for 10JSCG model¹</i>	(\$7,141.00) ¹
12JSCG Trailer ¹	Delete option - specify <i>Trailer for 12JSCG model¹</i>	(\$7,141.00) ¹

VEHICLE:	6JSCEN-DJDST-45T-M			
DEALER:	Thompson Pump & Mfg. Co. Inc.	Thompson Pump & Mfg. Co. Inc.	Thompson Pump & Mfg. Co. Inc.	Thompson Pump & Mfg. Co. Inc.
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$37,750.00	\$37,750.00	\$37,750.00	\$37,750.00

Order Code	Add Options	All Zones
8JSCE ¹	Upgrade to 8" pump <i>Upgrade pump from 6" to 8" - 8JSCE - trailer mounted ¹</i>	\$13,159.00 ¹
10JSCG ¹	Upgrade to 10" pump <i>Upgrade pump from 6" to 10" - 10JSCG - trailer mounted ¹</i>	\$40,633.00 ¹
12JSCG ¹	Upgrade to 12" pump <i>Upgrade pump from 6" to 12" - 12JSCG - trailer mounted ¹</i>	\$56,836.00 ¹
N/A ¹	Upgrade to aluminum sound attenuated 3" pump package	NA ¹
4JSCM SK ¹	Upgrade to aluminum sound attenuated 4" pump package <i>4JSCM Silent Knight Sound Attenuated Canopy ¹</i>	\$6,390.00 ¹
6JSCEN SK ¹	Upgrade to aluminum sound attenuated 6" pump package <i>6JSCEN Silent Knight Sound Attenuated Canopy ¹</i>	\$7,957.00 ¹
8JSCE SK ¹	Upgrade to aluminum sound attenuated 8" pump package <i>8JSCE / 8JSVE Silent Knight Sound Attenuated Canopy ¹</i>	\$8,148.00 ¹
10JSCG SK ¹	Upgrade to aluminum sound attenuated 10" pump package <i>10JSCG Silent Knight Sound Attenuated Canopy ¹</i>	\$8,148.00 ¹
12JSCG SK ¹	Upgrade to aluminum sound attenuated 12" pump package <i>12JSCG Silent Knight Sound Attenuated Canopy ¹</i>	\$15,205.00 ¹
4JSVM SK ¹	Upgrade - specify <i>Upgrade to Silent Knight Sound Attenuated Canopy - 4JSVM ¹</i>	\$7,850.00 ¹
6JSVE SK ¹	Upgrade - specify <i>Upgrade to Silent Knight Sound Attenuated Canopy - 6JSVE / 6JSCE ¹</i>	\$10,312.00 ¹
4JSCM FT4 ¹	Upgrade - specify <i>Upgrade pump from 6" to 4" with FT4 engine - trailer mounted ¹</i>	\$1,495.00 ¹
6JSCE FT4-10 ¹	Upgrade - specify <i>Upgrade pump from 6" to 6" LP with FT4 engine - trailer mounted ¹</i>	\$4,642.00 ¹
6JSCEN FT4 ¹	Upgrade - specify <i>Upgrade pump from 6" to 6" COMPACT with FT4 engine - trailer mounted ¹</i>	\$10,344.00 ¹
6JSCE FT4 ¹	Upgrade - specify <i>Upgrade pump from 6" to 6" with FT4 engine - trailer mounted ¹</i>	\$13,463.00 ¹
6JSCE FT4-GREEN ¹	Upgrade - specify <i>Upgrade pump from 6" to 6" with FT4 GREEN engine - trailer mounted ¹</i>	\$14,353.00 ¹
4JSVM FT4 ¹	Upgrade - specify <i>Upgrade pump from 6" to 4" vacuum assisted with FT4 engine - trailer mounted ¹</i>	\$3,099.00 ¹
6JSVE FT4 ¹	Upgrade - specify <i>Upgrade pump from 6" to 6" vacuum assisted with FT4 engine - trailer mounted ¹</i>	\$15,894.00 ¹
6JSVE FT4-10 ¹	Upgrade - specify <i>Upgrade pump from 6" to 6" vacuum assisted LP with FT4 engine - trailer mounted ¹</i>	\$6,700.00 ¹
6JSVE ¹	Upgrade - specify <i>Upgrade pump from 6" to 6" vacuum assisted with OVT priming system - trailer mounted ¹</i>	\$8,755.00 ¹

VEHICLE:	6JSCEN-DJDST-45T-M			
DEALER:	Thompom Pump & Mfg. Co. Inc.	Thompom Pump & Mfg. Co. Inc.	Thompom Pump & Mfg. Co. Inc.	Thompom Pump & Mfg. Co. Inc.
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$37,750.00	\$37,750.00	\$37,750.00	\$37,750.00

8JSVE ¹	Upgrade - specify <i>Upgrade pump from 6" to 8" vacuum assisted with OVT priming system - trailer mounted¹</i>	\$15,597.00 ¹
N/A ¹	Upgrade - specify	NA ¹
N/A ¹	Upgrade - specify	NA ¹
N/A ¹	Upgrade - specify	NA ¹
N/A ¹	Upgrade - specify	NA ¹
N/A ¹	Upgrade - specify	NA ¹
N/A ¹	Upgrade - specify	NA ¹
Electric Brakes ¹	Optional equipment - specify <i>Electric Brakes (per axle)¹</i>	\$745.00 ¹
Hose Racks ¹	Optional equipment - specify <i>Hose Racks¹</i>	\$833.00 ¹
Throttle Actuator ¹	Optional equipment - specify <i>Throttle Actuator¹</i>	\$1,220.00 ¹
Pressure Transducer ¹	Optional equipment - specify <i>Pressure Transducer¹</i>	\$1,528.00 ¹
Level Transducer ¹	Optional equipment - specify <i>Level Transducer¹</i>	\$2,184.00 ¹
Pneumatic Drain Valve ¹	Optional equipment - specify <i>Pneumatic Drain Valve¹</i>	\$965.00 ¹
Inside Work Lights ¹	Optional equipment - specify <i>Inside Work Lights¹</i>	\$466.00 ¹
Outside Work Lights ¹	Optional equipment - specify <i>Outside Work Lights¹</i>	\$609.00 ¹
UL STD-DW Fuel Tank ¹	Optional equipment - specify <i>UL Standard-Double Walled Fuel Tank for Skid Pump¹</i>	\$4,191.00 ¹
Non UL STD-DW Fuel Tank ¹	Optional equipment - specify <i>Non-UL Standard-Double Walled Fuel Tank for Skid Pump¹</i>	\$3,345.00 ¹
Power Inverter ¹	Optional equipment - specify <i>DC-to-AC Power Inverter¹</i>	\$1,269.00 ¹
SCADA Interface ¹	Optional equipment - specify <i>SCADA Interface¹</i>	\$2,175.00 ¹
Solar Battery Charger ¹	Optional equipment - specify <i>Solar Battery Charger¹</i>	\$860.00 ¹
SK UV Protection Coat ¹	Optional equipment - specify <i>Silent Knight UV Protection Coat¹</i>	\$544.00 ¹
Corrosion Resistant Coating ¹	Optional equipment - specify <i>Corrosion Resistant Coating for standard modular base fuel tanks¹</i>	\$1,921.00 ¹

VEHICLE:	6JSCEN-DJDST-45T-M			
DEALER:	Thompom Pump & Mfg. Co. Inc.	Thompom Pump & Mfg. Co. Inc.	Thompom Pump & Mfg. Co. Inc.	Thompom Pump & Mfg. Co. Inc.
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$37,750.00	\$37,750.00	\$37,750.00	\$37,750.00

10 ft. Suction Hose ¹	Optional equipment - specify <i>6" x 10' Suction Hose, Ball x Socket</i> ¹	\$421.00 ¹
20 ft. Suction Hose ¹	Optional equipment - specify <i>6" x 20' Suction Hose, Ball x Socket</i> ¹	\$512.00 ¹
10 ft. HP Discharge Hose ¹	Optional equipment - specify <i>6" x 10' High Pressure Discharge Hose, Ball x Socket</i> ¹	\$705.00 ¹
20 ft. HP Discharge Hose ¹	Optional equipment - specify <i>6" x 20' High Pressure Discharge Hose, Ball x Socket</i> ¹	\$874.00 ¹
LP Discharge Hose ¹	Optional equipment - specify <i>6" x 50' Low Pressure Lay-Flat Discharge Hose, Ball x Socket</i> ¹	\$295.00 ¹
N/A ¹	Optional equipment - specify	NA ¹
N/A ¹	Optional equipment - specify	NA ¹
N/A ¹	Optional equipment - specify	NA ¹
N/A ¹	Optional equipment - specify	NA ¹
N/A ¹	Optional equipment - specify	NA ¹
N/A ¹	Optional equipment - specify	NA ¹
N/A ¹	Optional equipment - specify	NA ¹
N/A ¹	Optional equipment - specify	NA ¹
N/A ¹	Optional equipment - specify	NA ¹
N/A ¹	Optional equipment - specify	NA ¹
FPM Plan - 4/6 ¹	Maintenance Plan - specify <i>(1) Std. Field Preventive Maintenance Service 4" and 6" pumps</i> ¹	\$544.00 ¹
FPM Plan - 8/10/12 ¹	Maintenance Plan - specify <i>(1) Std. Field Preventive Maintenance Service 8", 10" and 12" pumps</i> ¹	\$834.00 ¹
Warranty ¹	Warranty - specify <i>Warranty 24 Month</i> ¹	Incl. ¹
	Warranty - specify	NA
	Warranty - specify	NA
% Discount ¹	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. This discount ONLY APPLIES to a downgrade or an upgrade to the model listed in this specification. It does not apply to a completely different make or model. (The discount is applied to the manufacturer's current published retail prices.)	Incl. ¹

PURCHASE ORDER ITEMS FOR ACCOUNTS PAYABLE
 06/07/16
 PO NUMBER P217848

PO DATE 05/06/16 APPROVED
 WASTEWATER TREATMENT PLANT
 CITY OF HOLLYWOOD
 1621 N. 14TH AVENUE
 HOLLYWOOD FL 33019
 954 921-3288

VENDOR 5949 ADDR # 0
 THOMPSON PUMP & MFG CO INC
 P O BOX 291370
 PORT ORANGE FL 32129-1370

ENCUMBERED DATE 05/06/16 ORDER TOTAL 49997.00
 FOB DEST TERMS

LINE REQ #	TRANS #	TYPE	WHSE	STOCK #	BPO #	ACCOUNT #
ENC SHIP DATE	UOM	QUANTITY	PRICE	ITEM TOTAL		

1	R239438	313900000040	N			
Y	042116	EA	1.0000	35340.00000	42.4000.86584.536.005224	35340.00

DESCRIPTION: BYPASS PUMP
 6JSCEN-DJDST-45T-M-EP250
 (AUTO START/STOP CONTROL PANEL
 WITH
 FLOATS/TACHOMETER/HOURMETER/ENGINE
 SAFETY SHUT DOWN) BATTERY, BATTERY
 CHARGER, SPARE TIRE, HYDRAULIC
 BRAKES, LIGHT PACKAGE, TRAILER,
 AND 24 MONTH WARRANTY

2	R239438	313900000041	N			
Y	042116	EA	1.0000	6700.00000	42.4000.86584.536.005224	6700.00

DESCRIPTION: UPGRADE PUMP 6" TO 6" VACUUM
 ASSISTED LP WITH FT4 ENGINE
 TRAILER MOUNTED

3	R239438	313900000042	N			
Y	042116	EA	1.0000	7957.00000	42.4000.86584.536.005224	7957.00

DESCRIPTION: UPGRADE, SILENT KNIGHT, SOUND
 ATTENUATED CANOPY

FREIGHT IS INCLUDED ON PRICE,
 EMAIL ATTACHED

ORDERED BY: HOMERO RODRIGUEZ
 PER BID AWARD #: FLORIDA SHERIFF
 ASSN, BID #15-13-0904
 ACCOUNT #: 42.4000.86584.536.005224