

ORDINANCE NO. _____

(15-TZ-56)

AN ORDINANCE OF THE CITY OF HOLLYWOOD, FLORIDA, AMENDING THE ZONING AND LAND DEVELOPMENT REGULATIONS BY AMENDING SECTION 4.6 ENTITLED "REGIONAL ACTIVITY CENTER, DOWNTOWN AND BEACH COMMUNITY REDEVELOPMENT DISTRICTS" TO CREATE TRANSIT ORIENTED CORRIDOR DISTRICTS; ESTABLISHING PERMITTED USES, DEVELOPMENT REGULATIONS, DEVELOPMENT STANDARDS, DEFINITIONS FOR NEW USES; ESTABLISHING DEVELOPMENT AND PARKING STANDARDS CITY-WIDE WITHIN VARIOUS ARTICLES OF THE ZONING AND LAND DEVELOPMENT REGULATIONS; REPEALING SECTION 4.20; CHANGING THE ZONING DESIGNATION OF CERTAIN PROPERTIES WITHIN TRANSIT ORIENTED CORRIDOR (TOC), WITH THE EXCEPTION OF PROPERTIES ZONED GOVERNMENT USE, AS MORE PARTICULARLY DESCRIBED IN EXHIBIT "A" ATTACHED HERETO; AND AMENDING THE CITY'S ZONING MAP TO REFLECT THE CHANGE IN ZONING DESIGNATIONS; AND PROVIDING FOR AN EFFECTIVE DATE.

WHEREAS, the Zoning and Land Development Regulations provide that an application for zoning text change of regulatory controls may be filed; and

WHEREAS, the Zoning and Land Development Regulations provide that an application for a change of zoning designation may be filed; and

WHEREAS, an application (15-TZ-56), by the City of Hollywood, was filed with the Department of Development Services, Planning Division, including a request for a proposed change in Zoning Designations for areas within the Transit Oriented Corridor District as indicated in Exhibit "A" attached hereto and incorporated herein; and

WHEREAS, the subject properties collectively comprise approximately 980 acres and have a current City land Use designation of Transit Oriented Corridor; and

WHEREAS, the Applicant, City of Hollywood, has submitted the proposed text amendment and is requesting the rezoning of the properties described in Exhibit "A" attached hereto and incorporated herein; and

(Coding: Words in ~~struck-through~~ type are deletions from existing law; words underscored are additions).

WHEREAS, the Planning Manager, following the analysis of the proposed application and its associated documents, has determined that the proposed text amendment meets the criteria set forth in Section 5.3.J. of the Zoning and Land Development Regulations and has therefore recommended that it be approved; and

WHEREAS, the Planning Manager, following the analysis of the proposed application and its associated documents, has determined that the proposed change of zoning designations meet the criteria set forth in Section 5.3.K. of the Zoning and Land Development Regulations and are consistent with the City of Hollywood's Comprehensive Plan, and has therefore recommended that it be approved; and

WHEREAS, on October 19, 2017 the Planning and Development Board met and reviewed Application 15-TZ-56 for a text amendment and change of zonings to areas within the Transit Oriented Corridor District and forwarded a recommendation of approval to the City Commission; and

WHEREAS, the City Commission finds that the request for the text amendment meets the criteria set forth in Section 5.3.J. of the Zoning and Land Development Regulations and the request to rezone the properties listed on Exhibit "A" meet the criteria set forth in Section 5.3.K. of the Zoning and Land Development Regulations and are consistent with the City of Hollywood's Comprehensive Plan, and are in the best interest of the citizens of the City of Hollywood; and

WHEREAS, Section 166.041(3)(c)(2), Florida Statutes, requires that the local governing body shall hold two advertised public hearings on the proposed ordinance and at least one hearing shall be held after 5:00 P.M. unless the local governing body, by a majority plus one vote, elects to conduct that hearing at another time of day;

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COMMISSION OF THE CITY OF HOLLYWOOD, FLORIDA:

Section 1: That Article 1 of the Zoning and Land Development Regulations entitled "Title, Intent, Purpose, and Method" is hereby amended as follows:

ARTICLE 1: TITLE, INTENT, PURPOSE, AND METHOD

* * *

§ 1.3. Method.

A. Zoning districts and overlay regulations. For the purpose of these regulations the city shall be divided into zoning districts and overlay regulations of such number, shape and area as may be deemed best suited to carry out the purpose of these regulations and are so represented on the Official Zoning Map. The tables below explain the symbols used for each designation:

* * *

5. Specialized Zoning Districts and Overlay Regulations:

* * *

Regional Activity Center, Downtown and Beach Community Redevelopment, and Transit Oriented Corridor Districts

Regional Activity Center and Downtown Community Redevelopment Districts

* * *

Beach Community Redevelopment Districts

* * *

Transit Oriented Corridor Districts

Multiple Family Districts

SR7 RM-9 – State Road 7 Low Density Multiple Family

SR7 RM-18 – State Road 7 Medium Density Multiple Family

SR7 RM-25 – State Road 7 High Density Multiple Family

North District

N-MU – North Mixed-Use District

Central Districts

C-SS – Central Sheridan Street District

C-LP – Central Linear Park District

C-JS – Central Johnson Street District

C-MU – Central Mixed-Use District

South District

S-MU – South Mixed-Use District

CRH Community Residential Home and ALF Assisted Living Facility Regulations

* * *

Section 2: That Article 2 of the Zoning and Land Development Regulations entitled “Definitions” is hereby amended as follows:

ARTICLE 2: DEFINITIONS

* * *

§ 2.2. Terms Defined.

* * *

BED AND BREAKFAST INN.

* * *

BICYCLE SHARING. The practice of sharing a bicycle for on demand regular commuting. In a kiosk system, bikes are secured to and rented from secure docking stations. These stations may range in sophistication from simple bike racks with key lockboxes to digital automatic locking kiosks with integrated rental systems.

BILLBOARD.

* * *

* * *

* * *

MICROBREWERY, MICRODISTILLERY AND MICROWINERY.

* * *

MIXED-USE, VERTICAL OR HORIZONTAL. A type of pedestrian oriented development incorporating a combination of multiple and district uses and functions, such as residential, commercial, office, hospitality, cultural, institutional, industrial and associated amenities, within one building or site. **VERTICAL MIXED-USE** refers to a type of urban development where compatible uses and functions are layered and physically and functionally integrated within a single building. **HORIZONTAL MIXED-USE** refers to a type of walkable and connected development combining single or multiple use buildings, public amenities, and utilities functionally within a site.

MOBILE HOME or HOUSE TRAILER.

* * *

Section 3: That Section 4.6 of the Zoning and Land Development Regulations entitled “Regional Activity Center, Downtown and Beach Community Redevelopment Districts” is hereby amended as follows:

§ 4.6 Regional Activity Center, Downtown and Beach Community Redevelopment, and Transit Oriented Corridor Districts.

A. Definitions. For the purpose of this subsection (4.6. Regional Activity Center, Downtown and Beach Community Redevelopment, and Transit Oriented Corridor Districts), the following definitions shall apply unless the context clearly indicates or requires a different meaning.

ACTIVE USE. An enclosed building use designed for human occupation with a direct view to adjacent streets or open space, commercial active uses generally include, but are

not limited to, retail, personal services, offices, hotels, restaurants, coffee shops, libraries, municipal facilities, common areas, entrance lobbies, and the commercial uses associated with live/work. Residential active uses generally include, but are not limited to, residential units, common and lobby areas, lounges, gyms, and the residential uses associated with live/work. (See Appendix 1: Diagram 1)

ACTIVE USE DEPTH. The minimum depth of an Active Use, measured generally perpendicular to the building frontage. Active use depth minimums shall be pursuant to the Building Requirements Table in each district or subdistrict. (See Appendix 1: Diagram 1)

ACTIVE USE, GROUND FLOOR. An Active Use that attracts pedestrian activity; provides access to the general public; and conceals uses designed for parking and other non-active uses if present. (See Appendix 1: Diagram 1)

ACTIVE USE, LINER. An Active Use that serves to conceal uses designed for parking and other non-habitable uses. (See Appendix 1: Diagram 1)

ACTIVE USE, NON-. Building uses that are generally not intended for human occupation. Non-active uses include, but are not limited to, parking and building service areas such as storage, mechanical, electrical, and trash.

ANNULUS. The region between two coplanar concentric circles; defined by the minimum and maximum setbacks as indicated by the Building Requirements Table in each district or subdistrict. (See Appendix 1: Diagram 2.)

ARCHITECTURAL TREATMENT. The provision of architectural and/or landscape elements on a facade which serve to visually screen Non-Active Uses.

ARTICULATION. The composition of building elements, shape, mass, and form that modulate the rhythm of a facade, improving the overall composition and aesthetic quality. The following treatments are permitted, but shall not fulfill the requirement for architectural treatment: the application of paint and faux treatments; scoring, construction joints or material projections less than four (4) inches in height, width, or depth.

BALCONY. A horizontal projection above the ground floor that is unenclosed and designed for human occupation.

BASE. The area of a structure below the tower setback, as indicated by the Building Requirements Table in each district or subdistrict. For purposes of the Beach Community Redevelopment Districts, Section 4.6.B., the maximum allowable height of the Building Base is 25 feet. (See Appendix 1: Diagram 3)

BLANK WALL. Any portion of a facade that has an area greater than 20 percent of the entire facade elevation and is absent of fenestration and/or of articulation. (See Appendix 1: Diagram 4)

BUILDING FRONTAGE. The horizontal linear measurement of a building facade that is generally parallel, facing, or oriented toward a street or right-of-way. (See Appendix 1: Diagram 5)

COLONNADE. A continuous horizontal projection which covers open ground or street level pedestrian areas. Colonnades shall not encroach beyond minimum setbacks.

CROSS STREETS. For purposes of the Beach Community Redevelopment Districts, Section 4.6.B., Cross Streets shall mean any street, not to include Surf Road, State Road AIA and Broadwalk.

FACADE. The exterior surface of a building or parking structure.

FLOOR AREA. The sum of the horizontal areas of the floors of a building or buildings, measured from the outside face of exterior walls or from the centerline of walls separating two attached buildings. The calculation of floor area for unit sizes is measured from the centerline of a party wall to the interior face of an exterior wall. The floor area shall include all areas except for any floor area associated with accessory off-street parking; any floor area associated with service and loading; and unenclosed porches, and balconies.

FLOOR AREA RATIO (FAR). The ratio of the floor area of a building or buildings on any lot or site divided by the net area defined by property lines of the lot or site. The floor area ratio defines the maximum allowable floor area on a given lot.

FOOTPRINT. The maximum horizontal coverage of a lot by a building and its related components, excluding structures such as pools. Awnings, canopies, fences, balconies, or porches. (See Appendix 1: Diagram 6)

HEIGHT. The maximum vertical extent of a building, measured as a number of stories or a vertical dimension in feet, whichever is less. Height is measured from the median established grade of the lot or site to the top of the roof, excluding decorative elements and parapet walls. In the case of pitched roofs, height shall be measured to the average height between the bottom of the eave and the peak of the roof. Height limits do not apply to vertical projections not intended for human occupation such as, decorative roofs, vertical circulation, parapets, masts, belfries, clock towers, chimney flues, water tanks, elevator bulkheads, solar energy systems and similar structures.

HEIGHT, FLOOR TO FLOOR. The minimum height of a story or level of a building, measured from finished floor to finished floor.

LANDSCAPE BUFFER. A continuous edge of land provided along the perimeter of a lot in which landscaping is used to screen, transition or obscure one land use from adjacent land uses or public areas.

LIVE/WORK. A type of mixed-use development that combines ground floor commercial space with a residential dwelling unit above. Both uses shall be occupied by a common owner or tenant. Live/work commercial uses shall not be retrofitted to accommodate a residential use and may be restricted with respect to hazardous materials, time of operation, noise, odor or other potential impacts to adjacent or nearby uses. The live/work units may be occupied as residential, commercial and office uses excluding food service, manufacturing or fabrication other than those associated with artistic pursuits.

LOT FRONTAGE. All or a portion of a lot line parallel to the street or public space, measured in a single plane. (See Appendix 1: Diagram 8)

LOT FRONTAGE, BUILDABLE. All or a portion of a lot line parallel to the street or public space, measured in a single plane, less applicable setbacks. (See Appendix 1: Diagram 8)

MEDIAN ESTABLISHED GRADE. The average of the highest and lowest established grade of the site.

OVERHEAD COVER. Any permanent man-made overhead structure intended to provide protection from sun or rain; or to provide pedestrian connections between buildings. Overhead cover includes, but is not limited to, awnings, canopies, colonnades, pergolas, trellises or other similar structures.

PHASED DEVELOPMENT. A site specific development which is intended to be built in stages or facets.

ROOFTOP AMENITIES. Rooftop open-air structures such as cabanas, gazebos, trellises, and other similar structures which accommodate outdoor common areas. It also includes non-habitable enclosed structures such as restrooms, vertical circulation, and storage areas.

SETBACK. The required minimum or maximum allowable horizontal distance between the lot line and the nearest building facade or vertical surface, measured perpendicular and inward from the respective plot lines and unobstructed from the ground to the sky except by encroachments specifically permitted by these regulations. (See Appendix 1: Diagram 10)

STOREFRONT FACADE AREA. An area of the building facade enclosing ground floor active uses and may include fenestration. Transparency, opaque materials, signage, etc. Storefront facade area is measured horizontally as the linear dimension of ground floor active uses at the building frontage and vertically from the average public sidewalk elevation to a line ten (10) feet above the average median established grade. (See Appendix 1: Diagram 14)

TOWER. Any portion of a building that occurs above the building base, at an elevation indicated by the Building Requirements Table in each district or subdistrict. (See Appendix 1: Diagram 3)

TOWER FLOORPLATE. The floor area of a building story within the tower, less balconies. When required, the average shall be calculated as the total cumulative tower floorplate area divided by the number of tower stories. (See Appendix 1: Diagram 11)

TOWER LENGTH. The maximum outward dimension of any tower portion of a building, measured horizontally from exterior wall to exterior wall, regardless of shape. (See Appendix 1: Diagram 12)

TOWER ORIENTATION. The placement of the tower such that it is near, fronting or adjacent to a specified lot boundary or right-of-way.

TOWER SEPARATION. The minimum allowable horizontal distance between two or more tower floorplates. (See Appendix 1: Diagram 13)

TRANSPARENCY. Building fenestration on non-residential uses which allows ground floor visual access between a building and its active uses from the public sidewalk. (See Appendix 1: Diagram 14)

WALK-UP GARDEN. A space designed to buffer ground floor residential uses from the adjacent public sidewalk. (See Appendix 1: Diagram 17)

Appendix 1: Regional Activity Center, Downtown and Beach Community Redevelopment, and Transit Oriented Corridor Districts Diagrams

AB. Regional Activity Center and Downtown Community Redevelopment Districts.

* * *

~~2. Definitions. For the purpose of this subsection (4.6.A. Regional Activity Center and Downtown Redevelopment Districts), the following definitions shall apply unless the context clearly indicates or requires a different meaning.~~

~~**ACTIVE USE.** An enclosed building use designed for human occupation with a direct view to adjacent streets or open space, commercial active uses generally include, but are not limited to, retail, personal services, offices, hotels, restaurants, coffee shops, libraries, municipal facilities, common areas, entrance lobbies, and the commercial uses associated with live/work. Residential active uses generally include, but are not limited to, residential units, common and lobby areas, lounges, gyms, and the residential uses associated with live/work. Active uses are regulated as a percentage of buildable lot frontage. (See Appendix 1: Diagram 1)~~

~~**ACTIVE USE DEPTH.** The minimum depth of an Active Use, measured generally perpendicular to the building frontage. **Active use depth** minimums shall be pursuant to~~

the Building Requirements Table in each district or subdistrict. (See Appendix 1: Diagram 1)

ACTIVE USE, GROUND FLOOR. An Active Use that attracts pedestrian activity; provides access to the general public; and conceals uses designed for parking and other non-active uses if present. (See Appendix 1: Diagram 1)

ACTIVE USE, LINER. An Active Use that serves to conceal uses designed for parking and other non-habitable uses. (See Appendix 1: Diagram 1)

ACTIVE USE, NON-. Building uses that are generally not intended for human occupation. Non-active uses include, but are not limited to, parking and building service areas such as storage, mechanical, electrical, and trash.

ANNULUS. The region between two coplanar concentric circles; defined by the minimum and maximum setbacks as indicated by the Building Requirements Table in each district or subdistrict. (See Appendix 1: Diagram 2.)

ARCHITECTURAL TREATMENT. The provision of architectural and/or landscape elements on a facade which serve to visually screen Non-Active Uses.

ARTICULATION. The composition of building elements, shape, mass, and form that modulate the rhythm of a facade, improving the overall composition and aesthetic quality. The following treatments are permitted, but shall not fulfill the requirement for architectural treatment: the application of paint and faux treatments; scoring, construction joints or material projections less than four (4) inches in height, width, or depth.

BALCONY. A horizontal projection above the ground floor that is unenclosed and designed for human occupation.

BASE. The area of a structure below the tower, as indicated by the Building Requirements Table in each district or subdistrict. (See Appendix 1: Diagram 3)

BLANK WALL. Any portion of a facade that has an area greater than 20% of the entire facade elevation and is absent of fenestration and/or of articulation. (See Appendix 1: Diagram 4)

BUILDING FRONTAGE. The horizontal linear measurement of a building facade that is generally parallel, facing, or oriented toward a street or right-of-way. (See Appendix 1: Diagram 5)

COLONNADE. A continuous horizontal projection which covers open ground or street level pedestrian areas. Colonnades shall not encroach beyond minimum setbacks.

FACADE. The exterior surface of a building or parking structure.

FLOOR AREA. The sum of the horizontal areas of the floors of a building or buildings, measured from the outside face of exterior walls or from the centerline of walls separating two attached buildings. The calculation of floor area for unit sizes is measured from the centerline of a party wall to the interior face of an exterior wall. The floor area shall include all areas except for any floor area associated with accessory off-street parking; any floor area associated with service and loading; and unenclosed porches, and balconies.

FLOOR AREA RATIO (FAR). The ratio of the floor area of a building or buildings on any lot or site divided by the net area defined by property lines of the lot or site. The floor area ratio defines the maximum allowable floor area on a given lot.

FOOTPRINT. The maximum horizontal coverage of a lot by a building and its related components, excluding structures such as pools, awnings, canopies, fences, balconies, or porches. (See Appendix 1: Diagram 6)

HEIGHT. The maximum vertical extent of a building, measured as a number of stories or a vertical dimension in feet, whichever is less. Height is measured from the median established grade of the lot or site to the top of the roof, excluding decorative elements and parapet walls. In the case of pitched roofs, height shall be measured to the average height between the bottom of the eave and the peak of the roof. Height limits do not apply to vertical projections not intended for human occupation such as, decorative roofs, vertical circulation, parapets, masts, belfries, clock towers, chimney flues, water tanks, elevator bulkheads, solar energy systems and similar structures.

HEIGHT, FLOOR TO FLOOR. The minimum height of a story or level of a building, measured from finished floor to finished floor.

LANDSCAPE BUFFER. A continuous edge of land provided along the perimeter of a lot in which landscaping is used to screen, transition or obscure one land use from adjacent land uses or public areas.

LIVE/WORK. A type of mixed-use development that combines ground floor commercial space with a residential dwelling unit above. Both uses shall be occupied by a common owner or tenant. Live/work commercial uses shall not be retrofitted to accommodate a residential use and may be restricted with respect to hazardous materials, time of operation, noise, odor or other potential impacts to adjacent or nearby uses. The live/work units may be occupied as residential, commercial and office uses excluding food service, manufacturing or fabrication other than those associated with artistic pursuits.

LOT FRONTAGE, BUILDABLE. All or a portion of a lot line parallel to the street or public space, measured in a single plane, less applicable setbacks. (See Appendix 1: Diagram 8)

MEDIAN ESTABLISHED GRADE. The average of the highest and lowest established grade of the site.

OVERHEAD COVER. Any permanent man-made overhead structure intended to provide protection from sun or rain; or to provide pedestrian connections between buildings. Overhead cover includes, but is not limited to, awnings, canopies, colonnades, pergolas, trellises or other similar structures.

PHASED DEVELOPMENT. A site specific development which is intended to be built in stages or facets.

ROOFTOP AMENITIES. Rooftop open-air structures such as cabanas, gazebos, trellises, and other similar structures which accommodate outdoor common areas. It also includes non-habitable enclosed structures such as restrooms, vertical circulation, and storage areas.

SETBACK. The required minimum or maximum allowable horizontal distance between the lot line and the nearest building facade or vertical surface, measured perpendicular and inward from the respective plot lines and unobstructed from the ground to the sky except by encroachments specifically permitted by these regulations. (See Appendix 1: Diagram 10)

STOREFRONT FACADE AREA. An area of the building facade enclosing ground floor active uses and may include fenestration. Transparency, opaque materials, signage, etc. Storefront facade area is measured horizontally as the linear dimension of ground floor active uses at the building frontage and vertically from the average public sidewalk elevation to a line ten (10) feet above the average median established grade. (See Appendix 1: Diagram 14)

TOWER. Any portion of a building that occurs above the building base, at an elevation indicated by the Building Requirements Table in each district or subdistrict. (See Appendix 1: Diagram 3)

TOWER FLOORPLATE. The floor area of a building story within the tower, less balconies. When required, the average shall be calculated as the total cumulative tower floorplate area divided by the number of tower stories. (See Appendix 1: Diagram 11)

TOWER LENGTH. The maximum outward dimension of any tower portion of a building, measured horizontally from exterior wall to exterior wall, regardless of shape. (See Appendix 1: Diagram 12)

TOWER ORIENTATION. The placement of the tower such that it is near, fronting or adjacent to a specified lot boundary or right-of-way.

TOWER SEPARATION. The minimum allowable horizontal distance between two or more tower floorplates. (See Appendix 1: Diagram 13)

TRANSPARENCY. Building fenestration on non-residential uses which allows ground floor visual access between a building and its active uses from the public sidewalk. (See Appendix 1: Diagram 14)

WALK-UP GARDEN. A space designed to buffer ground floor residential uses from the adjacent public sidewalk. (See Appendix 1: Diagram 17)

Appendix 1: Regional Activity Center, Downtown and Beach Community Redevelopment Districts Diagrams

32. Administrative Regulations Applicable to All Districts.

* * *

43. General Development Regulations Applicable to All Districts.

* * *

54. District use and development regulations. The purpose of the district specific regulations is to reinforce the existing and potential character of each district and subdistrict.

* * *

BC. Beach Community Redevelopment Districts.

* * *

~~—2. Definitions. For the purpose of this section, the following definitions shall apply unless the context clearly indicates or requires a different meaning:~~

~~—**Active Liners:** Architectural treatment with an active use intended to conceal parking structures.~~

~~—**Active Use:** In commercial districts, active use shall mean the interior space of a building fronting a street and containing a use providing for a significant level of pedestrian activity. Such uses shall be accessible by the general public and shall provide a public entrance from the street. Such uses shall include retail, personal services, restaurants, coffee shops, libraries, municipal facilities, common area or lobbies. In residential districts, active uses shall include residential units, lobby areas, lounges, gyms and recreation spaces.~~

~~—**Alley:** A public vehicular accessway designed as a secondary means of access to abutting property, and not otherwise designated as a street, avenue or other public thoroughfare.~~

~~—**Articulation:** Composition of building elements, shape, mass and form that modulate the rhythm of the façade, improving the overall composition and aesthetic.~~

~~—**Blank Wall:** A wall without openings such as doors and windows.~~

— ~~**Block:** A parcel of land entirely surrounded by streets, streams, railroad, rights-of-way, parks or other public space or combination thereof.~~

— ~~**Building Base:** The portion of the building directly above the foundation; the area of a structure below the tower setback. The maximum allowable height of the building base is 25 feet.~~

— ~~**Building Tower:** The area of a structure above the building base.~~

— ~~**Contiguous:** A contiguous parcel is any property having at least 40 feet of lot line in common with another property.~~

— ~~**Cross Streets:** Any street, not to include Surf Road, State Road A1A and Broadwalk.~~

— ~~**Dedicated Recreational Greenspace:** A publicly accessible park, public garden, playground, or other recreational facility designed under the direction of a landscape architect and consistent with the standards of the National Park and Recreation Association.~~

— ~~**Frontage:** The length of property abutting a public right-of-way.~~

— ~~**Height:** Height is measured from the median established grade of the site to the top of the structure, excluding decorative elements and parapet walls. Vertical circulation is excluded from maximum building height.~~

— ~~**Historic Preservation/Restoration Bonus:** The additional allowable developable area contingent upon the preservation and restoration of no less than 50% of any existing structure of historic value in conformance with the Secretary of the Interior's Standards and Guidelines and other locally adopted design standards.~~

— ~~**Horizontal Projections:** Every part of the setback shall be open to the sky, except as authorized by this definition. The following may project into required setback not to exceed 25% of required setbacks: balconies, exterior unenclosed private balconies, terraces, roof overhangs. Balconies and unenclosed exterior balconies shall be no less than five feet deep.~~

— ~~**Lot Width:** The horizontal distance between the side lot lines, measured along the frontage of a property.~~

— ~~**Median Established Grade:** The average of the highest and lowest established grade of the site.~~

— ~~**Setback Encroachment:** Every part of a setback shall be unoccupied and unobstructed except for any structure or part of a structure that is less than 30 inches in height as measured from the median established grade, provided that it does not occupy more than 30% of the setback.~~

* * *

32. Beach Community Redevelopment Districts.

* * *

43. Supplemental/additional requirements.

* * *

54. Site Regulations.

D. State Road 7 Transit Oriented Corridor Districts.

1. Intent. The State Road 7 Transit Oriented Corridor (TOC) Land Use designation is intended to facilitate a balanced and interconnected mix of land uses, encourage mass transit and non-motorized transportation, reduce the need for automobile travel, provide incentives for quality development, and give definition to the urban form. Development patterns shall generally reflect planning and design principles that support mixed-use development to integrate housing, employment, retail, recreation and local and regional community facilities with a primary orientation toward a multi-modal transportation system. To this objective, the corresponding TOC Zoning Districts are intended to:
 - a. Establish an identity for the State Road 7 Transit Oriented Corridor Districts;
 - b. Facilitate mixed-use development, including a wide-range of housing types, office, retail, and service oriented uses;
 - c. Incorporate design features promoting the safe and convenient movement of pedestrians, including wide interconnected sidewalks, bicycle lanes, connectivity to transit stops and stations;
 - d. Provide adequate transitions from mixed-use development to residential neighborhoods.

The purpose of the TOC Zoning Districts is to concentrate density in specific areas, protecting adjacent residential neighborhoods from excessive growth and commercial intrusion; while accommodating a diverse range of housing types, heights, and intensities, which is ideal for sustainable growth. The Districts facilitate the transition from one District to another and to the adjacent neighborhoods; providing adequate and compatible transitions in scale, character, and uses to adjacent residential neighborhoods. The State Road 7 Transit Oriented Corridor area consists of the following zoning districts:

Transit Oriented Corridor Districts

Multiple Family Districts

SR7 RM-9 – State Road 7 Low Density Multiple Family

SR7 RM-18 – State Road 7 Medium Density Multiple Family

SR7 RM-25 – State Road 7 High Density Multiple Family

North District

N-MU – North Mixed-Use District

Central Districts

C-SS – Central Sheridan Street District

C-LP – Central Linear Park District

C-JS – Central Johnson Street District

C-MU – Central Mixed-Use District

South District
S-MU – South Mixed-Use District

2. Administrative Regulations Applicable to All Districts.

a. District boundaries. The district and subdistrict boundaries shall be indicated by the district and subdistrict maps. In cases where uncertainty exists as to the boundaries of a district or subdistrict, the following conditions shall apply:

(1) Boundaries are intended to parallel street lines, rights-of-way, or to follow existing lot lines.

(2) Where a boundary follows a public right-of-way, street, or alley, the centerline shall be the boundary.

(3) In the event of further uncertainty, the City Manager or designee shall determine the boundary location.

(4) The density capacity for lots that have more than one district or subdistrict designation shall be calculated separately for each portion of the lot according to its respective density. Development for each portion of the lot shall be in conformance with the applicable district or subdistrict Building Requirements Table.

b. Phased Development.

(1) All land included for the purpose of development within a Phased Development shall be under the control of the applicant (an individual, partnership or corporation, or group of individuals, partnerships, or corporations). The applicant shall present satisfactory legal documents to constitute evidence of the unified control of the entire area within the proposed Phased Development which shall be certified by the City Manager or designee.

(2) The Phased Development Master Plan shall illustrate the boundaries of each phase and intended phasing sequence.

(3) Each phase of Phased Developments shall autonomously comply with these regulations and district requirements. Site plans, elevations, and massing diagrams shall be provided for each phase and shall indicate the function and improvement of undeveloped portions of land for independent review and approval. Undeveloped land shall be improved pursuant to the General Landscape Regulations set forth herein.

(4) Vacant non-historic and non-contributing structures; and structures which are not eligible for historic designation and are not intended for incorporation in the final development Master Plan shall be demolished prior to commencement of construction of Phase I.

(5) No phase or portion of a phase of a Phased Development shall be dependent upon the completion of a subsequent phase. Each phase shall be autonomously functional and provide adequate parking, landscape, articulation and associated amenities at the time of completion of that phase and shall not be contingent on future phases.

(6) Any building amenity, or portion thereof that will service the current phase under development shall be completed in its entirety and shall receive a Certificate of Occupancy prior to the issuance of a Certificate of Occupancy for the remaining phase components or uses.

(7) Each phase shall provide temporary or permanent transitional features, buffers, or protective areas in order to prevent any adverse impact on completed phases, future phases, and adjacent properties.

(8) The applicant shall have up to 24 months from the issuance of the final Certificate of Occupancy for any given phase to obtain all necessary building permits required to proceed with construction on subsequent phases. If the applicant fails to obtain said building permit(s) within the time period, all staff and Board approvals shall be null and void and the applicant shall be required to re-initiate the development review process.

(9) Changes and deviations from an approved Phased Development Master Plan which constitute a substantial alteration to the character of the development or an individual phase require that the requested changes be reviewed and approved by the appropriate Board. Substantial changes would include:

(a) Any change in the phasing boundary or sequence;

(b) An increase or decrease in density;

(c) A change in the use or character of the Phased Development;

(d) An increase in overall coverage of structures;

(e) An increase in the intensity of use;

(f) An increase in the problems of traffic circulation and public utilities;

(g) A reduction in required open spaces; and

(h) An increase or decrease in the amount of off-street parking and loading spaces.

(10) Any changes or deviations from an approved Phased Development Master Plan which are not listed as substantial and do not depart from the principal concept of the approved Phased Development Master Plan shall constitute a minor change and may be approved by the City Manager or designee.

3. General Development Regulations Applicable to All Districts.

a. General building requirements.

(1) Development intensities shall be established and pursuant to the Building Requirements Table for each district or subdistrict and the following:

(a) No variances to Density shall be granted.

(b) Established development thresholds are intended to provide flexibility in building massing. As such, when combined with other regulations and potential site constraints, maximum capacities may not always be achieved. In such cases, the other building requirements shall prevail.

(2) All uses, including automobile oriented uses, shall be designed in a manner that reinforces the urban form.

(3) Buildings shall have a recognizable entrance facing rights-of-way. Entrances shall be visible to pedestrians and vehicular traffic. For corner lots, corner entrance features are encouraged.

(4) The finished floor of ground floor commercial and retail uses shall be generally flush with the sidewalk elevation. (See Appendix 1: Diagram 7).

(5) Ground floor residential uses shall be raised a minimum of 18 inches above the sidewalk elevation and front the right-of-way.

(6) The minimum floor to floor height for all habitable uses shall be nine (9) feet.

(7) The minimum dwelling unit and room size shall be regulated by the building's principal use as indicated in the Minimum Dwelling Unit Size Table.

Minimum Dwelling Unit Size Table.

MINIMUM DWELLING UNIT AND HOTEL ROOM SIZE		
Use	Minimum Per Unit	Minimum Cumulative Average
Single Family	1,000 SF	-
Multi-family Dwelling Units	500 SF	750 SF
Hotel Rooms	300 SF	335 SF

(8) Where applicable, towers shall be pursuant to the following:

(a) Tower separation shall be at least 50 feet.

(b) The maximum tower length shall be 300 feet.

(c) The maximum average tower floorplate shall be regulated by the tower's principal use as follows:

(i) Commercial or mixed-use: Average up to 35,000 square feet; maximum of 45,000 square feet for any single tower floorplate.

(ii) Residential and Hotel uses: Average up to 24,000 square feet; maximum of 30,000 square feet for any single tower floorplate.

(9) Encroachments.

(a) Horizontal projections shall be pursuant to the Projection Section in Article 4, except:

(i) Balconies may encroach the setback for a maximum of 75 percent of the required setback.

(ii) Mechanical equipment and appurtenances necessary to the operation or maintenance of the building or structure itself such as, but not limited to, elevator, stair, shall be enclosed and screened in such a manner that the enclosure is designed as an integral part of the overall building design, and may encroach a maximum of 50 percent of the required front setback and may occupy up to a maximum of 30 percent of the front building façade.

(b) Vertical projections shall be pursuant to the Height Exemptions Section in Article 4, except:

(i) Mechanical equipment and appurtenances necessary to the operation or maintenance of the building or structure itself such as, but not limited to, cooling towers, elevator, stair and mechanical penthouses, vent stacks and antennas shall be enclosed and screened in such a manner that the enclosure is designed as an integral part of the overall building design.

(ii) Building base parapets shall have a maximum height of 20 percent of the maximum building base height, not to exceed 10 feet. Tower parapets shall have a maximum height of 15 feet.

(iii) Enclosed or covered rooftop amenities are permitted to exceed the maximum height for not more than 30 percent of the gross rooftop area. For the purposes of calculating the maximum area, enclosed or covered structures shall not include enclosures for screening mechanical systems. The following restrictions apply:

a. Rooftop amenities are permitted to exceed the maximum of 15 feet.

b. Rooftop amenities shall not include commercial uses in the C-SS and C-LP Districts.

c. Covered structures shall be architecturally compatible with and in proportion to the architecture of the overall building.

d. Climate controlled structures are limited to the minimum area necessary to accommodate uses which are secondary and incidental

to the principal rooftop amenity. These structures may include saunas and steam rooms and code-required restrooms.

e. Supporting restroom facilities shall not exceed 150 percent of the size required by applicable federal, state, and local health regulations.

(10) Active use liners

(a) Active use liners shall be pursuant to the Development Regulations table in each district or subdistrict and the following:

(i) Minimum Active Use Liner Depth Table.

MINIMUM ACTIVE USE LINER DEPTH		
Use	Ground Floor	Above Ground Floor
Commercial	25 ft.	20 ft.
Residential	15 ft.	15 ft.

(ii) When active use and active use liners are not required or exceed the minimum required frontage percentage, the active use shall be permitted to have a minimum depth of 15 feet. Further, when a parking structure is the principal use, the active use shall be permitted to have a minimum depth of 15 feet. (See Appendix 1: Diagram 1).

(iii) Active use requirements may be reduced or waived at the discretion of City Manager or designee when sufficient evidence is provided to indicate that necessary vehicular access and circulation cannot be accommodated.

(11) Articulation requirements.

(a) Building facades shall incorporate breaks in the horizontal and vertical wall plane to provide articulation and reduce visual mass.

(b) Blank walls visible from adjacent streets, public areas or adjacent buildings shall not be permitted and shall incorporate facade articulation. A portion of the facade proportionate to the building massing may be permitted.

(c) For ground floor commercial active uses, 50 percent of the storefront facade area shall provide transparency. Transparency may be provided through the use of windows and door glazing as well as unobstructed openings in the building facade. (See Appendix 1: Diagram 14)

(d) Architectural treatment shall be provided for all non-active use facade elevations and shall be harmonious and integrated with the design of adjacent active use facades. Architectural treatment shall be provided through a combination of two (2) or more treatments including, but not limited to: the use of similar materials and construction assemblies; the continuation of fenestration patterns, architectural features, articulation, and rhythm; the

application of architectural screens, meshes, louvers, and glass; the incorporation of pervious surfaces and planters; and the provision of consistent signage, graphics, and architectural lighting. The following treatments are permitted, but shall not fulfill the requirement for architectural treatment: the application of paint and faux treatments; scoring, construction joints or material projections less than four (4) inches in height, width, or depth.

(12) Overhead doors, service bays, and similar elements shall not front rights-of-way or residential zoning districts. Such elements shall be internal to the site and screened from public view.

b. General public realm regulations.

(1) Minimum setback areas adjacent to rights-of-way, excluding alleys, shall:

(a) Be improved consistent with the public sidewalk and therefore, shall comply with sidewalk standards, and shall match or be harmonious with the design of the public sidewalk as determined by the City Manager or designee; or shall be pursuant to the General Landscape Regulations.

(b) Not include any parking uses and shall be left free of any structure higher than 42 inches, excluding street signage, lighting and other public improvements and provided that it does not occupy more than 30 percent of the setback.

(c) Not include the encroachment of any ramps and/or stairs associated with any ground floor uses, other than residential. (See Appendix 1: Diagram 7).

(2) Maximum setback areas shall be applicable to all building components, excluding open space, driveways, and porte cocheres. Variations in the building frontage where portions of facades do not meet the building maximum setback are permitted, as long as the intent of the regulation is met and the majority of the façade meets the requirement.

(3) Conflicts between vehicles and pedestrians shall be minimized or eliminated. Clear and safe pedestrian connections shall be provided.

(4) If fencing is used, it shall be decorative. Chain link fences shall be prohibited in commercial districts, adjacent to rights-of-way.

(5) The incorporation of transit stops or stations on-site or integrated into the building is encouraged.

(6) Public amenities shall be contextual and consistent with the overall design of the site and buildings; functional, high-quality, and durable; easily accessible and visible; and energy-efficient.

c. General parking regulations.

(1) Parking requirements.

(a) Parking, the calculation of required off-street parking, and any other applicable regulation not set forth herein, shall be pursuant to Article 7 of the Zoning and Land Development Regulations.

(b) Developments may not exceed the required amount of parking by more than 20 percent, except:

(i) Through the use of structured parking (garage); or

(ii) Through the use of tandem parking (vertical or horizontal), mechanical parking lifts, or similar mechanical systems, which do not increase the overall building massing, pursuant to Article 7.

(c) Guest parking shall be provided pursuant to the parking requirements table in each district or subdistrict as set forth herein. Designated guest parking shall not be assigned or otherwise designated for any other purpose, but may be included in the shared parking calculations.

(d) Multiple family buildings shall provide secure bicycle racks and/or storage shall, at a ratio of one (1) bike rack space per every 20 required parking spaces. The bicycle racks shall be located on-site and shall not encroach into the right-of-way.

(2) Parking stall dimensions.

(a) Parallel parking minimum: Eight and one-half (8-1/2) feet in width by 22 feet in length. (See Appendix 1: Diagram 9)

(b) Ninety (90) degree and angled parking minimum: Eight and one-half (8-1/2) feet in width by 18 feet in length. (See Appendix 1: Diagram 9)

(c) In those cases where the side of any stall is adjacent to a wall, fence, building, or other physical obstruction, the stall widths shall be increased by one (1) foot. Where there is an obstruction on both sides of the stall, the stall widths shall be increased by two (2) feet.

(d) Driveways may be a minimum 11 feet for one-way traffic and a minimum of 22 feet for two-way traffic.

(e) Driveway entrances not adjacent to parking stalls may be a minimum of 20 feet.

(f) All other parking stall dimension standards shall be pursuant to Article 7 of the Zoning and Land Development Regulations.

(3) Detached and attached parking garages for single-family minimum size (clear dimension):

(a) One Car Space Garage: 10.5 feet in width by 19 feet in length.

(b) Two Car Space Garage: 21.0 feet in width by 19 feet in length.

(4) Parking garages and single parking decks under buildings shall be pursuant to the district or subdistrict Building Requirements Table and to the following requirements:

(a) All levels of parking garages shall be lined with active uses as required by the Building Requirements Table in each district or screened with architectural treatment. At ground level, parking garages shall be screened with both architectural treatment and landscape buffer.

(b) A minimum of 50 percent of all roof deck parking areas (including the top deck of the base) shall be visually screened or architecturally treated in such a way that parked vehicles cannot be viewed from adjacent buildings. Screening elements may include roofs, trellises, canopies, screens, or other similar structures.

(5) At-grade parking lots and vehicular use areas shall be pursuant to the General Landscape Regulations and the following requirements:

(a) At-grade parking lots shall not be permitted within frontage setbacks unless otherwise permitted within these regulations and shall be located behind the main structure to the maximum degree possible.

(b) Parking in front of buildings shall not be permitted along State Road 7 and Hollywood Boulevard. Pick-up and drop-off areas, such as porte cocheres are permitted.

(c) At-Grade Parking Lots and Vehicular Use Areas Setback Requirements Table.

AT-GRADE PARKING LOT AND VEHICULAR USE AREAS SETBACK REQUIREMENTS	
Minimum	
<u>Front</u>	<u>10 feet</u>
<u>Interior</u>	<u>5 feet</u>
<u>Rear</u>	<u>5 feet</u>
<u>Alley</u>	<u>5 feet</u>

(6) Parking reduction strategies. Developments, may utilize more than one of the parking strategies listed herein. The cumulative parking reduction shall not result in a reduction of more than 10 percent of the minimum parking requirement for single-use development and 25 percent of the minimum parking requirement for mixed-use development.

(a) Where applicable, as determined by the City Manager or his/her designee, developments may provide a public bus shelter. The bus shelter shall be designed and located in conformance with all applicable requirements as determined by the City Manager or his/her designee and Broward County; and at a minimum shall provide protection from the sun, wind, and rain; provide seating and a waste receptacle; and be solar powered. If it is determined that a bus shelter will be provided, then the respective parking requirement for that use may be reduced by ten (10) percent.

(b) Developments may provide secure public bicycle racks and/or storage at a ratio of one (1) bike rack space per every 20 required parking spaces. The bicycle racks shall be located on-site and shall not encroach into the right-of-way. If a development provides secure bicycle racks and/or storage, then the respective parking requirement may be reduced by five percent.

(c) Developments may provide a public or private bicycle sharing kiosk. The bicycle sharing kiosk shall be located on-site and not encroach into the right-of-way. If a development provides a public or private bicycle sharing kiosk, then the respective parking requirement may be reduced by five (5) percent.

(d) Developments may provide dedicated car/ride sharing spaces at a ratio of one (1) car/ride sharing space per every 25 required parking spaces. The car/ride sharing spaces shall be located on-site and clearly labeled. If a development provides dedicated car/ride sharing spaces, then the respective parking requirement for that use by five (5) percent.

(e) Developments may provide a public plaza or open space, including but not limited to, shaded areas, fixed or movable seating, landscape, pedestrian scaled lighting, waste receptacles, and public art. Such amenities shall be designed and located in a manner deemed appropriate by the City Manager or designee. If a development provides a public plaza or open space as set forth herein, then the respective parking requirement may be reduced by five (5) percent.

(f) Shared parking is encouraged for proposed developments with two (2) or more distinguishable uses as listed in the Shared Parking Requirements Table.

(i) The minimum shared parking requirement and maximum shared parking reduction shall be determined by the following procedure:

a. Multiply the minimum parking requirement for each individual use pursuant to the Parking Requirement Table in each district or subdistrict by the appropriate percentage listed in the Shared Parking Requirements Table for each of the five (5) designated time periods.

b. Add the resulting sum for each of the five (5) vertical columns of the Shared Parking Requirement Table. The minimum shared parking requirement is provided by the highest number resulting from that sum.

(ii) The shared parking reduction shall not result in a reduction of more than 25 percent of the minimum parking requirement.

(iii) Shared Parking Requirements Table.

SHARED PARKING REQUIREMENT					
Use	Weekdays			Weekend	
	Night	Day	Evening	Day	Night and Evening
	Percent	Percent	Percent	Percent	Percent
<u>Residential</u>	<u>100</u>	<u>60</u>	<u>90</u>	<u>80</u>	<u>90</u>
<u>Office</u>	<u>5</u>	<u>100</u>	<u>10</u>	<u>10</u>	<u>5</u>
<u>Commercial/Retail (Non-Office)</u>	<u>5</u>	<u>90</u>	<u>70</u>	<u>100</u>	<u>70</u>
<u>Hotel</u>	<u>80</u>	<u>60</u>	<u>100</u>	<u>80</u>	<u>100</u>
<u>Restaurant</u>	<u>10</u>	<u>50</u>	<u>100</u>	<u>50</u>	<u>100</u>
<u>Entertainment/Recreation</u>	<u>10</u>	<u>40</u>	<u>100</u>	<u>80</u>	<u>100</u>
<u>All Others</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>

(7) Loading and maneuvering shall be pursuant to Article 7 of the Zoning and Land Development Regulations.

d. General landscape regulations. Landscape requirements shall be pursuant to the Landscape Requirements Table; to Article 9 of the Zoning and Land Development Regulations; to the City of Hollywood Landscape Manual; and to the following requirements:

(1) The minimum tree size is 12 feet in height, with a four (4) inch caliper measured at diameter breast height. (The diameter of a tree trunk measured at four and one-half (4-1/2) feet above the root ball).

(2) Ground floor open spaces, such as plazas, courtyards, and passageways which are visible from the public right-of-way and larger than 3,000 square feet shall be improved as pursuant to these regulations and the following requirements:

(a) A minimum of 25 percent of the open space area shall be vegetated.

(b) Overhead cover shall be provided for a minimum of 10 percent of the open space area.

(c) A minimum of one (1) linear foot of seating for every 30 square feet of open space area shall be provided.

(3) General Landscape Requirements Table.

GENERAL LANDSCAPE REQUIREMENTS	
	Requirements
<u>Perimeter Landscape</u>	<p><u>1 One (1) street tree per 30 linear feet or portion thereof, of street frontage of property wherein said improvements are proposed.</u></p> <p><u>2 Residential Uses shall provide a five (5) foot landscape buffer within required setback areas with one (1) tree for every 20 linear feet of required buffer area.</u></p> <p><u>3 When abutting or across an alley from a residential zoning district a perimeter landscape buffer shall be included within the required setback area with one (1) tree for every 20 linear feet of required buffer area.</u></p>
<u>Interior Landscape for At-Grade Parking Lots and Vehicular Use Area</u>	<p><u>4 Terminal islands shall be installed at each end of all rows of parking spaces and landscape islands shall be provided no further apart than every 10 parking spaces. Each island shall contain a minimum of one 190 square feet of pervious area or shall measure the same length and width as the adjacent parking stall. Each island shall contain at least one (1) tree.</u></p> <p><u>5 A five (5) foot landscape buffer including a landscape element of at least 42 inches in height shall be provided along the perimeter. The landscape buffer may be included within required setback areas.</u></p> <p><u>6 Lots with a width of 50 feet or less: 15 percent of the total square footage of the paved vehicular use area shall be landscaped.</u></p> <p><u>7 Lots with a width of more than 50 feet: 25 percent of the total square footage of the paved vehicular use area shall be landscaped.</u></p> <p><u>Note: Percentage calculation excludes required perimeter landscaped setback area.</u></p>
<u>Open Space</u>	<p><u>8 All pervious areas shall be landscaped with grass, ground cover and/or shrubbery; or covered by another sustainable surface or material as permitted and</u></p>

	<p>determined by the City Manager or designee. Required landscape open space shall not be used for parking.</p> <p><u>9</u> A minimum of one (1) tree per 1,000 square feet of pervious area of property; this is in addition to tree requirement for parking lots and paved vehicular use areas.</p> <p><u>10</u> SR7 RM Districts: A minimum of 25 percent of the total site area shall be landscaped open space including landscaped open space located at-grade or at higher elevations such as on pool decks, parking decks, roof decks, etc.</p> <p><u>11</u> C-SS, C-LP, C-JS Districts: A minimum of 15 percent of the total site area shall be landscaped open space including landscaped open space located at-grade or at higher elevations such as on pool decks, parking decks, roof decks, etc.</p> <p><u>12</u> C-MU, N-MU, S-MU Districts: A minimum of 5 percent of the total site area shall be landscaped open space including landscaped open space located at-grade or at higher elevations such as on pool decks, parking decks, roof decks, etc.</p>
<u>View Triangle</u>	<u>15</u> For corner lots, a sight distance triangle shall be provided. See the City of Hollywood Landscape Manual for illustration diagram.
<u>Irrigation</u>	<u>16</u> Provide 100 percent irrigation coverage by means of an automatic sprinkler system designed and constructed in accordance with the City of Hollywood Code of Ordinances and the Regulations of the South Florida Water Management District or apply xeriscape principles. (See the City of Hollywood Landscape Manual)

4. District use and development regulations. The purpose of the district specific regulations is to reinforce the existing and potential character of each district and subdistrict.

a. State Road 7 Multiple Family Residential Districts

(1) State Road 7 Multiple Family Residential Districts Purpose and Character.

- (a) Encourage high-quality housing within walking distance to transit, entertainment, personal services, retail, and office.
- (b) Encourage the creation of strong urban residential neighborhoods, providing an array of housing types, including high- and mid-rise multi-family, live-work units, walk-up units, lofts, and attached housing.

- (c) Enhance and protect the exiting neighborhood character and promote a strong sense of community.
 - (d) Encourage renovation and reuse of existing building stock.
- (2) State Road 7 Multiple Family Residential Districts Use and Development Regulations.
- (a) SR7 RM - State Road 7 Multiple Family Residential Districts
 - (i) SR7 RM - State Road 7 Multiple Family Residential Districts Use Table.

SR 7 RM – State Road 7 Multiple Family Residential Use			
<u>Main Permitted Uses</u>	<u>Accessory Uses</u>	<u>Special Exception Uses</u>	<u>Prohibited Uses</u>
<u>Multiple Family Residential</u> <u>Single-Family Residential</u>	<u>Parking Lot accessory to a Main Permitted Use; or adjacent Main Permitted Use</u> <u>Any use customarily associated with one of the Main Permitted Uses.</u>	<u>Day Care Facility</u> <u>Parking Lot accessory to a Main Permitted Use; or adjacent Main Permitted Use</u> <u>Place of Worship, Meeting Hall, and Fraternal Lodge</u> <u>Schools (All)</u>	<u>Any use not listed as a Main Permitted Use,</u>
<u>See Section 4.1, 4.2, 4.21, and 4.22 for Additional Use Regulations and Performance Standards.</u>			

- (ii) SR7 RM - State Road 7 Multiple Family Residential Districts Development Regulations Table.

SR 7 RM – State Road 7 Multiple Family Residential Development Regulations		
<u>LOT REQUIREMENTS</u>		
<u>Lot Area</u>	<u>6,000 sq. ft.</u>	
<u>Lot Width</u>	<u>50 ft.</u>	
<u>Platted lots or lots of record as of April 6, 1994 are considered as legal non-conforming and may be developed consistent with these regulations.</u>		
<u>ZONING DISTRICT</u>	<u>MAXIMUM DENSITY</u>	<u>MAXIMUM HEIGHT</u>
<u>SR 7 MF-9</u>	<u>9 units per acre</u>	<u>4 Stories, not to exceed 35 ft.</u>
<u>SR 7 MF-18</u>	<u>12 units per acre</u>	<u>4 Stories, not to exceed 45 ft.</u>
<u>SR 7 MF-25</u>	<u>25 units per acre</u>	<u>6 Stories, not to exceed 65 ft.</u>
<u>MINIMUM SETBACKS</u>		
<u>Front</u>	<u>20 ft.</u>	
<u>Side Street</u>	<u>15 ft.</u>	
<u>Side Interior</u>	<u>7.5 ft.</u>	
	<u>Platted and recorded lots of 50 ft. or less in width may have a 5 ft. setback.</u>	
<u>Rear</u>	<u>20 ft.</u>	

b. North District.

(1) North District Purpose and Character.

- (a) Encourage higher intensity mixed-use, transit oriented or transit ready development, which accommodate a diverse mix of commercial uses including large format or destination retail and entertainment uses, which complement the Seminole Resort and Casino.
- (b) Orient the higher intensity and ground floor commercial uses towards State Road 7 to enhance the corridor, creating a more urban environment with buildings on the street edge, continuous sidewalks, and active uses which promote pedestrian activity.

(2) North District Use and Development Regulations.

(a) N-MU - North Mixed-Use District

(i) N-MU – North Mixed-Use District Use Table.

N-MU - SR7 North – Mixed-Use District Uses			
<u>Main Permitted Uses</u>	<u>Accessory Uses</u>	<u>Special Exception Uses</u>	<u>Prohibited Uses</u>
<u>Adult Educational Facilities¹</u> <u>Amusement Uses</u> <u>Antique, Consignment, Collectible, and Vintage Store</u> <u>Artisan and Maker Manufacturing</u> <u>Assembly of Pre-Manufactured Parts for Sale on the Premises</u> <u>Automotive Rental, except Truck Rental²</u> <u>Bar, Lounge, or Night Club</u> <u>Commercial Marinas, except dry dock facilities</u> <u>Commercial Uses</u> <u>Contractor Shop (Indoor)</u> <u>Dry Cleaners</u> <u>Food Processing</u> <u>Hotel</u>	<u>Cabinet, Furniture, Upholstery Shop</u> <u>Car Wash⁴</u> <u>Contractor Shop associated to Retail or Showroom</u> <u>Dry Dock Facilities⁵</u> <u>Light Manufacturing associated with Retail or Showroom</u> <u>Outdoor produce sales (fresh fruit, vegetable, plant and flower retail sales), accessory to a grocery store, specialty market, or similar use⁶</u> <u>Tattoo, Body Art, or Body Piercing⁷</u> <u>Any use customarily associated with one of the Main Permitted Uses.</u>	<u>Automotive Truck Rental²</u> <u>Day Care Facilities</u> <u>Parking Lots and Garages (commercial), fronting State Road 7</u> <u>Schools (K-12)</u> <u>Service Station</u>	<u>Adult Entertainment or Adult Related Uses</u> <u>All General and Heavy Manufacturing Uses</u> <u>Bulk Sales, Storage, or Display of Lumber and Building Materials</u> <u>Gun Shop</u> <u>Outdoor Storage</u> <u>Pawn Shops</u> <u>Psychic Help Uses</u> <u>Self-Storage Facility</u> <u>Any use not listed as a Main Permitted Use.</u>

<p><u>Institutional</u></p> <p><u>Live-Work</u></p> <p><u>Microbrewery,</u> <u>Microdistillery, and</u> <u>Microwinery</u></p> <p><u>Motel</u></p> <p><u>Multi-Family</u> <u>Residential, except</u> <u>on the ground floor</u> <u>adjacent to Griffin</u> <u>Road, Stirling Road,</u> <u>and State Road 7;</u> <u>and except north of</u> <u>Griffin Road.</u></p> <p><u>Museum, Art Gallery,</u> <u>and Similar Cultural</u> <u>Uses</u></p> <p><u>Office</u></p> <p><u>Parking Lots and</u> <u>Garages</u> <u>(commercial),</u> <u>except fronting State</u> <u>Road 7</u></p> <p><u>Personal Service</u></p> <p><u>Place of Worship,</u> <u>Meeting Hall, and</u> <u>Fraternal Lodges</u></p> <p><u>Restaurant</u></p> <p><u>Retail (Indoor)</u></p> <p><u>School, Business,</u> <u>Commercial, or</u> <u>Vocational;</u> <u>Recreational or</u> <u>Cultural; and</u> <u>University¹</u></p> <p><u>Single Family</u> <u>Residential, except</u> <u>on the ground floor</u> <u>adjacent to Griffin</u> <u>Road, Stirling Road,</u> <u>and State Road 7;</u> <u>and except north of</u> <u>Griffin Road.</u></p> <p><u>Wholesale and</u> <u>Warehousing³</u></p>			
--	--	--	--

¹ Adult Educational Facilities and Schools may require additional review for pedestrian and vehicular circulation, pick-up and drop off operations, traffic, etc. Limitations may be imposed in regards to capacity, hours of operation, parking, and circulation.

- ² Automotive Rental, shall be designed in a pedestrian oriented manner; vehicular inventory shall be stored in an enclosed building, or at the rear or side of the site and fully screened from public rights-of-way.
- ³ Wholesale and Warehousing shall be limited to the use of existing buildings and shall occur fully within an enclosed structure.
- ⁴ Car Washes shall be fully enclosed and adequately screened; or not visible from public rights-of-way.
- ⁵ Dry Dock Facilities shall be located on sites that abut a navigable waterway or have direct access to the Intracoastal Waterway; shall not exceed 30 feet in height nor contain more than 50 boat slips; shall be subordinate to and contribute to the comfort, convenience or necessities of the users or the occupants of the principal use of the property; shall be in harmony with the scale and character of adjacent properties and the neighborhood in general; shall be compatible with dock patterns in the general vicinity and shall not have an impact on existing water recreation activities, navigation, marine environment, water quality, natural resources and wetlands. The dry dock shall not face or be visible from State Road 7.
- ⁶ Outdoor produce sales shall provide a plan illustrating the layout, location, and dimensions of the outdoor sales area; shall not interfere or obstruct pedestrian flow; and shall be exempt from screening requirements.
- ⁷ Tattoo, Body Art, or Body Piercing Establishments shall be limited to 25 percent of the total gross floor area of the use; and exterior primary signage shall not be permitted.
- See Section 4.3.J, 4.21, and 4.22 for Additional Use Regulations and Performance Standards.

(ii) N-MU - North Mixed-Use District Development Regulations Table.

N-MU - SR7 North – Mixed-Use District Development Regulations		
MAXIMUM DENSITY		
Single Use Buildings	Vertical Mixed-Use Building Bonus	
36 Dwelling Units per Acre	50 Dwelling Units per Acre	
The number of hotel rooms is double the maximum number of dwelling units.		
MAXIMUM HEIGHT		
Single Use Buildings	Vertical Mixed-Use Building Bonus for Sites or portions of sites fronting State Road 7	
65 ft.	175 ft.	
Sites or portions of sites within 100 feet of RM-18 and PUD-R: 65 ft.		
MINIMUM SETBACKS		
Frontage		
All Frontages	Non-Residential: 10 ft. Residential: 15 ft.	
Side Interior	Non-Residential: 0 ft. Residential: 15 ft.	
Rear/Alley	Non-Residential: 5 ft. Residential: 15 ft.	
When adjacent to RM-18 and PUD-R: 20 ft.		
MAXIMUM SETBACKS		
Frontage	Ground Floor	Above Ground Floor
State Road 7	30 ft.	N/A
MINIMUM ACTIVE USES		

<u>Frontage</u>	<u>Ground Floor</u>	<u>Above Ground Floor</u>
<u>State Road 7</u>	<u>60%</u>	<u>N/A</u>
<u>Griffin Road</u> <u>Stirling Road</u>	<u>40%</u>	<u>N/A</u>

(iii) N-MU - North Mixed-Use District Special Requirements

- a. For lots which abut State Road 7, the tower orientation shall be towards State Road 7.
- b. Structured parking is encouraged.

c. Central Districts.

(1) Central Districts Purpose and Character.

- (a) Encourage higher intensity mixed-use transit oriented or transit ready development, which accommodate a diverse mix of commercial, office, and residential uses, serving the region and adjacent neighborhoods.
- (b) Orient the higher intensity and ground floor commercial uses towards State Road 7 to enhance the corridor, creating a more urban environment with buildings on the street edge, continuous sidewalks, and active uses which promote pedestrian activity.
- (c) Promote and enhance the visual appeal and brand identity of the Johnson Street District by encouraging neighborhood oriented active uses, outdoor cafes, continuous sidewalks, pedestrian scaled lighting, public seating, and shade trees.
- (d) Utilize the Linear Park as an amenity, to enhance a sense of community and identity, and provide opportunities for community interaction in a comfortable, friendly, walkable environment.
- (e) Promote the adaptive reuse of buildings fronting Sheridan Street, east of State Road 7, providing an opportunity for professional offices.
- (f) Encourage the creation of strong urban residential neighborhoods, providing an array of housing types, including high- and mid-rise multi-family, live-work units, walk-up units, lofts, and attached housing.
- (g) Provide adequate and compatible transitions to protect the scale of adjacent residential neighborhoods.

(2) Central Districts Use and Development Regulations.

- (h) C-SS – Central Sheridan Street District
 - (i) C-SS – Central Sheridan Street District Use Table.

C-SS - SR7 Central – Sheridan Street Mixed-Use District Uses			
Main Permitted Uses	Accessory Uses	Special Exception Uses	Prohibited Uses
<u>Live-Work Office¹</u> <u>Professional Office²</u> <u>Single-Family Residential</u>	<u>Any use customarily associated with one of the Main Permitted Uses.</u>	<u>Day Care Facility</u> <u>Personal Service</u> <u>Place of Worship, Meeting Hall, and Fraternal Lodge</u> <u>Schools (All)</u>	<u>Any use not listed as a Main Permitted Use.</u>
¹ <u>Offices on sites of less than 0.25 acres shall be limited to Administrative Offices which do not involve the on-site handling, processing, distribution, display, storage, or sale of goods and merchandise, such as, but not limited to, real estate brokers, insurance agencies, marketing and investment counseling, stockbrokers, secretarial and stenographic services, or other similar uses.</u> ² <u>Professional Offices on sites of less than 0.25 acres shall not exceed 2 doctors, dentists, lawyers, accountants, architects, engineers, or other similar field.</u> See Section 4.3.J, 4.21, and 4.22 for Additional Use Regulations and Performance Standards.			

(ii) C-SS – Central Sheridan Street District Development Regulations Table.

C-SS - SR7 Central – Sheridan Street Mixed-Use District Development Regulations	
MAXIMUM DENSITY	
9 Dwelling Units per Acre	
MAXIMUM HEIGHT	
2 Stories, not to exceed 35 ft.	
MINIMUM SETBACKS	
Frontage	
<u>All Frontages</u>	<u>Non-Residential: 10 ft.</u> <u>Residential: 25 ft.</u>
<u>Side Interior</u>	<u>10 ft.</u> <u>Platted and recorded lots of 50 ft. or less in width may have a 5 ft. setback.</u>
<u>Alley</u>	<u>20 ft.</u>

(iii) C-SS – Central Sheridan Street District Special Requirements

- a. Parking Requirement: 1 space per 250 sq. ft. for sites greater than 0.25 acres in size, 1 space per 500 sq. ft., to a maximum of 5 spaces for sites less than or equal to 0.25 acres in size.
- b. Head-in/back-out parking not permitted.
- c. Required parking spaces (tandem) may be provided on a circular drive with an interior landscaped island.

(i) C-LP – Central Linear Park District

- (i) C-LP – Central Linear Park District Use Table.

C-LP - SR7 Central – Linear Park Mixed-Use District Uses			
Main Permitted Uses	Accessory Uses	Special Exception Uses	Prohibited Uses
<u>Artisan and Maker</u> <u>Manufacturing</u> <u>Assembly of Pre-</u> <u>Manufactured Parts</u> <u>for Sale on the</u> <u>Premises</u> <u>Commercial Uses</u> <u>Live-Work</u> <u>Multi-Family</u> <u>Residential</u> <u>Museum, Art Gallery,</u> <u>and Similar Cultural</u> <u>Uses</u> <u>Personal Service</u> <u>Professional Office²</u> <u>Restaurant</u> <u>Retail (Indoor)</u> <u>Single Family</u> <u>Residential</u>	<u>Parking Lot accessory to</u> <u>a Main Permitted</u> <u>Use</u> <u>Outdoor produce sales</u> <u>(fresh fruit,</u> <u>vegetable, plant and</u> <u>flower retail sales)¹</u> <u>Any use customarily</u> <u>associated with one</u> <u>of the Main</u> <u>Permitted Uses.</u>	<u>Day Care Facility</u> <u>Place of Worship,</u> <u>Meeting Hall, and</u> <u>Fraternal Lodge</u> <u>Schools (All)</u>	<u>Adult Entertainment or</u> <u>Adult Related Uses</u> <u>All General and Heavy</u> <u>Manufacturing Uses</u> <u>Bulk Sales, Storage, or</u> <u>Display of Lumber</u> <u>and Building</u> <u>Materials</u> <u>Contractor Shop and</u> <u>Storage (Indoor or</u> <u>Outdoor)</u> <u>Gun Shop</u> <u>Outdoor Storage</u> <u>Pawn Shops</u> <u>Psychic Help Uses</u> <u>Self-Storage Facility</u> <u>Any use not listed as a</u> <u>Main Permitted Use.</u>
¹ <u>Outdoor produce sales shall provide a plan illustrating the layout, location, and dimensions of the outdoor sales area; shall not interfere or obstruct pedestrian flow; and shall be exempt from screening requirements.</u>			
² <u>Professional Offices on sites of less than 0.25 acres shall not exceed 2 doctors, dentists, lawyers, accountants, architects, engineers, or other similar field.</u>			
<u>See Section 4.3.J, 4.21, and 4.22 for Additional Use Regulations and Performance Standards.</u>			

(ii) C-LP – Central Linear Park District Development Regulations Table.

C-LP - SR7 Central – Linear Park Mixed-Use District Development Regulations	
MAXIMUM DENSITY	
Single Use Buildings	Vertical Mixed-Use Building Bonus
25 Dwelling Units per Acre	36 Dwelling Units per Acre
MAXIMUM HEIGHT	
65 ft.	
Sites or portions of sites within 100 feet of MF-18: 45 ft.	
MINIMUM SETBACKS	
Frontage	
All Frontages	Non-Residential: 10 ft. Residential: 15 ft.
Side Interior	10 ft. Platted and recorded lots of 50 ft. or less in width may have a 5 ft. setback.
Rear	15 ft.

(iii) C-LP – Central Linear Park District Special Requirements

- a. Buildings shall be designed in a manner that enhances and encourages the use of the Linear Park.
- b. For lots adjacent to the Linear Park, active uses fronting the east-west streets shall wrap the corner to provide secondary frontages and activity along the Linear Park; and pedestrian connections shall be provided. The rear of buildings shall not face the Linear Park; this requirement may be waived at the discretion of City Manager or designee when sufficient evidence is provided to indicate it cannot be accommodated.
- c. Walk-up gardens shall be required for ground floor residential uses and shall have a minimum depth of five (5) feet measured horizontally between the building facade and the public sidewalk. Entrance landings and stairs may encroach the garden space. Garden perimeter fences, walls or other similar structures shall not exceed four (4) feet in height. A minimum of 40 percent of the walk-up garden area shall be pervious.

(j) C-JS – Central Johnson Street District

(i) C-JS – Central Johnson Street District Use Table.

C-JS - SR7 Central – Johnson Street Mixed-Use District Uses			
Main Permitted Uses	Accessory Uses	Special Exception Uses	Prohibited Uses
<u>Adult Educational Facilities^{1, 2}</u> <u>Amusement Uses (indoor)²</u> <u>Antique, Consignment, Collectible, and Vintage Store²</u> <u>Artisan and Maker Manufacturing²</u> <u>Assembly of Pre-Manufactured Parts for Sale on the Premises²</u> <u>Coin Laundry^{2, 3}</u> <u>Commercial Uses²</u> <u>Contractor Shop (Indoor)²</u> <u>Dry Cleaners²</u> <u>Food Processing²</u> <u>Hotel</u> <u>Institutional²</u> <u>Live-Work²</u>	<u>Automotive Repair²</u> <u>Cabinet, Furniture, Upholstery Shop²</u> <u>Light Manufacturing associated with Retail or Showroom²</u> <u>Outdoor produce sales (fresh fruit, vegetable, plant and flower retail sales), accessory to a grocery store, specialty market, or similar use⁴</u> <u>Any use customarily associated with one of the Main Permitted Uses.</u>	<u>Day Care Facility</u> <u>Schools (K-12)²</u> <u>Service Station²</u>	<u>Adult Entertainment or Adult Related Uses</u> <u>All General and Heavy Manufacturing Uses</u> <u>Bulk Sales, Storage, or Display of Lumber and Building Materials</u> <u>Contractor Shop and Storage (Outdoor)</u> <u>Gun Shop</u> <u>Outdoor Storage</u> <u>Pawn Shops</u> <u>Psychic Help Uses</u> <u>Self-Storage Facility</u> <u>Any use not listed as a Main Permitted Use.</u>

<u>Multi-Family Residential, above the ground floor</u> <u>Museum, Art Gallery, and Similar Cultural Uses²</u> <u>Office²</u> <u>Parking Lots and Garages (commercial), except fronting Johnson Street</u> <u>Personal Service²</u> <u>Place of Worship, Meeting Hall, and Fraternal Lodges</u> <u>Restaurant²</u> <u>Retail (Indoor)²</u> <u>School, Business, Commercial, or Vocational; Recreational or Cultural; and University^{1,2}</u> <u>Single Family Residential, except adjacent to Johnson Street</u>			
---	--	--	--

¹ Adult Educational Facilities and Schools may require additional review for pedestrian and vehicular circulation, pick-up and drop off operations, traffic, etc. Limitations may be imposed in regards to capacity, hours of operation, parking, and circulation.

² For properties east of 59th Avenue, Commercial Uses only permitted on properties fronting Johnson Street.

³ Coin Laundries shall be fully enclosed and air-conditioned.

⁴ Outdoor produce sales shall provide a plan illustrating the layout, location, and dimensions of the outdoor sales area; shall not interfere or obstruct pedestrian flow; and shall be exempt from screening requirements.

See Section 4.3.J, 4.21, and 4.22 for Additional Use Regulations and Performance Standards.

(ii) C-JS – Central Johnson Street District Development Regulations Table.

C-JS - SR7 Central – Johnson Street Mixed-Use District Development Regulations	
MAXIMUM DENSITY	
Single Use Buildings	Vertical Mixed-Use Building Bonus
36 Dwelling Units per Acre	42 Dwelling Units per Acre
The number of hotel rooms is double the maximum number of dwelling units.	
MAXIMUM HEIGHT	

Single Use Buildings		Vertical Mixed-Use Building Bonus for Sites or portions of sites fronting State Road 7	
<u>East of State Road 7: 65 ft.</u> <u>West of State Road 7: 85 ft.</u>		<u>175 ft.</u>	
<u>Sites or portions of sites within 100 feet of MF-18: 45 ft.</u>			
MINIMUM SETBACKS			
Frontage			
<u>All Frontages</u>		<u>Non-Residential: 10 ft.</u> <u>Residential: 15 ft.</u>	
<u>Side Interior</u>		<u>Non-Residential: 0 ft.</u> <u>Residential: 5 ft.</u>	
<u>Rear</u>		<u>10 ft.</u>	
MAXIMUM SETBACKS			
Frontage	Ground Floor	Above Ground Floor	
<u>State Road 7</u>	<u>30 ft.</u>	<u>N/A</u>	
MINIMUM ACTIVE USES			
Frontage	Ground Floor	Above Ground Floor	
<u>State Road 7</u>	<u>60%</u>	<u>N/A</u>	
<u>Johnson Street</u>	<u>40%</u>	<u>N/A</u>	

(iii) C-JS – Central Johnson Street District Special Requirements

- a. For lots which abut State Road 7, the tower orientation shall be towards State Road 7.

(k) C-MU – Central Mixed-Use District

- (i) C-MU – Central Mixed-Use District Use Table.

C-MU - SR7 Central – Mixed-Use District Uses			
Main Permitted Uses	Accessory Uses	Special Exception Uses	Prohibited Uses
<u>Adult Educational Facilities¹</u> <u>Amusement Uses</u> <u>Antique, Consignment, Collectible, and Vintage Store</u> <u>Artisan and Maker Manufacturing</u> <u>Assembly of Pre-Manufactured Parts for Sale on the Premises</u> <u>Automotive Rental²</u> <u>Automotive Sales New²</u>	<u>Automotive Paint or Body</u> <u>Automotive Repair</u> <u>Automotive Sales Used Cabinet, Furniture, Upholstery Shop associated to Retail or Showroom</u> <u>Car Wash⁵</u> <u>Contractor Shop associated to Retail or Showroom</u> <u>Light Manufacturing associated with Retail or Showroom</u>	<u>Automotive Truck Rental²</u> <u>Day Care Facilities</u> <u>Outdoor Storage</u> <u>Schools (K-12)</u> <u>Service Station</u>	<u>Adult Entertainment or Adult Related Uses</u> <u>All General and Heavy Manufacturing Uses</u> <u>Bulk Sales, Storage, or Display of Lumber and Building Materials</u> <u>Gun Shop</u> <u>Pawn Shops</u> <u>Psychic Help Uses</u> <u>Self-Storage Facility</u> <u>Any use not listed as a Main Permitted Use.</u>

<p><u>Bar, Lounge, or Night Club</u></p> <p><u>Coin Laundry³</u></p> <p><u>Commercial Uses</u></p> <p><u>Contractor Shop (Indoor)⁴</u></p> <p><u>Dry Cleaners</u></p> <p><u>Food Processing</u></p> <p><u>Funeral Homes</u></p> <p><u>Hotel</u></p> <p><u>Institutional</u></p> <p><u>Live-Work</u></p> <p><u>Microbrewery, Microdistillery, and Microwinery</u></p> <p><u>Motel</u></p> <p><u>Multi-Family Residential, except on the ground floor adjacent to Sheridan Street, Taft Street, and State Road 7</u></p> <p><u>Museum, Art Gallery, and Similar Cultural Uses</u></p> <p><u>Office</u></p> <p><u>Parking Lots and Garages (commercial), except fronting State Road 7</u></p> <p><u>Personal Service</u></p> <p><u>Place of Worship, Meeting Hall, and Fraternal Lodges</u></p> <p><u>Restaurant</u></p> <p><u>Retail (Indoor)</u></p> <p><u>School, Business, Commercial, or Vocational; Recreational or Cultural; and University¹</u></p> <p><u>Single Family Residential, except on the ground floor adjacent to Sheridan</u></p>	<p><u>Outdoor produce sales (fresh fruit, vegetable, plant and flower retail sales), accessory to a grocery store, specialty market, or similar use⁶</u></p> <p><u>Any use customarily associated with one of the Main Permitted Uses.</u></p>		
--	---	--	--

<u>Street, Taft Street, and State Road 7</u>			
¹ <u>Adult Educational Facilities and Schools may require additional review for pedestrian and vehicular circulation, pick-up and drop off operations, traffic, etc. Limitations may be imposed in regards to capacity, hours of operation, parking, and circulation.</u> ² <u>Automotive Rental; Sales, New, shall be designed in a pedestrian oriented manner; and vehicular inventory shall be stored in an enclosed building, or at the rear or side of the site and fully screened from public rights-of-way.</u> ³ <u>Coin Laundries shall be fully enclosed and air-conditioned.</u> ⁴ <u>Contractor Shop (Indoor) shall be limited to the use of existing buildings and shall occur fully within an enclosed structure.</u> ⁵ <u>Car Washes shall be fully enclosed and adequately screened; or not visible from public rights-of-way.</u> ⁶ <u>Outdoor produce sales shall provide a plan illustrating the layout, location, and dimensions of the outdoor sales area; shall not interfere or obstruct pedestrian flow; and shall be exempt from screening requirements.</u> See Section 4.3.J, 4.21, and 4.22 for Additional Use Regulations and Performance Standards.			

(ii) C-MU – Central Mixed-Use District Development Regulations Table.

C-MU - SR7 Central – Mixed-Use District Development Regulations		
MAXIMUM DENSITY		
Single Use Buildings	Vertical Mixed-Use Building Bonus	
36 Dwelling Units per Acre	50 Dwelling Units per Acre	
The number of hotel rooms is double the maximum number of dwelling units.		
MAXIMUM HEIGHT		
Single Use Buildings	Vertical Mixed-Use Building Bonus for Sites or portions of sites fronting State Road 7	
85 ft.	175 ft.	
Sites or portions of sites within 100 feet of MF-9 and MF-18: 45 ft.		
MINIMUM SETBACKS		
Frontage		
<u>All Frontages</u>	Non-Residential: 10 ft. Residential: 15 ft.	
<u>Side Interior</u>	0 ft.	
<u>Rear/Alley</u>	5 ft. When adjacent to MF-9 and MF-18: 20 ft.	
MAXIMUM SETBACKS		
Frontage	Ground Floor	Above Ground Floor
<u>State Road 7</u>	30 ft.	N/A
MINIMUM ACTIVE USES		
Frontage	Ground Floor	Above Ground Floor
<u>State Road 7</u>	60%	N/A
<u>Sheridan Street</u> <u>Taft Street</u>	40%	N/A

(iii) C-MU – Central Mixed-Use District Special Requirements

- a. For lots which abut State Road 7, the tower orientation shall be towards State Road 7.
- b. Where possible, vehicular access shall be located along the east-west streets.
- c. Structured parking is encouraged.

d. South Districts.

(1) South Districts Purpose and Character.

- (a) Encourage higher intensity mixed-use transit oriented or transit ready development, which accommodate a diverse mix of commercial, service oriented, and residential uses, serving the region and adjacent neighborhoods.
- (b) Orient the higher intensity and ground floor commercial uses towards State Road 7 to enhance the corridor, creating a more urban environment with buildings on the street edge, continuous sidewalks, and active uses which promote pedestrian activity.
- (c) Encourage the creation of strong urban residential neighborhoods, providing an array of housing types.
- (d) Provide adequate and compatible transitions to protect the scale of adjacent residential neighborhoods.
- (e) Identify areas within a quarter-mile radius of the intersection of State Road 7 and Hollywood Boulevard for the purpose of a Mobility Hub, to establish a place of connectivity for different modes of transportation that seamlessly converge with where people live, play, shop, and work.

(2) South District Use and Development Regulations.

(a) S-MU – South Mixed-Use District

(i) S-MU – South Mixed-Use District Use Table.

S-MU - SR7 South – Mixed-Use District Uses			
Main Permitted Uses	Accessory Uses	Special Exception Uses	Prohibited Uses
<u>Adult Educational Facilities¹</u> <u>Amusement Uses</u> <u>Antique, Consignment, Collectible, and Vintage Store</u> <u>Artisan and Maker Manufacturing</u> <u>Assembly of Pre-Manufactured Parts for Sale on the Premises</u> <u>Automotive Rental²</u>	<u>Automotive Paint or Body</u> <u>Automotive Repair</u> <u>Automotive Sales Used Contractor Shop associated to Retail or Showroom</u> <u>Light Manufacturing associated with Retail or Showroom</u> <u>Outdoor produce sales (fresh fruit, vegetable, plant and</u>	<u>Day Care Facilities</u> <u>Schools (K-12)</u> <u>Service Station</u>	<u>Adult Entertainment or Adult Related Uses</u> <u>All General and Heavy Manufacturing Uses</u> <u>Bulk Sales, Storage, or Display of Lumber and Building Materials</u> <u>Gun Shop</u> <u>Pawn Shops</u> <u>Psychic Help Uses</u> <u>Any use not listed as a Main Permitted Use.</u>

Automotive Repair, except north of Washington Street²
Automotive Sales New²
Automotive Sales Used, except north of Washington Street²
Bar, Lounge, or Night Club
Cabinet, Furniture, Upholstery Shop
Car Wash³
Coin Laundry⁴
Commercial Uses
Contractor Shop (Indoor)⁵
Dry Cleaners
Food Processing
Funeral Homes
Hotel
Institutional
Live-Work
Microbrewery, Microdistillery, and Microwinery
Motel
Multi-Family Residential, except on the ground floor adjacent to Hollywood Boulevard, Washington Street, Pembroke Road, and State Road 7
Museum, Art Gallery, and Similar Cultural Uses
Office
Parking Lots and Garages (commercial), except fronting State Road 7
Personal Service
Place of Worship, Meeting Hall, and Fraternal Lodges

flower retail sales), accessory to a grocery store, specialty market, or similar use⁶
Outdoor Storage, except north of Washington Street
Retail Sales (Outdoor)
Tattoo, Body Art, or Body Piercing⁷
Any use customarily associated with one of the Main Permitted Uses.

<u>Restaurant</u> <u>Retail (Indoor)</u> <u>School, Business,</u> <u>Commercial, or</u> <u>Vocational;</u> <u>Recreational or</u> <u>Cultural; and</u> <u>University¹</u> <u>Self-Storage Facility,</u> <u>except north of</u> <u>Washington Street</u> <u>Single Family</u> <u>Residential, except</u> <u>on the ground floor</u> <u>adjacent to</u> <u>Hollywood</u> <u>Boulevard,</u> <u>Washington Street,</u> <u>Pembroke Road, and</u> <u>State Road 7</u> <u>Wholesale &</u> <u>Warehousing</u>			
--	--	--	--

¹ Adult Educational Facilities and Schools may require additional review for pedestrian and vehicular circulation, pick-up and drop off operations, traffic, etc. Limitations may be imposed in regards to capacity, hours of operation, parking, and circulation.

² Automotive Rental; Repair; Sales, New, and Used shall be designed in a pedestrian oriented manner; vehicular inventory shall be stored in an enclosed building, or at the rear or side of the site and fully screened from public rights-of-way.

³ Car Washes shall be fully enclosed and adequately screened; or not visible from public rights-of-way.

⁴ Coin Laundries shall be fully enclosed and air-conditioned.

⁵ Contractor Shop (Indoor) shall be limited to the use of existing buildings and shall occur fully within an enclosed structure.

⁶ Outdoor produce sales shall provide a plan illustrating the layout, location, and dimensions of the outdoor sales area; shall not interfere or obstruct pedestrian flow; and shall be exempt from screening requirements.

⁷ Tattoo, Body Art, or Body Piercing Establishments shall be limited to 25 percent of the total gross floor area of the use; and exterior primary signage shall not be permitted.

See Section 4.3.J, 4.21, and 4.22 for Additional Use Regulations and Performance Standards.

(ii) S-MU – South Mixed-Use District Development Regulations Table.

S-MU - SR7 South – Mixed-Use District Development Regulations	
MAXIMUM DENSITY	
Single Use Buildings	Vertical Mixed-Use Building Bonus
36 Dwelling Units per Acre	50 Dwelling Units per Acre
The number of hotel rooms is double the maximum number of dwelling units.	
MAXIMUM HEIGHT	

<u>Single Use Buildings</u>		<u>Vertical Mixed-Use Building Bonus for Sites or portions of sites fronting State Road 7</u>	
North of Hollywood Boulevard: 85 ft. South of Hollywood Boulevard: 65 ft.		<u>175 ft.</u>	
Sites or portions of sites within 100 feet of MF-9, MF-25, and other residential zoning districts: 45 ft.			
<u>MINIMUM SETBACKS</u>			
<u>Frontage</u>			
<u>All Frontages</u>		Non-Residential: 10 ft. Residential: 15 ft.	
<u>Side Interior</u>		<u>0 ft.</u>	
<u>Rear/Alley</u>		<u>5 ft.</u>	
When adjacent to MF-9, MF-25, and other residential zoning districts: 20 ft.			
<u>MAXIMUM SETBACKS</u>			
<u>Frontage</u>		<u>Ground Floor</u>	<u>Above Ground Floor</u>
<u>State Road 7</u>		<u>30 ft.</u>	<u>N/A</u>
<u>MINIMUM ACTIVE USES</u>			
<u>Frontage</u>		<u>Ground Floor</u>	<u>Above Ground Floor</u>
<u>State Road 7</u>		<u>60%</u>	<u>N/A</u>
<u>Hollywood Boulevard</u>		<u>40%</u>	<u>N/A</u>

(iii) S-MU – South Mixed-Use District Special Requirements

- a. For lots which abut State Road 7, the tower orientation shall be towards State Road 7.
- b. Where possible, vehicular access shall be located along the east-west streets.
- c. Structured parking is encouraged.

* * *

Section 4: That Section 4.20 of the Zoning and Land Development Regulations entitled “US 441/SR 7 Commercial Corridor District” is hereby repealed in its entirety.

Section 5: That Section 4.22 of the Zoning and Land Development Regulations entitled “Supplemental Use Regulations” is hereby amended as follows:

§ 4.22 Supplemental Use Regulations.

* * *

~~Q. A perimeter wall between 3 - 6 ft. in height shall be placed on any Use that sells food or gasoline except for line of sight requirements when the wall shall not exceed 2 ft.~~

* * *

Section 6: That Article 7 of the Zoning and Land Development Regulations entitled “Off-Street Parking and Loading” is hereby amended as follows:

ARTICLE 7: OFF-STREET PARKING AND LOADING

§ 7.1. General Provisions.

* * *

I. Vertical and horizontal tandem parking. Vertical and horizontal tandem parking, including the use of mechanical parking lifts or similar mechanical systems, may be permitted ~~within parking garages~~ with the following conditions:

1. The use of mechanical parking lifts or similar mechanical systems shall only be permitted within parking garages and on at-grade parking lots located under a building; and shall not increase the overall building massing;

* * *

Section 7: That Article 8 of the Zoning and Land Development Regulations entitled “Sign Regulations” is hereby amended as follows:

ARTICLE 8: SIGN REGULATIONS

* * *

§ 8.5 Permitted Signs.

* * *

B. Permanent Signs

* * *

2. Multiple family districts

Multiple Family districts RM-12, RM-18, RM-25 and BRT-25, and all multiple family residential developments in the Regional Activity Center and Downtown and Beach Community Redevelopment, and Transit Oriented Corridor Districts, PD (Planned Development), PUD (Planned Unit Development), and NBDD (North Beach Development District) districts. Signs for recognized places of worship and schools shall be regulated pursuant to § 8.5.B.9.

* * *

4. Commercial related districts

C-1, C-2, C-3, C-4, and C-5-commercial districts; Hospital District (HD); commercial and office businesses in the PD (Planned Development) and PUD (Planned Unit Development) districts; and commercial uses fronting on A1A in the NBDD (North Beach Development District) and all commercial uses in the Beach Community Redevelopment Districts excluding those in the BWK-25-HD districts; and all Transition, Mixed Use, and Commercial Districts of the Regional Activity Center and Downtown Redevelopment, and Transit Oriented Corridor Districts, except RC-2 – Historic Retail Core.

* * *

Section 8: That it is the intention of the City Commission and it is hereby ordained that the provisions of Sections 1, 2, 3, 4, 5, 6, and 7 shall be made part of the Zoning and Land Development Regulations, and the sections of the Regulations may be renumbered to accomplish such intentions.

Section 9: That the applicant has presented competent substantial evidence that all the rezoning requests of the TRANSIT ORIENTED CORRIDOR DISTRICTS are consistent with the City's Zoning and Land Development Regulations and the City's Comprehensive Plan, and there is no legitimate public purpose in maintaining the existing zoning.

Section 10: That the subject parcels described in Exhibit "A" attached hereto and incorporated herein by reference, are hereby rezoned from the existing zoning designation to the Transit Oriented Corridor District, as described in Exhibit "A" and illustrated in Exhibit "B" attached hereto and incorporated herein by reference.

Section 11: That the Official Zoning Map of the City of Hollywood is hereby amended to incorporate the above described change in zoning designations for the subject parcels.

Section 12: That if any word, phrase, clause, section, or subsection of this ordinance is for any reason held unconstitutional or invalid the invalidity thereof shall not affect the validity of any remaining portions of this ordinance.

Section 13: That all sections or parts of sections of the Zoning and Land Development Regulations, all regulations or parts of regulations, and all resolutions or parts of resolutions in conflict therewith be and the same are hereby repealed to the extent of such conflict.

(15-TZ-56) ORDINANCE TO CREATE TRANSIT ORIENTED CORRIDOR DISTRICTS.

Section 14: That the City Commission, pursuant to Section 166.041(3)(c) F.S., elects, by a majority plus one vote, to conduct the second reading prior to 5:00 p.m. at a regularly scheduled City Commission public hearing.

Section 15: That this Ordinance shall be in full force and effect immediately upon its passage and adoption.

ADVERTISED on _____, 2017.

ADVERTISED on _____, 2017.

PASSED on first reading this _____ day of _____, 2017.

PASSED AND ADOPTED on second reading this _____ day of _____, 2017.

JOSH LEVY, MAYOR

ATTEST:

PATRICIA A. CERNY, MMC, CITY CLERK

APPROVED AS TO FORM AND LEGALITY
for the use and reliance of the
City of Hollywood, Florida, only

DOUGLAS R. GONZALES, CITY ATTORNEY