

CITY OF HOLLYWOOD, FLORIDA

PROCUREMENT SERVICES DIVISION

Piggybacking Request Form

(Use for purchase(s) over \$15,000, when piggybacking off other contracts)

-5 AM 2: 1

PROCUREMENT SERVICES

Date: February 29, 2016

Department/Office: Public Works

Contact Person: Joel Wall / Sylvia Glazer

Phone: 954.967.4555 / 954.967.4526

Division/Area: Fleet Maintenance

Title: Fleet Coordinator / Public Works

Director

Email: jwall@hollywoodfl.org / sqlazer@hollywoodfl.org

1. Requested Vendor: Rechtien International Truck, Inc.

Vendor Number: 5761

Address: 3787 Interstate Park Rd., Riviera Beach, FL 33404

Contact Person: John Bradley

Title: Governmental Sales Manager

Phone: 561-882-9050

Email: <u>bradley@rechtien.com</u>

2. Contract title requesting to piggyback?

Awarding Agency: Florida Sheriffs Association Contract Bid Award (15-13-0904).

Contract Expiration Date: September 30, 2016

Copy of Contract and Awarding Agency documentation is attached.

🛛 Yes 🗌 No

- 3. Product/Service being requested (be specific). (1) 2016 International Terrastar SFA (4x2) w/Altec ATAG Telescoping/Articulating Aerial Device, Specification #9.
- 4. Detailed description of the products/services function and purpose. The Urban Forestry Division seeks authorization to purchase the 2016 International Terrastar SFA (4x2) w/Altec AT40G Telescoping/Articulating Aerial Device (Bucket Truck) to replace the existing 1999 Altec TA40 Aerial Truck that has reached its useful life expectancy. This truck will perform removal of brush from City rights-of-way, debris from vehicular accidents and natural disasters as well as brush from City crew tree trimming. 2016 International Terrastar SFA (4x2) w/Altec

Requisition # R Purchase Order # P BPO (As Applicable)

Procurement Service Division use only

Blanket Purchase Oder # P (As Applicable)

(As Applicable) (As Applicable)

daily operations of the Public Works Urban Forestry Division. 5. Please explain what process the Department/Office took to verify and/or identify this contract. Recommended by the Public Works Department. 6. Were alternative contracts evaluated to determine that the City is obtaining the most advantageous contract pricing for the required product/service? Please explain This is the best price going for this vehicle and pricing is based on the Florida Sheriff's Association Contract. The State of Florida Contract did not bid on this model vehicle for this year's contract. 7. Total cost of the requested product/service. \$128,080.00 8. Total estimated annual (fiscal year) cost of requested product/service. (1) vehicle = \$128,080.00 Account Number # 57.5100.14106.590.056452 9. Is this product/service covered by a warranty?

☐ Yes ☐ No If yes, please attach a copy of the warranty details. 10. Would this purchase(s) result in the potential of future purchases for related products/services being restricted to a particular vendor or create a specific vendor as sole source provider for related items? ☐ Yes ☐ No If yes, please describe the related products/services and estimated cost(s.) 11. Would this purchase(s) result in any future maintenance costs which are not included in the initial purchase? ☐ Yes ☒ No If yes, please attach a draft maintenance plan which includes cost estimates and funding source(s.) 12. Is this a grant related purchase? ☐ Yes ☒ No If yes, please provide details (timeline, expiration dates, milestones, special procurement requirements, etc.) Will this require matching funds? ☐ Yes ☐ No What is the grant source? N/A What is the grant (dollar) amount? N/A 13. Please complete an advanced search of the vendor recommended for award on the Federal Government's Excluded Parties List System at www.epls.gov. Date of Advanced Search _____ Procurement Service Division use only Blanket Purchase Oder # Purchase Order # P_____ Requisition # R BPO (As Applicable) (As Applicable) (As Applicable)

AT40G Telescoping/Articulating Aerial Device was tested to best perform for the needed requirements in the

Com	pany Name(s) Searched	Search Results		
	_			
	_	-		
	_			
	REQUESTING DEPARTME	NT RECOMMENDA	ATION	
all portions approval ba and to the k rule or regu	son's Signature Signature	etc.) of the requ he City of Hollywoo	ested contract od's scope and p	and recommend its pricing requirements
	APPROVAL (Procurer	nent Service Divisi	on Use Only)	
Verified By:	Varen DIE	RICL	Date	3/19/16
Approved By:	Out!		Date	3/10/16
	Procurement Service	Division use only		
Requisition # BPO	R Purchase Order # P		Blanket Purchase C	Oder#
(As Applicabl	(As Applicable)	9	(As Applicable)	



Rechtien International Trucks, Inc

FLORIDA SHERIFF'S ASSOCIATION Contract

15-13-0904

Customer:

City of Hollywood

Specification: Base Price:	9	Region:	Southern	Quantity 1	\$ Unit Cost 48,505.00		extended 348,505.00
Contract Option						7751	
08HAH			c brake controller & factory wiring	1	\$ 494.00	\$	494.00
16JNZ	,) driver seat and two man passenger se	eat 1	\$ 756.00	\$	756.00
195GVWR		s. GVWR		1	\$ 133.00	\$	133.00
13ARC	Allison 1	000 RDS trans	smission (includes PTO gear)	1	\$ 237.00	\$	237.00
13WDH	Wiring in	terface harnes	ss with automatic transmission	1	\$ 23.00	\$	23.00
HAX80	Manual r	eset circuit bro	eakers in lieu of fuses	1	\$ 93.00	\$	93.00
08WRP	Headligh	ts on with wip	ers - automatically	1	\$ 21.00	\$	21.00
08WPP	Automati	c engine shut	down for low oil pres or high coolant ten	np 1	\$ 138.00	\$	138.00
1570	Front tov	hooks		1	\$ 69.00	\$	69.00
O8178	Auxiliary	power source	- plug in receptacle	1	\$ 28.00	\$	28.00
08WXB	Headligh	ts on warning	buzzer -	1	\$ 46.00	\$	46.00
40LMT		d vehical cove transmission	rage 60-mos or 150,000 mi excluding	1	\$ 827.00	\$	827.00
40KX		d engine cove after-treatmer	rage 60-mos, 150,00 mi., or 5,400 hrs. nt system	1	\$ 1,974.00	\$	1,974.00
Non-Contract O	ptions:						
AT40G	Altec mo	del AT40G tel	escoping aerial device per quote 31126	1	\$ 72,339.00	\$	72,339.00
5YREXT	5-Year e	xtended warra	anty for labor, material, and expenses	1	\$ 2,397.00	\$	2,397.00
	(No Trav	el) for an Alte	c AT37G or AT40G aerial device			\$	-
	15					\$	-
	Extimate	d delivery of d	completed unit is 270 to 300 days ARO			\$	-
						\$	-
Total:					\$ 128,080.00	\$	128,080.00
			**Florida Waste Tire F	ee		\$	-
			**Florida Waste Battery F	ee		\$	<u>=</u>
Total Purchase	Order Amo	ount:			\$ 128,080.00	\$	128,080.00

**included in base price

Prepared By:

Cab Color: Body Color:

John Bradley
Rechtien International Trucks, Inc.
3787 Interstate Park Road
Riviera Beach, FL 33404
office - 561.882.9050
fax - 561.882.0218
cell - 561.818.4374
email - bradley@rechtien.com

White

N/A

BID AWARD ANNOUNCEMENT

15-13-0904

Effective Dates:

October 1, 2015- September 30, 2016

Cab & Chassis Trucks & Other Fleet Equipment

Participating Sheriffs Offices & Local Governmental Agencies of the State of Florida

Coordinated By

The
Florida Sheriffs Association
& Florida Association of Counties









FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

17,501 LB. GVWR CAB & CHASSIS (DUAL REAR WHEEL) - 4X2 SPECIFICATION #9

2016 International Terrastar

The International Terrastar purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and FSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by specification by zone.

ZONE:

Western

Northern

Central

Southern

BASE PRICE:

\$49,166.00

\$48,166.00

\$45,145.00

\$48,505.00

While the Florida Sheriffs Association and Florida Association of Counties have attempted to identify and include those equipment items most often requested by participating agencies for full size vehicles, we realize equipment needs and preferences are going to vary from agency to agency. In an effort to incorporate flexibility into our program, we have created specific add/delete options which allow the purchaser to tailor the vehicle to their particular wants or needs.

The following equipment delete and add options and their related cost are provided here to assist you in approximating the total cost of the type vehicle(s) you wish to order through this program. Simply deduct the cost of any of the following equipment items you wish deleted from the base unit cost and/or add the cost of any equipment items you wish added to the base unit cost to determine the approximate cost of the type vehicle(s) you wish to order.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate dealer in your zone when preparing your order. Additional add/delete options other than those listed here may be available through the dealers, however, those listed here must be honored by the dealers in your zone at the stated prices.

VEHICLE:

Terrastar

DEALER:

ZONE:

Maudlin International

Maudlin International Trucks, LLC

Sun State International

Rechtien International Trucks, Inc

Trucks, LLC

Northern Western

Trucks Central

Southern

BASE PRICE:

\$49,166.00

\$48,166.00

\$45,145.00

\$48,505.00

Delete Options	Western & Northern	Central	Southern
Gas engine in lieu of diesel engine	NA	NA	NA
Air conditioning	\$425.00 ¹	\$790.00 ²	\$704.00 ³
AM/FM stereo radio	\$173.00 ¹	\$295.00 ²	\$259.00 ³
Passenger air bag	NA	NA	NA
On-Star	NA	NA	NA
Satellite radio	NA	NA	NA
AFT tank for 18 gallon mid ship 40 gallon aft mounted fuel tank in lieu of the under ca mounted tank ² Top Draw; Rectangular, Steel; 15" Tank Depth, 40 U.S. Gal., Mounted Between Frame Sidemembers and Behind Rear Axle. May restrict some body mounting	\$325.00 ¹	\$635.00 ²	\$650.00 ³
	Gas engine in lieu of diesel engine Air conditioning AM/FM stereo radio Passenger air bag On-Star Satellite radio AFT tank for 18 gallon mid ship 40 gallon aft mounted fuel tank in lieu of the under ca mounted tank 2 Top Draw; Rectangular, Steel; 15" Tank Depth, 40 U.S. Gal., Mounted Between	Delete Options Gas engine in lieu of diesel engine Air conditioning NA \$425.00 ¹ AM/FM stereo radio \$173.00 ¹ Passenger air bag On-Star Satellite radio AFT tank for 18 gallon mid ship 40 gallon aft mounted fuel tank in lieu of the under ca mounted tank 2 Top Draw; Rectangular, Steel; 15" Tank Depth, 40 U.S. Gal., Mounted Between Frame Sidemembers and Behind Rear Axle. May restrict some body mounting	Delete Options Gas engine in lieu of diesel engine Air conditioning NA S425.00 ¹ NA NA NA MA/FM stereo radio Passenger air bag On-Star NA Satellite radio AFT tank for 18 gallon mid ship 40 gallon aft mounted fuel tank in lieu of the under ca mounted tank 2 Top Draw; Rectangular, Steel; 15" Tank Depth, 40 U.S. Gal., Mounted Between Frame Sidemembers and Behind Rear Axle. May restrict some body mounting

		Western	C	C 41
Order Code	Add Options	& Northern		Southern
13ASW ²	Engine/transmission upgrade - specify ALLISON 1350 RDS TRANSMISSION 2	NA	\$635.00 ²	NA
	Engine/transmission upgrade - specify	NA	NA	NA
13ASV ²	Engine/transmission upgrade - specify ALLISON 1350 RDS TRANSMISSION IN LIEU OF 1000 HS 2	NA	\$438.00 ²	NA
	Bi-fuel model - specify	NA	NA	NA
	CNG prep - specify	NA	NA	NA
	CNG conversion (discuss with dealer)	NA	NA	NA
	LPG conversion (discuss with dealer)	NA	NA	NA
15DYD ¹ 15DYD ² 15DYD ³	Dual fuel tanks	\$1,738.00 ¹	\$1,810.00 ²	\$1,118.00 ³
8GXC ¹ 8GHU ² 8GXC ³	Alternator, extra HD - specify amps 200 AMP^2 $210 \text{ Amp alternation in lieu of } 160 \text{ Amp}^3$	\$429.00 ¹	\$390.00 ²	\$447.00 ³
	Dual alternators	NA	NA	NA
	Idle control	Std	Std	Std
8HAH ¹ 8HAH ² 08HAH ³	Electric brake controller DEALER INSTALLED 2 Dealer installed brake controller and rear trailer plug. Factory wiring from under dash to rear of frame 3	\$645.00 ¹	\$544.00 ²	\$494.00 ³

VEHICLE:	Terrastar					
DEALER:	Maudlin International Trucks, LLC	Maudlin International Trucks, LLC	Sun State Int Trucks	ernational	Rechtien International Trucks, Inc	ational
ZONE:	Western	Northern	Central		Southern	
BASE PRICE:	\$49,166.00	\$48,166.00	\$45,145.00		\$48,505.00	
14888 ¹ 14888 ² 14888 ³	Limited slip differential on r	ear axles		\$1,012.00 ¹	\$1,105.00 ²	\$1,057.00 ³
16WRZ ¹ 16WRZ ² 16WRZ ³	Manufacturer's model upgra Premium Interior For extended cab premimum interior package w/ stan extended cab use order code 16wsy order code 16wsj add \$1,246 ² Premimum Interior Package with s. code 16CAB use order code 16WST - order code 16196 use order code	add \$100.00 For crew cab add \$ dard cab - includes 16WJU for o add \$747.00 for order code 1619 tandard cab. *******For Exten T - Price \$357.00 *******For C	6600.00 1 rder code 16CAB 06 crew cab use ded cab - order	\$650.00 ¹	\$300.00 ²	\$286.00 ³
16WJU ¹ 16WJU ² 16WJU ³	Power windows/door locks for 2 -door cab only, for 4 - door c for use with standard and extended crew cab (4-door) - order code 161	cab - order code 16CAB - only.	*****For	\$350.00 ¹	\$350.00 ²	\$345.00 ³
5708 ¹ 5708 ² 05708 ³	Speed control/tilt steering w tilting steering column speed control Tilt steering column with standard	ol standard 2		\$120.00 ¹	\$120.00 ²	\$117.00 ³
8RME ¹ 8RME ² 08RME ³	AM/FM radio with single C AM/FM/WB/Clock/3MM Auxiliary	D Input, with Multiple Speakers, W	ith CD Player 3	\$425.00 ¹	\$460.00 ²	\$446.00 ³
	Sliding rear window			NA		NA
	10/20/10			\$750.001	\$478.002	\$756.003

14888			-	_
16WRZ ¹ 16WRZ ²	Manufacturer's model upgrade package (specify pkg. bid) Premium Interior For extended cab add \$100.00 For crew cab add \$600.00 1	\$650.00 ¹	\$300.00 ²	\$286.00 ³
16WRZ ³	premimum interior package w/standard cab - includes 16WJU for order code 16CAB extended cab use order code 16wsy add \$747.00 for order code 16196 crew cab use order code 16wsj add \$1,246 ²	principal control of the control of		
	Premimum Interior Package with standard cab. *******For Extended cab - order code 16CAB use order code 16WST - Price \$357.00 ******For Crew cab (4-door) - order code 16196 use order code 16WSJ - Price \$563.00 3			
16WJU ¹ 16WJU ² 16WJU ³	Power windows/door locks for 2-door cab only, for 4-door cab (19196) wuse order code 16wjy add \$601 ² for use with standard and extended cab - order code 16CAB - only. *******For crew cab (4-door) - order code 16196 use order code 16WJV - Price \$608.00 ³	\$350.00	\$350.00 ²	\$345.00 ³
5708 ¹ 5708 ² 05708 ³	Speed control/tilt steering wheel tilting steering column speed control standard 2 Tilt steering column with standard speed control 3	\$120.00 ¹	\$120.00 ²	\$117.00 ³
8RME ¹ 8RME ² 08RME ³	AM/FM radio with single CD AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers, With CD Player 3	\$425.00	\$460.00 ²	\$446.00 ³
	Sliding rear window	NA	NA	NA
16JNZ ¹ 16JNT ²	40/20/40 seat in vinyl air ride driver seat and 2 man passenger seat-vinyl 2	\$750.001	\$478.00 ²	\$756.00 ³
16JNZ ³	Air ride (self contained) driver seat and two man passenger seat. Includes factory option code 16KAW ³	tenout to community	Communicación de Commun	termone termone to an
16JPA ¹ 16JNV ² 16JPA ³	40/20/40 seat in cloth air ride driver seat and 2 man passenger seat-cloth ² Air ride (self contained) driver seat and two man passenger seat. Includes factory option code 16SMK ³	\$900.001	\$559.00 ²	\$871.00 ³
	Side air bags	NA	NA	NA
3K 1	Third key	\$15.00 ¹	\$20.00 ²	\$18.00 ³
3K ² 3K ³	Timu Key			The second secon
16CAB ¹ 16CAB ² 16CAB ³	Extended cab 2 DOOR cab with individual driver and passenger front seats, bench seta in rear, cab to axle CA availabe 60", 84" ² 2-door extended cab with fixed front driver and passenger seats and rear bench seat. Includes factory option codes 16SMV, 16KAV, 16SMN, and 16WSX ³	\$3,208.00 ¹	\$3,071.00 ²	\$4,441.00 ³
16196 ¹ 16196 ² 16196 ³	Crew cab model 4-door cab with bench seats front and rear, cab to axle ca available 60", 84" 2 4-door cab with bench seats front and rear. Includes factory option codes 16SMT, and 16WSG 3	\$7,430.00 ¹	\$7,182.00 ²	\$8,138.00 ³
	Cutaway cab	NA	NA	NA
516005 ³	Cab steps	Std	Std	Std ³
	Left-hand pillar mounted 6" spotlight with clear halogen bulb, dealer installed	NA	NA	NA

VEHICLE:

Terrastar

DEALER:

Maudlin International Trucks, LLC

Maudlin International Trucks, LLC

Sun State International

Rechtien International

ZONE:

Morth

Trucks Central Trucks, Inc Southern

ZUNE:	Western	Northern	Central	30u	mem
BASE PRICE:	\$49,166.00	\$48,166.00	\$45,145.00	\$48	,505.00
	Left & right-hand pillar	mounted 6" spotlight with	clear halogen	NA	N

	Left & right-hand pillar mounted 6" spotlight with clear halogen bulb, dealer installed	NA	NA	NA
	Vent visors - stick-on style	NA	NA	NA
	Rainshields - flange style	NA	NA	NA
09WAC ³	Bug shield Bug Screen, mounted behind grille 3	NA	NA	\$123.00 ³
WGG ¹ WGG ² WGG ³	Wrap-around grille guard	NA ¹	NA ²	NA ³
	Spray-in liner (Rhino, Line-X or approved equivalent)	NA	NA	NA
777944102 ¹ 7709449040 ² 7779448102 ³	All terrain tread tires on rear Goodyear 622RSD ³	\$42.001	\$33.00 ²	\$41.00 ³
26DRR ¹ 29007 ² 29007 ³	Full size spare tire & rim Includes factory option code 26DRR 3	\$500.001	\$605.00 ²	\$612.00 ³
	Nitrogen filled tires including spare tire	NA	NA	NA
	Daytime running lights	Std	Std	Std
	Immobilize daytime running lights	NA	NA	NA
19GVW ¹ 195GVWR ² 195GVWR ³	19,000 lb. GVWR 19,500 lbs. GVWR 3	\$138.00 ¹	\$139.00 ²	\$133.00 ³
	22,000 lb. GVWR	NA	NA	NA
13ARC ¹ 13ARC ² 13ARC ³	PTO provision, automatic Allison RDS transmission in lieu of HS includes 13 WDH & 8HAB ² Allison 1000 RDS transmission ³	\$276.00 ¹	\$270.00 ²	\$273.00 ³
NEED TO SEE THE	PTO transmission driven, manual (dealer installed)	NA	NA	NA
DLRPTO ¹ DLRPTO ² DLRPTO ³	PTO transmission driven, automatic (dealer installed) for use with allison RDS transmission contact delaer for availability ² For use with Allison RDS transmission order code 13ARC. Contact dealer for availability. ³	\$2,600.001	\$2,306.00 ²	\$2,381.00 ³
EC4000 ¹ EC4000 ² EC4000 ³	4,000 lb. EH Auto Crane, or approved equivalent, with crane reinforcements with manual outriggers Stellaer or equal electric over hydraulic Stellar 4000 lbs. capacity 3	\$18,500.00	\$15,350.00 ²	\$14,618.00 ³
6132D547 ¹ 8132D54J ² 6132DL ³	Appropriate Auto Crane body with shelf package, 12" bumper with crank outriggers, or approved equivalent Knapheide 9' crane body 2 11' Knapheide crane body 3	\$21,000.00 ¹	\$14,615.00 ²	\$15,281.00 ³
EC5000 ¹ EC5000 ² EC5000 ³	5,000 lb. EH Auto Crane, or approved equivalent, with crane reinforcements with manual outriggers stellar or equal - electric over hydraulic 2	\$25,000.00 ¹	\$17,450.00 ²	\$16,267.00 ³
	Stellar 5000 lbs. capacity ³		The second second second	

VEHICLE:	Terrastar					
DEALER:	Maudlin International Trucks, LLC	Maudlin International Trucks, LLC	Sun State Int Trucks	ernational	Rechtien Interr Trucks, Inc	ational
ZONE:	Western	Northern	Central		Southern	
BASE PRICE:	\$49,166.00	\$48,166.00	\$45,145.00		\$48,505.00	
LG15 ¹ 15LG ² 15LG ³	1,500 lb. lift gate requires body ²			\$3,400.00 ¹	\$3,575.00 ²	\$3,202.00 ³
	12,000 lb. winch with remote	e		NA	NA	NA
03WAP ³	Front stabilizer bars Contact dealer for availability 3			NA	NA	\$468.00 ³
8TMG ¹ 8TMG ² 08TMG ³	Trailer towing package, to intrailer plug (7 prong round), with 2" square removable reddealer installed. body must be installed prior to installed prior to installed brake controller. 3	and class IV frame mount beiver, 1" shank with 2" baullation 2	ed trailer hitch all. May be	\$800.001	\$425.00 ²	\$814.00 ³
GO184-9 ¹ KDBF912A ² KDBF912A ³	2-3 yd. dump with manual g. 9' dump body with 12" sides- includ 9' 2-3 yard dump with 12" sides. Inc	les order codes 13ARC & DLRPT	es 60" CA)	\$9,500.001	\$11,990.00 ²	\$9,921.00 ³
GO184-11 ¹ KDBF1112A ² KDBF1112A ³	2-3 yd. dump with manual g 11' dump body with 12" sides- inclu 11' 2-3 yard dump with 12" sides. In	des order codes 13ARC & DLRF	es 84" CA) PTO 2	\$9,900.00 ¹	\$12,656.00 ²	\$10,513.00 ³
PVMXS12 ¹ PVMXS-123C ² PVMXS-123C ³	12 ft. flat stake body with 40	" sides all around (require	s 84" CA)	\$4,800.001	\$5,895.00 ²	\$6,157.00 ³
PVMXS16 ¹ PVMXS-163C ² PVMXS-163C ³	16 ft. flat stake body with 40	" sides all around (require	s 120" CA)	\$5,700.00 ¹	\$7,527.00 ²	\$7,034.00 ³
FD16 ¹ PVMXS-163fD ² PVMXS-163CFD ³	16 ft. flatbed dump with man (requires 120" CA) Includes order codes 13AVV & DLI Includes 13ACR & DLRPTO 3	000	4" sides	\$11,150.00 ¹	\$9,918.00 ²	\$13,514.00 ³
BR16 ¹ PVMXS-163CD ² PVMXS-163CDP ³	16 ft. contractors dump with (requires 120" CA) includes order codes 13AVV& DLR Includes 13ACR & DLRPTO 3		rp, 14" sides	\$14,700.00 ¹	\$17,100.00 ²	\$15,056.00 ³
19roll ¹ 21RB ² 19RB ³	19 ft. rollback wrecker with 60AAA, 13ARC, DLRPTO, & 13AS Includes order codes 195DVWR, 66	V 2		\$27,000.001	\$27,221.00 ²	\$27,036.00 ³
CA84 ² CA84 ³	84" cab to axle			NC	NC ²	NC ³
120CA ¹ CA120 ² CA120 ³	120" cab to axle not availabe with orders codese 11. Not available with order codes 160 01WEC. 3		ption code	\$360.00 ¹	\$274.00 ²	\$356.00 ³
6132D54 ¹ 1632D54J ² 6132D54J ³	11 ft. utility (requires 84" C. knapheide or equal includes factor Knapheide or equal. Wide body for	mirrors for use with dual rear w	heels 2	\$7,500.00 ¹	\$7,860.00 ²	\$8,609.00 ³

VEHICLE: DEALER:	Terrastar Maudlin International	Maudlin International	Sun State Int	ernational	Rechtien Interna	ational
	Trucks, LLC	Trucks, LLC	Trucks		Trucks, Inc	
ZONE:	Western	Northern	Central		Southern	
BASE PRICE:	\$49,166.00	\$48,166.00	\$45,145.00		\$48,505.00	
6108D54J ¹ 6108D54J ² 6108D54J ³	Manufacturer's certified factor dual rear wheels to include any dealer installed. (NOTE: If you advising you to contact your knapheide or equal includes factor in 9' (requires 60" CA)Knapheide or ed	ppropriate mirrors - specification are ordering a service be awarded vendor.) nirrors for use with dual rear who	y. May be ody, we are eels ²	\$7,200.001	\$7,257.00 ²	\$7,010.00 ³
14DV ¹ 14DV ² 14DV ³	Manufacturer's certified factor floor for dual rear wheels to a (Requires 111" CA). May be ordering a service body, we avendor.) supreme or equal 85" insdie height: Aluminum 14' x 96" x 84" inside height:	include appropriate mirror dealer installed. (NOTE: lare advising you to contact a 96" outside width with roll up r	s - specify. If you are your awarded	\$8,670.001	\$6,734.00 ²	\$7,795.00 ³
16DV ¹ 16DV ² 16DV ³	Manufacturer's certified factor floor for dual rear wheels to a (Requires 129" CA). May be ordering a service body, we avendor.) supreme or equal 85" insdie height. Aluminum 16'x 96" x 84" inside height.	include appropriate mirror dealer installed. (NOTE: are advising you to contact as 96" outside width with roll up r	s - specify. If you are your awarded	\$9,040.001	\$7,750.00 ²	\$8,058.00 ³
20DV ¹ 20DV ²	Manufacturer's certified factor floor for dual rear wheels to (Requires 129" CA). May be ordering a service body, we avendor.) supreme or equal 85" insdie height.	include appropriate mirror dealer installed. (NOTE: are advising you to contact	s - specify. If you are your awarded	\$10,450.00 ¹	\$9,685.00 ²	NA
18DV ¹ DB8RL ² 12DV ³	Optional body - specify new way diamond back or equal 8-y 13ARC & 13WDH ² Manufacturer's certified factory 12' wheels to include appropriate mirro	ard rear loader includes order c	odes CA108, Toor for dual rear	\$9,890.001	\$40,816.00 ²	\$7,599.00 ³
CANROOF-9 ² 6108D53FJ ³	Optional body - specify CANAPOY Roof medium Height req Flip Top for use with order code 61 code 6132D54J - Use order code 61	08D54J ***** Flip Top option fe		NA	\$3,594.00 ²	\$805.00 ³
CANROOF-11 ² CANROOF-9 ³	Optional body - specify CANAPOY Roof medium Height req Canopy roof - medium height - requ		2	NA	\$4,494.00 ²	\$3,289.00 ³
PVMXS-143C ² CANROOF-11 ³	Optional body - specify 14ft flat stake body with 40" sides a Canopy roof - medium height - requ			NA	\$6,116.00 ²	\$3,918.00 ³
HB8000 ² LEDPKG ³	Optional body - specify 13ARC & 13WDH ² LED lighting package for Body and 08WPH, and 08XGT ³	cab & chassis. Includes factory	codes 08TRS,	NA	\$45,237.00 ²	\$517.00 ³
	Powder coating for utility bo	ody		NA	NA	NA

VE	н	C	LE:
VE			JL.

Terrastar

DEALER:

Maudlin International

Trucks, LLC

Maudlin International Trucks, LLC

Sun State International Trucks

Rechtien International

Trucks, Inc

ZONE:

Western

Northern

Central

Southern

BASE PRICE:

\$49,166.00

\$48,166.00

\$45,145.00

\$48,505.00

D. LOZ I KIOZI	\$49,100.00 \$40,100.00 \$43,143.00		φ+6,505.00	
8THB ¹ 8THB ² 08THB ³	Backup alarm - Factory Installed	\$110.00 ¹	\$120.00 ²	\$113.00 ³
DLRBU ¹ DLRBA ² DLRBA ³	Backup alarm - Dealer Installed	\$150.00 ¹	\$125.00 ²	\$120.00 ³
	Backup camera with 3.5" LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle) - Factory Installed	NA	NA	NA
BUC ¹ BUC ² BUC ³	Backup camera with 3.5" LCD (rear mounted camera to provide wide angle field of vision at rear of vehicle) - Dealer Installed	\$1,550.00 ¹	\$1,250.00 ²	\$980.00 ³
108Ca ¹ CA108 ² CA108 ³	Optional equipment - specify 108CA ¹ not available with order code 16196 ² Not available with order code 16196 ³	\$126.00 ¹	\$130.00 ²	NC ³
13WDH ¹ 13WDH ² 13WDH ³	Optional equipment - specify Body builder transmission wiring interface 1 wiring interface harness, with automatic transmission, for body builder interface 2 Wiring interface harness, with automatic transmission, for body builder controls 3	\$1,292.00 ¹	\$22.00 ²	\$23.00 ³
4SBL ¹ 14TAC ² 14TCH ³	Optional equipment - specify Air compressor 1 air ride rear suspension, includes 4sbc 2 Air ride rear suspension. Includes order code 14SBL 3	\$727.00 ¹	\$2,015.00 ²	\$1,921.00 ³
8WPZ ¹ 4SBC ² 04SBL ³	Optional equipment - specify Test exterior lights 1 13.2 CFM, air compressor and tank for air source on hydraulic brake chassis 2 Bendix Tu-Flo 550 13.2 CFM Capacity air compressor; and tank for Air Source on Hydraulic Chassis. 3	\$40.00 ¹	\$770.00 ²	\$743.00 ³
8XAH ¹ 8WPZ ² 08WPZ ³	Optional equipment - specify Circuit breakers 1 test exterior lights pre trip exterior light inscrection, flashes vehicle lights in specific sequence for walk around 2 Test Exterior Lights - pre-trip exterior light inspection flashes vehicle lights in a specific sequence for walk around inspection.	\$95.00 ¹	\$40.00 ²	\$39.00 ³
60AAA ¹ 8XAH ² 08XAH ³	Optional equipment - specify RPM 1 manaul reset circuit breakers in lieu of fuses 2 Manual Reset circuit breakers in lieu of fuses 3	\$655.00 ¹	\$90.00 ²	\$93.00 ³
8WRB ¹ 60AAA ² 60AAA ³	Optional equipment - specify Headlights on with wipers 1 remote power module for body builder interface 2 Remote Power Module for body builder interface - 6-inputs and 6-outputs with switches on dash 3	\$140.00 ¹	\$550.00 ²	\$649.00 ³

VEHICLE:

Terrastar

DEALER:

ZONE:

Maudlin International

Maudlin International

Sun State International

Rechtien International

Trucks, LLC

Trucks, LLC Northern

Trucks Central Trucks, Inc Southern

BASE PRICE:

Western \$49,166.00

\$48,166.00

\$45,145.00 \$48,505.00

8WPP ¹ 8WRP ² 08WRP ³	Optional equipment - specify Engine shutdown 1 headlights on with wipers 2 Headlights on with wipers - automatically 3	\$140.00	\$20.00 ²	\$21.00 ³
8HAB ¹ 8WPP ² 08WPP ³	Optional equipment - specify Body builder wiring 1 automatic engine shutdown system for low oil pressure or high coolant temperature 2 Automatic emgine shutdown system for low oil pressure or high coolant temperature 3	\$95.00 ¹	\$140.00 ²	\$138.00 ³
1570 ¹ 8HAB ² 08HAB ³	Optional equipment - specify Front tow hooks 1 body builder interface wiring for lighting 2 Body builder interface wiring for lighting 3	\$70.001	\$90.00 ²	\$94.00 ³
01570 3	Optional equipment - specify Front tow hooks 3	NA	NA	\$69.00 ³
08718 3	Optional equipment - specify Auxiliary power source - cigar type receptacle without plug & cord. 3	NA	NA	\$28.00 ³
08WXB ³	Optional equipment - specify Headlight Warning Buzzer - Sounds when headlight switch is on and ignition switch in the off position. 3	NA	NA	\$46.00 ³
16SMM ³	Optional equipment - specify Air ride driver seat and non-suspension passenger seat. 3	NA	NA	\$618.00 ³
Temp ¹	Temporary tag	\$15.00 ¹	NA	NA
Trans ¹ TRANSTAG ² TRANSTAG ³	Transfer existing registration (must provide tag number)	\$95.00 ¹	\$95.00 ²	\$95.00 ³
Newtg ¹ NEW TAG ² NEWTAG ³	New state tag (specify state, county, city, sheriff, etc.)	\$150.00 ¹	\$150.00 ²	\$175.00 ³
40LMH ¹	Maintenance Plan - specify 48 months 100K miles vehicle warranty excludes engine and transmission. 1	\$750.00 ¹	NA	NA
40LMT ¹	Maintenance Plan - specify 60 months 100K miles vehicle warranty excludes engine and transmission. 1	\$830.001	NA	NA
40LMV ¹	Maintenance Plan - specify 60 months 150K miles vehicle warranty excludes engine and transmission. 1	\$1,775.00 ¹	NA	NA
40KXJ ¹ 40LMH ² 40LMH ³	Warranty - specify 60 Months 100K mile engine warranty 1 Navistar: to 48-month /100,000 miles (160,000km), covers 100% parts and labor, excludes extended warranty for engine and allison transmission 2 Extended Vehicle Coverage - 48 Months or 100,000 Miles - excludes engine & transmission 3	\$665.00 ¹	\$750.00 ²	\$752.00 ³
40KXL ¹ 40LMT ² 40LMT ³	Warranty - specify 60 months 150K mile engine warranty 1 Navistar: to 60-month /100,000 miles (160,000km), covers 100% parts and labor, excludes extended warranty for engine and allison transmission 2 Extended Vehicle Coverage - 60 Months or 150,000 Miles - excludes engine & transmission 3	\$1,050.00	\$800.00 ²	\$827.00 ³

VEHICLE:

Terrastar

DEALER:

Maudlin International

Trucks, LLC

Maudlin International Trucks, LLC

Sun State International Trucks

Rechtien International

Trucks, Inc

ZONE:

Western

Northern

Central

Southern

BASE PRICE:

\$49,166.00

\$48,166.00

\$45,145.00

\$48,505.00

40KXN ¹ 40LMV ²	Warranty - specify 60 months 200K mile engine warranty 1	\$1,925.00 ¹	\$1,800.00 ²	\$1,748.00 ³
40LMV ³	Navistar: to 60-month /150,000 miles (160,000km), covers 100% parts and labor, excludes extended warranty for engine and allison transmission 2			on province of the control of the co
	Extended Vehicle Coverage - 60 Months or 150,000 Miles - excludes engine & transmission ³		The state of the s	Adamaning
40ALL ²	Diesel Warranty - specify Navistar to 60 month /100,000 miles (160,000 km) 3,600 hours ² Engine Sevice Coverage - 48 Months, 100,000 Miles, or 3,600 hours. Includes after-treatment system ³	NA	\$175.00 ²	Std ³
40KXJ ² 40KXJ ³	Diesel Warranty - specify Navistar 60 month / 100,000 miles (160,000 km) 3,600 hours INcludes engine, engine electronics, and injectors for Maxforce 7 engines 2 Engine Sevice Coverage - 60 Months, 100,000 Miles, or 3,600 hours. Includes after-treatment system. Includes factory option code 40KVK 3	NA	\$680.00 ²	\$1,504.00 ³
40KXL ² 40KX ³	Diesel Warranty - specify Navistar 60 month / 150,000 miles (160,000 km) 3,600 hours INcludes engine, engine electronics, and injectors for Maxforce 7 engines ²	NA	\$1,000.00 ²	\$1,974.00 ³
	Engine Sevice Coverage - 60 Months, 100,000 Miles, or 5,400 hours. Includes after-treatment system. Includes factory option code 40KVM ³			



Quote Number: 311264 - 3

Altec, Inc.

Bill To:

CITY OF HOLLYWOOD

PUBLIC WORKS DEPT

HOLLYWOOD, FL 33022-9045

1600 S PARK RD

PO BOX 229045

United States

February 29, 2016 Our 87th Year

Ship To:

CITY OF HOLLYWOOD PUBLIC WORKS DEPT 1600 S PARK RD PO BOX 229045 HOLLYWOOD, FL 33022-9045 US

Attn:

Phone: Email:

Altec Quotation Number:

311264 - 3 Jenny Carlson

Account Manager: Kasey Ruth Tipton **Technical Sales & Support:**

<u>ltem</u>	<u>Description</u>	Qty
	<u>Unit</u>	
1.	ALTEC Model AT40-G telescopic articulating Aerial device with ISO-Boom.	1
	 A. ISO Boom: the inner telescopic fiberglass boom maintains full dielectric integrity even with the fiberglass inner boom fully retracted. B. Hydraulic platform leveling system. C. Hydraulic tool circuit at the platform. D. Emergency lowering valve at the platform. E. Single handle control at the platform with a safety interlock system. F. Two (2) operators and maintenance/parts manuals. G. Working height: 45.6 feet H. Side reach: 29.7 feet I. Low-power fiber-optic control system (FOC-L). J. Continous rotation 	
2.	AT40G Unit Model	1
3.	Post style pedestal mounting	1
4.	Poly Reservoir, Pedestal Mounted, 7 Gallon; Includes Sight Gauge.	1
5.	Single One-Man End-Mounted Platform With 180 Degree Rotator, 24 X 30 X 42. Platform is rated at 400 pounds. Control panel on platform dashboard provides controls for auxiliary functions. Includes emergency stop (push-pull) switch and rocker switches, which operate platform leveling, platform rotation, tools, and battery selector (for fiber-optic controls system). Composite fiberglass platform mounting bracket. (AT40G)	1
6.	Platform Leveling At Lower Controls. AT40-G	1
7.	Two (2) Platform Steps	1





<u>tem</u>	<u>Description</u>	<u>Qty</u>
8.	Soft nylon reinforced vinyl platform cover for a 24 x 30 inch platform	1
9.	Platform liner for a 24 x 30 x 42 inch platform	1
10.	4-Function Single Handle Fiber-Optic Controller.	1
11.	Engine Start/Stop at the upper controls actuated through the Fiber-Optic controls system with Secondary Stowage System (AT40G)	1
12.	Manual lowering valve located at the boomtip. For use in emergency situations to allow the operator to lower the boom to the ground	1
13.	Powder coat unit Altec White.	1
	Unit & Hydraulic Acc.	
	<u> </u>	Not sept 40.
14.	HVI-22 Hydraulic Oil (Standard).	9
15.	Standard Pump For PTO	1
16.	Hot shift PTO for automatic transmission	1
	<u>Body</u>	
17.	108 Inch Universal Small Aerial Body for a 60 Inch CA Chassis with 38 Inch Long Side Access Tailshelf to Meet the Following Specifications:	1
	 A. Basic body fabricated from A40 grade 100% zinc alloy coated steel B. All doors are full, double paneled, self-sealed with built-in drainage. C. Electro-zinc plated, steel hinge rods extend full length of door. D. Door hinges are zinc alloy material attached with rivets E. All doors contain stainless steel, flush mounted, paddle activated rotary style latches with two-stage locking, including keyed locks and adjustable strikers. F. Heavy-gauge welded steel frame construction with smooth galvaneal floor. G. All edges are either rolled or folded for strength and safety H. Door header drip rail at top for maximum weather protection. I. Neoprene or rolled fenders on wheel fender panels. J. Steel treated for improved primer bond and rust resistance. 	

- K. Automotive underseal applied to body.
- Automotive type non-porous door seals fastened to the door facing. L.
- M. 108 Inch Body Length
- N. 40 Inch Body Height (Standard)
- 94 Inch Body Width (Standard) 0.
- 20 Inch Body Compartment Depth (Standard) Ρ.
- Body Color White (Standard) Q.
- Finish Paint Body At Body Manufacturer (Standard) R.
- S. 8 Inch Body Cross-members (Standard)
- No Treadplate On Compartment Tops T.
- 6 Inch tall wood tailboard installed at the rear of body cargo area U.
- No Compartment Lighting Supplied by the Body Manufacturer V.
- Stainless Steel Rotary Paddle Latch With Lock (Standard) W.

We Wish To Thank You For Giving Us The Pleasure And Opportunity of Serving You



<u>ltem</u>	<u>Description</u>	<u>Qty</u>
	 X. Master Body Locking System (Standard) Y. No Chock Holders In Line Body Fender Panel Required (Standard) Z. Gas Shock Type Rigid Door Holders For Vertical Doors (Standard) AA. Chains On Horizontal Doors AB. Hotstick shelf extending full length of body on curbside. AC. Drop-Down Hot Stick Door For One (1) Shelf (Right Side) AD. Two (2) Hot Stick Brackets AE. 1st Vertical Street Side (LH) - Two (2) Adjustable Shelf With Removable Dividers On 4 Inch Centers AF. 1st Horizontal Street Side (LH) - One (1) Fixed Shelf With Removable Dividers On 8 Inch Centers AG. Rear Vertical Street Side (LH) - Six (6) Adjustable Locking Swivel Hooks AH. 1st Vertical Curb Side (RH) - Seven (7) Adjustable Locking Swivel Hooks, Louvered Panel Installed in Cargo Wall AI. 1st Horizontal Curb Side (RH) - Vacant AJ. Rear Vertical Curb Side (RH) - Two (2) Adjustable Shelf With Removable Dividers On 4 Centers AK. Aluminum Rock Guards Installed at Bottom AL. 38" Tailshelf with Integrated Side Access Steps, Two Wheel Chock Holders, and Smooth Galvaneal Floor Installed at Rear of Body 	
	Body and Chassis Accessories	
18.	ICC Underride Protection	1
19.	Combination 2 Ball (10,000 LB MGTW) And Pintle Hitch (16,000 LB MGTW)	1
20.	Set Of Eye Bolts for Trailer Safety Chain, installed one each side of towing device mount.	1
21.	Front Torsion Bar Installed On Chassis	1
22.	Rear Torsion Bar Installed On Chassis	1
23.	Appropriate counterweight added for stability.	1
24.	Cable Step Installed At Rear, Single Step	1
25.	Platform Rest, Rigid with Rubber Tube	1
26.	Boom Rest for a Telescopic Unit	1
27.	Mud Flaps With Altec Logo (Pair)	1
28.	Wheel Chocks, Rubber with Metal Hairpin Style Handle, 9.75" L X 7.75" W X 5.00" H (Pair)	1
29.	U-Shaped Grab Handle	1
30.	Small Grab Handle Installed At Rear	1
31	Slope Indicator Assembly For Machine Without Outriggers	1



<u>tem</u>	<u>Description</u>	Qty
32.	Safety Harness & 4.5 FT Lanyard (Medium To X-large)	1
33.	5 LB Fire Extinguisher With Light Duty Bracket, Installed Per DEPS 042 (In Cab or Inside Compartment Only)	1
34.	Triangular Reflector Kit, Installed	1
35.	Soft Vinyl Lanyard Pouch	1
36.	Vinyl manual pouch for storage of all operator and parts manuals	1
	Electrical Accessories	
37.	Lights and reflectors in accordance with FMVSS #108 lighting package. (Complete LED, including LED reverse lights)	1
38.	Altec Standard Amber LED Strobe Light with Brush Guard Post mounted on SS front of body	1
39.	4-Corner Strobe Lighting, Amber LED, Two (2) Oval Lights Mounted in Front Grille and Two (2) Round Lights Mounted at Rear	1
40.	Single tone back up alarm installed between the chassis frame rails at the rear of the chassis. To work in conjunction with chassis reverse drive system	1
41.	6-Way Trailer Receptacle (Pin Type) Installed At Rear	1
42.	Start/Stop/Throttle Module, 12 Volt System	1
43.	Install secondary stowage system.	1
	Finishing Details	
44.	Altec Standard; Components mounted below frame rail shall be coated black by Altec. i.e. step bumpers, steps, frame extension, pintle hook mount, dock bumper mounts, D-rings, receiver tubes, accessory mounts, light brackets, under-ride protection, etc.Components mounted to under side of body shall be coated black by Altec. i.e. Wheel chock holders, mud flap brackets, pad carriers, boxes, lighting brackets, steps, and ladders.	1
45.	Apply Non-Skid Coating to all walking surfaces	1
46.	English Safety And Instructional Decals	1
47.	Vehicle Height Placard - Installed In Cab	1
48.	Placard, HVI-22 Hydraulic Oil	1
49.	Dielectric test unit according to ANSI requirements.	1
50.	Stability test unit according to ANSI requirements.	1
51.	Focus Factory Build	1

We Wish To Thank You For Giving Us The Pleasure And Opportunity of Serving You





<u>tem</u>	<u>Description</u>	Qty
52.	Delivery Of Completed Unit	1
53.	Inbound Freight	1
54.	AT40G FA Installation	1
	<u>Chassis</u>	
55.	Chassis	1
56.	Customer Supplied Chassis	1
57.	2016 Model Year	1
58.	TerraStar	1
59.	4x2	1
60.	60 Clear CA (Round To Next Whole Number)	1
61.	Regular Cab	1
62.	Chassis Cab	1
63.	Maxxforce 7	1
64.	Allison 1000 RDS Automatic Transmission	1
65.	GVWR 19,000 LBs	1
66.	7,000 LBS Front GAWR	1
67.	13,660 LBS Rear GAWR	1
68.	Hydraulic Brakes	1
69.	Park Brake In Rear Wheels	1
70.	07BDA - International Exhaust (Right-Horizontal-Behind Cab-Horizontal)	1
71.	12VZA - International PTO Throttle Wiring	1
72.	International Heavy Duty Tail Light Wiring (08HAB)	1
73.	No Prewire Chassis	1
74.	No Idle Engine Shut-Down Required	1
75.	No California Emission Requirements	1
76.	15SSW - International 40 Gallon Fuel Tank (Rear, Between Rails)	1
77.	Other Chassis DEF Tank	1
78.	Battery Under Cab Left Hand	1



Altec, Inc.

79. No Air Horn

Additional Pricing

80. Standard Altec Warranty: One (1) year parts warranty, one (1) year labor warranty, ninety (90) days warranty for travel charges, limited lifetime structural warranty

Altec Industries, Inc	С.	
BY		

Kasey Ruth Tipton

Notes:

Notes

2

Altec Standard Warranty:

One (1) year parts warranty.

One (1) year labor warranty.

Ninety (90) days warranty for travel charges.

Warranty on structural integrity of the following major components is to be warranted for so long as the initial purchaser owns the product: Booms, boom articulation links, hydraulic cylinder structures, outrigger weldments, pedestals, subbases and turntables.

Altec is to supply a self-directed, computer based training (CBT) program. This program will provide basic instruction in the safe operation of this aerial device. This program will also include and explain ANSI and OSHA requirements related to the proper use and operation of this unit.

Altec offers its standard limited warranty with the Altec supplied components which make up the Altec Unit and its installation, but expressly disclaims any and all warranties, liabilities, and responsibilities, including any implied warranties of fitness for a particular purpose and merchantability, for any customer supplied parts

Altec designs and manufactures to applicable Federal Motor Vehicle Safety and DOT standards

Altec takes pride in offering solutions that provide a safer work environment for our customers. In an effort to focus on safety, we would encourage you to consider the following items:

Outrigger pads (When Applicable)
Fall Protection System
Fire extinguisher/DOT kit
Platform Liner (When Applicable)
Altec Sentry Training



3

10

Wheel Chocks

The aforementioned equipment can be offered in our new equipment quotations. If you find that any of these items have not been listed as priced options in the body of your quotation and are required by your company, we would encourage you to contact your Altec Account Manager and have an updated quotation developed for you. These options must be listed as individual options in the body of the quotation for them to be supplied by Altec.

- Unless otherwise noted, all measurements used in this quote are based on a 40 inch (1016mm) chassis frame height and standard cab height for standard configurations.
- F.O.B. Customer Site
- Changes made to this order may affect whether or not this vehicle is subject to F.E.T. A review will be made at the time of invoicing and any applicable F.E.T. will be added to the invoice amount.
- Price does not reflect any local, state or Federal Excise Taxes (F.E.T). The quote also does not reflect any local title or licensing fees. All appropriate taxes will be added to the final price in accordance with regulations in effect at time of invoicing.
- 7 Interest charge of 1/2% per month to be added for late payment.
 - Delivery: 270-300 days after receipt of order PROVIDING:
 - A. Order is received within 14 days from the date of the quote. If initial timeframe expires, please contact your Altec representative for an updated delivery commitment.
 - B. Chassis is received a minimum of sixty (60) days before scheduled delivery.
 - C. Customer approval drawings are returned by requested date.
 - D. Customer supplied accessories are received by date necessary for compliance with scheduled delivery.
 - E. Customer expectations are accurately captured prior to releasing the order. Unexpected additions or changes made at a customer inspection will delay the delivery of the vehicle.

Altec reserves the right to change suppliers in order to meet customer delivery requirements, unless specifically identified, by the customer, during the quote and or ordering process.

Trade-in offer is contingent upon equipment being maintained to DOT (Department of Transportation) operating and safety standards. This will include, but not limited to tires, lights, brakes, glass, etc. If a trade-in is not maintained to DOT standards, additional transportation expenses will apply and could be invoiced separately.

All equipment, i.e., jibs, winches, pintle hooks, trailer connectors, etc., are to remain with the vehicle unless otherwise agreed upon in writing by both parties. Altec Industries reserves the right to re-negotiate its trade-in offer if these conditions are not met.

Customer may exercise the option to rescind this agreement in writing within sixty (60) days after receipt of purchase order. After that time Altec Industries will expect receipt of trade-in vehicle upon delivery of new equipment as part of the terms of the purchase order.

Titles for trade-in equipment should be given to the appropriate Altec Sales associate or forwarded to Altec Nueco at address 1730 Vanderbilt Road, Birmingham, AL 35234.

- This quotation is valid until APR 04, 2016. After this date, please contact Altec Industries, Inc. for a possible extension.
- After the initial warranty period, Altec Industries, Inc. offers mobile service units, in-shop service and same





day parts shipments on most parts from service locations nationwide at an additional competitive labor and parts rate. Call 877-GO-ALTEC for all of your Parts and Service needs.


- Please email Altec Capital at finance@altec.com or call 888-408-8148 for a lease quote today.
- 13 Please direct all questions to Jenny Carlson at (270) 360-0600

INTERNATIONAL°

Prepared For: City of Hollywood Joel Wall 2600 Hollywood Blvd. Hollywood, FL 33020-4800 (954)921 - 3290 Reference ID: #9 - 19500

Presented By: RECHTIEN INTERNATIONAL TRUCKS, INC. John W Bradley 3787 INTERSTATE PARK ROAD RIVIERA BEACH FL 33404 -(866)882-9050

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile 2017 TERRASTAR SFA 4x2 (TA005)

Requested GVWR: 19500, Calc. GVWR: 19500

Governed Speed, 300 Peak HP (Max)

Wheelbase: 134.00, CA: 59.60, Axle to Frame: 49.00

APPLICATION:

MISSION:

DIMENSION:

CAB:

TIRE, FRONT:

ENGINE, DIESEL:

TRANSMISSION, AUTOMATIC:

CLUTCH: AXLE, FRONT NON-DRIVING:

AXLE, REAR, SINGLE:

Omit Item (Clutch & Control) {Dana Spicer D700-N} I-Beam Type, 7,000-lb Capacity

{Dana Spicer S110} Single Reduction, With Offset Housing; 13,500-lb Capacity, 160 Wheel Ends

Gear Ratio: 4.30 Conventional

Stake Flat

off hwy

(2) 225/70R19.5 HSR-1 (CONTINENTAL) 649 rev/mile, load range G, 14 ply (4) 225/70R19.5 HSR-1 (CONTINENTAL) 649 rev/mile, load range G, 14 ply

{MaxxForce 7} EPA 2010, 300 HP @ 2600 RPM, 660 lb-ft Torque @ 1600 RPM, 2800 RPM


{Allison 1000_RDS} 5th Generation Controls; Close Ratio, 5-Speed, With Overdrive; Includes

Park Pawl, With PTO Provision, Less Retarder, With 19,500-lb GVW & 26,000-lb GCW Max., on/

TIRE, REAR: SUSPENSION, RR, SPRING, SINGLE: Vari-Rate; 13,500-lb Capacity Cab schematic 100TA PAINT:

Location 1: 9219, Winter White (Std)

Chassis schematic N/A



FOR NEW EQUIPMENT SALES, CALL 800.958.2555
TO SPEAK WITH AN ALTEC REPRESENTATIVE



FEATURES

- · Telescopic Articulating Aerial Device
- · Compensated Articulating Arm
- · Hydraulic Boom Extension
- · Altec ISO-Grip® Control System
- · Low Power Fiber Optic Control System
- Fully Metered 4-Function, Single-Handle Upper Control
- · Platform Access from Ground
- · Composite Platform Mounting Bracket
- · Insulating, ANSI Category C
- · Hydraulic Plaform Leveling System
- · Emergency Lowering Valve at Platform
- · Platform Leveling at Upper and Lower Controls
- 180° Platform Rotator
- · Tool Circuit at Platform
- · Open-Center Hydraulic System
- · Easily Mounted on 19,500 lb (8,845 kg) GVWR Chassis
- Outrigger Boom Interlock System (with Outrigger Option)
- · Outrigger Motion Alarm (with Outrigger Option)
- · Back Up Alarm

OPTIONS

- · ISO-Boom Offering ANSI Category C Isolation with Boom Retracted
- · Outriggers, Vertical
- · Hybrid Adaptation Available with Standard Electronic Systems
- Secondary Stowage
- Engine Start/Stop
- · Platform Cover
- · Tool Circuit at Tailshelf
- 24 x 24 x 42 in (610 x 610 x 1067 mm) Platform


Recommended safety equipment, available through Altec Supply, include a platform liner, fall protection system, wheel chocks and outrigger pads (with outrigger option).

Ground to Bottom of Platform* (at Reach from Centerline)	40.6 ft (12.4 m) 10.9 ft (3.3 m)
Working Height	45.6 ft (13.9 m)
Maximum Side Reach at Platform Height)	29.7 ft (9.1 m) 15.2 ft (4.6 m)
Platform Capacity	400 lb (181.4 kg)
Platform Dimensions End-Mount)	24 x 30 x 42 in (610 x 762 x 1.067 mm)
Articulating Arm Articulation	-5 to 79°
Upper Boom Articulation	-25 to 75°
Stowed Travel Height	10.3 ft (3.1 m)
Rotation	Continuous
Weight of Machine**	2,543 lb (1,153 kg)

^{*}Based on a 40 in (1016 mm) chassis frame height.

** Weight does not include mounting frame or outriggers.

REACH DIAGRAM



INCREASED SIDE REACH 29.7 FT (9.1 M)




INCREASED WORKING HEIGHT 45.6 FT (13.9 M)



ISO-BOOM OPTION FOR ADDED DIELECTRIC INTEGRITY




FIBER OPTIC CONTROLS
WITH FEWER HOSES AND VALVES



For more complete information on Altec products and services, visit us on the web at www.altec.com. Material and specifications are subject to change without notice. Featured units in photos may include optional features. Please contact an Altec representative for all available options. Altecfand the Altec logo are registered trademarks of Altec Inc. in the United States and various other countries and may not be used without permission.

2015 Altec Inc. All Rights Reserved. AIOSAT40G 0315-v1



FOR NEW EQUIPMENT SALES, CALL 800.958.2555
TO SPEAK WITH AN ALTEC REPRESENTATIVE or visit us online at aftec.com



FEATURES

- · Telescopic Articulating Aerial Device
- · Compensated Articulating Arm
- Hydraulic Boom Extension
- · Altec ISO-Grip® Control System
- · Low Power Fiber Optic Control System
- Fully Metered 4-Function, Single-Handle Upper Control
- · Platform Access from Ground
- · Composite Platform Mounting Bracket
- · Insulating, ANSI Category C
- · Hydraulic Plaform Leveling System
- · Emergency Lowering Valve at Platform
- · Platform Leveling at Upper and Lower Controls
- 180° Platform Rotator
- · Tool Circuit at Platform
- · Open-Center Hydraulic System
- · Easily Mounted on 19,500 lb (8,845 kg) GVWR Chassis
- Outrigger Boom Interlock System (with Outrigger Option)
- · Outrigger Motion Alarm (with Outrigger Option)
- · Back Up Alarm

OPTIONS


- · ISO-Boom Offering ANSI Category C Isolation with Boom Retracted
- · Outriggers, Vertical
- · Hybrid Adaptation Available with Standard Electronic Systems
- · Secondary Stowage
- · Engine Start/Stop
- · Platform Cover
- · Tool Circuit at Tailshelf
- 24 x 24 x 42 in (610 x 610 x 1067 mm) Platform

Recommended safety equipment, available through Altec Supply, include a platform liner, fall protection system, wheel chocks and outrigger pads (with outrigger option).

Ground to Bottom of Platform* (at Reach from Centerline)	40.6 ft (12.4 m) 10.9 ft (3.3 m)
Working Height	45.6 ft (13.9 m)
Maximum Side Reach (at Platform Height)	29.7 ft (9.1 m) 15.2 ft (4.6 m)
Platform Capacity	400 lb (181.4 kg)
Platform Dimensions (End-Mount)	24 x 30 x 42 in (610 x 762 x 1,067 mm)
Articulating Arm Articulation	-5 to 79°
Upper Boom Articulation	-25 to 75°
Stowed Travel Height	10.3 ft (3.1 m)
Rotation	Continuous
Weight of Machine**	2,543 lb (1,153 kg
*Based on a 40 in (1016 mm) chassis frame height	

** Weight does not include mounting frame or outriggers.

REACH DIAGRAM



INCREASED SIDE REACH 29.7 FT (9.1 M)



INCREASED WORKING HEIGHT 45.6 FT (13.9 M)



ISO-BOOM OPTION FOR ADDED DIELECTRIC INTEGRITY



FIBER OPTIC CONTROLS WITH FEWER HOSES AND VALVES



For more complete information on Altec products and services, visit us on the web at www.altec.com. Material and specifications are subject to change without notice. Featured units in photos may include optional features. Please contact an Altec representative for all available options. Altec and the Altec logo are registered trademarks of Altec Inc. in the United States and various other countries and may not be used without permission. © 2015 Altec Inc. All Rights Reserved. AIOSAT40G 0315-v1