



# CITY OF HOLLYWOOD, FLORIDA

## PROCUREMENT SERVICES DIVISION

### Piggybacking Request Form

(Use for purchase(s) over \$15,000, when piggybacking off other contracts)

Date: January 30, 2019

Department/Office: Public Works

Division/Area: Fleet Maintenance

Contact Person: Joel Wall / Sylvia Glazer

Title: Fleet Coordinator / Public Works Director

Phone: 954.967.4555 / 954.967.4526

Email: [jwall@hollywoodfl.org](mailto:jwall@hollywoodfl.org) /  
[sglazer@hollywoodfl.org](mailto:sglazer@hollywoodfl.org)

1. Requested Vendor: Altec Industries, Inc.

Vendor Number: 00962

Address: sss

Contact Person: Jenny Carlson

Title: Governmental Sales Manager

Phone: 816-676-5886

Email: [paige.shelter@altec.com](mailto:paige.shelter@altec.com)

2. Contract title requesting to piggyback?

Awarding Agency: Sourcewell Contract Bid Award (aka: NJPA) #012418-ALT, Item #85

Contract Expiration Date: March 14, 2022

Copy of Contract and Awarding Agency documentation is attached.

☒ Yes ☐ No

3. Product/Service being requested (be specific): (1) 2019 Freightliner M2-106 (4x2) w/Altec TA60 Telescoping/Articulating Aerial Device.

4. Detailed description of the products/services function and purpose: Public Works Facility Maintenance Division seeks authorization to purchase a 2019 Freightliner M2-106 (4x2) w/Altec TA60 Telescoping/Articulating Aerial Device (Bucket Truck) to replace the existing 2007 Baker 5HA Aerial Truck that has surpassed its useful life expectancy. The existing unit has been on two different chassis' and is continually experiencing numerous mechanical issues, with some being safety related. The 2019 Freightliner M2-106 (4x2)

*Procurement Service Division use only*

Requisition # R  
BPO   
(As Applicable)

Purchase Order # P  
(As Applicable)

Blanket Purchase Order #  
(As Applicable)

w/Altec TA60 Telescoping/Articulating Aerial Device will perform repairs to all residential and Port Everglades street lighting & wiring, inspections & maintenance, emergency calls for knocked down street lighting and poles, Police, Fire, and all City of Hollywood facilities and parking lots, all City of Hollywood Parks and ball courts, hanging of Parks & Recreation banners, and all emergency situations. The 2019 Freightliner (4x2) w/Altec TA60 Telescoping/Articulating Aerial Device was tested to best perform for the needed requirements in the daily operations of the Public Works Facility Maintenance Division.

5. Please explain what process the Department/Office took to verify and/or identify this contract: Recommended by the Public Works Department.

6. Were alternative contracts evaluated to determine that the City is obtaining the most advantageous contract pricing for the required product/service?

☒ Yes ☐ No

Please explain: This is the best price going for this vehicle and pricing is based on the Sourcewell Contract #012418-ALT.

7. Total cost of the requested product/service: \$220,787.00 ea.

8. Total estimated annual (fiscal year) cost of requested product/service: (1) vehicle = \$220,787.00  
Account Number # 557.519901.51900.564520.000120.000.000

9. Is this product/service covered by a warranty? ☒ Yes ☐ No

If yes, please attach a copy of the warranty details.

10. Would this purchase(s) result in the potential of future purchases for related products/services being restricted to a particular vendor or create a specific vendor as sole source provider for related items?

☐ Yes ☒ No

If yes, please describe the related products/services and estimated cost(s.) \_\_\_\_\_

11. Would this purchase(s) result in any future maintenance costs which are not included in the initial purchase?

☐ Yes ☒ No

If yes, please attach a draft maintenance plan which includes cost estimates and funding source(s.) \_\_\_\_\_

12. Is this a grant related purchase? ☐ Yes ☒ No

If yes, please provide details (timeline, expiration dates, milestones, special procurement requirements, etc.)

Will this require matching funds? ☐ Yes ☐ No

What is the grant source? N/A

What is the grant (dollar) amount? N/A

Procurement Service Division use only

Requisition # R \_\_\_\_\_  
BPO \_\_\_\_\_  
(As Applicable)

Purchase Order # P \_\_\_\_\_  
(As Applicable)

Blanket Purchase Order # \_\_\_\_\_  
(As Applicable)

13. Please complete an advanced search of the vendor recommended for award on the Federal Government's Excluded Parties List System at [www.epls.gov](http://www.epls.gov).

Date of Advanced Search \_\_\_\_\_

Company Name(s) Searched

Search Results

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

#### REQUESTING DEPARTMENT RECOMMENDATION


**Note: By signing and returning this form, you are verifying and acknowledging that you have reviewed all portions (scope, terms, conditions, pricing, etc.) of the requested contract and recommend its approval based on the contract complying with the City of Hollywood's scope and pricing requirements and to the best of your knowledge the contract does not violate any applicable policy, statute, governing rule or regulation.**

  
Contact Person's Signature

2/4/19  
Date

  
Supervisor's Signature

2/4/19  
Date

  
Director's Signature

2/4/19  
Date

#### APPROVAL (Procurement Service Division Use Only)

Verified By:		Date	
Approved By:		Date	

Procurement Service Division use only

Requisition # R \_\_\_\_\_  
BPO \_\_\_\_\_  
(As Applicable)

Purchase Order # P \_\_\_\_\_  
(As Applicable)

Blanket Purchase Order # \_\_\_\_\_  
(As Applicable)

Quoted for: City of Hollywood  
Quoted by: Paige Shelter  
Phone: / Email / Address: (816) 676-5886 / paige.shelter@altec.com / 2106 S Riverside Rd., St. Joseph, MO 64507  
Altec Account Manager: Jenny Carlson

**REFERENCE ALTEC MODEL**

TA60	Articulating Telescopic Aerial Device with Material Handling (Insulated)	\$198,959
------	--	-----------

**(A.) SOURCEWELL OPTIONS ON CONTRACT (Unit)**

1		
2		
3		
4		

**(A1.) SOURCEWELL OPTIONS ON CONTRACT (General)**

1	SPOT3	FOUR (4) POINT STROBE SYSTEM (LED)	\$561
2	LR	Ladder Rack	\$1,086
3	PSWI2	PURE SINE WAVE INVERTER.2400 Watts Continuous. GFCI Outlet at Rear.	\$2,890
4	SPOT5	Spotlight, LED, Mounted to Truck, Can Be Directed Wherever Required.	\$1,230
5	CG	Cab Guard	\$2,858
6			
7			
8			
SOURCEWELL OPTIONS TOTAL:			\$207,584

**(B.) OPEN MARKET ITEMS (Customer Requested)**

1	UNIT		
2	UNIT & HYDRAULIC ACC		
3	BODY		
4	BODY & CHASSIS ACC		
5	ELECTRICAL	Rear Arrowboard	\$1,840
6	FINISHING	Gatorhyde Coating on Cab Guard	\$500
7	FINISHING	Gatorhyde	\$4,600
8	CHASSIS	Air Ride Driver's Seat	\$900
9	OTHER	Wet Paint Boom	\$2,360
10	OTHER	Price for SPOT5 includes Qty 3 lights	
OPEN MARKET OPTIONS TOTAL:			\$10,200

SUB-TOTAL FOR UNIT/BODY/CHASSIS: \$217,784  
Delivery to Customer: \$3,003  
TOTAL FOR UNIT/BODY/CHASSIS: \$220,787

**(C.) ADDITIONAL ITEMS (items are not included in total above)**

1		
2		
3		
4		

\*\*Pricing valid for 45 days\*\*

**NOTES**

**PAINT COLOR:** White to match chassis, unless otherwise specified

**WARRANTY:** Standard Altec Warranty for Aerials and Derricks - One (1) year parts warranty One (1) year labor warranty Ninety (90) days warranty for travel charges (Mobile Service) Limited Lifetime Structural Warranty. Chassis to include standard warranty, per the manufacturer.

**TO ORDER:** To order, please contact the Altec Account Manager listed above.

**CHASSIS:** Per Altec Commercial Standard

**DELIVERY:** No later than 140-180 days ARO, FOB Customer Location ( **PO within 2 Weeks**)

**TERMS:** Net 30 days

**BEST VALUE:** Altec boasts the following "Best Value" features: Altec ISO Grip Controls for Extra Protection, Only Lifetime Warranty on Structural Components in Industry, Largest Service Network in Industry (Domestic and Overseas), Altec SENTRY Web/CD Based Training, Dedicated/Direct Gov't Sales Manager, In-Service Training with Every Order.

**TRADE-IN:** Equipment trades must be received in operational condition (as initial inspection) and DOT compliant at the time of pick-up. Failure to comply with these requirements, may result in customer bill-back repairs.

**BUILD LOCATION:** St Joseph, MO





January 10, 2019  
Our 90th Year

**Ship To:**

ALTEC INDUSTRIES PLANT 337 MW FINAL ASSEMBLY  
MIDWEST FINAL ASSY  
2106 S RIVERSIDE RD  
Saint Joseph, MO 64507-0000  
US

**Bill To:**

ALTEC INDUSTRIES PLANT 337 MW FINAL ASSEMBLY  
MIDWEST FINAL ASSY  
2106 S RIVERSIDE RD  
Saint Joseph, MO 64507-0000  
US

Attn:  
Phone: 816-236-1328  
Email:

**Altec Sales Order:** 4423226  
**Altec Quotation Number:** 418155 - 2  
**Run Number:** 1042664  
**Account Manager:**  
**Technical Sales Rep:** Paige Nicole Shelter  
**Reference WO:** -  
**Customer Inspection:**  
**Line Set Date:** 01/31/2018

**X7 Discrete Job:** 55232902  
**X7 Configured Item:** 000000000-4523134  
**Quantity:** 1  
**X4 Discrete Job:** 55258939  
**X4 Configured Item:** 000093011-4523128  
**System Engineer:** Andrew Trautman  
**Structural Engineer:** Eric Stinson

<u>Item</u>	<u>Description</u>	<u>Qty</u>
	<u>Unit</u>	
1.	Altec Model TA60 Articulating Telescopic Aerial Device with a fiberglass upper boom and fiberglass insulator in the articulating arm and a proportional joystick upper control and toggle switches. Built in accordance to ALTEC's standard specifications and to include the following features:	1
2.	Automatic Upper Boom Stow Securing System with support cradle.	1
3.	Pedestal, Rear Mount, High Cab Height - includes 43 inch (1092 mm) pedestal height, 91.5 inch (2324 mm) mast height - recommended for T55 and TA60, installed in tall cab height chassis	1
4.	220 Single Two-Man Platform with hydraulically articulating jib (Altec ARM Jib) - Platform end mounted, rotates 180 degrees around boom tip. Platform has a capacity of 600lbs without liner. Material handling system comes with 80ft of 0.50 inch polyester double braid rope, a metal thimble in the working end and jib rated at a maximum capacity of 1,000 lbs	1
5.	Soft Platform Cover For Two Man Platform (24x48)	1
6.	259 Polyethylene platform liner for two man platform, 50 kV rating (minimum)	1
7.	Tool Circuit At Boom Tip, Dual Hydraulic (TA End Mount)	1
8.	Engine Start/Stop & Secondary Stowage System: 12 VDC powered motor and pump assembly for temporary operation of the unit in a situation wherein the primary hydraulic source fails. Electric motor is powered by the chassis battery. This feature allows the operator to completely stow the booms, platform, and outriggers. Secondary Stowage & Start/Stop is activated with an air plunger at the platform or momentary switch at the lower control station and outriggers.	1

<u>Item</u>	<u>Description</u>	<u>Qty</u>
9.	241 - Outrigger A-Frame with Flat-shoe - provides 149 inch (3785 mm) maximum spread outside to outside of shoe.	1
10.	240 Modified flat-shoe, A-frame, Fixed Shoe, Outrigger installed at rear of body, with 101 inches (2565 mm) of spread at maximum penetration.	1
11.	Electric Over Hydraulic Outrigger Control Valve	1
12.	Altec Aerial Device Powder Painted White	1

**Unit and Hydraulic Acc.**

13.	Standard Spacer between Subbase and frame for hose routing and ease of maintenance.	1
14.	Reservoir, 30 Gallon, Triangular, Mounted in Cargo Area	1
15.	TA Series Subbase	1
16.	HVI-22 Hydraulic Oil (Standard).	35
17.	Standard Pump For PTO	1
18.	Hot shift PTO for automatic transmission	1
19.	Muncie PTO (Altec Standard)	1
20.	Standard PTO/Transmission Functionality for Automatic Transmissions -If chassis is in gear, and PTO switch is activated, PTO will not engage. Chassis will remain in gear. Once the chassis is shifted back into gear the PTO will disengage. For some truck configurations the PTO switch must be turned off to allow the transmission to shift into gear.	1

**Body**

21.	160 inch Universal Aerial Body with outrigger housings, suitable for installing on any 4x2 chassis with an approximate CA dimension of 108 inches, built in accordance with the following specifications:	1
A.	Basic body fabricated from A40 grade 100% zinc alloy steel.	
B.	All doors are full, double paneled, self-sealed with built-in drainage for maximum weather-tightness. Stainless steel hinge rods extend full length of door.	
C.	All doors are to contain stainless steel flush type, single point, two-stage rotary paddle latches with recessed handles, including keyed locks and strikers. door latches are bolted to the outer door panel.	
D.	Heavy-gauge welded steel frame construction with smooth floor with lattice understructure.	
E.	Possible contact edges are folded for safety.	
F.	Integrated door header drip rail at top for maximum weather protection.	
G.	Fender panels are either roll formed or have neoprene fenderettes mechanically fastened.	
H.	Steel treated for improved primer bond and rust resistance.	
I.	Automotive undercoating applied to entire underside of body.	
J.	Primer applied to complete interior and exterior of body.	
K.	Automotive type non-porous door seals fastened to the door facing.	
L.	160 inch overall body length.	
M.	94 inch overall body width.	
N.	46 inch overall body height.	

<u>Item</u>	<u>Description</u>	<u>Qty</u>
O.	18 inch body compartment depth.	
P.	Finish paint body Altec White at body manufacturer.	
Q.	2 inch x 6 inch drop-in wooden cargo retaining board at rear of body.	
R.	2 inch x 6 inch drop-in wooden cargo retaining board at top of side access step.	
S.	Gas shock type rigid door holders for vertical doors.	
T.	Standard master body locking system.	
U.	One (1) wheel chock holder installed in fender panel on each side of body.	
V.	Hotstick shelf extending the full length of body on streetside.	
W.	Two (2) hotstick brackets installed on streetside.	
X.	Standard size bottom-hinged hotstick door installed on streetside.	
Y.	1st vertical streetside (LH) - Two (2) adjustable shelves with removable dividers on 4 inch centers.	
Z.	2nd vertical streetside (LH) - Six (6) locking swivel hooks on adjustable rails. 2-2-2 configuration.	
AA.	3rd vertical streetside (LH) - Six (6) locking swivel hooks on adjustable rails. 2-2-2 configuration.	
AB.	1st horizontal streetside (LH) - One (1) adjustable shelf with removable dividers on 4 inch centers.	
AC.	Rear vertical streetside (LH) - Five (5) locking swivel hooks on adjustable rails. 1-3-1 configuration.	
AD.	Rear vertical streetside (LH) - Outrigger housing.	
AE.	1st vertical curbside (RH) - Three (3) adjustable shelves with removable dividers on 4 inch centers.	
AF.	2nd vertical curbside (RH) - Six (6) locking swivel hooks on adjustable rails. 2-2-2 configuration.	
AG.	3rd vertical curbside (RH) - Gripstrut access steps with two (2) sloped grab handles.	
AH.	1st horizontal curbside (RH) - One (1) adjustable shelf with removable dividers on 4 inch centers and one (1) shelf with removable dividers on 4 inch centers installed on bottom of compartment.	
AI.	Rear vertical curbside (RH) - Five (5) locking swivel hooks on adjustable rails. 1-3-1 configuration.	
AJ.	Rear vertical curbside (RH) - Outrigger housing.	
AK.	Platform access step installed in the cargo area.	
AL.	29 inch long x 94 inch wide steel tailshelf, with two (2) U-shaped grab handles, installed at rear of body.	

#### **Body and Chassis Accessories**

22.	ICC (Underride Protection) Bumper Installed At Rear	1
23.	T-125 Style Pintle Hitch (30,000 LB MGTW with 6,000 LB MVL)	1
24.	Set Of Eye Bolts for Trailer Safety Chain, installed one each side of towing device mount.	1
25.	Glad Hands At Rear, Straight Type	1
26.	Rigid Step Mounted Beneath Side Access Steps (Installed To Extend Approx. 2" Outward)	1
27.	Platform Rest, Rigid with Rubber Tube	1
28.	Lower Boom Rest Weldment	1
29.	Mounting Brackets for Lights, Located on Lower Boom Rest	1



<u>Item</u>	<u>Description</u>	<u>Qty</u>
30.	Wood Outrigger Pad, 24" x 24" x 2.5", with Rope Handle	4
31.	Outrigger Pad Holder, 25" L x 25" W x 5" H, Fits 24.5" x 24.5" x 4" And Smaller Pads, Bolt-On, Bottom Washout Holes, 3/4" Lip Retainer	4
32.	Pendulum Retainers For Outrigger Pad Holders	4
33.	Mud Flaps With Altec Logo (Pair)	1
34.	Wheel Chocks, Rubber, 9.75" L x 7.75" W x 5.00" H, with 4" L Metal Hairpin Style Handle (Pair)	1
35.	Dock Bumpers (Pair), Fixed Mounting (Rectangular Bumper), Installed At Rear	1
36.	Slope Indicator Assembly For Machine With Outriggers	1
37.	Safety Harness And 4.5' Lanyard (Fits Medium To Xlarge) Includes Pouch and Placards	2
38.	Triangular Reflector Kit, Installed	1
39.	5 LB Fire Extinguisher With Light Duty Bracket, Installed (In Cab or Inside Compartment Only)	1
40.	Vinyl manual pouch for storage of all operator and parts manuals	1
<b><u>Electrical Accessories</u></b>		
41.	Lights and reflectors in accordance with FMVSS #108 lighting package. (Complete LED, including LED reverse lights)	1
42.	Altec Standard Amber LED Strobe Light with Brush Guard	2
<b><u>Sales Text:</u> Located on Boom Stow, one each side.</b>		
<b>Last Updated By: Dawn Vandel on 31-JAN-2018 10:27</b>		
43.	Dual Tone Back-Up With Outrigger Motion Alarm	1
44.	Altec Standard Multi-Point Grounding System	6
45.	Copper U Shaped Grounding Lug (Threaded)	2
<b><u>Sales Text:</u> Located CS, Front and Rear.</b>		
<b>Last Updated By: Dawn Vandel on 31-JAN-2018 10:27</b>		
46.	7-Way Trailer Receptacle (Pin Type) Installed At Rear	1
47.	Relocate Trailer Receptacle Supplied With Chassis	1
48.	Electric Trailer Brake Controller (Kelsey Hayes #81741)	1
49.	Altec Modular Panel System (AMPS) - Includes Mounting Panel and Accessory Switches	1
50.	Pre-Wire Power Distribution Module (Includes Operators Manual)	1
<b><u>Finishing Details</u></b>		
51.	Finish Paint Body Accessories Above Body Floor Altec White	1



<u>Item</u>	<u>Description</u>	<u>Qty</u>
52.	Altec Standard; Components mounted below frame rail shall be coated black by Altec. i.e. step bumpers, steps, frame extension, pintle hook mount, dock bumper mounts, D-rings, receiver tubes, accessory mounts, light brackets, under-ride protection, etc. Components mounted to under side of body shall be coated black by Altec. i.e. Wheel chock holders, mud flap brackets, pad carriers, boxes, lighting brackets, steps, and ladders.	1
53.	Apply Non-Skid Coating to all walking surfaces	1
54.	English Safety And Instructional Decals	1
55.	Vehicle Height Placard - Installed In Cab	1
56.	Placard, HVI-22 Hydraulic Oil	1
57.	Dielectric test unit according to ANSI requirements.	1
58.	Stability test unit according to ANSI requirements.	1
59.	Focus Factory Build	1
60.	Delivery Of Completed Unit	1
61.	Inbound Freight	1
62.	TA60, Line Body, Freightliner M-2, 4x2, Automatic Transmission	1
63.	Stock Unit	1
<u>Chassis</u>		
64.	Altec Supplied Chassis	1
65.	2019 Model Year	1
66.	Freightliner M2-106	1
67.	4x2	1
68.	108 Clear CA (Round To Next Whole Number)	1
69.	Regular Cab	1
70.	Chassis Cab	1
71.	Chassis Color - White	1
72.	Chassis Wheelbase Length - 178	1
73.	Cummins ISB	1
74.	250 HP Engine Rating	1
75.	Allison 3500 RDS Automatic Transmission (Left and Right Side PTO Openings Only)	1
76.	GVWR 33,000 LBS	1
77.	13,000 LBS Front GAWR	1

<u>Item</u>	<u>Description</u>	<u>Qty</u>
78.	20,000 LBS Rear GAWR	1
79.	11R22.5 Front Tire	1
80.	11R22.5 Rear Tire	1
81.	Air Brakes	1
82.	Park Brake In Rear Wheels	1
83.	016-1C3 - Freightliner Horizontal Exhaust (Right-Horizontal-Under Cab-Horizontal)	1
84.	Freightliner - Clear Area Around Allison PTO Openings (362-1Y0) and (363-011)	1
85.	Freightliner - Rear Cab Crossmember Flush With Back Of Cab (561-010)	1
86.	Freightliner Heavy Duty Tail Light Wiring (353-027)	1
87.	Freightliner PTO Throttle Wiring for Automatic Transmission (163-004) (148-074) (87L-003)	1
88.	Freightliner/Allison Body Builder Connection (34C-001)	1
89.	Freightliner - Pre-Wire Chassis with Cab Backwall Pass-Thru (33U-001)	1
90.	No Idle Engine Shut-Down Required	1
91.	204-215 Freightliner 50 Gallon Fuel Tank (Left Hand Under Cab)	1
92.	120,000 Yield Strength (PSI)	1
93.	Vinyl Split Bench Seat	1

**Additional Pricing**

94.	Standard Altec Warranty: One (1) year parts warranty, one (1) year labor warranty, ninety (90) days warranty for travel charges, limited lifetime structural warranty	1
95.	Standard Altec Warranty: One (1) year parts warranty, one (1) year labor warranty, ninety (90) days warranty for travel charges, limited lifetime structural warranty	1
96.	Standard Altec Warranty: One (1) year parts warranty, one (1) year labor warranty, ninety (90) days warranty for travel charges, limited lifetime structural warranty	1
97.	Standard Altec Warranty: One (1) year parts warranty, one (1) year labor warranty, ninety (90) days warranty for travel charges, limited lifetime structural warranty	1

**Altec Industries, Inc.**

BY \_\_\_\_\_

Paige Nicole Shelter , Technical Sales Representative

<u>Item Number</u>	<u>Description</u>
--------------------	--------------------

We Wish To Thank You For Giving Us The Pleasure  
And Opportunity of Serving You  
UTILITY EQUIPMENT AND BODIES SINCE 1929

Item Number

New Selected Items  
Description

Notes:





## Altec TA50/55/60 Aerial Device

- Working Height up to 64.8 ft and Side Reach up to 40.1 ft
- Optional Altec ARM System Maximizes Productivity
- 600 lbs Platform Capacity Regardless of Jib Capacity
- No Major Preventative Maintenance
- 4-Function Single Handle Upper Control
- Altec ISO-Grip® Control System







# Altec TA50/55/60 Specifications

## STANDARD FEATURES

- Fiberglass Upper Boom & Lower Boom Insulator
- Insulated Aerial Device
- Continuous Rotation
- Articulating Arm Provides Upper Boom Compensation
- Hydraulic Platform Rotation and Tilt
- Full Pressure, Open Center Hydraulic System
- A-Frame Primary Outriggers
- Altec ISO-Grip® Control System
- 4-Function Single Handle Upper Control
- Outrigger Motion Alarm and Outrigger Interlocks
- Back-Up Alarm
- Powder Coat Painted Prior to Assembly
- Two Sets of Hydraulic Tool Circuits at Platform
- Diagnostic Pressure Test Quick Disconnect Couplings
- Emergency Stop Valves at All Upper and Lower Control Stations
- Lower Boom Lifting Eye

## OPTIONS

- Rear or Behind Cab Mount
- Altec ARM System
- Hydraulic Extend Jib
- 2-Man Platform with 180° Rotation
- Engine Start/Stop
- Remote Secondary Stowage
- Jib Adapter
- Phase Lifting Jib Attachment
- Auxiliary Outriggers
- Manual Throttle
- Platform Covers
- Intensifier at Boom Tip
- Tool Circuit Below Rotation

## RECOMMENDED FEATURES

- Fall Protection System
- Platform Liner
- Wheel Chocks
- Outrigger Pads


## GENERAL SPECIFICATIONS

	TA50		TA55		TA60	
Ground to Bottom of Platform*	49.5 ft	15.1 m	54.4 ft	16.6 m	59.8 ft	18.2 m
Working Height*	54.5 ft	16.6 m	59.4 ft	18.1 m	64.8 ft	19.8 m
Maximum Side Reach (@ Platform Height)	36.2 ft	11.0 m	38.3 ft	11.7 m	40.1 ft	12.2 m
	19.9 ft	6.1 m	22.7 ft	6.9 m	26.6 ft	8.1 m
Stowed Travel Height, approx.*	11.9 ft	3.6 m	11.4 ft		3.5 m	
Platform Capacity, Single 2-man	600 lbs.		272.2 kg			
Upper Boom Isolation Gap, min.	38 in	965 mm	16 in	406 mm	36 in	914 mm
Articulating Arm Isolation Gap	12 in	305 mm	8.5 in	216 mm	12 in	305 mm
Upper Boom Articulation	-25° to 75°					
Articulating Arm Articulation	5.25° to 92.5°		0° to 92.5°			
Rotation	Continuous					

\* Based on chassis frame height of 40 inches (1016 mm).

Altec Aerial Devices meet or exceed all applicable ANSI Standards as of the date of manufacture. Altec reserves the right to improve models and change specifications without notice or obligation.

## REACH DIAGRAM



The optional Altec ARM System provides the unique ability to handle material on either side of the boom tip.



The Altec ARM Jib makes removing and installing transformers Safer and Smarter®.

sales@altec.com  
Sales – 800-958-2555  
Service – 877-GOALTEC



Manufacturing and Service Facilities Located  
Throughout the United States and Canada  
www.altec.com

## Altec Industries, Inc.

Post Office Box 10264  
Birmingham, Alabama 35202  
Phone 205/991-7733  
Fax 205/991-9993

ALT2003038

TA/50/55/60-2M-10/08



## Altec Industries

Utility, Tree Care, Lights & Signs Equipment

#012418-ALT

Maturity Date: 03/14/2022

---

## Products & Services

### Products & Services

Sourcewell contract 012418-ALT gives access to the following types of goods and services:

- Aerial Devices
- Digger Derricks
- Boom Truck Cranes
- Knuckle Boom Cranes
- Wood Chippers
- Pressure Diggers
- Service Bodies
- Chip Dump Bodies
- Cable Handling
- Trailers
- Tools and Accessories
- Training



Additional information can be found on the vendor-provided, nongovernment website at:

[www.altec.com/government-sales](http://www.altec.com/government-sales)

### **Become a Member**

Simply complete the [online application](#) or contact the Membership Team at [membership@sourcewell-mn.gov](mailto:membership@sourcewell-mn.gov) or 877-585-9706.

Search Vendors & Contracts

[General Contracts](#)

[ezIQC Contracts](#)

Sourcewell’s website may contain links to nongovernment websites being provided as a convenience and for informational purposes only. Sourcewell neither endorses nor guarantees, in any way, the external organization’s services, advice, or products included in these website links. Sourcewell bears no responsibility for the accuracy, legality, or timeliness of any content on the external site or for that of subsequent links. All questions related to content on external sites should be addressed directly to the host of that particular website.



[Sourcewell for Vendors →](#)

[Terms & Conditions](#)  
[Sitemap](#)

[Privacy Policy](#)  
[Accessibility](#)

© 2018 Sourcewell. All rights reserved.

Joel Wall

**From:** Riley.Browne@altec.com  
**Sent:** Wednesday, January 23, 2019 12:36 PM  
**To:** Jenny.Carlson@altec.com  
**Cc:** Joel Wall  
**Subject:** Re: Sourcewell member  
**Attachments:** City of Hollywood TA60 Sourcewell Quote.pdf

Good morning Jenny and Joel,

City of Hollywood, FL is Sourcewell member 39548. The city joined on 11-2-2010.

Sourcewell <div>Formerly NJPA</div>									
Membership List <div>January 16, 2019</div>									
Account Name	Member Number	Street	City	State	Zip/Postal Code	Type	Sub-Type	Membership Date	
Broward County Parks	76550	3300 N Park Rd	Hollywood	FL	33021-2524	Government	County	10/24/2012	
City of Hollywood	39548	PO Box 229045	Hollywood	FL	33022-9045	Government	Municipality	11/2/2010	
City of Hollywood/Orangebrook Golf	144133	400 Entrada Drive	Hollywood	FL	33021	Government	Municipality	6/27/2018	
City of Hollywood Police Department	152780	3250 Hollywood Blvd	Hollywood	FL	33021-6907	Government	Municipality	9/19/2018	
Hispanic Unity Of Florida	131390	5840 Johnson Street	Hollywood	FL	33021-5636	Non-Profit	Other	1/31/2017	
Hollywood Academy of Arts & Science	126169	1705 Van Buren St	Hollywood	FL	33020-5125	Education	Public K-12	7/19/2016	
Hollywood Community Church	118812	1708 N State Road 7	Hollywood	FL	33021-4507	Non-Profit	Church	10/5/2015	
Memorial Regional Hospital	119608	3501 Johnson Street	Hollywood	FL	33021-5421	Non-Profit	Other	3/18/2016	
Seminole Tribe of Florida	134159	6300 Stirling Rd	Hollywood	FL	33024-2198	Government	Tribal	6/30/2017	
Sheridan Technical College	100115	5400 Sheridan St	Hollywood	FL	33021-3346	Education	Public K-12	4/21/2014	

Regarding the pricing, on the original quote the cabguard price was adjusted to include Gator Hyde. I asked the Technical Sales Rep to revise the quote and leave the cabguard at contract price, and itemize out the gator hyde in the Open Market section of the contract.

Please let us know if you need anything further.





Altec Industries Sourcewell Price List  
Contract # 012418-Ait

Item #	Item	Description	Code	August 2018 Price
85	TA60	Articulating Telescopic Aerial Device with Material Handling (Insulated)	TA60	\$198,959
319	ACCESSORY OPTIONS	FOUR (4) POINT STROBE SYSTEM (LED)	SPOT3	\$561
293	ACCESSORY OPTIONS	Ladder Rack	LR	\$1,086
305	ACCESSORY OPTIONS	PURE SINE WAVE INVERTER.2400 Watts Continuous. GFCI Outlet at Rear.	PSWI2	\$2,890
321	ACCESSORY OPTIONS	Spotlight, LED, Mounted to Truck, Can Be Directed Wherever Required.	SPOT5	\$410
291	ACCESSORY OPTIONS	Cab Guard	CG	\$2,858

x qty3 = \$1,230

The ability to utilize Sourced Goods is on the contract. Here is that information and where it is located in the contract. Let us know if you have questions.

**H. SOURCED GOOD or OPEN MARKET ITEM**

**5.25** A Sourced Good or an Open Market Item is a product that a member wants to buy under contract that is not currently available under the Vendor's NJPA contract. This method of procurement can be satisfied through a contract sourcing process. Sourcing options serve to provide a more complete contract solution to meet our members' needs. Sourced items are generally deemed incidental to the total transaction or purchase of contract items.

**5.26** NJPA or NJPA Members may request products, equipment, and related services that are within the related scope of this RFP, even if they are not included in an awarded Vendor's line-item price list or catalog. These items are known as Sourced Goods or Open Market Items.

**5.27** An awarded Vendor may source such items to the extent that the items are identified as "Sourced Products/Equipment" or "Open Market Items" on any quotation issued in reference to an NJPA awarded contract, and that this information is provided to either NJPA or an NJPA Member. NJPA is not responsible for determining whether a Sourced Good is an incidental portion of the overall purchase or whether a Member is able to consider a Sourced Good a purchase under an NJPA contract.

**5.28** "Cost plus a percentage" pricing is an acceptable option in pricing of Sourced Goods.

Thank you

**Riley Browne**

Altec, Inc.  
33 Inverness Center Parkway  
Birmingham AL 35242  
tel: 205-408-2341  
cell: 540-520-3643  
[riley.browne@altec.com](mailto:riley.browne@altec.com)

For updates:  
[Facebook.com/Altec](https://www.facebook.com/Altec) : Like us on Facebook  
[@AltecInc](https://twitter.com/AltecInc) : Follow us on Twitter  
[www.altec.com](http://www.altec.com)