FOURTH AMENDMENT TO TOWER SITING LICENSE AGREEMENT

This Fourth Amendment to Tower Siting License Agreement ("Fourth Amendment") is made and entered into by and between the City of Hollywood, a Florida municipal corporation ("City"), and T-Mobile South LLC, as successor in interest to Omnipoint Communications Enterprises, Inc., a Delaware corporation ("OCE").

Recitals

The parties hereto recite, declare and agree as follows:

- A. City and OCE entered into a Tower Siting License Agreement (the "Agreement") dated July 23, 1997, with respect to Premises located at 2900 Sheridan Street, Hollywood, Florida 33020.
- B. City and OCE have amended the Agreement three times and now desire to enter into this Fourth Amendment in order to modify and amend certain provisions of the Agreement, as amended.

NOW, THEREFORE, in consideration of the mutual covenants and agreements contained in this Fourth Amendment and other good and valuable consideration, the receipt and sufficiency of which are acknowledged by this Amendment, City and OCE covenant and agree as follows:

- 1. Effective upon full execution of this Fourth Amendment, OCE will have the right to modify its Antenna Facilities as described and depicted on Exhibit A, which is attached hereto and by this reference incorporated in this Fourth Amendment, and City hereby consents to and approves of the modifications described and depicted on Exhibit A in all respects.
- 2. The terms and conditions of the Agreement, as amended, are incorporated in this Fourth Amendment by this reference, and capitalized terms used in this Fourth Amendment shall have the same meanings such terms are given in the Agreement, as amended. Except as specifically set forth in this Fourth Amendment, this Fourth Amendment shall in no way modify, alter or amend the remaining terms of the Agreement, as amended, all of which are ratified by the parties and shall remain in full force and effect. To the extent there is any conflict between the terms and conditions of the Agreement, as amended, and this Fourth Amendment, the terms and conditions of this Fourth Amendment will govern and control.
- 3. City represents and warrants to OCE that the consent or approval of no third party, including, without limitation, a lender, is required with respect to the execution of this Fourth Amendment, or if any such third party consent or approval is required, City has obtained any and all such consents or approvals.

IN WITNESS WHEREOF, the parties have executed this Fourth Amendment effective as of the date of execution by the last party to sign.


With	T-Mobile South, LLC
Witnesses:	
	By:
Print Name:	Name:
	Title:
Print Name:	Date:
	City of Hollywood, a municipal corporation of the State of Florida
	By:
Witnesses:	Name:
	Title:
Print Name:	Date:
	_
Print Name:	_
	Approved as to form and legal sufficiency for the use and reliance of the City of Hollywood, Florida, only.
	By:
	Douglas R. Gonzales, City Attorney



6FB1046C HOLLYWOOD WATER TOWER

2890 SHERIDAN STREET HOLLYWOOD, FL 33020

L600 INSTALLATION



Re- DITE DESCRIPTION

1 (7,37/12 PRESERVE)

1 (7,37/12 RE-DETECTION OF THE PROPERTY OF THE PRO



T · Mobile ·



TI

THE APPROPRIATE UTILITY LOCATING SERVICES SHALL BE CONTACTED PRIOR TO THE STAYT OF CONSTRUCTION IN ORDER TO VERIFY THE EVACT LOCATION OF ALL DISTRICU UNDERGROUND UTILITIES. MEV DATE DESCRIPTION
A 6/13/10 PREJAMINARY
B 6/36/18 PREVISED LLATION OF NEW UTILITIES SHALL BE COORDINATED WITH LOCAL AUTHORITIES. ALL ENSING ACTIVE SOURY, WATER GAS, ELECTRIS AND OTHER UTILIES WHERE ENCOUNTERED IN THE WORK, SHALL BE PROTECTED AT ALL TIMES, WHERE REDURED FOR THE PROPER DESCRIPTO OF THE ROWS, SUCH UTILITIES SHALL BE REDUCATED AS DIRECTED BY THE CONSTRUCTION MANAGER, EXTREME CAUTION SHALL BE USED WHICH EXCANDING OR DIRELING FIRST AROUND OR NEAR UTILITIES. - T-WORKE USA
- APX ENGINEETING GROUP, LLC.
- GENERAL CONTINCTOR (CONSTRUCTION) RUBBISH, STUMPS, DEBRIS, STICKS, STONES AND OTHER REPUSE SHALL BE RE ALL DISTRIO INICIDE SERIO, WHER, GAS, ELECTRIC AND CITIED VITATES THAT INTERFERE WITH THE EXECUTION OF THE WORK SHALL BE REMOVED AND/OR COPYED, PLUGGED ON OTHERWISE BOOKSTAND AT POINTS THAT WILL NOT INTERFERE WITH THE EXECUTION OF THE WORK, SUBJECT TO THE APPROVAL OF THE MACKON AND/OR LOCAL VITATION. PRIOR TO SUBMITTING HES BID. THE CONTRACTOR SHALL YEST THE JOB SITE IN ORDER TO (1) VERTEY ALL EXISTING COMMINGUES, (2) COMPINE WHETHER ALL DAMPISENS ME AS SHOWN ON THE PLANS AND (2) COMPINE WHITTEN THE WORK MAY BE ACCOMPLISHED AS SHOWN, ANY DECORPANCES SHALL BE BROCKET ON THE ARTISTS OF THE CONTRACTOR SHALL BE MADELLED AND THE ARTISTS OF SHEET OF THE SHORT OF THE CONTRACTOR SHEET OF THE MADELLED HIS THORNOUS SHEET OF THE CONTRACTOR SHEET OF THE MADELLED HIS THORNOUS SHEET OF COMPLETE SHEETING, BECAUSE AS SHEETING, BECAUSE OF THE CONFIDENCE HIS THORNOUS SHEETING THE MADELLED HIS MAY ADEA OF THE CONSTRUCTION SET ESTIMATED BY THE WORK AND NET COMPRED BY THE TUNER, EQUIPMENT ON EMPERAY, SHALL BE GROCED TO A REPORT AND FOR LICH GROCED SHALL DEED SHALL DE IN CONFORMANCE WITH THE LOCAL GUIDELINES FOR BROSON AND SERMENT COMPANY. THE SUB-GRADE SHALL BE COMPACTED AND BROUGHT TO A UNIFORM GRADE PRIOR TO PHISHED SURFACE APPLICA AND/OR THE BACKFILL SHALL CONCEST OF CLEAN SAND FILL APPROVED FOR USE OF THE DICINEER. HO UNAPPROVED MATERIAL MILL BE ALLOWED, CLEAN SAND FILL SHALL BE FINES OF ALL ROOTS, BOULDESS, ON OTHER DILETEROUS MATERIAL. MHETHER OR NOT SPECIFICALLY INCICATED ON THE PRACHMENT INCIDENTAL TO A COMPLETE INSTALLATION,
FOR TASKS REQUIRED TO BE PERFORMED BUT NOT CLEARLY DEFINED OR DENTIFED BY THE CONTRACT
DOCUMENTS, THE CONTRACTOR SHALL NOT STRIP WORK ON SUCH TASKS WITHOUT HAVIOR RECEIVED WRITTEN
THE DISMINIOS AND DACKRAMMATIC AND RIGHTS TO PROCEED.
THE DISMINIOS AND DACKRAMMATIC AND RIGHTS THE OPERAL ARRANGEMENT OF STRIPS AND EQUIPMENT
WASS OTTORNERS INDICATED TO PROPERSION SO DETAILS. EXACT EQUIPMENT LOCATIONS MAY BE MODIFIED
AS REQUIRED BY ACTUAL FIELD CONCIDENCE, IF THE SPECIFIED EQUIPMENT CARNOT BE NOTALLED AS SHOWN
IN THIS STRIPPINGS, CONTRACTOR SHALL PROPOSE AN ALTERNATIVE RESIDENCE SHALL PROPOSED.

THE CONTRACTOR SHALL PROPOSED SHALL PROPOSE AN ALTERNATIVE RESIDENCE SHALL PROPOSED. PRIZE OF PALL ROUTS, BUALDESS, OF OTHER DELETIONS MINESON.

10. THE CONTRACTOR SHALL RESTORE ALL DISTURBED AREAS TO EXUAL TO OR BETTER CONCENTION THAN ORNOWAL.

11. SITE SIGNAGE SHALL RE PROVIDED IN ACCORDANCE WITH THE TECHNICAL SPECIFICATIONS FOR SUCH SIGNAGE AS MAY apx 12 SITE WORK NOTES DUCTURAL STEEL WORK SHALL CONFORM TO THE LATEST EDITION OF THE AISC "STEEL CONSTRUCTION MANUAL" LANCENCE MOVE SUP MINUSER, PL 39027 ANTENNAL STRUCTURAL STREE OF BEAUS SHALL BE ASTA ABS MO "NOT DEPED" CALAMAZED IN ACCORDANCE WITH ASTA A123 AND ASTA A153 STANDARDS.

A ALL STRUCTURAL PLATES, MOCES, MO CHANNELS SHALL BE ASTA A56 MO "NOT DEPED" CALAMAZED IN ACCORDANCE WITH ASTA A123 AND ASTA A153

EN ALL STRUCTURAL PER MEMBERS SHALL BE ASTA A500 DRUGE B (F)—46MJ, MO "NOT DEPED" CALAMAZED IN ACCORDANCE WITH ASTA A123 AND ASTA A153

STRADARDS.

D. ALL STRUCTURAL PER MEMBERS SHALL BE ASTA A500 DRUGE B (F)—46MJ, MO "NOT DEPED" CALAMAZED IN ACCORDANCE WITH ASTA A123 AND ASTA A153

STRADARDS, UNLESS NOTED ORDERINGE

E. ALL NON-STRUCTURAL PIER MEMBERS SHALL BE ASTA A53 GRADE B (M)—45MJ, MO "NOT DEPED" CALAMAZED IN ACCORDANCE WITH ASTA A123 AND ASTA A153

STRADARDS. T · Mobile DESIGN, FARMCATION, AND CONSTRUCTION OF ALL CONNECTIONS SHALL CONFORM TO MISC STEEL CONSTRUCTION MANUAL THE CONSTRUCTION MANAGES.

FILLOWING CLEANUP TASKS SHALL BE PRIFFORMED AS FOLLOWS: (1) ON A DALY BASIS, KEEP THE SHALL ARE CLEAN AND HAZARD FREE, REDUCTION ALL RICHEL DESMIS AND TRASH FROM THE SHE AND POSSED OF SAME IN A LEGAL MANAGE. (2) UPON COMPLETON, LEGAL THE PRESMISES IN A CLEAN MORDING AND PER FROM PART SPITS, DUST, ORS MANDOUGS OF ANY MATURE. WELDING:

ALL VELOS, WELDING, AND WELD RISPECTIONS SHALL COMPORM TO THE REQUIREMENTS OF AMS 0 1.1, LATEST REMAKKING.


ALL VELOS SHALL BE MADE WITH ETOMOLOW INVENCION EXCITIONES.


C. ALL STEEL SHALL BE SHAVE COLUMNAZION ANTIN RELINIC. CONTRION OF SHEET PROPRIES AND STREET OF MINISTERS OF ANY INSTITUTE OF CONTRICTION SHEET PROPERTY AND MATERIALS. SHALL BE INSTALLED IN ACCORDANCE WITH THE RESPECTIVE AND MATERIALS. SHALL BE INSTALLED IN ACCORDANCE WITH THE RESPECTIVE CONTRICT DECLIMENTS OF WHERE LOCAL CODES OF REGULATIONS TAKE PRECEDENCE.


ALL NORS: PERFORMED AND MATERIALS SHALLDED SHALL BE IN STREET ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS AND ORDINANCES. THE CONTRACTION SHALL BE ALL MOTICES AND COMPLY WITH ALL LOWS, OFFICIANCES, BLUELS, REGULATIONS AND LIBERAL AND UTILITY COMPANY SPECIFICATIONS AS WELL BE LOCAL AND STATE CODES, DESIGNATION SHALL BE ALL MOTICES OF ANY PERFORMANCE AND SHELL BE LOCAL AND STATE CODES, DEPONANCES AND SHELL AND UTILITY COMPANY SPECIFICATIONS AS WELL BE COMPANY SPECIFICATIONS. SHELL BE LOCAL AND STATE CODES, DEPONANCES AND PROCEDURE AND FOR COORDINATIONS.


THE CONTRACTOR SHALL BY SUCKLY RESPONSIBLE FOR ALL OF THE CONSTRUCTION MATERIAL SHALL BE ALL BE SUCKLY RESPONSIBLE FOR ALL OF THE CONSTRUCTION MATERIAL AND WITH THE OWNER'S AND SHALL BE SUCKLY RESPONSIBLE FOR ALL OF THE CONSTRUCTION MATERIAL AND WITH THE OWNER'S AND SHALL BY SUCKLY RESPONSIBLE FOR ALL OF THE CONSTRUCTION MATERIAL AND WITH THE OWNER'S AND SHALL BY SUCKLY RESPONSIBLE FOR ALL OF THE CONSTRUCTION MATERIAL AND ANY ANY AND ANY ANY ALL BOLTS SHALL BE CAUMMERED N. DAWDER, A225-H, UNLESS HOVED OTHERWISE AND TEMPERED TO A SHALE TIGHT CONDITION AS DEFINED BY ASC. SECURE MAY WITH LOCKING MANUFACT. NO. LOW COMPLINATION ANCHOR BOLTS SHALL CONFORM TO ASTM F1954 GRADE 36, UNLESS NOTED OTHE THE CONTRACTOR/STEEL FARRICATOR SHALL LOCATE ANY REMFOREDMENT IN THE STRUCTURAL MEMBERS IN SUCH A MARKET SO THAT THERE WILL NOT BE COMPUTE WITH THE RESPONDENCEMENT HARD RESTALLING AUCHORS. THE ANCHORS SHALL BE RESTALLED FOR THE MANUFACTUREN'S INSTRUCTION. THE CONTINUED PRINCIPLE PRINCIPLE SHALL COMPONE TO THE IMMENIN EDGE DISTANCE REGUMENDITS BY ACCORDANCE WITH THE MISC MANUAL OF STEEL CONTINUEDOM. ALL STRUCTURAL STEEL SHALL BE FARMONED TO FIT AT BOLYED CORNECTIONS WITHIN 1/18 INCH TOLEMANZ. STR UNDER ANY CHICUMSTANCES WITHOUT APPROVAL OF THE ENGINEER. TOR/ETEEL FAUNCATOR SHALL CAP OR SEAL ALL PIPES AS REQUIRED TO PREVENT WATER INTRUSION THE CONTRACTOR/STEEL FARMICCIDE SAML SUMMET SHED DIMENOUS FOR REMER PRIOR TO ANY STEEL FARMICATION AT THE CONTRACTOR'S OPTION, WELL SPLICES MAY BE LIKED FOR EMECTICN PURPOSES. IF HELD SPLICES ARE USED, THE SHOP DRAWNOS SHALL INCLIDE ALL DEDALS FOR THE PROPOSED PELD SPLICES. 6FB1046C AT THE CONTRACTION'S OPTION, SHIDP WELDS MAY BE USED INSTEAD OF FIELD WELDS SUBJECT ORIGINAL, SHOP DRAFFINGS, RICLIADES COMPLETE DEFINIS, SCHEDULES OF PARTICUPON AND ASSEMBLY, PROCEDURES, AND DAGRAUS, INCLUDE DEFILES OF CUTS, CONNECTIONS, CAMBER, NOLE, AND OTHER PETRHERY DRAFF, ROCKATE WILDS BY STANDARD AND AZ A SYMBOLS, AND SHOW SUZE, LEWITH, AND THPE OF WILD, PROVINCE SETTING DRAWFINGS, TEMPLATES, AND DRECTIONS FOR INSTRUMENTAL OF ANCHOR BOUTS AND OTHER ARCHORAGES TO BE INSTRUMENT. HOLLYWOOD WATER TOWER HOLLYWOOD, FL 35020 GENERAL NOTES T2 1 STRUCTURAL STEEL NOTES GENERAL NOTES


7




















A1. ALL BLECT COSES.

A2. CACULDENG SIMILL COUNTY WITH MITICLE 200 OF THE INTIDONAL ELECTRIC CODE.

A3. ALL ELECTRICAL EQUIPMENT AND ACCESSIONES SIMIL BE U.L. AMPROVED OR LISTED.

A4. ALL POWER MEMOS SIMIL BE STRANDED COMMENT. THE THRMY/WHAT AND SO DECREES C MARED.

A5. ALL POWER MEMOS SIMIL BE PREVIOLED IN DALVANIZED RIGHD STEEL CONDUIT, PAC. OR FLORIEL LIQUISTICAT CONDUIT, AS INDICATED.

A6. CONTINCTOR SIMIL OFFICE ALL REPORTS, PAY PRIMIT FEES, AND SCHEDULE ROPECTIONS.

A7. CONTINCTOR SHALL SIMIL AND RELECTRICAL REPORTS AS SOON AS POSSIBLE AND COORDINATING PRIMITED REPORTS WITH LOCAL POWER COMMENT.

AR. CONTINCTOR SHALL APPLY FOR TILEPHONE SERVICE AS SOON AS POSSIBLE AND COORDINATE RECURRINGING AND SERVICE POLITING WITH TILEPHONE COMPANY.

AB. PROVIDE ALL LABOR AND INTERNAL DESCRIBED ON THIS DRAWNO, AND ALL REDG INCIDENTAL TO COMPLETING AND PRESENTING THIS PROJECT AS FILLY OPERATIONAL.

A14. CLARANTEZ/MARANTY: CUMAMITE INSTALIATION TO BE PREE OF DEFECTS, SHORTS, GROUNDS, ETC., FOR A PERIOD OF ONE, YEAR, FURNISH MARKHET SO THE DEFECTION MATERIAL AND/OR WORKMANGAP WILL BE REPARED/HEFLACED MANEDANTEZ/ UPON HOTPEATEN AT NO COST TO THE OWNER FOR PERIOD OF MANIMATY.

PS SHALL BE OUT PLUSH WITH APPROVED CUTTING TOOL TO REMOVE SHARP EDGES

ALS ELECTRICAL METALLIC TURNS (EAT) OR ROOD HONMETALLIC COMDUT (LE, MIGIO PYC SCHEDULE 40, OR MIGIO PYC SCHEDULE 80 FOR LOCATIONS SUBJECT TO PRITISCAL DAMAGE SHALL BE USED FOR EDPOSED HIGGOR LOCATIONS.

ALT LIDUE-TRUIT FLIDBLE METALLIC CONDUIT (LIDUE-TRIE FLIDY) SHALL BE USED PROCESS AND OUTDOORS, WHERE VISINITION OCCURS OR FLIDBELLY IS INSIGN.

ATE, NEPERING SHALL BE EPONY-CONTED (DRMY) AND INCLIDE A HONGED COMEN, DESICHED TO SHING OMPO BORNHARD, SHALL BE PANDLET TYPE E (OR ECOLA), AND ANTEN NEW 1 (OR BETTEN) INCOME, OR NEWS 381 (OR BETTEN) DUTDOCKS.

A19. EXEMPENT CARMENT. TERMENA BOXES, AURITION BOXES, AND PAUL BOXES SHALL BE CALMANDED ON EPOINT-COATED SHEET SHELL SHALL MEET ON EXCEED U.S. So. AND RATED HEMA 1 (ON BETTER) RECORDS, OR HEMA 34 (ON BETTER) OUTDOORS.

AND METAL RECOPPICALE, SWITCH, AND DEMOSE BOXES SHALL RE GALAMAZED, EPOIX-CONTED, ON HON-CORRODORG, SHALL MEET ON EXCRED HASHA AND NEMA OS 1; AND ANEED NEMA 1 (OR RETTER) BEDOORS, OR WIGHNEY PROTECTED (NP OR RETTER) CUTDOORS.

A21. MONNETALLIC RECEPTACLE, SMITCH, AND DEVICE BOXES SHALL MEET OR EXCEED MEMA OS 2; AND NATED MEMA 1 (OR BETTER) INCOORS, OR WEATHER PROTECTED (MF ON BETTER) OUTDOORS.

BI. COMPRACTOR SHALL PROMISE COMDUST AND WINNE TO STS AND MENEY DIACT COMDUST ROUTING, RACEINSY SYSTEM MATERIALS AND GENES RESISSED SHALL BE IN ACCORDANCE WITH APPLICABLE SYMULANDS OF ANSI, NOW, AND U.E. RACEINSY SYSTEM COMPOREDTS SHALL BE RESIDLED IN ACCORDANCE WITH APPLICABLE REQUIREDATIOS OF MER N.E.C. CH WALLS, PLOORS AND ROOFS TO PREVENT MORETURE PENETRATION OR

82. CONTRACTOR SHALL SEAL AROUND ALL DON VERMIN INFESTATION.

ES. CONDUCTORS RUNNING ALONG HORIZONTAL SURFACES (ROOF TOP OR SLAD) SHALL RE INSTALLED IN RIGHD CONDUCT SUPPORTED ON SALAD-IN-BH. ALL MOTTICAL RURS OF POWER CABLE EDCERORS OF FEET IN LEWSTIN SHALL BE SUPPORTED PER MACC. ARTICLE 300 10886 RESILIUS GREG OR ACCEPTINAL EDUAL CHAILE SUPPORT SYSTEM.

B). WHERE A SEPNANTE ELECTRICAL SERVICE ORDE IS ADDED, CONTRACTOR SMALL INSTALL PERMANENT SERVICE DISCONNECT OR GROUPING TREDIEGO, ODNOTING ALL OTHER SERVICE ENTHANCES, LOCATION OF EACH AND THE JURISS SERVICE OF EACH.

96. WHERE ELECTRICAL POWERS IS TO BE SUB-PED FROM AN EDISTING DETRIBUTION DYSTEM. THE FOLLOWING SHALL APPLYS
A) CONTRACTOR SHALL PERFORM LONG TESTING TO DETRIBUTE WOMEN FERDER DEAGNO FER N.C.C. ARTICLE
3. CONTRACTOR SHALL PROPER LOSTON DESIGN CHARITY DESIGNS VALID CAUGATO FER N.C.C. ARTICLE 220—87.
BOST SHARM CHOILT PROTECTING DEAGNE SHALL HAVE SAME WIREHAUTTHO RATING AS EDUPHICH SUPPLYING IT.

D) PREFERRED MEANS OF SUPPLY SHALL WE A BRANCH CIRCUIT PROTECTIVE DEVICE LOCATED IN EXISTING PAREL

D F A BRANCH CHROUT PROTECTIVE ODDES CANADAT OR CHROMED OR SPACE IS NOT AMPLIABLE A BRANCH COROUT MAY BE AMEDIDED.

FOR STATE OF THE PROTECTIVE ODDES OF THE PROTECTIVE OF THE

C — DISTRICTION .

C1. LOCATE MANERALE, MARRING, ON CHEER DENIFFICATION MEANS ON DUTSEE EXJENSIVE ON BOX FRONT COVERS.

C2. PROVINCE MANERALE ENGINEED WITH EXPENDENT DESIGNATION FOR EACH SAFETY SMITCH AND ALL OTHER RECITTION. CHEMETS, ETC.

C3. DURING TROCH BOX.—FILLION FOR EACH INDEPENDENT RECITION. RECIPIED AND.

DESTRICTION WASHING THE THINGS HOMES BEENE RECIPIED AND.

A - EDIEPAL

AL DISTRILATION OF ONOUNDING ELECTRODE SYSTEM SHALL COMPLY WITH ARTICLE 250 OF THE NATIONAL ELECTRIC CODE AND WITH
ALL BULLIPAC CODES OF AUTHORISES MARINO JUNESICITION.

AZ. DIPOLINCING CONDUCTORS SHALL BE #2 AND TOWED SOLD BANE COPPER BELOW AND ABOVE DRADE, UNLESS OTHERWISE HOTED AND SHALL BE HOUTED IN A DOMINIAND PADY TOWARDS GROUND BANS.

AND SHALL BE MOURD IN A DOWNHARD MAIN TOWARDS GROUND BANS.

AS CRUMPOCK CONDUCTIONS SHALL BE KEPT AS SHORT AND DREET AS POSSIBLE WITH MINIBARM BEING PACKES OF 12 INCHES.

ALL BELOW GROUP COMPETTIONS SHALL BE CONNELD THYE CONNECTIONS AND ALL COMPETTIONS TO EXCUPANCE AND GROUND MAINS SHALL BE Z-HINLE BOUNDES COMPETSION CONNECTIONS CALLES CHRISPISSE MOTES.

AS. GROUNDING CONDUCTORS SHALL BE BONDED TO CABLE SUPPORTS. ANTENNA PROLISHING EXCEMBERING WELDS ON MICHANICAL COMMECTIONS.

AS COMPACTOR SHALL PROVIDE LOCK WASHING FOR ALL MECHANICAL CONNECTIONS FOR GROUND CONDUCTORS, STRALESS STEEL HARDWARD SHALL BE USED SHALLOUDD.

A7. PROJUZINE CONCURTING IMPERIOD IN CONCRETE ON PENETRATING WALLS MOD FLOORS SHALL OR DIVISION IN THE CONCRETE ON PENETRATING CONCLUSIONS OF CONCRETE UNILESS RESIDED IN CONCLUSIONS OF CONCRETE UNILESS RESIDED IN CONCRETE CONCRETE UNILESS RESIDED IN CONCRETE CONCRETE UNITED RESIDENCE OF CONCRETE UNITED IN CONCRETE PROSTRUCTURE IN CONCRETE PROST

AB. BONDING OF GROUNDED COMDUCTOR (NEUTHAL) AND GROUNDING CONDUCTOR SHALL BE AT SERVICE DISCONNECTING MEANS. BONDING JUANTER STALL BE RETIALLED FOR N.E.C. ANTICLE 250—28. DURANCE ARMER SHALL BE INSTALLED PER NEC. WITHILE 250-26.

AR. CONTRACTOR SHALL YORKY DUACT COMPLET ROUTING FOR GROUNDING CONQUETORS WHERE APPLICABLE ALSO DURENG ON STACISHIC OF ANY GROUNDING COMPLETENS IS NOT ACCOPTANCE.

SUPPLICES: ALL COMMETTIONS SHALL BE WONE TO BAME METAL. ALL PRATTIC SUPPLICES SHALL BE FIRED INSPECTED TO BOUSE.
PRICED CONNECT, ALL GALAMAZID GAMPAZID ON WHICH GALAMAZID CAN BE DISTRICTED TO BOUSE.
FOR MICHAEL PROPERTY COMMENT (COMMETTION OF THE CONTROL THE CONTROL TO COMMETTED COMMETTED OF THE CONTROL COMMETTED COMMETTED COMMETTING OF THE CONTROL COMMETTED COMMETTED CONTROL COMMETTED OF THE CONTROL COMMETTED CONTROL CONTRO

BZ. CROUND BAR: ALL COPPER GROUND BARS SHALL BE CLEANED, POLISHED AND A NON-CHEEZING ACIDIT ("COPPER SMILLD")
APPURD. NO PRIORI PRINTS ON DISCOLURED COPPER SMALL BE PERMITTED.

CI. MANEOUSCE BRIDGE THING, BE BONDED TO GROUND RINGS OR INTERCONNECTING CONDUCTORS MERI GROUND TO DISCONNELLY CHROSING SUPPORT POSTS.

C3. BONDS TO AMTERNA MASTS, FENCE POSTS, WANGOUSE URIDGE, TOWER STEEL (UNLESS PACHIBITED BY TOWER MANUFACTURER)
AND THOSE RELOW GRADE SHALL BE EXPRESSED TYPE (CADWELD). ALL OTHER BONDS SHALL BE BROKEE 2-HOLE COMPRESSED HYTHIGS UNLESS OTHERWISE MOTED.

TT. COAX CARLE OUTD! COMDUCTORS (SHELDS) SHALL BE GROUNDED USING COAX GROUNDING KITS AT A MINIAUM OF TWO PUBLIS.
BICLIONIG AT ANTENNA AND AT MASTER CROUND SMR. THE COAXAL CARLE SHILL NOT EXCELD 100 FEXT BETWEEN DISCUSSING

T2. COAN CABLE ENTENHIO A BULLING SHALL BE GROUNDED WITH COAN GROUNDING KITS TO AN INSULATED COAN GROUND BAR MINCH SHALL BE HISTALLED ON THE OUTSIDE FACE OF THE BUILDING, BELOW THE CABLE ENTRY FORTS.

T3. WHEN COAS CARLES ENTER A BUILDING FROM A TOMER, THE COAN GROUND BAR AT THE BUILDING SHALL BE CONNECTED TO THE ENTERNAL GROUND RING USING \$2 MICE BANG TRAVED SCILD COMPRES BIGLARD AN PAC CONDUST.

THE DRAWING IS COPYRIGHTED AND IS THE SCILE PROPERTY OF THE OWNER, IT IS PRODUCED SOLELY FOR USE BY THE OWNER AND ITS APPLICIES.



T · Mobile



HOLLYWOOD WATER TOWER

2000 SHEPROMI STREET HOLLYWOOD, FL 35020 ELECTRICAL AND GROUNDING NOTES

ELECTRICAL NOTES

1 GROUNDING NOTES

E1

