

PLANNING DIVISION



File No. (internal use only):

2600 Hollywood Boulevard Room 315 Hollywood, FL 33022

GENERAL APPLICATION



Tel: (954) 921-3471 Fax: (954) 921-3347

This application must be completed in full and submitted with all documents to be placed on a Board or Committee's agenda.

The applicant is responsible for obtaining the appropriate checklist for each type of application.

Applicant(s) or their authorized legal agent must be present at all Board or Committee meetings.

At least one set of the submitted plans for each application must be signed and sealed (i.e. Architect or Engineer).

Documents and forms can be accessed on the City's website at

http://www.hollywoodfl.org/DocumentCenter/Home/View/21



APPLICATION TYPE (CHECK ONE):	
☐ Technical Advisory Committee	☐ Historic Preservation Board
☐ City Commission	
Date of Application:	<u></u>
2050 N. 29th Torrosa Holling	and El 22020
Location Address: 3950 N. 28th Terrace, Hollyw	00u, FL 33020
	Subdivision:
Folio Number(s): _ 51-42-04-04-00-87	
Zoning Classification: IM-1	_ Land Use Classification: Commercial/ Industrial
Existing Property Use: Commercial-Supermarket	
	() Yes () No If yes, attach a copy of violation.
Number(s) and Resolution(s): PACO 4/5/21; TA	before? If yes, check al that apply and provide File C 21-DPV-40
☐ Economic Roundtable ☐ Technical Ad	visory Committee
☐ City Commission ☐ Planning and	Development
Explanation of Request: Request of approval to	redevelop the site with proposed Carvana Vending Machine
site. Refer to Criteria Statement for additional details.	
	2,220 SF (Dist. Center)/
Number of units/rooms: Distribution Center	
Value of Improvement: \$6,000,000	Estimated Date of Completion: May 2022
	If Phased, Estimated Completion of Each Phase
Name of Current Property Owner: Scozak Ro	ealty Inc.
Address of Property Owner: 1930 W. Rio Salad	o Parkway, Tempe, AZ 85281
Telephone: Fax:	
Name of Consultant/Representative/Tenant (circle one):
Address: 1930 W. Rio Salado Parkway, Tempe, AZ	
Fax: Email Address: _	jo.ryan@carvana.com
Date of Purchase: Is there a	an option to purchase the Property? Yes () No (🗸)
If Yes, Attach Copy of the Contract.	
List Anyone Else Who Should Receive Notice	-
Ad	ddress: 355 Alhambra Circle, Suite 1400, Coral Gables, FL 33134
	Email Address: michael.marrero@kimley-horn.com

PLANNING DIVISION



2600 Hollywood Boulevard Room 315 Hollywood, FL 33022 File No. (internal use only):

GENERAL APPLICATION

CERTIFICATION OF COMPLIANCE WITH APPLICABLE REGULATIONS

The applicant/owner(s) signature certifies that he/she has been made aware of the criteria, regulations and guidelines applicable to the request. This information can be obtained in Room 315 of City Hall or on our website at www.hollywoodfl.org. The owner(s) further certifies that when required by applicable law, including but not limited to the City's Zoning and Land Development Regulations, they will post the site with a sign provided by the Office of Planning and Development Services. The owner(s) will photograph the sign the day of posting and submit photographs to the Office of Planning and Development Services as required by applicable law. Failure to post the sign will result in violation of State and Municipal Notification Requirements and Laws.

(I)(We) certify that (I) (we) understand and will comply with the provisions and regulations of the City's Zoning and Land Development Regulations, Design Guidelines, Design Guidelines for Historic Properties and City's Comprehensive Plan as they apply to this project. (I)(We) further certify that the above statements and drawings made on any paper or plans submitted herewith are true to the best of (my)(our) knowledge. (I)(We) understand that the application and attachments become part of the official public records of the City and are not returnable.

Signature of Current Owner:	Date:
PRINT NAME: Scott Daiag.	Date:
Signature of Consultant/Representative: Jo Ryan	Date: 05/27/2021
PRINT NAME: Jo M. Ryan, AICP Senior Project Manager, Retail Dev'	t Date: 05/27/2021
Signature of Tenant:	Date:
PRINT NAME:	Date:
Current Owner Power of Attorney	
I am the current owner of the described real property and that I am aware of to my property, which is hereby make to be my legal representative before the Committee) relative to all matters concerning this application.	ade by me or I am hereby authorizing
Sworn to and subscribed before me	
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Signature of Current Owner
Jon yamping Expires 03/15/2025	Scott Dainy
	Print Name
State of Florida	
My Commission Expires:(Check One) Personally known to me; OR Personally known to	roduced Identification



To: Alexandra Guerrero

Principal Planner City of Hollywood

**Development Services Planning Division** 

From: Michael Marrero, P.E.

Date: August 1st, 2021

Subject: Carvana VM Hollywood

Planning and Development Board Application Legal Description and Project Information

Below is the legal description of the property and the project information for your use:

#### **Legal Description**

A PORTION OF THE W 1/2 OF THE NW 1/4 OF THE SE 1/4 OF THE NW 1/4 OF SECTION 4, TOWNSHIP 51 SOUTH, RANGE 42 EAST, BROWARD COUNTY, FLORIDA, AND A PORTION OF BLOCK "E", "SOUTH FLORIDA INDUSTRIAL PARK", AS RECORDED IN PLAT BOOK 63, PAGE 38, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA, AS MORE PARTICULARLY DESCRIBED AS FOLLOWS:

FROM A POINT OF THE SOUTH LINE OF SAID BLOCK "E", LOCATED 431.85 FEET EAST OF THE POINT OF INTERSECTION OF THE TANGENTS TO THE CURVE AT THE SOUTHWEST CORNER OF BLOCK "E", RUN NORTH 00°10'54" EAST, PARALLEL WITH THE WEST LINE OF SAID BLOCK "E", 551 FEET TO A POINT OF BEGINNING; THENCE, CONTINUE NORTH 00°10'54" EAST, 300 FEET; THENCE, SOUTH 89°54'08" EAST, 355.38 FEET; THENCE, SOUTH 08°18'55" WEST, 303.11 FEET; THENCE NORTH 89°54'08" WEST, 312.50 FEET TO A POINT OF BEGINNING.

SAID LANDS SITUATE, LYING AND BEING IN BROWARD COUNTY, FLORIDA.

#### **Project Information**

The proposed development includes a 5,790 square-foot Carvana Vending Machine building with a vehicle display tower. The project would serve as a distribution site where vehicles are picked up by owners after being purchased online. The vehicle distribution site includes a surface parking lot with a total of 74 parking spaces and a vehicle storage surface lot with 64 vehicle storage spaces.

A height variance from the permitted 35-foot maximum building height to a proposed 75-foot height is being requested as part of this application. The height variance is only for the proposed vehicle display tower. The remainder of the building will comply with the maximum height requirement (18-feet max. is proposed).

Please contact me at (786) 725-5696 or via email at <a href="michael.marrero@kimley-horn.com">michael.marrero@kimley-horn.com</a> should you have any further questions.

Sincerely,

Michael Marrero, P.E.

#### FIDELITY NATIONAL TITLE INSURANCE COMPANY

13800 NW 14th Street, Suite 190, Sunrise, Florida 33323

#### PROPERTY INFORMATION REPORT

File Number: 9523847 Reference: Scozak Realty, Inc.

Provided for: John M. Milledge, Esq.

Attention: John M. Milledge

200 SW First Avenue

Suite 800

Fort Lauderdale, Florida 33301

FIDELITY NATIONAL TITLE INSURANCE COMPANY does hereby certify that a search of the Public Records of Broward County, Florida through and including the date of May 18, 2021 at 11:00 p.m. on the land described:

A portion of the West ½ of the Northwest ¼ of the Southeast ¼ of the Northwest ¼ of Section 4, Township 51 South, Range 42 East, Broward County, Florida, and a portion of Block E, South Florida Industrial Park, as recorded in Plat Book 63, Page 38, of the Public Records of Broward County, Florida, as more particularly described as follows:

From a point of the South line of said Block E, located 431.85 feet East of the point of intersection of the tangents to the curve at the Southwest corner of Block E, run North 0°10'54" East, parallel with the West line of said Block E, 551 feet to a Point of Beginning; thence, continue North 0°10'54" East, 300 feet; thence, South 89°54'08" East, 355.38 feet; thence, South 8°18'55" West, 303.11 feet; thence North 89°54'08" West, 312.50 feet to a Point of Beginning. Said lands situate, lying and being in Broward County, Florida.

Address: 3950 N 28th Terrace, Hollywood, Florida

Folio No. 5142 04 04 0087

That record title to the land as described and shown on the above description is as follows:

Warranty Deed filed November 15, 2019, recorded under Instrument No. 116179650, from W & P Holdings, L.L.C., a Florida limited liability company, to Scozak Realty, Inc., a Florida corporation.

The following mortgages and liens identifying the captioned property remain unsatisfied or unreleased, of record in accordance to the terms exhibited on this Certificate:

<u>INTRUMENT</u> <u>FILED</u> BOOK/PAGE

1. ORDER OF IMPOSITION OF FINE

AND CLAIM OF LIEN March 16, 2021 #117125870

**CERTIFICATE OF SEARCH FILE NUMBER: 9523847** 

PAGE 2

THE FOLLOWING ITEMS ARE ADDITIONAL DOCUMENTS THAT ARE NOT EXAMINED OR REVIEWED.

2. PLAT March 24, 1967 PB 63/38

3. EASEMENT October 26, 1970 4334/49

Name Search on the Fee Simple Title Owner only:

SCOZAK REALTY, INC.

and found the following:

**NOTHING FOUND** 

# PROPERTY INFORMATION REPORT FILE NUMBER: 9523847

FIDELITY NATIONAL TITLE INSURANCE COMPANY hereby certifies that the foregoing Certificate of Search was compiled by it from the Public Records of County of Broward State of Florida, and from such other public records and sources as are herein indicated.

**CONTENTS:** This Certificate lists the last conveyance by deed or Certificate of Title, identifying the lands described in the caption hereof and appearing of record in the Office of the Circuit Court of Broward, Florida, recorded in said office that identify the land shown on the caption of this certificate by a land description.

This Certificate lists all mortgages, leases, notice of lis pendens, unsatisfied or unreleased of record, identifying the land described in the caption hereof and appearing of record in the Office of the Circuit of Broward County, Florida, including all security instruments and financing statements filed pursuant to Chapters 671 through 679 of the Florida Statues (The Uniform Commercial Code), No search is made for security instruments, financing statements or liens that describe any land by a mailing or street address only.

This Certificate exhibits or makes reference to all orders appointing receivers or liquidators, to all Bankruptcy proceedings, Rico Lien Notices, unsatisfied Judgments decrees or orders for money, unsatisfied State and Federal Tax Liens and Warrants appearing of record in the Office of the Clerk of Circuit Court of Broward County, Florida, and in the Office of the Clerk of the United States District in and for the Southern District of Florida, Miami Division, and probate, lunacy, competency and guardianship proceedings in the Office of the County Judge of Broward, Florida and/or Office of the Clerk of Circuit Court of Broward County, Florida, against the names, initials and abbreviations (only as listed on this certificate unless otherwise noted), within the period set opposite said names. No search is made for unsatisfied Judgments decrees or orders for money, against mortgages or other lien holders.

**FORM:** Determination of the regularity, validity, sufficiency, or legal effect on marketability or insurability of title to said lands of any instrument listed on this Certificate are referred to the examiner.

#### THERE IS EXCEPTED FROM THIS CERTIFICATE

- (1) Municipal and County Zoning Ordinances.
- (2) Incorporation papers of municipalities.
- (3) Decrees and Ordinances creating taxing and Drainage Districts.
- (4) Except on special request, information relating to Bankruptcy proceedings is limited to the showing of style and number of case and time of filing of petition and adjudication.
- (5) Information regarding delinquent and reinstated corporation and dissolved corporation as contained in report filed by Secretary of State pursuant to Chapter 14677 as amended by Chapter 16726 Acts of Florida 1931 and Chapter 16880 Acts of 1935.
- (6) Maps or plats and resolutions pertaining to flood criteria and all county water-control plan plats.
- (7) Except on special request, and unless otherwise noted, all information regarding Taxes, Tax Sales, Municipal or County liens or assessments pertaining to or affecting captioned premises.
- Judgments, decrees or orders for money not filed under a Clerk's File Number and recorded in Official Records Book in the Office of the Clerk of the Circuit Court of Broward County, Florida filed subsequent to January 1, 1972.
- (9) Rico Lien Notices not filed under Clerk's File Number and recorded in the Official Records Book in the Office of the Clerk of the Circuit Court of Broward County, Florida.
- (10) Except on special request and unless otherwise noted, the period covered by this certificate is limited to the thirty (30) years preceding the date of this Certificate.

IN WITNESS WHEREOF, the said company has caused these presents to be signed in its name and its Corporate Seal to hereto affixed at Weston, Florida, this 25th day of May, 2021.

FIDELITY NATIONAL TITLE INSURANCE COMPANY

This report is not title insurance. Pursuant to s. 627.7843, Florida Statutes, the maximum liability of the issuer of this property report for errors or omissions in this property information report is limited to the amount paid for this property information report, and is further limited to the person(s) expressly identified by name in the property information report as the recipient(s) of the property information report.

Barrield (AMP)

Instr# 116179650 , Page 1 of 2, Recorded 11/15/2019 at 04:52 PM Broward County Commission Deed Doc Stamps: \$26075.00

Prepared by and return to:

Christopher James Gertz, Esq. Christopher J. Gertz, P.A. 888 South Andrews Avenue Sulte 204 Fort Lauderdale, FL 33316 954-565-2601 File Number: Penn Dutch Will Call No.:

[Space Above This Line For Recording Data]

# Warranty Deed

This Warranty Deed made this _____ day of November, 2019 between W & P HOLDINGS, L.L.C., a Florida limited liability company whose post office address is 3950 North 28th Terrace, Hollywood, FL 33020, granter, and Scozak Realty, Inc., a Florida corporation whose post office address is 2200 N. 30th Road, Hollywood, FL 33021, grantee:

(Whenever used herein the terms "granter" and "grantee" include all the porties to this instrument and the heirs, legal representatives, and assigns of individuals, and the successors and assigns of corporations, trusts and trustees)

Witnesseth, that said grantor, for and in consideration of the sum of TEN AND NO/100 DOLLARS (\$10.00) and other good and valuable considerations to said grantor in hand paid by said grantee, the receipt whereof is hereby acknowledged, has granted, bargained, and sold to the said grantee, and grantee's heirs and assigns forever, the following described land, situate, lying and being in Broward County, Florida to-wit:

A portion of the W1/2 of the NW1/4 of the SE1/4 of the NW1/4 of Section 4, Township 51 South, Range 42 East, Broward County, Florida, and a portion of Block E, SOUTH FLORIDA INDUSTRIAL PARK, as recorded in Plat Book 63, Page 38, of the Public Records of Broward County, Florida, as more particularly described as follows:

From a point of the South line of said Block E located 431.85 feet east of the point of intersection of the tangents to the curve at the southwest corner of Block E, run N.0*10*54" E, parallel with the west line of said Block E, 551 feet to a point of beginning; thence, continue N.0*10*54" E, 300 feet; thence, S.89*54'08" E, 355.38 feet; thence, S.89*54'08" W, 303.11 feet; thence N.89*54'08" W, 312.50 feet to a point of beginning. Said lands situate, lying and being in Broward County, Florida.

Parcel Identification Number: 5142 04 04 0087

Together with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

To Have and to Hold, the same in fee simple forever.

And the granter hereby covenants with said grantee that the granter is lawfully seized of said land in fee simple; that the granter has good right and lawful authority to sell and convey said land; that the granter hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances, except taxes accraing subsequent to December 31, 2018.

In Witness Whereof, grantor has hereunto set grantor's hand and seal the day and year first above written.

DoubleTime⁴

Signed, sealed and delivered in our presence:

Witness Name: VI Cess

Wilness Name: Oct (1987)
Wilness Name: Oct (1987)

W & P HOLDINGS, L.L.C., a Florida limited liability

By: Paul Salsburg, Manager

leichen Salebra

William Salsburg, Managing Member

(Corporate Scal)

State of Florida County of Broward

The foregoing instrument was acknowledged before me this _____ day of November, 2019 by Paul Salsburg, Manager, and William Salsburg, Managing Member, of W & P HOLDINGS, L.L.C., a Florida limited liability company, on behalf of the limited liability company. They [_] are personally known to me or [X] have produced driver's licenses as identification.

[Notary Scal]

CHRISTOPHER J GERTZ
MY COMMISSION 8 9G 306692
EXPIRES: July 6, 2023
Booded Thru Hotery Pubbo Underwriters

Notary Public

Printed Name:

Of Gatz

My Commission Expires:

7.6.23

Warranty Deed - Page 2

DoubleTime*

Order; oteroPB Doc: FLBROW:116179650 Instr# 117125870 , Page 1 of 2, Recorded 03/16/2021 at 12:35 PM
Broward County Commission



# CITY of HOLLYWOOD, FLORIDA

#### Code Compliance Division

2600 Hollywood Blvd. • P.O. Box 229045 • Hollywood, Florida 33022-9045 Phone (954) 921-3061 • Fax (954) 921-3924 • www.hollywoodfl.org

#### Order Of Imposition Of Fine and Claim Of Lien

Case Number: V19-12609 City of Hollywood Broward County, Florida

Property Owner:

**SCOZAK REALTY INC** 

2051 GRIFFIN RD # B

FORT LAUDERDALE, FL 33312

Property Address:

3950 N 28 TER

HOLLYWOOD, FL 33020

Legal:

SOUTH FLORIDA INDUSTRIAL PARK

63-38 B & 4-51-42

POR OF TR E OF 63-38 B TOG WITH

CERTIFICATION

certify this to be a true and correct copy

of the record in

WITNESSETH my hand and official seal of

the City of Hollywood, Florida, this the

The City of Hollywood Special Magistrate, having reviewed evidence and sworn testimony by Affidavit, enters the following Findings of Fact:

That the City of Hollywood Special Magistrate did issue on , a Final Order in the above captioned case commanding the Respondent(s) to bring the violation(s) of code section(s) 157 as specified in said Final Order into compliance or be subject to a fine in the amount of \$500.00 PER DAY COMMENCING 12/01/2020. Additionally, in accordance with section 162.09(2)(d), Fla. Statutes, and Chapter 36.29 (A)(1) of the Hollywood Code or Ordinance, additional fines in the amount of \$\sqrt{\text{were}}\$ were assessed to cover costs incurred by the City in enforcing its Code(s).

That said violation occurred on real property described above, lying and being in Broward County, Florida.

That the Respondent(s) did not comply with the Final Order(s) by failing to clean and paint exterior walls and repair or replace damaged roof on or before the date specified therein.

That the Special Magistrate Clerk did forward a notice of the failure to comply with the Final Order, along with a copy of the Affidavit of Non-Compliance to the Respondent(s) by U.S. mail on 12/30/2020

The Respondent(s) did not request a subsequent hearing pursuant to Section 36.29(A) of the City of Hollywood Code of Ordinances.

#### IT IS THEREFORE THE ORDER OF THE SPECIAL MAGISTRATE THAT:

- 1. A fine in the amount of \$500.00 PER DAY COMMENCING 12/1/2020, is hereby confirmed and imposed. This fine shall continue to accrue until such time as the property is brought into compliance at which time the Respondent shall notify the Code Enforcement Inspector. Additionally, in accordance with section 162.09(2)(d), Fla. Statutes, and Chapter 36.29 (A)(1) of the Hollywood Code or Ordinance, additional fines in the amount of \$_______ were assessed to cover costs incurred by the City in enforcing its Code(s).
- 2. The fine shall constitute a lien against the above-described real property and upon any other real or personal property owned by the respondent pursuant to Chapter 162, Florida Statutes, as currently enacted or as may be amended from time to time, and Chapter 36 of the City of Hollywood Code of Ordinances, as currently enacted or as may be amended from time to time, and the Special Magistrate Clerk is directed to record a true copy of this Order in the Public Records

Page 1 of 2 for Case V19-12609

Our Mission: We are dedicated to providing municipal services for our diverse community in an atmosphere of cooperation, courtesy and respect. We do this by ensuring all who live, work and play in the City of Hollywood enjoy a high-quality of life.

"An Equal Opportunity and Service Provider Agency"

(2)

Order: 9523847 Doc: FLBROW:117125870



# CITY of HOLLYWOOD, FLORIDA

#### Code Compliance Division

2600 Hollywood Blvd. • P.O. Box 229045 • Hollywood, Florida 33022-9045 Phone (954) 921-3061 • Fax (954) 921-3924 • www.hollywoodfl.org

of Broward County, Florida.

day of February 2021. DONE AND ORDERED this 24

ATTEST: OFFICE OF THE SPECIAL MAGISTRATE CITY OF HOLLYWOOD, FLORIDA	
CIT I OF HOLLI WOOD, FLORIDA	$\mathcal{M} \Lambda_n$
& Blanchano (1)	-/ // /
Special Magistrate Clerk Special M	Addistrate
(Order of Imposition of Fine and Claim of Lien)	
STATE OF FLORIDA )	
COUNTY OF BROWARD ) SS:	
The foregoing instrument was acknowledged before me by mean	of Maharinal arrange on Clarking the
this Z day of IVWCh 2021, by Waintrece 1	Monthard and John Anglova Clerk and Special Magistrate
respectively of the City of Hollywood, who are personally know	n to me and who did not take an oath.
The way	
Notary Public	Veroncia Barnes
Veronera Barnes	COMMISSION # GG27903
Print Name	EXPIRES: Nov. 26, 2022
The state of the s	Bonded Thru Asman Nation

Note: Mail your payment to the above address made payable to the City of Hollywood.


Page 2 of 2 for Case V19-12609

Our Mission: We are dedicated to providing municipal services for our diverse community in an atmosphere of cooperation, courtesy and respect. We do this by ensuring all who live, work and play in the City of Hollywood enjoy a high quality of life.

"An Equal Opportunity and Service Provider Agency"

Order: 9523847 Doc: FLBROW:117125870

3.24-67 PLAT BOOK 63 PAGE 38 VICINITY MAD TE NAGIRAHE SOUTH FLORIDA INDUSTRI 1 CONT. or selected St. (1977) and the market statement reveals now control of the selection STATE ROAD 9 (1-95) (4) TE EMMIS Tark. NEG Will Dilly Street SEADGAND AIR LINE RAILRGAD (0) AL US AVE 1611 3/6-5 (m) CODA PET סעאער 01-2 (OWT T33118 332)



365

## 70-132411

EASEMENT

RWO/SIGXTWO_700					
ED At- At 200			Section		4
Pole No.	Section of a sec	0.012	Township		-
1.1	* 4	F.L.	Range Art 13	. 19 70	_
		2 × 1 × 1 × 3 ×	014.15	, 18 2	-
Florida Power & Light Company Miami, Florida	- Lude with	K.c			
Gentlemen:					
In consideration of the payment to /we have received, I/we and those holdly or the construction, operation and main onduits and appurtenant equipment) to bo o, change the size of or remove such fa ables of any other Company or person; a distructions that might endanger or inte erty described as follows:	ng through me/us, ntenance of electric e installed from to aclitties or any of also, to cut, trim a	grant and give to you utility facilities ( me to time; with the them; to permit them; to permit them;	rou and your successors a including wires, poles, go he right to reconstruct, in the attachment of conduling	n easementys, cable aprove, ac ts, wires o	nt is, id or
An easement not greater th	ean 6 foot In .	utable to a mana	lan all plants p		
South Florida Industrial	Park, a portion	of the west or	re-half of the	770	
northwest one-quarter of	the southeast o	one-quarter of	the northwest	2	
one-quarter of Section 4, to the plat thereof locate	Township 51 Se	outh, Range 42 1	East according	130	,
the Public Records of Brow	vard County, F	orlda.	recorded in		,
Said casement is more part	ricularly show	and described	on Florida	a.	
Power & Light Company draw	ving dated Octo	ober 8. 1970 mar	ked Exhibit	E	3
"I'B" attached hereto and ma	ide a part here	of.		, in	د
v2 ====================================	yi oʻl				
STATE OF FLOR	경무소		DOCUMENTARY	5 7	מ
DOCUMENTARY STAM	TAN !	FLORIDA	SURTAX	εo	
= 100,	0.301	UPT. 00126'70	1 ≥ 0 0. 5 5 =	0	
₹10859		BEATHAR 12571	\//	<b>₽</b>	
0 1000		manuel militar		90	
sh		DINA FOOI	DS, INC.		<del>ب</del> ت:
the presence of:		1	00		REC. 4334 PATE
prime paratello	By: (	1.(	nite / res	(Seal)	100
11.		Mrthyr Co	The A	-	ين
way - Silver	Attest:	1 accor	Dirico	(Seal)	.00
1,		Robert Co	nti , Secretary	(Seal)	55
			4	_ (Seal)	49
	PLEASE HETURN	TO			
	A. F. CROWL				
	P. O. BOX 8248 (FP	rr 00·)			
	FT, LAUDERDALE,	FLA			
RM 1732 REV. 6/69					10.00
9					10.
			.1		


Order: 9523847 Doc: FLBROW:4334-00049


Page 1 of 4

Requested By: james.barfield, Printed: 5/24/2021 11:31 AM

I, a Notary Public in and for and Robert Conte, Pres- of the largeding instrument for the	Ldent & Secret	ary of DINA FO		
WENESS my hand and offi	cial seal in said Cour	nty and State this	3 day of October	19
My Commission graphes! 1/2 Councies	State of Floride at targe on Expires Fub. 16, 1974 comman line a cristely co.	NOTARY PUBL	State of FLORIDA	AT LARGE
TATE OF FLORIDA AND COUNTY O	F			
Hereby Certify that before me, pe	rsonally appeared _			
espectively,Pres	sident and	Secretary of		
Corporation organized under the n and who executed the foregoing ct and deed as such officers, for ifficial seal of sald corporation and	the uses and purp	oses therein mentlor	red: and that they a	ffixed thereto the
WITNESS my hand and offi	cial seal in said Cou	nty and State this	day of	19
Ny Commission Expires:	19,			
		NOTARY PUBL	IC, STATE OF FLORIDA	AT LARGE
	-1-			<b>25</b> 5.
	-11			REC. 4
				REC. 433
				REC. 4334 PA
				REC. 4334 PAGE (
				REC. 4334 PAGE 50
	-1-			
h **				

Order: 9523847 Doc: FLBROW:4334-00049





MEMO: Legibility of willing, typing or piloting unsatisfactory in this document when microfilmed.



Doc: FLBROW:4334-00049

Page 4 of 4

Requested By: James barfield. Printed: 5/24/2021 11:31 AM



Site Address	3950 N 28 TERRACE, HOLLYWOOD FL 33020-1105	ID#	5142 04 04 0087
Property Owner	SCOZAK REALTY INC	Millage	0513
Mailing Address	3375 SW 3 AVE FORT LAUDERDALE FL 33315	Use	40
Description	SOUTH FLORIDA INDUSTRIAL PARK 63-38 B & 4-51-42 POR WITH POR OF W1/2 OF NW1/4 OF SE1/4 OF NW1/4 OF SEC 4 PT ON S/L OF BLK E 431.85 E OF PT OF INTERSEC OF TANCE BLK E N 551 TO POB,N 300,E 355.38 SW 303.11,W 312.50 TO	1-51-42 DE	SC AS COMM AT

The just values displayed below were set in compliance with Sec. 193.011, Fla. Stat., and include a reduction for costs of sale and other adjustments required by Sec. 193.011(8).

		* 2021	values are	e consid	ered '	working valu	ues"	and are	subject to	change.		
				Р	rope	rty Assessm	nent	Values				
Year		Land	- II	Building / Improvement			Just / Market Value		Assessed / SOH Value			Tax
2021*	\$	1,421,530				\$1,4	421,5	30	\$1,24	9,090		
2020		\$913,840	1	\$2,438,660		\$3,3	352,5	00	\$3,35	2,500	\$86	3,905.09
2019		\$913,840		\$2,438,6	360	\$3,3	352,5	00	\$3,35	2,500	\$87	7,991.76
			2021* Ex	emptior	ns an	d Taxable V	alue	s by Ta	xing Author	ority	-	
				Cou	nty	Sch	ool E	oard	Mui	nicipal	Ir	ndependen
Just Value	е			\$1,421,	530	\$	1,42	1,530	\$1,4	21,530		\$1,421,530
Portability	/				0			0		0		(
Assessed	/SO	Н		\$1,249,0	090	\$	1,42	1,530	\$1,2	49,090	\$1,249,090	
Homestea	ıd				0	0			0		(	
Add. Homestead				0		0		0		C		
Wid/Vet/D	is		-	0		0		0		(		
Senior				0				0	0 0			
Exempt Ty	уре				0			0		0		C
Taxable				\$1,249,0	090	\$	1,42	,530	\$1,24	49,090		\$1,249,090
			Sales His	tory					Lar	nd Calcul	lations	
Date		Туре	Price	е	Bool	k/Page or C	IN	-	rice			Туре
11/7/201	9	WD-Q	\$3,725,0	000		16179650		-	\$14.00		Factor	
10/27/199	99	QCD	\$100		_	9990 / 1540		\$1	4.00	101,5	538	SF
2/1/1970	)	WD	\$100,20	00								
			1				$\neg$					
			1	$\rightarrow$			-					
			1				_		Adj. Bl	dg. S.F.		
					Spe	cial Assess	men	s				
Fire	G	arb	Light	Dra	_	Impr		afe	Storm	1 0	loon	Mins
05		W. I.	-igiit	Dia		ппрі	3	aic	Storm	-	lean	Misc
L	_						_	$\rightarrow$				-



Search all services we offer...

**Property Tax** 

Business Tax

C Tourist Tax

**Account Summary** 

#### Real Estate Account #514204-04-0087

Print this page

SCOZAK REALTY INC

3950 N 28 TER

Parcel details GIS [3

Property Appraiser [2]

#### **Amount due**

Your account is **paid in full**. There is nothing due at this time.

Your last payment was made on 03/31/2021 for \$86,905.09.

#### **Account history**

BILL	AMOUNT DUE			STATUS	ACTION
2020 Annual Bill	\$0.00	<b>Paid</b> \$86,905.09	03/31/2021	Receipt #LBX-20-00129381	Print (PDF)
2019 🛈					
2019 Annual Bill	\$0.00	<b>Paid</b> \$84,974.45	11/21/2019	Receipt #10A-19-00000278	Print (PDF)
Refund		Processed \$502.36	03/11/2020	To ALL ABOUT CLOSING INC ESCROW ACCOUNT	
		Paid \$84,974.45			
2018 Annual Bill	\$0.00	Paid \$82,762.25	05/31/2019	Receipt #03A-18-00005328	Print (PDF)
2017 Annual Bill	\$0.00	Paid \$83,195.91	04/30/2018	Receipt #05A-17-00007156	Print (PDF)
2016 Annual Bill	\$0.00	Paid \$73,935.98	11/30/2016	Receipt #LBX-16-00125687	Print (PDF)
2015					
2015 Annual Bill	\$0.00	Paid \$69,517.31	11/30/2015	Receipt #LBX-15-00125362	Print (PDF)
Refund		<b>Processed</b> \$4,710.83	04/28/2016	To PENN DUTCH FOOD CENTER INC	
		Paid \$69,517.31			
2014 ①					
2014 Annual Bill	\$0.00	Paid \$68,263.88	11/30/2014	Receipt #LBX-14-00124299	Print (PDF)
Refund		<b>Processed</b> \$4,405.40	05/01/2015	To PENN DUTCH FOOD CENTER INC	
		Paid \$68,263.88			

BILL	AMOUNT DUE			STATUS	ACTION
2013 Annual Bill	\$0.00	Paid \$72,266.30	11/30/2013	Receipt #LBX-13-00089568	Print (PDF)
Refund		<b>Processed</b> \$4,470.38	10/17/2014	To PENN DUTCH FOOD CENTER INC	
		Paid \$72,266.30			
2012 🛈					
2012 Annual Bill	\$0.00	<b>Paid</b> \$66,274.02	11/30/2012	Receipt #LBX-12-00120937	Print (PDF)
Refund		<b>Processed</b> \$2,391.54	09/05/2014	To PENN DUTCH FOOD CENTER INC	
		Paid \$66,274.02			
2011 Annual Bill	\$0.00	Paid \$66,898.31	11/30/2011	Receipt #LBX-11-00133344	Print (PDF)
2010 Annual Bill	\$0.00	Paid \$70,962.10	11/29/2010	Receipt #LBX-10-00110210	Print (PDF)
2009 ①					
2009 Annual Bill	\$0.00	<b>Pald</b> \$75,870.69	11/30/2009	Receipt #LBX-09-00276055	Print (PDF)
Refund		<b>Processed</b> \$5,275.33	06/22/2010	To PENN DUTCH FOOD CENTER, INC	
		Paid \$75,870.69			
2008 Annual Bill	\$0.00	Paid \$66,061.69	11/01/2008	Receipt #2008-7145275	Print (PDF)
2007 Annual Bill	\$0.00	Paid \$57,212.23	11/01/2007	Receipt #2007-7451304	Print (PDF)
2006 Annual Bill	\$0.00	Paid \$18,954.23	11/30/2006	Receipt #2006-9010744	Print (PDF)
2005 Annual Bill	\$0,00	Paid \$19,151.54	11/30/2005	Receipt #2005-9062765	Print (PDF)
2004 Annual Bill	\$0.00	<b>Paid</b> \$16,709.60	11/24/2004	Receipt #2004-1701842	Print (PDF)
Total Amount Due	\$0.00				

© 2019–2021 Grant Street Group. All rights reserved.



Search all services we offer...

**Property Tax** 

**Business Tax** 

Tourist Tax

Account Summary > Bill Details

#### Real Estate Account #514204-04-0087

Print this page

Owner: SCOZAK REALTY INC

**Situs:** 3950 N 28 TER

Parcel details

GISC

Property Appraiser [3]

#### 2020 Annual bill

BROWARD COUNTY RECORDS, TAXES & TREASURY DIV.

Notice of Ad Valorem Taxes and Non-ad Valorem Assessments

BILL

ALTERNATE KEY

ESCROW CODE

MILLAGE CODE

AMOUNT DUE

PAID

2020 Annual Bill

670556

0513

\$0.00

Print (PDF)

If paid by:

Mar 31, 2021

Please pay:

\$0.00

Combined taxes and assessments: \$86,905.09

PAYMENTS MUST BE MADE IN US FUNDS AND DRAWN ON US BANK ACCOUNT.

#### **Ad Valorem Taxes**

1	AXING AUTHORITY	MILLAGE	ASSESSED	EXEMPTION	TAXABLE	TAX
Е	ROWARD COUNTY GOVERNMENT					
	COUNTYWIDE SERVICES	5.49990	3,352,500	0	3,352,500	\$18,438.41
	VOTED DEBT	0.16910	3,352,500	0	3,352,500	\$566.91
В	ROWARD CO SCHOOL BOARD					
	GENERAL FUND	4.91400	3,352,500	0	3,352,500	\$16,474.19
	CAPITAL OUTLAY	1.50000	3,352,500	0	3,352,500	\$5,028.75
	VOTER APPROVED DEBT LEVY	0.09120	3,352,500	0	3,352,500	\$305.75
S	O FLORIDA WATER MANAGEMENT					
	EVERGLADES C.P.	0.03800	3,352,500	0	3,352,500	\$127.40
	OKEECHOBEE BASIN	0.11920	3,352,500	0	3,352,500	\$399.62
	SEWMD DISTRICT	0.11030	3 352 500	Ω	3 352 500	\$369.78

TAXING AUTHORITY	MILLAGE	ASSESSED	EXEMPTION	TAXABLE	TAX
SOUTH BROWARD HOSPITAL	0.11990	3,352,500	0	3,352,500	\$401.96
CHILDREN'S SVCS COUNCIL OF BC	0.48820	3,352,500	0	3,352,500	\$1,636.69
CITY OF HOLLYWOOD					
HOLLYWOOD OPERATING	7.46650	3,352,500	0	3,352,500	\$25,031.44
DEBT SERVICE	0.43010	3,352,500	0	3,352,500	\$1,441.91
FL INLAND NAVIGATION	0.03200	3,352,500	0	3,352,500	\$107.28
Total Ad Valorem Taxes	20.97840				\$70,330.09

#### **Non-Ad Valorem Assessments**

LEVYING AUTHORITY	RATE AMOUNT
HLWD FIRE RESCUE ASSESSMENT	\$14,829.00
HLWD FIRE INSPECTION	\$1,746.00
Total Non-Ad Valorem Assessments	\$16,575.00

#### **Parcel details**

Owner:	SCOZAK REALTY	Account	514204-04-0087	Assessed value	:	\$3,352,500
Situs:	3950 N 28 TER	Alternate Key	670556	School assesse	d value:	\$3,352,500
	5950 N 26 FER		0513 - HOLLYWOOD 0513			
		Millage rate	20.97840			
2020 ANNUAL BILL		LEGAL DESCRIPTION		LOCATION		
Ad valorem:	\$70,330.09	SOUTH FLORIDA INDUSTRIAL PARK 63- 38 B & 4-51-42 POR OF TR E OF 63-38 B TOG WITH POR OF W1/2 OF NW1/4 OF		Book, page, item:		
Non-ad valorem	\$16,575.00			Property class:		
Total Discountable:	\$86,905.09			Township:	51	
No discount	\$0.00			Range:	42	
NAVA:	\$0.00	POB,N 300,E 355.38 SW 303.11,W 312.50 TO POB		Section:	04	
Total tax:	\$86,905.09			Use code:	14	

Broward County Records, Taxes & Treasury Div.

Broward County Tax Collector 115 S. Andrews Ave. Room A100 Fort Lauderdale, FL 33301

© 2019–2021 Grant Street Group. All rights reserved.

Property Id: 514204040087

**Please see map disclaimer

Flight Date : Dec 18, 2020 thru Jan 9, 2021 - Broward County Property Appraiser

220 ft

1:1,200

10

May 24, 2021



June 29, 2021

Deandrea Moise
Planning Administrator
City of Hollywood
The Division of Planning and Urban Design
2600 Hollywood Blvd, Suite 315
P.O. Box 229045
Hollywood, FL 33022-9045

Re: Community Outreach Summary; Carvana Site Plan and Variance

3950 N 28th Terrace, Hollywood, FL

Dear Ms. Moise:

This letter certifies that the attached list of property owners was prepared using the latest tax folio supplied by the Broward County Property Appraiser's Office as of May 20, 2021. This list includes all properties and associations within 500 feet from each property line of the subject site.

This letter also certifies that the attached community meeting notification was mailed on May 21, 2021 by certified mail to the persons and/or entities on such list.

Finally, this letter certifies that the site was posted with one community meeting notice sign that met the City of Hollywood regulations. The sign was posted on May 21, 2021.

Sincerely,

JOHN M. MILLEDGE

JMM/jiw

Attachments

Conte Enterprises, LTD 3900 N 28th Terrace Hollywood, FL 33020

Jordan International Company 4020 N 29th Avenue Hollywood, FL 33020

PRL, Inc. 3701 N 29th Avenue Hollywood, FL 33020-1005

Star 10, LLC 250 Greenpoint Avenue 4th Floor Brooklyn, NY 11222

Hollywood Distribution Center 4020 N 29th Avenue Hollywood, FL 33020

Star Investments, LP c/o Ellen Investors Corp 6499 N Powerline Road, #301 Fort Lauderdale, FL 33309 Oakwood Plaza LP c/o KIMCO Realty 500 N Broadway, #3201 Jericho, NY 11753

Zion & Ruth Levy 5201 Grant Street Hollywood, FL 33021

TFRE Holdings, Inc. 25 Interchange Way Vaughn, Ontario Canada L4K5W3 OC

1980 Group, Inc. 4035 N 29th Avenue Hollywood, FL 33020-1011

4151 Property, LTD 2010 Scott Street Hollywood, FL 33020

2801 Evans Street, LLC 5800 Peppertree Circle West Davie, FL 33314 S H Realty Investments, LLC 16400 Collins Avenue, #2542 Sunny Isles Beach, FL 33160

Herd Enterprises, Inc. 3500 N 28th Terrace Hollywood, FL 33020-1104

3901 Hollywood Partnership, LTD 3275 SW 42nd Street Fort Lauderdale, FL 33312-6812

Monte Group, Inc. 4020 N 29th Avenue Hollywood, FL 33020

Jenna Property Holdings, LLC 7170 NW 70th Terrace Parkland, FL 33067

#### NOTICE OF PUBLIC PARTICIPATION OUTREACH MEETING

You are invited to a public participation outreach meeting to discuss a development proposal from Carvana for a settlement center to be located at 3950 North 28th Terrace, Hollywood, FL. (see attached location map and proposed elevations).

#### IN PERSON MEETING DETAILS

Meeting Date & Time: Open House from June 7, 2021 6:00 p.m. - 8:00 p.m.

Presentation to be held at 7:00 p.m.

Location: Home2 Suites by Hilton Ft. Lauderdale Airport - Cruise Port

161 Southwest 19th Court Dania Beach, FL 33004

VIRTUAL ATTENDANCE FOR PRESENTATION

Date & Time: June 7, 2021 - 7:00 p.m.

Details and Instructions: Virtual attendance is available through Zoom. In order to see and hear

our presentation, you will need a computer, laptop, tablet or smart phone and speakers. Download Zoom on your device using <a href="https:///zoom.us/support/download">https:///zoom.us/support/download</a>. When you join the meeting, you will be in <a href="Listen Only">Listen Only</a> mode. You will be able to "ask" questions during

the presentation by using the Chat function.

Registration Details: Send your email address to Jodi@RubinTurnbull.com no later than 3:00

p.m. June 6, 2021. You will then receive a link with the meeting login

information.

Your Questions: If you have specific questions regarding the proposed development that

you would like answered at the presentation, we request that you send them to Jo M. Ryan, AICP at <a href="mailto:io.ryan@carvana.com">io.ryan@carvana.com</a> in advance of the

meeting.

Dial by your location

+1 312 626 6799 US (Chicago)

+1 929 436 2866 US (New York)

+1 301 715 8592 US (Washington DC)

+1 346 248 7799 US (Houston)


+1 669 900 6833 US (San Jose)


+1 253 215 8782 US (Tacoma)

Find your local number: https://zoom.us/u/aKkgJ67dZ

^{*}If you do not have the equipment listed above, you can also call into the meeting to hear the presentation and ask questions. Use any of the phone numbers below and you will be prompted to enter the meeting ID. The meeting ID will be provided when you register for the meeting. Please note that these numbers are not toll free.







PROJECT LOCATION 3950 N 28TH TERRACE HOLL YWOOD, FL 33020


# CARVANA VM HOLLYWOOD

LOCATION MAP

AND ASSOCIATES, INC. 400, CORAL GABLES, FL 33134

EX

SHEET NUMBER





June 29, 2021

Deandrea Moise
Planning Administrator
City of Hollywood
The Division of Planning and Urban Design
2600 Hollywood Blvd, Suite 315
P.O. Box 229045
Hollywood, FL 33022-9045

Re: Community Outreach Summary; Carvana Site Plan and Variance

3950 N 28th Terrace, Hollywood, FL

Dear Ms. Moise:

On behalf of Carvana ("Applicant") this is a summary of community outreach undertaken pursuant to the above-referenced site plan and variance.

On June 7, 2021 a community outreach meeting was hosted in person at the Home2 Suites by Hilton Ft. Lauderdale Airport - Cruise Port - 161 SW 19th Ct, as well as virtually. An open house was held from 6 p.m. - 8 p.m., with a presentation held at 7 p.m. Jo Ryan, Senior Project Manager, Michael Marrerro (Kimley Horn), Jodi Davidson (The Rubin Group), and John M. Milledge, Esq. attended on behalf of Carvana.

Jo Ryan, Senior Project Manager, along with John Milledge, Esq. presented to the participant who attended virtually. No participants attended in person. Presentation materials displayed at the hotel location, as well as presented virtually are attached. The attendee, Machelle Santiago, CFO/Property Manager, represented Johnar Venture, which manages the adjacent property to the NORTH of the subject property. Her questions concerned the size, scale, and proximity of the building and uses of the subject property in relation to property to the north. No concerns were expressed following the presentation and questions and answer dialogue.


Sincerely,

JOJAN M. MILLEDGE

JMM/jjw

Attachments







Project Uarager

Save Marquer


NEW CUSTOMER CENTER FOR: CARVANA


Carvana

HOLLYWOOD, FL 05.23.21

FL-084

BUILDING







#### Criteria Statements for Carvana Project

The following are Criteria Statements for each request indicating consistency with all applicable criteria found in Article 5 of the Zoning and Land Development Regulations for the Height Variance, and Design.

#### F. 1. Variances.

- a. That the requested Variance maintains the basic intent and purpose of the subject regulations, particularly as it affects the stability and appearance of the city; The IM-1 District is intended for office, heavy commercial, and light manufacturing, including specific permitted uses including warehouse/ distribution. This variance to height does not affect such district purposes.
- b. That the requested Variance is otherwise compatible with the surrounding land uses and would not be detrimental to the community; The subject property is located within a large area of IM-1 Zoning. It is located adjacent to I-95. The area west of I-95 is Industrial Land Use, and east of I-95 is General Business also with IM-1 Zoning. There is no nearby residential. This additional height has no offsite impacts on adjacent properties.
- c. That the requested Variance is consistent with and in furtherance of the Goals, Objectives and Policies of the adopted Comprehensive Plan, as amended from time to time, the applicable Neighborhood Plan and all other similar plans adopted by the city; and There is no known neighborhood plan. This additional height does not conflict with goals, objectives and policies of the City's Comprehensive Plan.
- d. That the need for the requested Variance is not economically based or self-imposed. The need for the variance is to permit the functionality of this structure that would otherwise not be viable for the intended purposes without this height variance.
- e. That the Variance is necessary to comply with state or federal law and is the minimum Variance necessary to comply with the applicable law. This is the minimum variance that will allow the functionality of the

structure for the intended purposes and meet setbacks, landscaping and other site requirements.

#### 14. Design criteria.

- a. General criteria.
  - (1) Architectural and design components. Architecture refers to the architectural elements of exterior building surfaces. Architectural details should be commensurate with the building mass. Design of the building(s) shall consider aesthetics and functionality, including the relationship of the pedestrian with the built environment. The design should consider architectural elements that are characteristic of the surrounding neighborhood. Design is pedestrian-oriented, with high technology aesthetic elements, that will help to set the trend for the redevelopment of this IM-1 zone.
    - (2) Compatibility. The harmonious relationship between existing architectural language and composition and proposed construction, including how each building along the street relates to the whole and the pattern created with adjacent structures and the surrounding neighborhood, and with the established and adopted vision for the area. This project is highly compatible and will have minimal impacts on the surrounding area. Trips will be substantially reduced from the prior food distribution use.
    - (3) Scale/massing. Buildings shall be proportionate in scale, with a height which is consistent with the surrounding structures, and with the established and adopted vision of the area. Building geometries shall reflect a simple composition of basic architectural details in relation to its length, width, height lot coverage, and setting of the structure in context with adjacent buildings. Massing will be in scale and significantly less than maximum square footage build-out that could be developed under the zoning code.
    - (4) Landscaping. Landscaped areas should contain a variety of native and other compatible plant types and forms, and be carefully integrated with existing buildings and paved areas. Existing mature trees and other significant plants on the site should be preserved. Landscaping plans meet City code requirements.

# Kimley» Horn

### **PHOTO LOG**

Client:	Site Location:		Project Name:	
Carvana	3950 N. 28th Terrace, Hol	lywood, FL	Carvana VM Hollywood	
Description:		Direction:	Date:	Photo:
Looking at adjacent property and existi 28th Terrace	NW	8/1/2021	1	



Description:


Looking at adjacent property, proposed site location and existing parking aisle from N. 28th Terrace

Direction:

W

8/1/2021

2



## PHOTO LOG



Client:	Site Location:		Project Name:		
Carvana	3950 N. 28 th Terrace, Hollywood, FL Carvana VM Hollywood			d	
Description:	Direction:	Date:	Photo:		
Looking at proposed site location and ex 28 th Terrace	W	8/1/2021	3		



Description:
Looking at adjacent property and existing parking aisle from N.

28th Terrace

Direction:

SW

8/1/2021

4




## PHOTO LOG



Client:	Site Location:		Project Name:		
Carvana	3950 N. 28 th Terrace, Hollywood, FL Carvana VM Hollywood			od	
Description:	Direction:	Date:	Photo:		
Looking at adjacent property, proposed parking aisle from N. 28 th Way	NE	8/1/2021	5		



Description:	Direction:	Date:	Photo:
Looking at proposed site location and existing parking aisle from N. 28 th Way	E	8/1/2021	6



## Kimley» Horn

Client:	Site Location:		Project Name:	
Carvana	3950 N. 28th Terrace, Holly	^{2th} Terrace, Hollywood, FL Carvana VM Hollywood		
Description:	Direction:	Date:	Photo:	
Looking at adjacent property, proposed parking aisle from N. 28 th Way	E	8/1/2021	7	




Description:	Direction:	Date:	Photo:
Looking at adjacent property and existing parking aisle from N. 28 th Way	N/A	8/1/2021	8









## HOLLYWOOD LANDSCAPE LEGEND

Net Lot Area: <u>2.33</u> Acres or <u>101,538</u> Zoning District IM-1

Per	imeter Landscape Re	equiremen [.]	ts		_	REQU	IRED	PROV	IDED
Α.	Street Trees (1 Street	t Tree per 5	0 line	ar feet)					
	N 28th Way	300	LF/	50	_	6	trees	6	trees
	N 28th Terrace	303	LF/	50 minus 1 existing		5	trees	5	trees
					Total Trees:	11	trees	11	trees
В.	Shrubs (Continuous F	ledge at 30	" on c	enter spacing)	_				
	West Buffer	300	LF/	2.5	_	120	shrubs	120	shur
	East Buffer	303	LF/	2.5		121	shrubs	121	shru
	North Buffer	355	LF/	2.5		142	shrubs	121	shru
	South Buffer	312	LF/	2.5	_	125	shrubs	121	shru
					Total Shrubs:	508	shrubs	508	shru
Vel	nicular Use Area Req	uirements			-				
Α.	Parking Islands (1 tre	e per island	) min	us 4 existing	_	8	trees	8	trees
В.	Minimum 25% of VUA	A shall be la	ndsca	iped					
	Paved VUA	60,261	SF *	0.25	-	15,065	sf	18,558	sf
Ope	en Space Requireme	nts							
Α.	•		)00 s	quare feet of landscape area)					
	Landscape Area =	29,117		• • • •		29	trees	39	trees
В.	50% palm trees allow	ed (three pa	alms :	one tree) =	-	14	"trees"	13	"tree
*Ad	lditional 15 Palms coun	ted towards	palm	mitigation on a 1:1 basis.	-				
Nat	tive Requirements								
Α.	•	trees requir	ed = 1	he number of trees provided <b>66</b> x 60% =		48	trees	60	tree
	~			the number of shrubs provided <b>508</b> x 50	<del>-</del>	254		254	shru

PLANT SCHEDULE

IRRIGATION PLAN

Auto Irrigation

Hose Bibs

<u>HT</u>
12` HT MIN
12' HT MIN
16`-20` STAGGER
SIZE
48" HT. MIN.
24" HT. MIN.
SIZE
24" HT. MIN.
24" HT. MIN.
SIZE
SOD

## Planting Notes:

- 1. Contractor shall refer to the landscape planting details, plant list, general notes and all contract documents for additional specifications.
- 2. Plant list quantities are provided for convenience. In the event of quantity discrepancies the drawing shall take precedence. Any discrepancies shall be brought to the attention of the landscape architect prior to
- 3. Plant sizes listed are the minimum size that will be accepted for that plant. Contractor shall submit photographs for review and evaluation by Landscape Architect.
- 4. Any substitution in size and/or plant material must be approved by the landscape architect in writing. All plants will be subject to approval by Landscape Architect and/or owners representative before planting
- 5. Contractor shall field adjust location of plant material as necessary to avoid damage to existing underground utilities and/or interfere with existing above ground elements. all changes required shall be completed at the contractor's expense and shall be coordinated with the owner's representative and the landscape architect.
- 6. The contractor shall bear all costs of testing of soils, amendments, etc. associated with the work and included in the specifications.
- 7. Contractor shall familiarize him/herself with the limits of work and existing conditions and verify all information. If discrepancies exist, contractor shall notify owner's representative and Landscape Architect in writing within seven calendar days of notice to proceed.
- 8. All new and transplanted plant material shall be irrigated by an automatic underground irrigation system, meeting all required federal, state, and municipal requirements. Contractor shall submit shop drawings and specifications for evaluation and review by Landscape Architect prior to commencement of work.
- 9. Contractor shall verify in field all existing infastracture to remain and shall insure final layout of plant material complies with FDM 212.11 in order to maintain required sight lines. Final placement of plant material shall be reviewed in field prior to final installation with the client and Kimley-Horn landscape architect. Bed lines may be adjusted slightly in the field based upon on-site conditions to reconcile any potential unforeseen conflicts from verified site conditions.
- 10. Contractor shall maintain sight triangles in perpetuity to insure a safe condition and receive written confirmation from the Client that they shall do so after the guarantee period expires. Contractor shall submit written evidence of such confirmation to the landscape architect prior to project close out.

THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED CALL 2 WORKING DAYS BY BENJAMIN V. JOHNSON, P.L.A., ON THE DATE BEFORE YOU DIG ADJACENT TO THE SEAL.

PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC IT'S THE LAW!

**DIAL 811** Call before you dig. SUNSHINE STATE ONE CALL OF FLORIDA, INC.


SHEET NUMBER

Kimle

SC

S

L-100



# CARVANA VM HOLLYWOOD PLANNING AND DEVELOPMENT BOARD DRAWINGS

3950 N. 28th TERRACE HOLLYWOOD, FLORIDA 33020 AUGUST 2021

## PROJECT TEAM:

DEVELOPER

JO RYAN
CARVANA, LLC
1930 W RIO SALADO PKWY

ARCHITECT
SILVIA MARQUART
ONE ARCHITECTURE, PLC
8801 N CENTRAL AVE, SUITE 101
PHOENIX, ARIZONA 85020
360-314-8108

SURVEYOR
PULICE LAND SURVEYORS, INC.
5381 NOB HILL ROAD
SUNRISE, FLORIDA 33351
954-572-1777

OWNER
SCOZAK REALTY INC.
3375 SW 3 AVENUE
FT. LAUDERDALE, FL 33315

CIVIL ENGINEER

MICHAEL MARRERO, PE
KIMLEY-HORN AND ASSOCIATES, INC.
355 ALHAMBRA CIRCLE, SUITE 1400
CORAL GABLES, FL 33134
305-673-2025

LANDSCAPE ARCHITECT
BEN JOHNSON, PLA
KIMLEY-HORN AND ASSOCIATES, INC.
355 ALHAMBRA CIRCLE, SUITE 1400
MIAMI, FLORIDA 33134

SUBJECT PROPERTY

## LIST OF CONTACTS:

STORMWATER

BROWARD COUNTY DEPARTMENT OF
ENVIRONMENTAL PROTECTION (BCDEP)
1 N. UNIVERSITY DRIVE
PLANTATION, FLORIDA 33301
954-519-1243
CONTACT: ASHLEY RESTA, P.E.

WATER AND SANITARY SEWER
CITY OF HOLLYWOOD PUBLIC UTILITIES
2600 HOLLYWOOD BLVD.
HOLLYWOOD, FLORIDA 33022
954-921-3302
CONTACT: STEVE JOSEPH, PE

FIRE PROTECTION

CITY OF HOLLYWOOD FIRE PREVENTION AND LIFE SAFETY 2741 STIRLING ROAD HOLLYWOOD, FL 33312 954-967-4248

PLANNING AND ZONING
CITY OF HOLLYWOOD
2600 HOLLYWOOD BLVD.
HOLLYWOOD, FL 33022

954-921-3471

CONTACT: JAY EPSTEIN


ENGINEERING
CITY OF HOLLYWOOD
2600 HOLLYWOOD BLVD
HOLLYWOOD, FL 33022
954-921-3251
CONTACT: JONATHAN VOGT, CITY ENGINEER

BUILDING DIVISION
CITY OF HOLLYWOOD
2600 HOLLYWOOD BLVD.
HOLLYWOOD, FL 33022
954-921-3335


954-777-4383

FLORIDA DEPARTMENT OF TRANSPORTATION
FLORIDA DEPT. OF TRANSPORTATION
3400 WEST COMMERCIAL BLVD.
FT. LAUDERDALE, FLORIDA 33309

ELECTRIC PROVIDER
FLORIDA POWER AND LIGHT
330 SW 12TH AVE.
POMPANO BEACH, FLORIDA 33069
954-956-2075



**LOCATION MAP** 







Sheet List Table					
Sheet Number	Sheet Title				
C-000	COVER SHEET				
_	ALTA BOUNDARY AND TOPOGRAPHIC SURVEY				
C-400	SITE PLAN				
L-002	TREE DISPOSITION PLAN				
L-100	LANDSCAPE PLAN				
C-500	PAVING, GRADING AND DRAINAGE PLAN				
A1.0	FLOOR PLAN				
A1.01	TOWER PLANS				
A2.0	EXTERIOR ELEVATIONS				
A2.1	EXTERIOR ELEVATIONS				
C-501	TYPICAL SECTIONS				
L-100	COLORED SITE PLAN WITH LANDSCAPE				
_	COLOR RENDERING				
_	SIGNAGE PACKAGE				

## MEETING DATES:


PACO - 04/05/2021 PTAC - 06/21/2021 FTAC - 07/19/2021 PDB - 09/14/2021

## LEGAL DESCRIPTION:

A PORTION OF THE W 1/2 OF THE NW 1/4 OF THE SE 1/4 OF THE NW 1/4 OF SECTION 4, TOWNSHIP 51 SOUTH, RANGE 42 EAST, BROWARD COUNTY, FLORIDA, AND A PORTION OF BLOCK "E", "SOUTH FLORIDA INDUSTRIAL PARK", AS RECORDED IN PLAT BOOK 63, PAGE 38, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA, AS MORE PARTICULARLY DESCRIBED AS FOLLOWS:

FROM A POINT OF THE SOUTH LINE OF SAID BLOCK "E", LOCATED 431.85 FEET EAST OF THE POINT OF INTERSECTION OF THE TANGENTS TO THE CURVE AT THE SOUTHWEST CORNER OF BLOCK "E", RUN NORTH 00"10"54" EAST, PARALLEL WITH THE WEST LINE OF SAID BLOCK "E", 551 FEET TO A POINT OF BEGINNING; THENCE, CONTINUE NORTH 00"10"54" EAST, 300 FEET; THENCE, SOUTH 89"54"08" EAST, 355.38 FEET; THENCE, SOUTH 08"18"55" WEST, 303.11 FEET; THENCE NORTH 89"54"08" WEST, 312.50 FEET TO A POINT OF BEGINNING.

SAID LANDS SITUATE, LYING AND BEING IN BROWARD COUNTY, FLORIDA.



THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY MICHAEL MARRERO, P.E., ON THE DATE ADJACENT TO THE SEAL.

PRINTED COPIES OF THIS DOCUMENT ARE NOT

PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

C-000

© 2021 KIMLEY—HORN AND ASSOCIATES, INC.

1615 S CONGRESS AVE, SUITE 201, DELRAY BEACH, FL 33445
PHONE: 561—330—2345 FAX: 561—863—8175
WWW.KIMLEY—HORN.COM CA 00000696

MIKE MARRERO

N
FL LICENSE NUMBER

84558

DATE
08/03/2021
SCALE AS SHOWN
DESIGNED BY MM
DRAWN BY WR


OVER SHEET

VM HOLLYWOOD
28th TERRACE
REPARED FOR

3950 N.

#### TREE TABLE (PROVIDED BY BENJAMIN V. JOHNSON, P.L.A.)

NO.	SCIENTIFIC NAME	COMMON NAME	DBH (IN.)	HEIGHT (FT.)	CANOPY (F)
1	Quercus virginiana	Live Oak	12	30	16
2	Quercus virginiana	Live Oak	14	30	20
3	Quercus virginiana	Live Oak	16	30	25
4	Bichofia javanica	Bishop Wood Tree	14	30	25
5	Bichofia javanica	Bishop Wood Tree	10	20	18
6	Quercus virginiana	Live Oak	18	30	20
7	Quercus virginiana	Live Oak	18	30	25
8	Quercus virginiana	Live Oak	20	30	25
9	Veitchia arecina	Montgomery Palm	8	10	10
10	Veitchia arecina	Montgomery Palm	6	10	8
11	Veitchia arecina	Montgomery Palm	3	10	4
12	Quercus virginiana	Live Oak	22	40	60
13	Quercus virginiana	Live Oak	24	42	40
14	Sabal palmetto	Sabal palm	12	25	12
15	Sabal palmetto	Sabal palm	12	25	12
16	Quercus virginiana	Live Oak	18	35	40
17	Quercus virginiana	Live Oak	30	50	54
18	Quercus virginiana	Live Oak	14	40	30
19	Veitchia arecina	Montgomery Palm	6	10	8
20	Veitchia arecina	Montgomery Palm	8	10	10
21	Veitchia arecina	Montgomery Palm	8	10	10
22	Veitchia arecina	Montgomery Palm	8	10	10
23	Veitchia arecina	Montgomery Palm	8	10	10
24	Sabal palmetto	Sabal palm	8	24	12
25	Sabal palmetto	Sabal palm	8	24	12
26	Sabal palmetto	Sabal palm	8	24	12
27	Sabal palmetto	Sabal palm	12	12	14
28	Sabal palmetto	Sabal palm	12	10	12
29	Boxus	Boxwood Tree	3	6	6
30	Quercus virginiana	Live Oak	20	45	36
31	Quercus virginiana	Live Oak	24	45	52
32	Quercus virginiana	Live Oak	22	40	30
33	Ficus benjamina	Ficus Tree	14	25	30
34	Quercus virginiana	Weeping Fig	11	25	20
35	Ficus benjamina	Ficus Tree	7	20	15
36	Quercus virginiana	Live Oak	16	35	30



#### LEGAL DESCRIPTION (DEED):

A PORTION OF THE WEST 1/2 OF THE NORTHWEST 1/4 OF THE SOUTHEAST 1/4 OF THE NORTHWEST 1/4 OF SECTION 4, TOWNSHIP 51 SOUTH, RANGE 42 EAST, BROWARD COUNTY, FLORIDA, AND A PORTION OF BLOCK "E", "SOUTH FLORIDA INDUSTRIAL PARK", AS RECORDED IN PLAT BOOK 63, PAGE 38, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA, AS MORE PARTICULARLY DESCRIBED AS FOLLOWS:

FROM A POINT OF THE SOUTH LINE OF SAID BLOCK "E", LOCATED 431.85 FEET EAST OF THE POINT OF INTERSECTION OF THE TANGENTS TO THE CURVE AT THE SOUTHWEST CORNER OF BLOCK "E", RUN NORTH 00°10′54″ EAST, PARALLEL WITH THE WEST LINE OF SAID BLOCK "E", 551 FEET TO A POINT OF BEGINNING; THENCE, CONTINUE NORTH 00°10′54″ EAST, 300 FEET; THENCE, SOUTH 89°54′08″ EAST, 355.38 FEET; THENCE, SOUTH 08°18′55″ WEST, 303.11 FEET; THENCE NORTH 89°54′08″ WEST, 312.50 FEET TO A POINT OF BEGINNING.

SAID LANDS SITUATE, LYING AND BEING IN BROWARD COUNTY, FLORIDA.

#### NOTES

- 1. THIS SURVEY MAP AND REPORT OR THE COPIES THEREOF ARE NOT VALID WITHOUT THE ORIGINAL SIGNATURE AND SEAL OR AN ELECTRONIC SIGNATURE AND ELECTRONIC SEAL OF A FLORIDA
- LICENSED SURVEYOR AND MAPPER.
- THIS SITE CONTAINS 100,177 SQUARE FEET (2.2997 ACRES) MORE OR LESS.
   ELEVATIONS ARE BASED ON NORTH AMERICAN VERTICAL DATUM OF 1988. BROWARD COUNTY
- BENCHMARK #1798; ELEVATION: 11.283 FEET.
- 4. FLOOD ZONE: X; BASE FLOOD ELEVATION: NONE; PANEL #12011C0566H; COMMUNITY #125113; MAP DATE: 8/18/14.
   5. THIS SITE LIES IN SECTION 4, TOWNSHIP 51 SOUTH, RANGE 42 EAST, BROWARD COUNTY, FLORIDA.
- 6. GRID BEARINGS AND COORDINATES ARE BASED ON FIELD OBSERVATIONS AND ARE RELATIVE TO THE NORTH AMERICAN DATUM OF 1983 WITH THE 1990 ADJUSTMENT, FL—E ZONE, WITH THE WESTERLY
- RIGHT—OF—WAY LINE OF N 28TH TERRACE BEING SO8°18'55"W.

  7. REASONABLE EFFORTS WERE MADE REGARDING THE EXISTENCE AND THE LOCATION OF UNDERGROUND UTILITIES. THIS FIRM, HOWEVER, DOES NOT ACCEPT RESPONSIBILITY FOR THIS INFORMATION. BEFORE EXCAVATION OR CONSTRUCTION CONTACT THE APPROPRIATE UTILITY COMPANIES FOR FIELD
- VERIFICATION.
  8. THE HORIZONTAL POSITIONAL ACCURACY OF WELL DEFINED IMPROVEMENTS ON THIS SURVEY IS  $\pm 0.07$ '. The Vertical accuracy of elevations of well defined improvements on this survey
- IS  $\pm 0.0\%$ . 9. This site contains 95 total clearly identifiable parking spaces (92 regular & 3
- DISABLED).

  10. THIS SURVEY WAS PREPARED WITH BENEFIT OF A PROPERTY INFORMATION REPORT PREPARED BY
- FIDELITY NATIONAL TITLE INSURANCE COMPANY DATED THROUGH MAY 18, 2021 AT 11:00 PM; THE FOLLOWING ITEMS ARE LISTED IN SAID REPORT.
  - ITEM 1: ORDER OF IMPOSITION OF FINE AND CLAIM OF LIEN IN INSTRUMENT NO. 117125870
    APPLIES TO THIS SITE BUT IS NOT PLOTTABLE.
    ITEM 2: RESTRICTIONS, DEDICATIONS, CONDITIONS, RESERVATIONS, EASEMENTS AND OTHER
- MATTERS IN PLAT BOOK 63, PAGE 38, APPLY TO THIS SITE. THERE ARE NO PLOTTABLE EASEMENTS.

  ITEM 3: FLORIDA POWER & LIGHT COMPANY EASEMENT IN O.R.B. 4334, PAGE 49, APPLIES TO THIS
- SITE AS DEPICTED HEREON. 11. ALL RECORDED DOCUMENTS ARE PER BROWARD COUNTY RECORDS.
- 12. THE TREE SYMBOLS DEPICTED HEREON ARE SCALED TO APPROXIMATE TREE CANOPY.
- 13. THE LEGAL DESCRIPTION SHOWN HEREON IS PER THE WARRANTY DEED RECORDED IN THE OFFICIAL RECORDS BOOK INSTRUMENT NUMBER 116179650, BROWARD COUNTY RECORDS. THE DESCRIPTION IN
- THE ABOVE MENTIONED COMMITMENT IS INCOMPLETE.

## CERTIFICATION:

TO KIMLEY—HORN AND ASSOCIATES, INC; SCOZAK REALTY, INC, A FLORIDA CORPORATION; FIRST AMERICAN TITLE INSURANCE COMPANY; CARVANA, LLC:


THIS IS TO CERTIFY THAT THIS MAP OR PLAT AND THE SURVEY ON WHICH IT IS BASED WERE MADE IN ACCORDANCE WITH THE 2021 MINIMUM STANDARD DETAIL REQUIREMENTS FOR ALTA/NSPS LAND TITLE SURVEYS, JOINTLY ESTABLISHED AND ADOPTED BY ALTA AND NSPS, AND INCLUDES ITEMS 1, 2 3, 4, 7(a), 8, 9 & 11 OF TABLE A THEREOF. THE FIELDWORK WAS COMPLETED ON 5/13/21.

DATE OF PLAT OR MAP: 5/13/21


JOHN F. PULICE, PROFESSIONAL SURVEYOR AND MAPPER LS2691 BETH BURNS, PROFESSIONAL SURVEYOR AND MAPPER LS6136 VICTOR R. GILBERT, PROFESSIONAL SURVEYOR AND MAPPER LS6274 DONNA C. WEST, PROFESSIONAL SURVEYOR AND MAPPER LS4290 STATE OF FLORIDA

THIS DOCUMENT IS NEITHER FULL NOR SHEET 1 OF 2 COMPLETE WITHOUT SHEETS 1 AND 2 CARVANA SITE 3950 N 28TH TERRACE HOLLYWOOD, BROWARD COUNTY, FLORIDA 33020 REVISIONS **BOUNDARY AND TOPOGRAPHIC SURVEY** ALTA/NSPS LAND TITLE SURVEY PULICE LAND SURVEYORS, INC. 5381 NOB HILL ROAD SUNRISE, FLORIDA 33351 PLS TELEPHONE: (954) 572-1777 FAX: (954) 572-1778 E-MAIL: surveys@pulicelandsurveyors.com WEBSITE: www.pulicelandsurveyors.com CERTIFICATE OF AUTHORIZATION LB#3870 FILE: KIMLEY-HORN & ASSOCIATES, INC DRAWN BY: L.H. SCALE: 1" = 20' CHECKED BY: J.F.P. SURVEY DATE: 5/13/21 ORDER NO.: 68469

COPYRIGHT 2021 BY PULICE LAND SURVEYORS, INC. ALL RIGHTS RESERVED. NO PART OF THIS SURVEY MAY BE REPRODUCED, IN ANY FORM OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM AN OFFICER OF PULICE LAND SURVEYORS, INC.



MIN. REQUIRED:



0

Kim

S

CENTER LINE OF ROADWAY PROPERTY LINE AND/OR RIGHT-OF-WAY PROPOSED BUILDING OUTLINE

> 2' PARKING OVERHANG PROP. 6' HIGH FENCE (SEE SHEET C-401 FOR DETAILS)

PROP. LANDSCAPING (SEE LANDSCAPE SHEETS FOR DETAILS) PROP. CONCRETE SIDEWALK

> PROP. HEAVY DUTY CONCRETE (FOR DUMPSTER AREA ONLY)

PROP. ASPHALT PAVEMENT

## **ZONING TABLE**

ZONING DISTRICT: IM-1 LOW INTENSITY INDUSTRIAL DISTRICT LAND USE DESIGNATION: INDUSTRIAL (IND)

AREA BREAKOUT					
DESCRIPTION	SF (AC)	%			
NET PROJECT AREA	101,538 (2.33)	100.0			
BUILDING FOOTPRINT	5,790 (0.16)	5.7			
IMPERVIOUS	66,631 (1.53)	65.6			
PERMOUS	29,117 (0.67)	28.7			
	•				
	LUDENENITO				

EMENTS	
REQUIRED	PROVIDED
91,384 (90% MAX)	72,421 (71.3%)
NOT SPEC.	62,166
NOT SPEC.	29,117
15,541 (25% MIN)	18,558 (29.8%)
NOT SPEC.	300
NOT SPEC.	101,538
NOT SPEC.	0.06
35	75*
	91,384 (90% MAX)  NOT SPEC.  NOT SPEC.  15,541 (25% MIN)  NOT SPEC.  NOT SPEC.  NOT SPEC.

SETBACKS		
DESCRIPTION	REQUIRED (FT)	PROVIDED (FT)
LANDSCAPE BUFFER (SIDE)	10	10
LANDSCAPE BUFFER (FRONTAGE)	15	15
FRONT (N. 28th TERRACE)	15	57
REAR (N. 28th WAY)	15	183
SIDE (NORTH)	0	107
SIDE (SOUTH)	0	114

PARKING REQUIREM	MENTS	
DESCRIPTION	REQUIRED	PROVIDED
REGULAR STALLS (1/400 SF)	15	74
HANDICAP STALLS (1/25 REG. STALL)	4	4
VEHICLE STORAGE STALLS	N/A	64
	•	-

* MINIMUM CODE REQUIREMENT NOT MET; VARIANCE MAY BE REQUIRED.

1. MAXIMUM FOOT-CANDLE LEVELS AT ALL PROPERTY LINES SHALL BE MAXIMUM OF 0.5 FC.


2. WHITE STOP BAR AND DOUBLE YELLOW PAVEMENT MARKING SHALL BE THERMOPLASTIC. PARKING SPACE STRIPES AND HANDICAP SYMBOLS MAY BE PAINTED.

## LEGAL DESCRIPTION:

A PORTION OF THE W 1/2 OF THE NW 1/4 OF THE SE 1/4 OF THE NW 1/4 OF SECTION 4, TOWNSHIP 51 SOUTH, RANGE 42 EAST, BROWARD COUNTY, FLORIDA, AND A PORTION OF BLOCK "E", "SOUTH FLORIDA INDUSTRIAL PARK", AS RECORDED IN PLAT BOOK 63, PAGE 38, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA, AS MORE PARTICULARLY

FROM A POINT OF THE SOUTH LINE OF SAID BLOCK "E", LOCATED 431.85 FEET EAST OF THE POINT OF INTERSECTION OF THE TANGENTS TO THE CURVE AT THE SOUTHWEST CORNER OF BLOCK "E", RUN NORTH 0010'54" EAST, PARALLEL WITH THE WEST LINE OF SAID BLOCK "E", 551 FEET TO A POINT OF BEGINNING; THENCE, CONTINUE NORTH 001054 EAST, 300 FEET; THENCE, SOUTH 895408 EAST, 355.38 FEET; THENCE, SOUTH 081855 WEST, 303.11 FEET; THENCE NORTH 89°54'08" WEST, 312.50 FEET TO A POINT OF BEGINNING.

SAID LANDS SITUATE, LYING AND BEING IN BROWARD COUNTY, FLORIDA.



THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY MICHAEL MARRERO, P.E., ON THE DATE ADJACENT TO THE SEAL.


PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC

C-400

SHEET NUMBER

8th

50



## TREE DISPOSITION GRAPHIC LEGEND

SYMBOL	DESCRIPTION	<u>SYMBOL</u>	DESCRIPTION
TREE #	TREE TO BE REMOVED	PALM#	PALM TO BE REMOVED
•	TREE TO BE REMAIN		TREE PROTECTION FENCE

## TREE DISPOSITION

NO.	SCIENTIFIC NAME	COMMON NAME	DBH (IN.)	HEIGHT (FT.)	CANOPY (FT.)	DISPOSITION
1	Quercus virginiana	Live Oak	12	30	16	REMOVE
2	Quercus virginiana	Live Oak	14	30	20	REMOVE
3	Quercus virginiana	Live Oak	16	30	25	REMOVE
4	Bichofia javanica	Bishop Wood Tree	14	30	25	REMOVE
5	Bichofia javanica	Bishop Wood Tree	10	20	18	REMOVE
6	Quercus virginiana	Live Oak	18	30	20	REMOVE
7	Quercus virginiana	Live Oak	18	30	25	REMOVE
8	Quercus virginiana	Live Oak	20	30	25	REMOVE
9	Veitchia arecina	Montgomery Palm	8	10	10	REMOVE
10	Veitchia arecina	Montgomery Palm	6	10	8	REMOVE
11	Veitchia arecina	Montgomery Palm	3	10	4	REMOVE
12	Quercus virginiana	Live Oak	22	40	60	REMAIN
13	Quercus virginiana	Live Oak	24	42	40	REMOVE
14	Sabal palmetto	Sabal palm	12	25	12	REMOVE
15	Sabal palmetto	Sabal palm	12	25	12	REMOVE
16	Quercus virginiana	Live Oak	18	35	40	REMOVE
17	Quercus virginiana	Live Oak	30	50	54	REMAIN
18	Quercus virginiana	Live Oak	14	40	30	REMAIN
19	Veitchia arecina	Montgomery Palm	6	10	8	REMOVE
20	Veitchia arecina	Montgomery Palm	8	10	10	REMOVE
21	Veitchia arecina	Montgomery Palm	8	10	10	REMOVE
22	Veitchia arecina	Montgomery Palm	8	10	10	REMOVE
23	Veitchia arecina	Montgomery Palm	8	10	10	REMOVE
24	Sabal palmetto	Sabal palm	8	24	12	REMOVE
25	Sabal palmetto	Sabal palm	8	24	12	REMOVE
26	Sabal palmetto	Sabal palm	8	24	12	REMOVE
27	Sabal palmetto	Sabal palm	12	12	14	REMOVE
28	Sabal palmetto	Sabal palm	12	10	12	REMOVE
29	Buxus sp.	Boxwood Tree	3	6	6	REMOVE
30	Quercus virginiana	Live Oak	20	45	36	REMAIN
31	Quercus virginiana	Live Oak	24	45	52	REMAIN
32	Quercus virginiana	Live Oak	22	40	30	REMOVE
33	Ficus benjamina	Ficus Tree	14	25	30	REMOVE
34	Quercus virginiana	Live Oak	11	25	20	REMOVE
35	Ficus benjamina	Ficus Tree	7	20	15	REMOVE
36	Quercus virginiana	Live Oak	16	35	30	REMOVE

TREE MITIGATION TABLE						
Canopy DBH Removed	210 inches					
Palms Removed	15 palms					
Canopy DBH to Remain	96 inches					
Canopy DBH Replacement	122 inches					
Palm Replacement	15 palms					

TREE PROTECTOR BARRIER (TYP.)

METAL T-BAR POSTS

SIX (6) FOOT TALL 6" X 6" X 6" WIRE MESH ATTACHED TO EACH 4" X 4" 1 POSTS AND POST CAPS. SUBMIT PRODUCT INFORMATION FOR APPROVAL PRIOR TO INSTALLATION.

WEATHER RESISTANT MATERIAL 2' X 2' "TREE PROTECTION ZONE" SIGN.

2 SUBMIT PRODUCT INFORMATION FOR APPROVAL PRIOR TO

(3) EIGHT (8) FOOT TALL METAL T-BAR POSTS, OR 4" X 4" X 8' PRESSURE TREATED WOOD POST, WITH 24" MINIMUM BURIAL BELOW GRADE SUBMIT PRODUCT INFORMATION FOR APPROVAL PRIOR TO INSTALLATION.

INSTALLATION NOTES: A. POST SELECTION SHOULD BE BASED ON EXPECTED STRENGTH NEEDS AND THE LENGTH OF TIME FENCE WILL BE IN PLACE. FLEXIBLE FIBERGLASS ROD POSTS ARE RECOMMENDED FOR PARKS, ATHLETIC EVENTS AND CROWD CONTROL INSTALLATIONS.

METAL "T" POSTS OR ARE TYPICALLY USED FOR CONSTRUCTION AND OTHER APPLICATIONS.

B. POSTS SHALL BE DRIVEN INTO THE GROUND TO A DEPTH OF TWO (2) FEET MINIMUM OR AS REQUIRED TO ENSURE A SAFE CONDITION. SPACE POSTS 6' MAXIMUM ON

C. SECURE FENCING TO POST WITH NYLON CABLE TIES (AVAILABLE FROM CONWED PLASTICS). WOOD STRIPS MAY BE ALSO BE USED TO PROVIDE ADDITIONAL SUPPORT AND PROTECTION BETWEEN TIES AND POSTS.

NOTE: IF WIRE TIES ARE USED, AVOID DIRECT CONTACT WITH PROTECTOR BARRIER. WIRE MAY DAMAGE PROTECTOR BARRIER OVER TIME.

TREE/SHRUB PROTECTOR

CORNER CONNECTION CONNECTION

<u>PLAN VIEW</u>

THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED CALL 2 WORKING DAYS BY BENJAMIN V. JOHNSON, P.L.A., ON THE DATE ADJACENT TO THE SEAL.

PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC

IT'S THE LAW! **DIAL 811** SUNSHINE STATE ONE CALL OF FLORIDA, INC.

Call before you dig


SHEET NUMBER L-002


PREPARED FOR CARVANA

√»Horn

Kimley

TREE ESPOSITION





HOLLYWOOD LANDSCAPE LEGEND

	Zoning District	<u>IM-1</u>		Net Lot Area: _	2.33	Acres	or -	101,538				
Per	imeter Landscap	e Requirer	ments						REQU	IRED	PROV	IDED
Α.	Street Trees (1 S	treet Tree p	oer 50 linea	r feet)				_				
	N 28th Way		300 LF/	50				_	6	trees	6	trees
	N 28th Terrace		303 LF/	50 minus 1 exis	ting			_	5	trees	5	trees
								Total Trees:	11	trees	11	trees
3.	Shrubs (Continuo	us Hedge a	at 30" on ce	nter spacing)								
	West Buffer		300 LF/	2.5				_	120	shrubs	120	shurb
	East Buffer		303 LF/	2.5					121	shrubs	121	shrub
	North Buffer		355 LF/	2.5				_	142	shrubs	121	shrub
	South Buffer		312 LF/	2.5				_	125	shrubs	121	shrub
								Total Shrubs:	508	shrubs	508	shrub
√eŀ	nicular Use Area F	Requireme	ents					_				
٩.	Parking Islands (	1 tree per is	sland) minus	s 4 existing				_	8	trees	8	trees
3.	Minimum 25% of							_				
	Paved VU/	A <b>60</b> ,	,261 SF *	0.25				_	15,065	sf	18,558	sf
Эре	en Space Require	ements										
٩.	Open Space Tree	es (1 tree p	er 1000 squ	are feet of land	scape area	a)						
	Landscape Area	= 29,	,117 SF <i>I</i>	1000					29	trees	42	trees
3.	50% palm trees a	allowed (thre	ee palms =	one tree) =				-	19	"trees"	18	"trees
Nat	tive Requirements	S										
٩.	Percentage of na	tive trees re	equired = th	e number of tree	es provide	d <u><b>66</b></u> x 60% =	=		40	trees	60	trees
3.	Percentage of na	tive shrubs	required =	the number of sl	hrubs provi	ided <u><b>508</b></u> x 5	0% =	_	254	shrubs	254	shrub
RR	RIGATION PLAN											
	Auto Irrigation	Х										
	Hose Rihs											

PLANT SCHE	DULE					
TREES	CODE	QTY	BOTANICAL / COMMON NAME	CONT	CAL	<u>HT</u>
$\sim$ 0	BS	7	BURSERA SIMARUBA / GUMBO LIMBO 6` CLEAR TRUNK	FG	2" DBH MIN.	12` HT MIN
(:)	CG2	14	CAESALPINIA GRANADILLO / BRIDAL VEIL TREE 6` CLEAR TRUNK, SINGLE LEADER	FG	2" DBH MIN.	12` HT MIN
+	CO	8	CHRYSOPHYLLUM OLIVIFORME / SATINLEAF 6` CLEAR TRUNK	FG	2" DBH MIN.	12` HT MIN
	MF	10	MYRCIANTHES FRAGRANS / SIMPSON`S STOPPER 6` CLEAR TRUNK, SINGLE LEADER	FG	2" DBH MIN.	12` HT MIN
+	QV	8	QUERCUS VIRGINIANA / SOUTHERN LIVE OAK 6` CLEAR TRUNK	FG	2" DBH MIN.	12` HT MIN
	SS	54	SABAL PALMETTO / CABBAGE PALMETTO 8` CLEAR TRUNK	FG		16`-20` STAGGER
SHRUBS	CODE	<u>QTY</u>	BOTANICAL / COMMON NAME	CONT	<u>SPACING</u>	SIZE
$\odot$	CR	448	CHRYSOBALANUS ICACO 'RED TIP' / RED TIP COCOPLUM	CONT.	36" O.C.	48" HT. MIN.
$\odot$	HF	160	HAMELIA PATENS / FIRE BUSH	CONT.	30" OC	24" HT. MIN.
SHRUB AREAS	CODE	<u>QTY</u>	BOTANICAL / COMMON NAME	CONT	SPACING	<u>SIZE</u>
	CN	768	CLUSIA ROSEA `NANA` / DWARF PITCH APPLE	CONT.	30" OC	24" HT. MIN.
	TF	2,062	TRIPSACUM FLORIDANUM / DWARF FAKAHATCHEE	CONT.	30" OC	24" HT. MIN.
GROUND COVERS	CODE	<u>QTY</u>	BOTANICAL / COMMON NAME	CONT	SPACING	<u>SIZE</u>
	AG2	9,385 SF	ARACHIS GLABRATA / PERENNIAL PEANUT	SOD		SOD

## Planting Notes:

- 1. Contractor shall refer to the landscape planting details, plant list, general notes and all contract documents for additional specifications.
- 2. Plant list quantities are provided for convenience. In the event of quantity discrepancies the drawing shall take precedence. Any discrepancies shall be brought to the attention of the landscape architect prior to
- 3. Plant sizes listed are the minimum size that will be accepted for that plant. Contractor shall submit photographs for review and evaluation by Landscape Architect.
- 4. Any substitution in size and/or plant material must be approved by the landscape architect in writing. All plants will be subject to approval by Landscape Architect and/or owners representative before planting can begin.
- 5. Contractor shall field adjust location of plant material as necessary to avoid damage to existing underground utilities and/or interfere with existing above ground elements. all changes required shall be completed at the contractor's expense and shall be coordinated with the owner's representative and the landscape architect.
- 6. The contractor shall bear all costs of testing of soils, amendments, etc. associated with the work and included in the specifications.
- 7. Contractor shall familiarize him/herself with the limits of work and existing conditions and verify all information. If discrepancies exist, contractor shall notify owner's representative and Landscape Architect in writing within seven calendar days of notice to proceed.
- 8. All new and transplanted plant material shall be irrigated by an automatic underground irrigation system, meeting all required federal, state, and municipal requirements. Contractor shall submit shop drawings and specifications for evaluation and review by Landscape Architect prior to commencement of work.
- 9. Contractor shall verify in field all existing infastracture to remain and shall insure final layout of plant material complies with FDM 212.11 in order to maintain required sight lines. Final placement of plant material shall be reviewed in field prior to final installation with the client and Kimley-Horn landscape architect. Bed lines may be adjusted slightly in the field based upon on-site conditions to reconcile any potential unforeseen conflicts from verified site conditions.
- 10. Contractor shall maintain sight triangles in perpetuity to insure a safe condition and receive written confirmation from the Client that they shall do so after the guarantee period expires. Contractor shall submit written evidence of such confirmation to the landscape architect prior to project close out.

THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED CALL 2 WORKING DAYS BY BENJAMIN V. JOHNSON, P.L.A., ON THE DATE BEFORE YOU DIG ADJACENT TO THE SEAL.


PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC


IT'S THE LAW! DIAL 811

SUNSHINE STATE ONE CALL OF FLORIDA, INC.

Kim

SHEET NUMBER L-100





NOT FOR TON CONSTRUCTION

ONE ARCHITECTURE

8801 N. Central Ave. Suite 101 Phoenix, Arizona 85020 Phone: 602.266.2712 Fax: 602.266.1688

www.**ONE**architecture.us

Principal:

Dustin Curtis

dustin.curtis@onearchitecture.us

Project Manager:

Silvia Marquart

silvia.marqart@onearchitecture.us

CENTER FOR:

Revisions


Carvana

3950 N. 28th TERRACE HOLLYWOOD, FL 33020

06.30.21 FL-084

1

FLOOR PLAN



ARCHITECTURE

8801 N. Central Ave. Suite 101 Phoenix, Arizona 85020 Phone: 602.266.2712

www.**ONE**architecture.us

Fax: 602.266.1688

Principal: **Dustin Curtis** 

dustin.curtis@onearchitecture.us Project Manager: Silvia Marquart

silvia.marqart@onearchitecture.us

FOR

CENTER NEW CUSTOMER


Revisions

Carvana

3950 N. 28th TERRACE HOLLYWOOD, FL 33020 06.30.21

FL-084

TOWER PLANS



EXTERIOR FINISH LEGEND

TOWER CURTAINWALL - BLACK

E.I.F.S. - DRYVIT 310 CHINA WHITE

GLAZING (OFFICE) - VITRO SOLARBAN 60, INSULATED CLEAR LOW-E

TEMPERED GLASS

GLAZING (TOWER) - VITRO CLEAR STARPHIRE (LOW IRON) INSULATED

TEMPERED GLASS.

PRE-FAB CANOPY AND DOWNSPOUTS - MATCH BONE WHITE

METAL COPING - BONE WHITE

TELESCOPING DOOR FRAMES TO BE BONE WHITE

ACM ACCENT BAND - SHERWIN WILLIAMS VALFLON 15618 BLUE

OH DOOR - WHITE BONE

SPLIT FACE CMU BY YORK BUILDING PRODUCTS-ARTIC WHITE

DUMPSTER GATE ENCLOSURE STEEL FRAME TO BE PAINTED SHERWIN WILLIAMS SW7006, EXTRA WHITE. PANELS PRE-FINISHED WHITE AND P.T. SLATS TO BE PAINTED WHITE.

COLOR 1 = KAWNEER BONE WHITE


COLOR 2 = KAWNEER BLACK NO.29


CMU WALL: FRONT OF WALL TO BE PARGED. ENTIRE WALL TO BE PAINTED WHITE.

(SAME WHITE AS EIFS - DRYVIT 310 CHINA WHITE)

CANOPY COLUMNS: 3 CANOPY COLUMNS TO BE PAINTED WHITE

* ALL COPING MATERIAL TO BE PRE-FINISHED





2 FRONT ELEVATION A2.0 1/8" = 1'-0" NOT FOR TION CONSTRUCTION



8801 N. Central Ave. Suite 101 Phoenix, Arizona 85020 Phone: 602.266.2712

Fax: 602.266.1688

www.**ONE**architecture.us

Principal:

Dustin Curtis

dustin.curtis@onearchitecture.us

Project Manager:

Silvia Marquart

silvia.marqart@onearchitecture.us

NEW CUSTOMER CENTER FOR:

Revisions

Carvana


3950 N. 28th TERRACE HOLLYWOOD, FL 33020


06.30.21

FL-084

2







4 REAR ELEVATION A2.1 1/8" = 1'-0"



8801 N. Central Ave. Suite 101 Phoenix, Arizona 85020

Fax: 602.266.1688

www.**ONE**architecture.us

Phone: 602.266.2712

Principal:

Dustin Curtis

Project Manager:

dustin.curtis@onearchitecture.us

Silvia Marquart

silvia.marqart@onearchitecture.us


Revisions


Carvana


3950 N. 28th TERRACE HOLLYWOOD, FL 33020


06.30.21

FL-084









THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY MICHAEL MARRERO, P.E., ON THE DATE ADJACENT TO THE SEAL. PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC

ARVANA 3950 N.

SHEET NUMBER C-501

Horn

Kimley

SC

TYPICAL SECTIONS

/WOOD

A VM HOLLYWO

J. 28th TERRACE
PREPARED FOR
CARVANA


DATE: 8/5/2021 COPIES.

## **Branding Package**

(2) channel letter sets - East and South Elevations (2) logo cabinets - NE and SE corners

3950 N 28th Terrace, Hollywood, FL







#### **SCOPE OF WORK** Sq. Ft. Qty. req'd Sheet # Est. Weight Amps/Volts Special Instructions **PROPOSED SIGNS**

Si	gnage						
1	33" "CARVANA" Channel Letters on ACM Sign Band	56.6	2	-	218	2.1/120V	
2	56" Logo Cabinet w/ Frame on ACM Sign Band	21.8	2	-	137	1.1/120V	
3	24" D/F Blade Sign @ Customer Entry	4	1	-	42	1.1/120V	
4	LED Border Accent Lighting	155 ln. ft. +/-	2 Rows	-	-	1.1/120V	(2) Rows - Top and Bottom
	Allowed SF 158.16	Total 160.8					

1 33" "CARVANA" Channel Letters

2 56" Logo Cabinet w/ Frame



3 24" D/F Blade Sign



4 LED Border Accent Lighting



#### Code Regulations

Square footage allowance: 158.16 allowable square feet.

- -1 SF per LF of building frontage. Only the frontages on N 28th Terrace (East elevation) and N 28th Way (West elevation) will be used to calculate the square footage. This results in 158.16 allowable square feet.
- -The blade/projection sign at customer entry will not count towards the square footage allowance.
- -the total number of signs is not regulated.
- -signs may be on up to three elevations.

#### Additional Notes

. Cima drawings are based on architectural drawings: Architect: ONE! AARCHITECTURE Project: Date: 3-24-21

2. G.C., Carvana and the architect are responsible to supply updated drawings to Cima as they are released.

3. If there are any drawing inconsistencies or questions concerning clarification on electrical or blocking locations please contact:


Ginny Wenclawiak @ Cima Network 121 New Britain Blvd. Chalfont, PA 18914

267.308.0575

gwenclawiak@cimanetwork.com

Mark Lockett @ Cima Network 121 New Britain Blvd. Chalfont, PA 18914 267.308.0575

mlockett@cimanetwork.com






J	MDCL3 KLI
	DESCRIPTION:
J 120	120 Volt Junction Box
W	Elect Whip: 1/2"Ø x 6'-0" Lg Greenfield
PS	LED Power Supply
<u>B</u> 7	Blocking Req'd
S	Additional Structure Req'd.
4	Special Condition Applies
$\boxtimes$	Access Panel - Field Cut
1	Additional Information Req'd.
X	Remove
	Remain As-Is
	Relocate


		REVISIONS		
REV#	DATE	REVISION NOTES:	BY	SHEET#
1	6.25.21	Show options due to allowance	MB	ALL
2	6.29.21	Update package to show option 3A - Add details back to package	MB	ALL



## **Building Elevations**







Exterior Elevation - South
Scale: 1/16" = 1'-0"

FILE #E465295


This is an original, unpublished drawing, created by Cima Network, Inc. It is submitted for your exclusive review, in connection with a project being proposed by Cima Network, Inc. it is not to be shown to anyone outside your organization, nor is it to be used, reproduced, copied or exhibited in any fashion without the expressed constent of Cima Network, Inc.


CONCEPTUAL


**REV 2**6.29.21
MB

## **Building Elevations**











office: 267.308.0575 fax: 267.308.0577 Chalfont, PA 18914 www.cimanetwork.com


This is an original, unpublished drawing, created by Cima Network, Inc. It is submitted for your exclusive review, in connection with a project being proposed by Cima Network, Inc. it is not to be shown to anyone outside your organization, nor is it to be used, reproduced, copied or exhibited in any fashion without the expressed constent of Cima Network, Inc.




All Electric Signs to be manufactured to meet the requirements of UI 48 and installed to meet the requirements of Article 600 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of the sign.


Client: CARVANA Dwg By: MB Pm: JB Date: **5.24.21**  Job#: 11428 Address: 3950 N 28th Terrace, Hollywood, FL


CONCEPTUAL








1 Vending Tower - Sign Band 5 Scale: 3/16" = 1'-0"













Cima Network Inc. 121 New Britain Blvd.

This is an original, unpublished drawing, created by Cima Network, Inc. It is submitted for your exclusive review, in connection with a project being proposed by Cima Network, Inc. it is not to be shown to anyone outside your organization, nor is it to be used, reproduced, copied or exhibited in any fashion without the expressed constent of Cima Network, Inc.




All Electric Signs to be manufactured to meet the requirer UI 48 and installed to meet the requirements of Article 600 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of the sign.

Client: CARVANA

Job#: **11428** Address: 3950 N 28th Terrace, Hollywood, FL

**REV** 

2



manufacture's methods. Methods should not impede with any future access to internal electrical components. 24. Use water-proof sealant to seal any/all penetrations through existing ACM facade w/ clear silicone appropriate for site conditions.



ELECTRICAL REQUIREMENTS (1) 20 Amp/120 Volt Circuits

ESTIMATED WEIGHT


0.A.W.


**/**-1'-4"<del>/</del> -7'-0 Liquid-Tight Flexible Conduit —12 - **PS1**— —12 - **PS1**— —11 - **PS2**-—12 - **PS2**-–13 - **PS3**nite 6500k LED Modu hite 6500k LED Modu White 6500k LED Mo hite 6500k LED Mo - Switch Location


Pc	ower Supplies - Remote	Modules Maximum: 48/PS	Load Maximum: 90%
1	60W1 60 W - SloanLED 60W-12V, 90-277VAC, Class 2, Dry, damp, & Wet Listed	41	76.53%
2	60W1 60 W - SloanLED 60W-12V, 90-277VAC, Class 2, Dry, damp, & Wet Listed	23	25.76%
3	60W1 60 W - SloanLED 60W-12V, 90-277VAC, Class 2, Dry, damp, & Wet Listed	39	54.13%


56.6 sf













Channel Letters - LED/Raceway & Mounting Details

Channel Letters - Front View

Scale: 3/8" = 1'-0"

Scale: 1/4" = 1'-0"

(2) Sets Rea'd.





Client: CARVANA Job#: 11428

Secondary

See LED Layout

For Breakdown

SIGN #1

PMS BlackC w/ Satin Finish PMS WhiteC w/ Satin Finish M1 3/16" thk. #2447 White acrylic

Aluminum Coil

Aluminum Sheet

White trimcap retainer

connector, where shown.

Faces/Retainers:

Lighting / Electrical:

w/ NFC 600 4(A)

& 600.24. (3) Req'd.

holes & finished P2.

eneral Contractor Note:

sheets for details.

LED

See Cima's "E" sheets for details.

facade

Linear foot; (93) req'd.

M2 .040" Thk. Pre-Finished PMS Cool Grey 9C/White

M3 3mm Thk. Pre-Finished PMS Cool Grey 9C/White

M4 🔲 1" "Jewelite" aluminum reinforced, Pre-Finished

M3 routed out / White (interior) & Cool Grey 9C (exterior) finish; electrical holes to accommodate listed liquid-tight flexible conduit

2. M2 formed w/ White (interior) & Cool Grey 9C (exterior) finish. 3. Returns & backs assembled w/ staples & silicone based adhesive to prevent water penetration & light leaks.

4. M1 letter faces chemically bonded to M4 w/ Weld-on #4 & #16; fastened to returns w/ P2 #8 truss head, self-drilling, self-tapping

screws. Final fastener qty & location determined @ time of fabrication

5. SloanLED 701269-6WSJ1-MB 6500k LED Modules to evenly illuminate

the face without hotspot or shadows. Estimated (1.5) modules per

. P1 .040" thk, brake-bent, removable aluminum cap for full access. 8. P1 #8 self-drilling, self-tapping screws @ bottom of raceway for

10. Cima Network's Manufacture Label & Input/Current Rating Label to be Permanent & applied in a Visible Location during Service, in accordance

11. SloanLED 60W160W, Listed Class 2 output LED Power Supply housed

13. 10'-0" long, 12V Secondary-circuit, listed Class 2, **18/2 plenum rated**wire, suitable for damp/wet locations in accordance w/ NEC 600.12,

725.3(L). All secondary wires are to be labeled @ terminal & junction locations for serviceability per NEC 725.30. Remote metal parts, such as LED Channel Letters, supplied by a remote class 2 power supply DO

15. 1/4" Ø weep holes req'd. @ all low points or isolated sections of the sign w/ no external obstructions in accordance w/ NEC 600.9(D). 6. .040" thk. brake-bent baffle assembled to inside of return @ drain

17. 3/8" x 4", zinc finished, hex head, lag bolt w/ washer into blocking. QTY: MIN. FOUR [4] PER LETTER 18. 1" Ø non-corrosive anti-crush sleeve; *if Req'd*.

19. UL listed "Paige" Wall Buster through 9/16" Ø hole drilled through

NOT need to be grounded per NEC 600.7(B)(1). (1) per Letter 14. 20A 125V disconnect toggle switch w/ lock-out capability in accordance w/ NEC 110.25.47 & 600.6(A)(2), located at the point of supply entry into the sign & within sight of transformer, in accordance

securely inside enclosure in accordance w/ NEC 600.8, 600.21, 600.23,


. P1 .040" thk. brake-bent raceway body enclosure.

12. .040" thk. brake-bent power supply carrier.

w/ NEC 600.5(C)(3) & 600.6(A)(2).


service access. Minimum (4) per raceway enclosure. . P1 fabricated end cap w/ weather tight seal.


Sign Details Colors & Finishes



Cabinet - LED Details

Cabinet - Front View 21.8 sf Scale: 3/8" = 1'-0" (2) Reg'd. White 6500k LED Modules 





## SIGN #2

### Sign Details

Colors & Finishes

P1 PMS 639C w/ Satin Finish

P2 PMS WhiteC w/ Satin Finish

P3 PMS BlackC w/ Satin Finish

V1 3635-70 White Diffuser film

V2 3m 3630-75 Marigold Transparent Vinyl

M1 1" thk. Clear acrylic

#### Backs:

1. 1/8" thk. routed out / White (interior) & P1 (exterior) finish; electrical holes to accommodate listed liquid-tight flexible conduit connector.

2. 1/8" formed w/ White (interior) & P1 (exterior) finish.

3. Returns & backs assembled w/ welds & silicone based adhesive to prevent water penetration & light leaks.

#### Faces/Retainers:

4. M1 shoulder cut face, to push thru 3/4" proud of retainer w/ second surface V1 & V2; permanently adhered directly to back of face.

- . P1 1/8" thk. removable, routed-out & fabricated face w/ full depth returns fastened w/ P1 #8 truss head, self-drilling, self-tapping screws. Final fastener qty & location determined @ time of fabrication.
- . 1" x 1" x 1/8" thk. aluminum tube support w/ welded 1" x 1" x 1" x 1/4" angle; drilled & tapped to accommodate 1/4-20 hardware.

. P1 2" x 2" x 3/16" thk/ 6061-T6 square tube. 3. P1 2" x 2" x 3/16" thk. 6061-T6 structural angle.

#### Lighting / Electrical:

. Listed Class 2, minimum Ip66, UV resistant, LED module.

- "Paige" Snap 2 Power Supply Enclosure listed for suitable for installation in wet, damp & dry locations, securely fastened in a serviceable location as close to the LED ColorLINE as possible in accordance w/ NEC 600.8 & 600.21. Enclosure to be grounded w/ minimum 14 AWG wire to supply circuit. Maximum Accommodation of (2) Power Supplies.
- I. Cima Network's Manufacture Label & Input/Current Rating Label to be Permanent & applied in a Visible Location during Service, in accordance w/ NEC 600.4(A).
- Listed, 60 W, Class II output LED Power Supply housed securely inside enclosure in accordance w/ NEC 600.8, 600.21, 600.23, & 600.24.
   10'-0" long 12V Secondary-circuit, listed Class 2, 18/2 plenum rated
- wire suitable for damp/wet locations in accordance w/ NEC 600.12, white Suitable in dariplywel robations in accordance with REC dout.12, 725.3(L). All secondary wires are to be labeled @ terminal & junction locations for serviceability per NEC 725.30. Remote metal parts, such as LED Channel Letters, supplied by a remote class 2 power supply DO NOT need to be grounded per NEC 600.7(B)(1). (1) per Cabinet 14. 20A 125V disconnect toggle switch w/ lock-out capability in accordance
- w/ NEC 110.25.47 & 600.6(A)(2), located at the point of supply entry into the sign & within sight of transformer, in accordance w/ NEC 600.5(C)(3)
- 15. 1/4" Ø weep holes req'd. @ all low points or isolated sections of the sign w/ no external obstructions in accordance w/ NEC 600.9(D).
- 6. .040" thk. brake-bent baffle assembled to inside of return @ drain holes
- 7. Listed liquid-tight flexible conduit w/ 12/2 & bare grounding conductor cable for connection from primary power j/b in accordance w/ NEC 604.6(2) finished P3. Final hook-up to sign by sign installer @ time of install, if local code allows & supply circuit is provided @ time of install.
- 18. 3/8"-16 x 20", B7, zinc finished, threaded Rod w/ (2) Washers & (4) nuts. (4) req'd. to secure Frame to Wall.
- 19. 3/8"-16 x 2", Grade A, zinc finished, hex head, thru bolt w/ (2) Washers & (2) nuts. (4) req'd, to secure Cabinet to frame.
- 20. 1/4"-20 x 2", Grade A, zinc finished, hex head, lag bolt w/ washer into Face supports. (4) Reg'd.
- 21. 1" Ø non-corrosive anti-crush sleeve; if Req'd.

#### neral Contractor Note:


- 23. 120V/20 amp maximum supply circuit, housed within J/B; Provided by G.C. Prior to Signage Installation. See appropriate details within this drawing package.
- 4. Certified roofing contractor, provided by the on site G.C., to seal the entire perimeter of all mounted electrical boxes, raceways, & enclosures to the existing roof membrane using the approved *GAF TOPCOAT*® FlexSeal Caulk Grade synthetic elastomeric sealant or approved roof manufacture's methods. Methods should not impede with any future access to internal electrical components.


#### staller Note:

25. Use water-proof sealant to seal any/all penetrations through existing facade w/ clear silicone appropriate for site conditions.

#### uilding Owner Note:

Responsible for maintaining sealant @ all penetrations.





**EST. ELECTRICAL LOAD** (1.1) Amps @120 Volts

**ELECTRICAL REQUIREMENTS** (1) 20 Amp/120 Volt Circuits

ESTIMATED WEIGHT

Chalfont, PA 18914 www.cimanetwork.com This is an original, unpublished drawing, created by Cima Network, Inc. It is submitted for your exclusive review, in connection with a project being proposed by Cima Network, Inc. it is not to be shown to anyone outside your organization, nor is it to be used, reproduced, copied or exhibited in any fashion without the expressed constent of Cima Network, Inc.



All Electric Signs to be manufactured to meet the requi UI 48 and installed to meet the requirements of Article 600 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of the sign.

Power Supply Enclosure - Section

Scale: 3" = 1'-0'

Client: CARVANA


Dwg By: **MB** Pm: **JB** Date: **5.24.21** 


Job#: 11428 Site#: XXXX Address: 3950 N 28th Terrace,


Hollywood, FL























1. 1/8" thk. routed out faces w/ P2 White (interior) & P1 (exterior) finish.

2. 1/8" formed w/ P2 White (interior) & P1 (exterior) finish.

3. Return & opposing face permanently assembled w/ welds & silicone based adhesive to prevent water penetration & light leaks. Faces/Retainers:

. M1 shoulder cut face, to push thru 3/4" proud of face w/ second surface V1 & V2; & permanently adhered directly to back of faces.
P1 1/8" thk, removable, routed-out & fabricated face w/ returns; fastened

w/ P1 #8 truss head, self-drilling, self-tapping screws. Final fastener qty & location determined @ time of fabrication. Structure:

. P1 3" x 3" x 3/16" thk. aluminum square tube support welded to 1/2" thk x 8" x 8" match plate &

. 1/8" internal gusset plate support welded to internal cabinet returns, face, & main support tube

. P2 1" x 1" x 1/8" thk. removable aluminum tube frame w/ welded end

. #14 x 1" hex head fasteners to secure removable internal frame support (4) reg'd.

Lighting / Electrical:

10. Listed Class 2, minimum Ip66, UV resistant, LED module.

1. Cima Network's Manufacture Label & Input/Current Rating Label to be Permanent & applied in a Visible Location during Service, in accordance w/ NEC 600.4(A).

2. Listed, 60 W, Class II output LED Power Supply housed securely inside enclosure in accordance w/ NEC 600.8, 600.21, 600.23, & 600.24.

 20A 125V disconnect toggle switch w/ lock-out capability in accordance w/ NEC 110.25.47 & 600.6(A)(2), located at the point of supply entry into the sign & within sight of transformer, in accordance w/ NEC 600.5(C)(3) & 600.6(A)(2).

14. 1/4" Ø weep holes reg'd. @ all low points or isolated sections of the sign w/ no external obstructions in accordance w/ NEC 600.9(D).

15. .040" thk. brake-bent baffle assembled to inside of return @ drain holes & finished P2

16. Weather-Proof Junction box to house all electrical connections.

17. P1 3/8"-16 x 2", A307, zinc finished, hex head, thru bolt w/ (2) Washers & (1) nut. (4) req'd. to secure Cabinet to provided outrigger.

General Contractor Note:

18. Provide Outrigger w/ match plate. See Cima "E" sheets for details.

19. Listed liquid-tight flexible conduit w/ 12/2 & bare grounding conductor cable for connection from primary power j/b in accordance w/ NEC 604.6(2) finished P3. Final hook-up to sign by sign installer @ time of install, if local code allows & supply circuit is provided @ time of install.

Installer Note: 20. Use water-proof sealant to seal match plates prior to installation

**Building Owner Note:** 21. Responsible for maintaining sealant @ all penetrations.

WIRE DIAGRAM White LED Primary Black Power Secondary GND Supply See LED Layout

**EST. ELECTRICAL LOAD** For Breakdown

(1.1) Amps @120 Volts ELECTRICAL REQUIREMENTS (1) 20 Amp/120 Volt Circuit

ESTIMATED WEIGHT


to this point


D/F Blade Sign - Front View Scale: 1/2" = 1'-0" (1) Reg'd.


4.0 sf

–22 - **PS1**– SloanLED PosterBOX Mini White 6500k LED Modules BE VERIFIED D/F Blade Sign - LED Details

Scale: 1/4" = 1'-0"







5 Provided Sign Structure - Match Plate Details Scale: 1 1/2" = 1'-0"

FILE #E465295

All Electric Signs to be manufactured to meet the require UI 48 and installed to meet the requirements of Article 600 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of the sign.

Client: CARVANA Dwg By: **MB** Pm: **JB** Date: **5.24.21** 

Job#: 11428 Site#: XXXX

**REV** 

2

ONCEPTUAL

2

10

## **EST. ELECTRICAL LOAD** (10) Amps @120 Volts ELECTRICAL REQUIREMENTS (1) 20 Amp/120 Volt Circuits ESTIMATED WEIGHT Site#: XXXX



. GE Tetra® GEXN65-1; Contour 6500K White LED Light Engine UV resistant, 24V, LED module.

2. "Paige" Snap 2 Power Supply Enclosure listed for suitable for installation in wet, damp & dry locations, securely fastened in a serviceable location as close to the LED ColorLINE as possible in accordance w/ NEC 600.8 & 600.21. Enclosure to be grounded w/ minimum 14 AWG wire to supply circuit. Maximum Accommodation of (2) Power Supplies.

. Cima Network's Manufacture Label & Input/Current Rating Label to be Permanent & applied in a Visible Location during Service, in accordance w/ NEC 600.4(A).

GE Tetra® GEPS24-180U; 24V, UL Listed, 100-277V, 100 W, Class II output LED Power Supply housed securely inside enclosure in accordance w/ NEC 600.8, 600.21, 600.23, & 600.24.

20A 125V disconnect toggle switch w/ lock-out capability in accordance w/ NEC 110.25.47 & 600.6(A)(2), located at the point of supply entry into the sign & within sight of transformer, in accordance w/ NEC 600.5(C)(3)

. 24V Secondary-circuit, listed Class 2, **plenum rated wire**, suitable for damp/wet locations in accordance w/ NEC 600.12, 725.3(L). All secondary wires are to be labeled @ terminal & junction locations for serviceability per NEC 725.30.

- <20'-0" – 18AWG

- <30'-0" - 16AWG

- <50'-0" - 14AWG - <86'-0" - 12AWG

1/2" Ø NPSM Chase nipple to insert into hole to protect low voltage wire.

Singe-Gang, Weather-proof Junction Box w/ cover. Listed liquid-tight flexible conduit w/ 12/2 & bare grounding conductor

cable for connection from primary power j/b in accordance w/ NEC 604.6(2) finished P3. Final hook-up to sign by sign installer @ time of install, if local code allows & supply circuit is provided @ time of install.

10. Tetra® Contour Light Guide 90° inside corner. (16) Req'd.

11. Tetra® mounting clips. Minimum (240) Req'd.

12. P2 #10, Pan head, Philips drive, self-drilling, self-tapping, screws to secure mounting clips to window mullion face.

#### eneral Contractor Note:

13. 120V/20 amp maximum supply circuit, housed within J/B; Provided by G.C. Prior to Signage Installation. See appropriate details within this drawing package.

 Certified roofing contractor, provided by the on site G.C., to seal the entire perimeter of all mounted electrical boxes, raceways, & enclosures to the existing roof membrane using the approved GAF TOPCOAT®
FlexSeal Caulk Grade synthetic elastomeric sealant or approved roof
manufacture's methods. Methods should not impede with any future access to internal electrical components.

#### Installer Note:

WIRE DIAGRAM

Black Primary Black Power

White LED

GND Supply


Secondary

See LED Layout For Breakdown

15. Use water-proof sealant to seal any/all penetrations through existing facade w/ clear silicone appropriate for site conditions.

#### **Building Owner Note:**

16. Responsible for maintaining sealant @ all penetrations.



3 Vertical Section Scale: 1" = 1'-0"

−1'-3" ±-

Wall Depth

P2 12 15 16



-3'-7"

Cut to Size in Fi

PS LED Border

West Facing Facade

GE Tetra Contour LED Boarder Tube

-27'-7"±

North Facing Facade

**Vending Tower** 

South Facing Facade

-8'-0"

GE Tetra Contour LED Boarder Tube

GE Tetra Contour LED Boarder Tube

LED PS Border


GE Tetra® Contour - Detail
Scale: 1 1/2" - 11 0"

X Roof Access Hatch

> Address: 3950 N 28th Terrace, Hollywood, FL



Ö.



Adequate & permanent access; provided by G.C. Primary supply J/B; provided by G.C.

PS Anticipated Power Supply Enclosure Location; provided by Sign Installer

W 3'-0" primary supply whip; provided by G.C.

Blocking area; provided by G.C.

Red shaded areas indicate signage

Dwg By: MB Pm: JB Date: 5.24.21

Client: CARVANA

33" "CARVANA" Channel Letters

of 4 12

