

ATTACHMENT B
Permit History

JOB CARD

OWNER PAUL POST		JOB ADDRESS 800 South 7 Avenue	
LEGAL DESCRIPTION	LOT NUMBER 3 less south 46.25 ft. thereof, all 56.04 south lots 4 and 5	BLOCK 79	SUBDIVISION OR ADDITION Hollywood Lakes Section
MICROFILM NO. 77-0133	ARCHITECT Anthony Montagnari	FEE \$ 387.40	VALUATION \$ 117,694.00

DESCRIPTION OF CONSTRUCTION Pile and Grade Beam CBS SINGLE RESIDENCE, 3 bedrooms, 6 baths	☐ SEPTIC TANK ☒ SEWER TAP
---	---

TYPE PERMIT	NUMBER	DATE	CONTRACTOR	TYPE PERMIT	NUMBER	DATE	CONTRACTOR	
BUILDING	5095	34765	7-20-76	C.E. Domes	SEWER	8487	8-5-76	Destway
ROOF	4000	36226	9-23-76	R.J. Roof	AIR/CONDITION	6908	9-23-76	Destway
ELECTRIC-BASIC	11618	8-4-76	Rossi	MECHANICAL UAC	6853	9-9-76	Destway	
ELECTRIC-SUPP.				SCREEN				
4 HB NO. FIX. PLUMBING	25	8486	8-5-76	Destway	POOL			
L-P-DRY WALL	9318	8-25-76	FRANKO	DRIVEWAY	38419	1-20-77	A. Silvestri	
FENCE				PATIO or WALK				

NOTES: 1st floor elevation = + 6.5 ft. M.S.L. (family room crown + 3.8 ft.)

** Held 6th Final for V.A.R. City Eng. To Resolve Setback Question WITH Commission, Signal 10/17 APPROVED 11/1/77*

JOB CARD

OWNER FWD. BRIAN HOMES		JOB ADDRESS 800-18-36 S 7 Ave.	
LEGAL DESCRIPTION	LOT NUMBER	BLOCK	SUBDIVISION OR ADDITION
MICROFILM NO. 27-560	ARCHITECT D. E. Britt Assoc	FEE \$ 73.80	VALUATION \$ 19,500
DESCRIPTION OF CONSTRUCTION Seawall			☐ SEPTIC TANK ☐ SEWER TAP

TYPE PERMIT	NUMBER	DATE	CONTRACTOR	TYPE PERMIT	NUMBER	DATE	CONTRACTOR
BUILDING 207	36273	12/23/76	Pool Plln.	SEPTIC/SEWER			
WCT				AIR/CONDITION			
ELECTRIC-BASIC				MECHANICAL			
ELECTRIC-SUPP.				SCREEN			
PLUMBING NO. FIN.				POOL			
S-P-DRY WALL				DRIVEWAY			
FENCE				PATIO or WALK			

NOTES: *... 12/23/76 ... 1618-13*

JOB CARD

OWNER P. POST		JOB ADDRESS 800 S 7 Ave.	
LEGAL DESCRIPTION	LOT NUMBER Pt 3, 4 & 5	BLOCK	SUBDIVISION OR ADDITION
MICROFILM NO. 77-0253	ARCHITECT Anthony Montagnari	FEE \$ 16.20	VALUATION \$ 1800

DESCRIPTION OF CONSTRUCTION Boat Dock	☐ SEPTIC TANK ☐ SEWER TAP
--	--

TYPE PERMIT	NUMBER	DATE	CONTRACTOR	TYPE PERMIT	NUMBER	DATE	CONTRACTOR
BUILDING	046	1/13/77	Clem Domes	SEPTIC/SEWER			
ROOF				AIR/CONDITION			
ELECTRIC-BASIC				MECHANICAL			
ELECTRIC-SUPP.				SCREEN			
PLUMBING	NO. FIX.			POOL			
L-P-DRY WALL				DRIVEWAY			
FENCE				PATIO or WALK			

NOTES:

1613-13

JOB CARD

OWNER City of Hollywood		JOB ADDRESS 800 S. 7 Ave.	
LEGAL DESCRIPTION	LOT NUMBER corner of S.S. Lake Dr.	BLOCK	SUBDIVISION OR ADDITION
M. C. P. L. N. NO.	ARCHITECT	FEE \$ No Fee	VALUATION \$ 1000.~

DESCRIPTION OF CONSTRUCTION
Remove and replace 1407 sq. ft. asphalt on S.S. Lake Dr.

- ☐ SEPTIC TANK
☐ SEWER TAP

TYPE PERMIT	NUMBER	DATE	CONTRACTOR	TYPE PERMIT	NUMBER	DATE	CONTRACTOR
BUILDING				SEPTIC SEWER			
WATER				AIR CONDITION			
ELECTRIC BASIN				MECHANICAL			
ELECTRIC SUPP.				SCREEN			
PLUMBING	40, FIX.			POOL			
L.P. GAS WALL				DRIVEWAY	93794	2/21/85	A. DiTocco
FENCE				PATIO or WALK			

NOTES: County Surcharge: .20

2 permits were found for
800 S 7 AVE

View	<u>Process #</u>	<u>Permit #</u>	<u>Description</u>	<u>Appl. Date</u>	<u>Permit Date</u>
Details		P9601088	PLUMBING WORK		6/21/1996
Details		B9207999	RE-ROOF-METAL,TILE,WOOD SHINGLE OR SHAKE		12/4/1992

JOB CARD

OWNER PAUL POST		JOB ADDRESS 800 South 7 Avenue	
LEGAL DESCRIPTION	LOT NUMBER 3 less south 46.25 ft. thereof, all 56.04 south lots 4 and 5	BLOCK 79	SUBDIVISION OR ADDITION Hollywood Lakes Section
MICROFILM NO. 77-0133	ARCHITECT Anthony Montagnari	FEE \$ 387.40	VALUATION \$ 117,694.00

DESCRIPTION OF CONSTRUCTION Pile and Grade Beam CBS SINGLE RESIDENCE, 3 bedrooms, 6 baths	☐ SEPTIC TANK ☒ SEWER TAP
---	---

TYPE PERMIT	NUMBER	DATE	CONTRACTOR	TYPE PERMIT	NUMBER	DATE	CONTRACTOR	
BUILDING	5095	34765	7-20-76	C.E. Domes	SEWER	8487	8-5-76	Destway
ROOF	4000	36226	9-23-76	R.J. Roof	AIR/CONDITION	6908	9-23-76	Destway
ELECTRIC-BASIC	11618	8-4-76	Rossi	MECHANICAL VAC	6853	9-9-76	Destway	
ELECTRIC-SUPP.				SCREEN				
4 HB NO. FIX. PLUMBING	25	8486	8-5-76	Destway	POOL			
L-P-DRY WALL	9318	8-25-77	FRANKO	DRIVEWAY	38419	1-20-77	A. Silvestri	
FENCE				PATIO or WALK				


NOTES: 1st floor elevation = + 6.5 ft. M.S.L. (family room crown + 3.8 ft.)

** Held 6th Final for V.A.R. City Eng. To Resolve Setback Question WITH Commission, Signal 10/17 APPROVED 11/1/77*

SURVEY FOR :


DESCRIPTION

Lot 3, less the South 46.25 feet thereof, and all of lots 4 and 5, Block 79, "HOLLYWOOD LAKES SECTION", according to plat thereof recorded in Plat Book 1, page 32, of the public records of Broward County, Florida.



SCALE:
1"=25'

Rev. Rec'd 7/19/76



Note: Elevations shown are based on
Mean Sea Level datum.

TO ALL PARTIES INTERESTED IN TITLE TO PREMISES SURVEYED:

I, MAURICE E. BERRY II, hereby certify that I have made a recent survey of the above described property as indicated, and that there are no above-ground encroachments except as shown. I further certify that the survey represented hereon meets the requirements of the Florida Land Title Association and that this plat is true and correct.

Dated at Hollywood, Broward County, Florida, this 16th day of JULY, A.D. 1976.

M. E. BERRY & ASSOCIATES
REGISTERED LAND SURVEYORS

2612 HOLLYWOOD BOULEVARD
HOLLYWOOD, FLORIDA

P. O. BOX 945
PHONE 923-6888


Maurice E. Berry II
MAURICE E. BERRY II
Registered Land Surveyor No. 1132
STATE OF FLORIDA

DESCRIPTION:

LOT 2, LESS THE SOUTH 46.25' THEREOF, AND ALL
OF LOTS 4 AND 5, BLOCK 79,
"HOLLYWOOD LAKES SECTION",
HOLLYWOOD, FLORIDA

INTRACASTAL WATERWAY

ALLEY



Revision Recd Hwd.
PLOT Plan 7/20/76 2:27:22

SITE

SCALE: 1" = 10'



POST RESIDENCE
MR. & MRS. PAUL POST

Anthony C. Montoya

INDEX TO DRAWINGS	
SHEET No.	CONTENTS
A - 1	SITE
A - 2	FIRST FLOOR PLAN
A - 3	SECOND FLOOR PLAN
A - 4	FRAMING 2nd FLOOR & 1st FLOOR ROOF
A - 5	FRAMING 2nd FLOOR ROOF
A - 6	SECTIONS
A - 7	ELECTRIC
A - 8	ELECTRIC
A - 9	BATH ELEVATIONS SANITARY RISER
A - 10	ELEVATIONS
A - 11	ELEVATIONS
S - 1	STRUCTURAL
S - 2	STRUCTURAL


GENERAL NOTES

1. CODE: SOUTH FLORIDA BUILDING CODE
2. THESE PRINTS ARE INSTRUMENTS OF SERVICE ONLY AND ARE THE PROPERTY OF THE ARCHITECT.
3. ALL WRITTEN DIMENSIONS ON THESE DRAWINGS TAKE PRECEDENCE OVER SCALE DIMENSIONS.
4. THE CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR DIMENSIONS AND CONDITIONS AT THE PROJECT SITE AND THE ARCHITECT SHALL BE NOTIFIED IN WRITING IMMEDIATELY OF ANY VARIATIONS.
5. IN THE EVENT THE ARCHITECT IS RETAINED TO APPROVE SHOP DRAWINGS, SUCH APPROVAL IS ONLY TO CHECK FOR CONFORMANCE WITH THE DESIGN CONCEPT.
6. THE CONTRACTOR SHALL REVIEW THESE DRAWINGS PRIOR TO CONSTRUCTION. IN THE EVENT OF DISCREPANCIES OF DIMENSIONS OR WITH CODE REQUIREMENTS, SUCH INFORMATION SHALL BE SENT TO THE ARCHITECT IN WRITING BEFORE PROCEEDING WITH THE WORK.



DESCRIPTION:
LOT 2, LESS THE SOUTH 46.25' THEREOF, AND ALL OF LOTS 4 AND 5, BLOCK 79, "HOLLYWOOD LAKES SECTION", HOLLYWOOD, FLORIDA

INTRACASTAL WATERWAY




POST RESIDENCE
MR. & MRS. PAUL POST

DESCRIPTION:
LOT 3, LESS THE SOUTH 46.25' THEREOF, AND ALL
OF LOTS 4 AND 5, BLOCK 79,
"HOLLYWOOD LAKES SECTION",
HOLLYWOOD, FLORIDA

INTRACASTAL WATERWAY

ALLEY



Revision Recd Hwd.
P/ot Plan 7/20/76 2:22:21

POST RESIDENCE
MR. & MRS. PAUL POST

Anthony A. Montagnari


SITE

SCALE: 1" = 10'

INDEX TO DRAWINGS	
SHEET No.	CONTENTS
A - 1	SITE
A - 2	FIRST FLOOR PLAN
A - 3	SECOND FLOOR PLAN
A - 4	FRAMING 2ND FLOOR & 1ST FLOOR N JOF
A - 5	FRAMING 2ND LJOOR ROOF
A - 6	SECTIONS
A - 7	ELECTRIC
A - 8	ELECTRIC
A - 9	BATH ELEVATIONS SANITARY RISER
A - 10	ELEVATIONS
A - 11	ELEVATIONS
S - 1	STRUCTURAL
S - 2	STRUCTURAL

GENERAL NOTES


1. CODE: SOUTH FLORIDA BUILDING CODE
2. THESE PRINTS ARE INSTRUMENTS OF SERVICE ONLY AND ARE THE PROPERTY OF THE ARCHITECT.
3. ALL WRITTEN DIMENSIONS ON THESE DRAWINGS TAKE PRECEDENCE OVER SCALE DIMENSIONS.
4. THE CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR DIMENSIONS AND CONDITIONS AT THE PROJECT SITE AND THE ARCHITECT SHALL BE NOTIFIED IN WRITING IMMEDIATELY OF ANY VARIATIONS.
5. IN THE EVENT THE ARCHITECT IS RETAINED TO APPROVE SHOP DRAWINGS, SUCH APPROVAL IS ONLY TO CHECK FOR CONFORMANCE WITH THE DESIGN CONCEPT.
6. THE CONTRACTOR SHALL REVIEW THESE DRAWINGS PRIOR TO CONSTRUCTION. IN THE EVENT OF DISCREPANCIES OF DIMENSIONS OR WITH CODE REQUIREMENTS, SUCH INFORMATION SHALL BE SENT TO THE ARCHITECT IN WRITING BEFORE PROCEEDING WITH THE WORK.



DESCRIPTION:

LOT 2, LESS THE SOUTH 46.25' THEREOF, AND ALL OF LOTS 4 AND 5, BLOCK 79, "HOLLYWOOD LAKES SECTION", HOLLYWOOD, FLORIDA


INTRA COASTAL WATER WAY



Revision Rect Hwd.
 Plat Plan 7/20/76 2:27:22


POST RESIDENCE
 MR. & MRS. PAUL POST

Anthony A. Montagnari



FIRST FLOOR PLAN
SCALE 1/4"=1'-0"


Anthony A. Montagnari



DOOR SCHEDULE		
MARK	SIZE	DESCRIPTION
A	PR 32x68x134	SOLID CORE - 6 RAISED PANELS
B	28x68x134	SOLID CORE FLUSH PANEL
C	28x68x138	SOLID CORE FLUSH PANEL W/ CLOSER
D	28x68x134	SOLID CORE W/ 12 S.H. WINDOW (FRONTED GL)
E	28x68x134	FULL WOOD LOUVER
F	PR 32x68x136	SOLID CORE, RAISED PANELS
G	32x68x136	SOLID CORE, RAISED PANELS
H	28x68x136	SOLID CORE FLUSH PANEL
J	28x68x136	SOLID CORE FLUSH PANEL
K	48x68	BI-FOLDING FLUSH PANEL
L	32x68	BI-FOLDING FLUSH PANEL
M	28x68	BI-FOLDING FULL WOOD LOUVER
N	28x68	BI-FOLDING FLUSH PANEL
P	PR 28x68x136	SOLID CORE BY-PASS
Q	PR 28x68x136	SOLID CORE BY-PASS
R	68x68	BI-FOLDING FLUSH PANEL
S	28x68x136	SOLID CORE POCKET
T	28x68x138	SOLID CORE, DOUBLE ACTING, 8x8 GL. LITE
U	(4) 32x68	TEMP. GLASS SLIDING
V	(4) 32x88	TEMP. GLASS SLIDING
W	(2) 48x68	TEMP. GLASS SLIDING
X	(2) 32x68	TEMP. GLASS SLIDING

SECOND FLOOR PLAN
SCALE: 1/4" = 1'-0"


Anthony A. Montagnari



2ND FLOOR & 1ST FLOOR ROOF FRAMING

Anthony C. Montezuma

15



Anthony G. Montoya

SECTION
 $\frac{1}{4}" = 1'-0"$

SECTION
1/4" = 1'-0"

Anthony C. Montoya.





Anthony G. Montoya

PANEL "A"									
ITEM	CIR.	0	1	2	VOLTS	AMPS	WIRE	COND.	CB
REFRIGERATOR	A-1				120	9.0	#12	1/2	20/1
DISHWASHER	2				120	9.0			
TOAST MAKER	3				120	4.5			
TRASH COMPACTOR	4				120	9.0			
HOT WATER DISPENSER	5				120	6.5			
SPECIAL PURPOSE	6				120	9.0			
"	7				120	9.0			
"	8				120	9.0			
" (KOL LITE)	9				120	9.0			
* POOL AREA LIGHTING	11	4			120	9.0	#14		
FUTURE LOCK JB	12				120	4.5	#12		
SAUNA (W/IN EXHAUST FAN)	13-14		2		120	6.0	#12	1/2	20/1
WATER HEATER #1	15, 16				240	25.0	#10	3/4	20/2
TRAY	17, 18				240	22.5	#10	3/4	20/2
OTHER TRAY	19				120	4.5	#12	1/2	20/1
FLOOD LIGHTS	20-21	7			120	6.0	#14		15/1
ENTRANCE PYLON LIGHTS	22	2			120	9.0	#14		15/1
SMALL APPLIANCE	23-25		11		120	19.5	#12		20/1
* BATH & EXTERIOR RECEPTLS.	26		6		120	9.0	#12		15/1
HEAT LAMPS (1)	27-28		2		120	9.0	#12	1/2	20/1
RANGE 14 KW	29, 30				240	58.0	#8	1	20/2
SPRINKLER VALVE S/N TC	31				120	9.0	#14	1/2	15/1
GENERAL PURPOSE	32-34	25	25		120	24.0	#14	1/2	15/1
SPARE	40					9.0			
DEMAND LOAD = 223.0 AMPS D.L. E.D.F. = 159.05 AMPS									
VACUUM MOTOR	41				120	13.0	#12	1/2	20/1
AIR HANDLER #1	42				120	4.5	#10THN	1/2	20/1
NON DEMAND LOAD = 27.5 AMPS TOTAL PANEL LOAD = 159.05 + 27.5 = 180.55 AMPS									

PANEL "B"									
ITEM	CIR.	0	1	2	VOLTS	AMPS	WIRE	COND.	CB
MINI-KITCHEN	B-1, 2				240	17.0	#10	3/4	20/2
WATER HEATER #2	3, 4				240	25.0	#10	3/4	20/2
FLOOD LIGHTS	5	4			120	9.0	#14	1/2	15/1
* BATH & EXTERIOR RECEPTLS.	6		5		120	9.0	#14	1/2	15/1
GENERAL PURPOSE	10-14	25	15		120	19.0	#14	1/2	15/1
SPARES	15-18					12.0			
DEMAND LOAD = 88.5 AMPS D.L. E.D.F. = 80.8 AMPS									
AIR HANDLER #2	20				120	9.0	#12	1/2	20/1
NON DEMAND LOAD = 7.5 AMPS TOTAL PANEL LOAD = 80.8 + 7.5 = 88.3 AMPS									

* GROUND FAULT CIRCUIT INTERRUPTER

- NOTES:
1. A/C EQUIPMENT & DUCT DESIGN NOT PART OF THESE PLANS.
 2. TELEPHONE SERVICE LINE SHALL BE INSTALLED UNDERGROUND.
 3. G.C. SHALL INSTALL SECURITY ALARM SYSTEM.
 4. G.C. SHALL INSTALL CENTRAL TELEVISION ANTENNA.



LOAD SUMMARY:	
PANEL "A"	= 180.55
PANEL "B"	= 88.3
A/C #1	= 45.0
A/C #2	= 29.0
POOL PUMP	= 5.5
JACUZZI PUMP	= 8.0
349.35 AMPS = TOTAL CONN. LOAD	

2ND FLOOR ELECTRIC


Andy C. Minter

PANEL "A"									
ITEM	CIR.	0	1	2	VOLTS	AMPS	WIRE	COND.	CB
REFRIGERATOR	A-1				120	3.0	#12	1/2	20/1
WATER HEATER	2				120	3.0			
WASH MACHINE	3				120	4.5			
TRASH COMPACTOR	4				120	3.0			
HOT WATER DISPENSER	5				120	6.5			
GENERAL PURPOSE	6				120	3.0			
"	7				120	3.0			
"	8				120	3.0			
"	9				120	3.0			
"	10				120	3.0			
* POOL AREA LIGHTING	11	4			120	3.0	#14		
FUTURE LOCK UP	12				120	4.5	#12		
SAUNA WITH STEAM (1/2)	13-14		2		120	6.0	#12		
WATER HEATER #1	15,16				240	25.0	#10	3/4	30/2
DRYER	17,18				240	22.5	#10	3/4	40/2
OTHER	19				120	4.5	#12	1/2	20/1
FLOOR LIGHTS	20-21	7			120	6.0	#14		15/1
ENTRANCE Pylon LIGHTS	22	2			120	3.0	#14		15/1
SMALL APPLIANCE	23-25		11		120	13.5	#12		20/1
* BATH & EXTERIOR RECEPTS.	26		6		120	3.0	#14		15/1
HEAT LAMP (1)	27-28		2		120	9.0	#12		20/1
RANGE 14 KW	29,30				240	58.0	#8	1	60/2
SPRINKLER VALVE SW TO	31				120	3.0	#14	1/2	15/1
GENERAL PURPOSE	32-34	7.5	5.5		120	24.0	#14	1/2	15/1
SPACE	40					3.0			
DEMAND LOAD = 223.0 AMPS D.L. & D.F. = 153.65 AMPS									
VACUUM MOTOR	41				120	13.0	#12	1/2	20/1
AIR HANDLER #1	42				120	4.5	#14	1/2	20/1
NON DEMAND LOAD = 27.5 AMPS TOTAL PANEL LOAD = 153.65 + 27.5 = 180.55 AMPS									


PANEL "B"									
ITEM	CIR.	0	1	2	VOLTS	AMPS	WIRE	COND.	CB
WATER KITCHEN	B-1,2				240	17.0	#10	3/4	30/2
WATER HEATER #2	3,4				240	25.0	#10	3/4	30/2
* FLOOR LIGHTS	5	4			120	3.0	#14	1/2	15/1
BATH & EXTERIOR RECEPTS.	6		5		120	3.0	#14	1/2	15/1
GENERAL PURPOSE	10-14	2.5	1.5		120	15.0	#14	1/2	15/1
SPACES	15-18					12.0			
DEMAND LOAD = 88.5 AMPS D.L. & D.F. = 80.8 AMPS									
AIR HANDLER #2	20				120	3.0	#12	1/2	20/1
NON DEMAND LOAD = 7.5 AMPS TOTAL PANEL LOAD = 80.8 + 7.5 = 88.3 AMPS									

* - GROUND FAULT CIRCUIT INTERRUPTER

- NOTES:
1. A/C EQUIPMENT & DUCT DESIGN NOT PART OF THESE PLANS.
 2. TELEPHONE SERVICE LINE SHALL BE INSTALLED UNDERGROUND.
 3. G.C. SHALL INSTALL SECURITY ALARM SYSTEM.
 4. G.C. SHALL INSTALL CENTRAL TELEVISION ANTENNA.



ELEC. RISER









LOAD SUMMARY:	
PANEL "A"	= 180.55
PANEL "B"	= 88.3
A/C #1	= 40.0
A/C #2	= 23.0
POOL PUMP	= 5.5
JACUZZI PUMP	= 8.0
345.35 AMPS = TOTAL CONN. LOAD	


2nd FLOOR ELECTRIC

Andy C. Miller

- NOTES:
 1. ALL DRAWINGS SHALL HAVE KEY GUIDES
 2. DRAWER INTERLOCKS SHALL BE 3/8" VENEERED PLYWOOD (MELLAS)
 3. INSIDES OF CABINET DOORS SHALL BE LAM. PLASTIC COVERED
 4. ALL EXPOSED SURFACES SHALL BE LAM. PLASTIC COVERED (ALL CABS)
 5. SHOP DRAWINGS ARE REQUIRED FOR ARCHITECTS APPROVAL.




SCALE: 1/2" = 1'-0"




ROOM FINISH SCHEDULE						
AREA	FLOOR	BASE	WALL	CEILING	WINDOW SILLS	CEIL. HEIGHT
LOWER FOYER	MARBLE	MARBLE	PLASTER & PAINT		MARBLE	
LIVING ROOM	MARBLE	MARBLE	PLASTER & PAINT	SM. PLAS.	MARBLE	10'-10" ±
DINING ROOM	MARBLE	MARBLE	SM. PLAS. & WALLPAPER	SM. PLAS.		9'-6" ±
LIBRARY	CARPET W/ MARBLE TERNETER	MARBLE	PREFIN. WOOD PANELING	ACOUSTIC PLASTER	MARBLE	8'-4" ±
POWDER ROOM	CERAMIC TILE	CERAMIC TILE	SM. PLAS. & WALLPAPER	SM. PLAS.		7'-6" ±
BREAKFAST ROOM	CERAMIC TILE	CERAMIC TILE	SM. PLAS. & WALLPAPER	SM. PLAS.		8'-0" ±
KITCHEN	CERAMIC TILE	CERAMIC TILE	SM. PLAS. & WALLPAPER	LUM. CEIL. & SM. PLAS.	LAM. PLASTIC	8'-0" ±
PANTRY	CERAMIC TILE	CERAMIC TILE	SM. PLAS. & PAINT	SM. PLAS.		8'-0" ±
HALLWAY 1ST FLOOR	MARBLE	MARBLE	SM. PLAS. & PAINT	SM. PLAS.		8'-0" ±
CABANA BATH	CERAMIC TILE	CER. TILE WAINSCOT 6" x 6", SM. PLAS. ABV. (WALLPAPER)		SM. PLAS.		7'-6" ±
FAMILY ROOM	CERAMIC TILE	APPLIED WOOD	PREFIN. WOOD PANELING	ACOUSTIC PLAS.	MARBLE	10'-10" & 9'-4" ±
BAR	VINYL TILE	VINYL TILE	PREFIN. WOOD PANELING	ACOUSTIC PLAS.		8'-0" ±
LAUNDRY	CERAMIC TILE	CERAMIC TILE	SM. PLAS. (PAINT)	SM. PLAS.		8'-0" ±
MAIDS ROOM	CARPET	APPLIED WOOD	SM. PLAS. & WALLPAPER	SM. PLAS.	MARBLE	9'-6" ±
MAIDS BATH	CERAMIC TILE	CER. TILE WAINSCOT 6" x 6", SM. PLAS. ABV.		SM. PLAS.		7'-6" ±
GARAGE	SMOOTH CONCRETE		CER. PLAS. & PAINT	PLASTER	LAM. PLAS.	10'-8" ±
UPPER FOYER	CARPET	APPLIED WOOD	SM. PLAS. & PAINT	SM. PLAS.	MARBLE	9'-6" ±
HALLWAY 2ND FLOOR	CARPET	APPLIED WOOD	SM. PLAS. & PAINT	SM. PLAS.		8'-0" ±
BEDROOM #1	CARPET	APPLIED WOOD	SM. PLAS. & WALLPAPER	SM. PLAS.	MARBLE	9'-6" ±
BEDROOM #2	CARPET	APPLIED WOOD	SM. PLAS. & WALLPAPER	SM. PLAS.		9'-6" ±
BEDROOM #3 BATH	CERAMIC TILE	CER. TILE WAINSCOT 6" x 6", SM. PLAS. ABV. (WALLPAPER)		SM. PLAS.	MARBLE	7'-6" ±
TYPICAL CLOSET	CARPET	APPLIED WOOD	SM. PLAS. & PAINT	SM. PLAS.		8'-0" ±
MASTER SUITE	CARPET	APPLIED WOOD	SM. PLAS. & WALLPAPER	SM. PLAS.	MARBLE	9'-6" ±
DRESSING AREA	CARPET	APPLIED WOOD	SM. PLAS. & WALLPAPER	SM. PLAS.		7'-6" ±
MASTER BATH	CERAMIC TILE	CERAMIC TILE	SM. PLAS. & WALLPAPER	SM. PLAS.	MARBLE	8'-0" ±
FRONT PORCH 1ST FL.	MARBLE			SM. STUCCO		9'-8" ±
FRONT BALCONY	BRICK PAVERS			SM. STUCCO		10'-0" ±
REAR PORCH 1ST FL.	BRICK PAVERS			SM. STUCCO		9'-6" ±
REAR BALCONY	BRICK PAVERS			SM. STUCCO		10'-0" ±

FOYER STAIR - MARBLE RISERS & TREADS
 REAR STAIR - BRICK PAVES RISERS & TREADS
 SPIRAL PREFAB. STAIR - CARPETED TREADS

Anthony A. Montagnari



REAR ELEVATION





FRONT ELEVATION

ELEVATIONS

SCALE: 1/4" = 1'-0"

Anthony A. Montagnari




ELEVATIONS



SCALE: 1/4" = 1'-0"

Anthony A. Montagnari

Revised



FOUNDATION PLAN
1/4" = 1'-0"

10" PILING MARK - 
12" PILING MARK - 
PILING LEGEND

Handwritten signature

BEAM SCHEDULE

BEAM	ELEV. TOP OF BEAM	SIZE	SPACING	REMARKS
B-1	10' 0"	10x14	2-5	
B-2	10' 0"	10x14	2-5	
B-3	10' 0"	10x14	2-5	
B-4	10' 0"	10x14	2-5	
B-5	10' 0"	10x14	2-5	
B-6	10' 0"	10x14	2-5	
B-7	10' 0"	10x14	2-5	
B-8	10' 0"	10x14	2-5	
B-9	10' 0"	10x14	2-5	
B-10	10' 0"	10x14	2-5	
B-11	10' 0"	10x14	2-5	
B-12	10' 0"	10x14	2-5	
B-13	10' 0"	10x14	2-5	
B-14	10' 0"	10x14	2-5	
B-15	10' 0"	10x14	2-5	
B-16	10' 0"	10x14	2-5	
B-17	10' 0"	10x14	2-5	
B-18	10' 0"	10x14	2-5	
B-19	10' 0"	10x14	2-5	
B-20	10' 0"	10x14	2-5	
B-21	10' 0"	10x14	2-5	
B-22	10' 0"	10x14	2-5	
B-23	10' 0"	10x14	2-5	
B-24	10' 0"	10x14	2-5	
B-25	10' 0"	10x14	2-5	
B-26	10' 0"	10x14	2-5	
B-27	10' 0"	10x14	2-5	
B-28	10' 0"	10x14	2-5	
B-29	10' 0"	10x14	2-5	
B-30	10' 0"	10x14	2-5	
B-31	10' 0"	10x14	2-5	
B-32	10' 0"	10x14	2-5	
B-33	10' 0"	10x14	2-5	
B-34	10' 0"	10x14	2-5	
B-35	10' 0"	10x14	2-5	
B-36	10' 0"	10x14	2-5	
B-37	10' 0"	10x14	2-5	
B-38	10' 0"	10x14	2-5	
B-39	10' 0"	10x14	2-5	
B-40	10' 0"	10x14	2-5	
B-41	10' 0"	10x14	2-5	
B-42	10' 0"	10x14	2-5	
B-43	10' 0"	10x14	2-5	
B-44	10' 0"	10x14	2-5	
B-45	10' 0"	10x14	2-5	
B-46	10' 0"	10x14	2-5	
B-47	10' 0"	10x14	2-5	
B-48	10' 0"	10x14	2-5	
B-49	10' 0"	10x14	2-5	
B-50	10' 0"	10x14	2-5	
B-51	10' 0"	10x14	2-5	
B-52	10' 0"	10x14	2-5	
B-53	10' 0"	10x14	2-5	
B-54	10' 0"	10x14	2-5	
B-55	10' 0"	10x14	2-5	
B-56	10' 0"	10x14	2-5	
B-57	10' 0"	10x14	2-5	
B-58	10' 0"	10x14	2-5	
B-59	10' 0"	10x14	2-5	
B-60	10' 0"	10x14	2-5	
B-61	10' 0"	10x14	2-5	
B-62	10' 0"	10x14	2-5	
B-63	10' 0"	10x14	2-5	
B-64	10' 0"	10x14	2-5	
B-65	10' 0"	10x14	2-5	
B-66	10' 0"	10x14	2-5	
B-67	10' 0"	10x14	2-5	
B-68	10' 0"	10x14	2-5	
B-69	10' 0"	10x14	2-5	
B-70	10' 0"	10x14	2-5	
B-71	10' 0"	10x14	2-5	
B-72	10' 0"	10x14	2-5	
B-73	10' 0"	10x14	2-5	
B-74	10' 0"	10x14	2-5	
B-75	10' 0"	10x14	2-5	
B-76	10' 0"	10x14	2-5	
B-77	10' 0"	10x14	2-5	
B-78	10' 0"	10x14	2-5	
B-79	10' 0"	10x14	2-5	
B-80	10' 0"	10x14	2-5	
B-81	10' 0"	10x14	2-5	
B-82	10' 0"	10x14	2-5	
B-83	10' 0"	10x14	2-5	
B-84	10' 0"	10x14	2-5	
B-85	10' 0"	10x14	2-5	
B-86	10' 0"	10x14	2-5	
B-87	10' 0"	10x14	2-5	
B-88	10' 0"	10x14	2-5	
B-89	10' 0"	10x14	2-5	
B-90	10' 0"	10x14	2-5	
B-91	10' 0"	10x14	2-5	
B-92	10' 0"	10x14	2-5	
B-93	10' 0"	10x14	2-5	
B-94	10' 0"	10x14	2-5	
B-95	10' 0"	10x14	2-5	
B-96	10' 0"	10x14	2-5	
B-97	10' 0"	10x14	2-5	
B-98	10' 0"	10x14	2-5	
B-99	10' 0"	10x14	2-5	
B-100	10' 0"	10x14	2-5	

POUR STAIR PLAN

POUR STAIR SECTION

GENERAL BEAM SCHEDULE NOTES:

- SCHEDULED HOOPS OR STIRRUPS SHALL BE PLACED AT EACH END OF BEAM UNLESS NOTED OTHERWISE.
- BUNDLE ALL STRUCTURAL BEAM TOP BARS IN PAIRS OVER SUPPORT WITH TOP BARS FROM ADJACENT BEAMS.
- ALL CONCRETE BEAMS OTHER THAN THOSE WITH THE PREFIX TB SHALL BE POURED PRIOR TO PLACING OF BLOCK BELOW.
- ALL TIE BEAM REINFORCING SHALL BE CONTINUOUS THRU TIE BEAMS ONLY.
- ALL TIE BEAM TOP REINFORCING SHALL EXTEND INTO SPAN OF ANY ADJACENT STRUCTURAL BEAM AS PER BENDING DIAGRAM.
- DROP BOTTOM OF TIE BEAMS AS REQUIRED AT WINDOW AND DOOR HEADS (28" MAXIMUM) AND ADD 2 #5 BOTTOM IF DROP EXCEEDS 8".
- TIE BEAM SCHEDULED DEPTHS ARE MINIMUM AND MAY BE INCREASED (8" MAXIMUM) TO FIT BLOCK WORK.

PRECAST CONCRETE PILES: TO BE REINFORCED CONCRETE POURED UNDER THE CONTROL OF AN APPROVED TESTING LABORATORY WHO SHALL, DESIGN A MIX TO SECURE A STRENGTH OF 3500 PSI AT 28 DAYS. #2 TIES TO BE SPACED AT 8" C/C EXCEPT AT THE TIP AND BUTT ENDS WHERE #2 TIES SHALL BE SPACED AT 3" C/C. PILES TO BE DRIVEN OR JETTED AND DRIVEN TO SECURE THE REQUIRED CARRYING CAPACITY. PILES TO BE CUT OFF SQUARE AT PROPER ELEVATIONS ALLOWING A MINIMUM OF 18" OF PILE STEEL TO PROJECT INTO GRADE BEAMS OR PILE CAPS.

12" x 12" PILES TO BE REINFORCED WITH 4 #6 VERTICAL AND DEVELOP A CARRYING CAPACITY OF 50 KIPS.

10" x 10" PILES TO BE REINFORCED WITH 4 #5 VERTICAL AND DEVELOP A CARRYING CAPACITY OF 35 KIPS.

PRESTRESSED CONCRETE PILES: TO BE POURED WITH A MIX DESIGNED BY A RECOGNIZED TESTING LABORATORY TO ATTAIN A STRENGTH OF 6000 PSI IN 28 DAYS. CONCRETE SHALL ATTAIN A STRENGTH OF 3500 PSI BEFORE STRANDS ARE RELEASED. REINFORCING SHALL BE PER ASTM A416-68 250K STRANDS WITH #5 GAUGE WIRE SPIRALS AT AN 8 INCH PITCH EXCEPT AT ENDS WITH 6 TURNS AT A 3 INCH PITCH.

12" x 12" PILES SHALL BE REINFORCED WITH 4 7/16" Ø STRANDS AND HAVE A CARRYING CAPACITY OF 50 KIPS.

10" x 10" PILES SHALL BE REINFORCED WITH 4 3/8" Ø STRANDS AND HAVE A CARRYING CAPACITY OF 35 KIPS.

REINFG. MARK LEGEND

SIZE OF BAR: 3/108 (OL)

SPACING IN INCHES

C = CENTERLINE
 OL = OUTSIDE LAYER
 IL = INSIDE LAYER
 OF = OUTSIDE FACE
 IF = INSIDE FACE
 EP = EACH FACE
 B = BOTTOM
 T = TOP
 S = SEE BENDING DIA.
 V = VERTICAL
 H = HORIZONTAL
 M = MID-DEPTH
 TEMP = TEMPERATURE

BOTTOM BARS - TOP BARS - E' BARS

BAR #	A (END HOOK IN INCHES)
1	8
2	10
3	12
4	17
5	22
6	28
7	32
8	34

CONCRETE-GENERAL: UNLESS OTHERWISE CALLED FOR IN SPECIFICATIONS OR DRAWINGS ALL CONCRETE WORK SHALL CONFORM TO ALL REQUIREMENTS AND RECOMMENDATIONS OF ACI-301-72 "SPECIFICATION FOR STRUCTURAL CONCRETE FOR BUILDINGS".

CONCRETE: TO BE A MIX DESIGNED IN ACCORDANCE WITH ASTM C-94-72 TO ACHIEVE A STRENGTH AS STATED BELOW, AT 28 DAYS, WITH A PLASTIC AND WORKABLE MIX. A CERTIFICATE OF MANUFACTURER'S MIX AND STRENGTH IS TO BE PROVIDED. NO WATER TO BE ADDED AFTER TRUCK LEAVES PLANT WITHOUT APPROVAL OF ENGINEER OR PLANT ENGINEER. PLANT CONTROL IS REQUIRED. MAXIMUM MIX TIME AT POINT OF DEPOSIT IS 90 MINUTES. $f'_c = 3000$ PSI.

REINFORCING STEEL: BARS TO BE A615-GRADE 60 (UNLESS NOTED OTHERWISE), FREE FROM OIL, LOOSE SCALE AND LOOSE RUST AND MUST, LAPPED, PLACED, SUPPORTED AND FASTENED ACCORDING TO THE MANUAL OF STANDARD PRACTICE FOR DETAILING CONCRETE STRUCTURES (ACI 315-63) AND THE BUILDING CODE REQUIREMENTS FOR REINFORCED CONCRETE (ACI 318-71). IN CASE OF CONFLICT ACI 318-71 SHALL TAKE PRECEDENCE.

GENERAL NOTES

1. ALL FLOORS AND WALLS OF POOL TO BE GUNITE APPLIED CONC. WITH A 28 DAY MINIMUM COMPRESSIVE STRENGTH OF 3000 PSI.
2. ALL REINF. STEEL TO CONFORM TO A.S.T.M. 615 GRADE 40.
3. ALL POOL PIPING TO BE SCHED. 40 PVC BEARING NSF APPROVAL.
4. FILTER BACKWASH SHALL COMPLY WITH SECTION 5004 SFBC.
5. ALL POOL CONSTRUCTION SHALL COMPLY WITH CHAPTER 50 OF THE SOUTH FLORIDA BUILDING CODE (SFBC).

6. SURFACE SOILS ARE SANDY AND ARE PRESUMED TO HAVE A SAFE BEARING CAPACITY OF 800 PSF. THE MINIMUM BEARING CAPACITY REQUIRED IS EQUAL TO 500 PSF. IF ORGANIC OR MARL TYPE SOILS ARE ENCOUNTERED ON EXCAVATION OR IF TRASH OR OTHER DELTERIOUS MATERIAL IS ENCOUNTERED, ALL SUCH MATERIAL AND SOILS SHALL BE REMOVED AND THE OVER EXCAVATION SHALL BE BACKFILLED WITH CLEAN SAND AND/OR ROCK AND COMPACTED IN 12" THICK LAYERS OR: NOTIFY ENGINEER FOR PILING DESIGN. NO POOL OR PATIO SHALL BEAR ON ORGANIC SOILS OR ANY OTHER TYPE SOILS THAN SAND OR ROCK WITH A MINIMUM SAFE BEARING VALUE OF 800 P.S.F. NOR SHALL ANY SUCH SOIL STRATAS I.E. (ORGANIC) UNDERLIE POOL SHELL AND/OR PATIO BEARING STRATAS. IT IS RECOMMENDED THAT

SOIL BORINGS BE TAKEN AT ALL SITES OF QUESTIONABLE SOIL BEARING CAPACITY.

7. IN ALL CASES THE POOL CONTRACTOR SHALL TAKE ALL PRECAUTIONS TO PROTECT EXISTING STRUCTURES FROM FAILURE BY SHORING, UNDERPINNING OR ANY OTHER METHOD IF REQUIRED. THE DESIGN ENGINEER ACCEPTS NO RESPONSIBILITY FOR THE SAFETY OF EXISTING STRUCTURES.


8. THE DESIGN ENGINEER ASSUMES NO RESPONSIBILITY FOR POOL CONSTRUCTION IN EASEMENTS OR REQUIRED SETBACK AREAS. PLOT PLANS NOT PREPARED FROM LEGAL SURVEYS OF THE EXISTING LOT AND RESIDENCE ARE SO INDICATED. POOL CONTR. SHALL VERIFY ALL DIMENSIONS IN THE FIELD AND ESTABLISH LOT

LINES IF NECESSARY. POOL CONTRACTOR AND/OR OWNER SHALL VERIFY LAYOUT SHOWN AND ALL DIMENSIONS PRIOR TO CONSTRUCTION.

9. POOL CONTRACTOR SHALL ESTABLISH LOCATIONS OF EXISTING UTILITIES AT THE SITE PRIOR TO CONSTRUCTION. ESTABLISH UTILITY CLEARANCES FROM POOL WITH LOCAL REGULATORY AGENCIES.


10. POOL SLIDES TO BE INSTALLED IN ACCORDANCE WITH LATEST U.S. GOVERNMENT SAFETY STANDARDS.

11. MIN. 4" FENCE RECOMMENDED AROUND ALL POOLS.



D.E. FILTER PIPING SCHEMATIC


SPL PIPING NOT SHOWN FOR CLARITY



ALTERNATE WALL SECTION


NTS

IMPORTANT NOTE: NO DIVING BOARD AND NO DIVING IS ALLOWED ON ANY POOL LESS THAN 8'-0" DEPTH AND SPECIFICALLY DESIGNED FOR DIVING. THIS POOL IS NOT DESIGNED FOR DIVING.




LONGITUDINAL POOL SECTION - STANDARD POOL

NTS




ELECTRICAL DIAGRAM




VACUUM FILTER PIPING SCHEMATIC

NTS



TYPICAL WALL SECTION

NTS



REMOVE GRATE AND WELL POINT VALVE FROM MAIN DRAIN, AND ATTACH AUXILIARY PUMP LINE WHEN EMPTYING.

WELL POINT DETAIL


NTS

POOL DATA AND EQUIPMENT

SIZE & DEPTH	34' x 33' 3\"/>
CAPACITY	15,100 GALLONS
PERIMETER	90 L.F.
PUMP	3/4\"/>
FILTER	PUREX C-15 50\"/>
TILE	6\"/>
TYPE OF PATIO	SLIP RESISTANT FINISH
EXIT RAILINGS	FIGURE 4 GATE RAILS AND HANDRAIL
COPING	PRECAST CONCRETE
TURNOVER	8 HOURS

LEGAL DESCRIPTION

LOT 3, 166' THE S. 1/4 OF SEC. 16, T. 4 S., R. 11 E., B. 11 N., HOLLYWOOD LAKE SECTION, BROWARD COUNTY, FLORIDA



ELEVATION OF DECK IN RELATION TO HOUSE: TO BE ESTABLISHED IN THE FIELD

POOL AND SITE PLAN

SCALE: 1/8" = 1'-0"

NORTH

DANIEL F. BLUST
CONSULTING ENGINEER
HOLLYWOOD, FLORIDA

POOL FOR: HOLLYWOOD DREAM HOMES
800 SOUTH 7TH AVENUE
HOLLYWOOD, FLORIDA

ATLANTIC POOLS OF BROWARD INC.

DATE: 17 Nov. 1976
SHEET N°: 1 of 1


ORDER: COM N°

Paul Post

LOT 3 LESS THE S. 40.25' AND ALN. OF LOT 4 & 5 BLOCK 79
HOLLYWOOD LAKES SECTION
BROWARD COUNTY, FLORIDA

6. 7th AVENUE

3 trees in private
to code *(initials)*
young 12/9/76



5. SANTA LAKE DRIVE

REVISED DIFFERENTIALS 2 082 1976

1000

100




ELEVATION OF DECK IN RELATION TO HOUSE: TO BE ESTABLISHED IN THE FIELD

INTERCOASTAL WATERWAY



POOL AND SITE PLAN

SCALE: 1/8" = 1'-0"

NORTH



PARTIAL CLASS SHALL BE THREE MINUTES PER HOUR. THE
 PARTIAL IS NOT NEARLY DETAIL. PARTIAL IS NOT BY OTHER THAN
 IN AND PARTIAL SHALL LIMIT STAY TO THAT THE LOSS IS
 BEAM NOT PLACED 60 FEET, 100 FEET. THE LOSS SHALL
 SUGGESTED 2000 AND 1000000.




1st CONCRETE PAVING AND SURFACING DONE BY THE
 SPAN: 2' COVER ON BOTTOM BARS - 4" DIA. 20
 REINFORCING


SPAN	BAR	REINFORCING BAR
T ¹	N ^o 3 @ 12" O.C.	N ^o 3 @ 12" O.C.
O ¹	N ^o 3 @ 10" O.C.	
T ¹	N ^o 3 @ 12" O.C.	
10 ¹	N ^o 4 @ 12" O.C.	
11 ¹	N ^o 4 @ 9 1/2" O.C.	
12 ¹	N ^o 4 @ 8" O.C.	

POOL FOR HOLLYWOOD DREAM HOMES 800 SOUTH 7 TH AVENUE HOLLYWOOD FLORIDA		
DATE NOV 23 1976	DANIEL P. BELLST CONSULTING ENGINEER HOLLYWOOD, FLORIDA	SHEET NO. 3 OF 4

12-7-74



NOTE: WHERE POSSIBLE - IN SHALLOW END OF POOL - DROP TIE BARS WITH CONE ANCHOR BELOW POOL BOTTOM




TIE BARS - PLAN VIEW - CONDITION #1


ALIGNING WITH PILE CAPS - NTS SEE SECTION BELOW

TIE BARS - PLAN VIEW - CONDITION #2

FALLING BETWEEN PILE CAPS SEE BELOW



IMPORTANT NOTE - ANCHOR BAR WHERE IMBEDDED IN CONCRETE SHALL BE COMPLETELY FREE OF TAR, WRAPPINGS AND/OR OTHER LUBRICANTS WHICH WOULD PREVENT BOND WITH THE CONC.



CONDITION #1 - SECTION NTS

[Signature]
12-21-76

BULKHEAD ANCHOR BAR TIE BARS INTO PROPOSED SWIMMING POOL FOR HOLLYWOOD PENTON HOMES - HOLLYWOOD - FLA

DANIEL F. BLUST CONSULTING ENGINEER HOLLYWOOD - FLORIDA

DEC 21 1976
APPENDIX SHEET



JOB CARD

OWNER P. POST		JOB ADDRESS 800 S 7 Ave.	
LEGAL DESCRIPTION	LOT NUMBER Pt 3, 4 & 5	BLOCK	SUBDIVISION OR ADDITION
MICROFILM NO. 77-0253	ARCHITECT Anthony Montagnari	FEE \$ 16.20	VALUATION \$ 1800

DESCRIPTION OF CONSTRUCTION Boat Dock	☐ SEPTIC TANK ☐ SEWER TAP
--	--

TYPE PERMIT	NUMBER	DATE	CONTRACTOR	TYPE PERMIT	NUMBER	DATE	CONTRACTOR
BUILDING	046	1/13/77	Clem Domes	SEPTIC/SEWER			
ROOF				AIR/CONDITION			
ELECTRIC-BASIC				MECHANICAL			
ELECTRIC-SUPP.				SCREEN			
PLUMBING	NO. FIX.			POOL			
L-P-DRY WALL				DRIVEWAY			
FENCE				PATIO or WALK			


NOTES:

1613-13

PERMIT REQUIRED

Robt. C. Winter

—



SITE PLAN SCALE 1"=25'

JOB CARD

OWNER City of Hollywood		JOB ADDRESS 800 S. 7 Ave.	
LEGAL DESCRIPTION	LOT NUMBER corner of S.S. Lake Dr.	BLOCK	SUBDIVISION OR ADDITION
M. C. P. L. N. NO.	ARCHITECT	FEE \$ No Fee	VALUATION \$ 1000.~

DESCRIPTION OF CONSTRUCTION
Remove and replace 1407 sq. ft. asphalt on S.S. Lake Dr.

- ☐ SEPTIC TANK
☐ SEWER TAP

TYPE PERMIT	NUMBER	DATE	CONTRACTOR	TYPE PERMIT	NUMBER	DATE	CONTRACTOR
BUILDING				SEPTIC SEWER			
WATER				AIR CONDITION			
ELECTRIC BASIN				MECHANICAL			
ELECTRIC SUPP.				SCREEN			
PLUMBING	40, FIX.			POOL			
L.P. GAS WALL				DRIVEWAY	93794	2/21/85	A. DiTocco
FENCE				PATIO or WALK			





NOTES: County Surcharge: .20

JOB CARD

OWNER FWD. BRIAN HOMES		JOB ADDRESS 800-18-36 S 7 Ave.	
LEGAL DESCRIPTION	LOT NUMBER	BLOCK	SUBDIVISION OR ADDITION
MICROFILM NO. 27-560	ARCHITECT D. E. Britt Assoc	FEE \$ 73.80	VALUATION \$ 19,500
DESCRIPTION OF CONSTRUCTION Seawall			☐ SEPTIC TANK ☐ SEWER TAP

TYPE PERMIT	NUMBER	DATE	CONTRACTOR	TYPE PERMIT	NUMBER	DATE	CONTRACTOR
BUILDING 207	36273	12/23/76	Pool Plln.	SEPTIC/SEWER			
WCT				AIR/CONDITION			
ELECTRIC-BASIC				MECHANICAL			
ELECTRIC-SUPP.				SCREEN			
PLUMBING NO. FIN.				POOL			
I-P-DRY WALL				DRIVEWAY			
FENCE				PATIO or WALK			

NOTES: *1. 18" x 18" x 18" concrete piers at 10' intervals along 1/4" City Eeg.* 1613-13



STRUCTURAL NOTES:

BULKHEAD IS DESIGNED FOR A BERM ELEVATION NO LOWER THAN -3'-0" MSL. MAINTENANCE OF SAID BERM ELEVATION SHALL BE PROPERTY OWNERS RESPONSIBILITY. CONCRETE TO BE A MIX DESIGNED IN ACCORDANCE WITH ASTM C-94 BY A RECOGNIZED TESTING LABORATORY TO ACHIEVE A STRENGTH OF 3000 PSI, AT 28 DAYS, WITH A PLASTIC AND WORKABLE MIX.

REINFORCING STEEL TO BE A-36 GRADE, FREE FROM OIL, LOOSE SCALE AND LOOSE RUST AND BENT, LAPPED, PLACED, SUPPORTED AND FASTENED ACCORDING TO THE MANUAL OF STANDARD PRACTICE FOR DETAILING CONCRETE STRUCTURES (ACI-318-65) AND THE BUILDING CODE REQUIREMENTS FOR REINFORCED CONCRETE (ACI-318-71). MINIMUM CONCRETE COVER ON REINFORCING STEEL TO BE: CONCRETE CAP - 3"; ALL OTHER COMPONENTS - 2".

TIE ROD TO BE BITUMASTIC COATED A-36 STEEL.

JOINTS ABOVE BERM SHALL BE SEALED.

SITE PLAN SCALE: $1" = 40'-0"$

LEGAL DESCRIPTION:
LOTS 1, 2, 3, 4 AND 5, BLOCK 79
HOLLYWOOD LAKES
HOLLYWOOD, BROWARD COUNTY, FLA.

SHEET TITLE: T-PILE & PANEL BULKHEAD	TITLE
JOB: INTRACOASTAL WATERWAY BULKHEAD	DRAWN H.L.
FOR: ANTHONY A. MONTAGNARI	CHK. H.L.
ARCHITECT: 2500 E. HALLANDALE BOULEVARD, HALLANDALE, FLA.	DATE 11-1-71
ENGINEER: D.E. BRITT ASSOCIATES, INC.	STATUS 11-1-71
1428 NORTH FEDERAL HIGHWAY FORT LAUDERDALE, FLORIDA 33305	



DEPARTMENT OF THE ARMY
JACKSONVILLE DISTRICT, CORPS OF ENGINEERS
P. O. BOX 4970
JACKSONVILLE, FLORIDA 32201

SAJOB-RP
76J-0924

20 December 1976

Mr. Allen Zucker
c/o Anthony A. Montagnari
2500 E. Hallandale Beach Blvd.
Hallandale, Florida 33009

Dear Mr. Zucker:

We are pleased to inclose your Department of the Army Permit and a Notice of Authorization which should be displayed at the construction site. Work may begin immediately but you must notify the appropriate Area Engineer as representative of the District Engineer, of:

- (1) The date of commencement of the work (mail attached card),
- (2) The dates of work suspensions and resumptions if work is suspended over a week, and,
- (3) The date of final completion.

Area Engineer addresses and telephone numbers are shown on the attached map. The Area Engineer is responsible for inspections to determine that permit conditions are strictly adhered to.

IT IS NOT LAWFUL TO DEVIATE FROM
THE APPROVED PLANS ATTACHED.

Sincerely yours,

Gail G. Gren

GAIL G. GREN
Chief, Operations Division

4 Incl

1. Permit w/plans
2. Notice of Authorization
3. Commencement Card
4. Area Office Map



DEPARTMENT OF THE ARMY
CORPS OF ENGINEERS

NOTICE OF AUTHORIZATION

20 DECEMBER 1976

A PERMIT TO CONSTRUCT A BULKHEAD AND BACKFILL

AT S. SOUTHLAKE DRIVE AND S. 7TH AVENUE, HOLLYWOOD, SECTION 14, TOWNSHIP 51 S,
RANGE 42 E, BROWARD COUNTY, FLORIDA

HAS BEEN ISSUED TO

MR. ALLEN ZUCKER

ON 20 DECEMBER 19 76

ADDRESS OF PERMITTEE

790 S. SOUTH LAKE DRIVE
HOLLYWOOD, FLORIDA 33009

PERMIT NUMBER 76J-0924

Donald A. Wisnom
DONALD A. WISNOM, COL., CE
District Engineer

2 permits were found for
800 S 7 AVE

View	<u>Process #</u>	<u>Permit #</u>	<u>Description</u>	<u>Appl. Date</u>	<u>Permit Date</u>
Details		P9601088	PLUMBING WORK		6/21/1996
Details		B9207999	RE-ROOF-METAL,TILE,WOOD SHINGLE OR SHAKE		12/4/1992